

Step of the local property of the local prop

Build exactly the skills you need. Learn at the pace you want.

Microsoft Access 2013





PUBLISHED BY Microsoft Press A Division of Microsoft Corporation One Microsoft Way Redmond, Washington 98052-6399

Copyright © 2013 by Joyce Cox and Joan Lambert

All rights reserved. No part of the contents of this book may be reproduced or transmitted in any form or by any means without the written permission of the publisher.

Library of Congress Control Number: 2013931601

ISBN: 978-0-7356-6908-6

Printed and bound in the United States of America.

Second Printing: March 2015

Microsoft Press books are available through booksellers and distributors worldwide. If you need support related to this book, email Microsoft Press Book Support at mspinput@microsoft.com. Please tell us what you think of this book at http://www.microsoft.com/learning/booksurvey.

Microsoft and the trademarks listed at http://www.microsoft.com/about/legal/en/us/IntellectualProperty/ Trademarks/EN-US.aspx are trademarks of the Microsoft group of companies. All other marks are property of their respective owners.

The example companies, organizations, products, domain names, email addresses, logos, people, places, and events depicted herein are fictitious. No association with any real company, organization, product, domain name, email address, logo, person, place, or event is intended or should be inferred.

This book expresses the author's views and opinions. The information contained in this book is provided without any express, statutory, or implied warranties. Neither the authors, Microsoft Corporation, nor its resellers, or distributors will be held liable for any damages caused or alleged to be caused either directly or indirectly by this book

Acquisitions Editor: Rosemary Caperton

Editorial Production: Online Training Solutions, Inc.

Technical Reviewer: Rob Carr **Copyeditor:** Jaime Odell **Indexer:** Joyce Cox

Cover: Microsoft Press Brand Team

Contents

| Introd | luction | . xi |
|--------|-------------------------------|------|
| | Who this book is for | . xi |
| | How this book is organized | . xi |
| | Download the practice files | . xi |
| | Your companion ebook | xiv |
| | Get support and give feedback | xiv |
| | Errata | xiv |
| | We want to hear from you | .xv |
| | Stay in touch | .xv |

PART 1

Simple database techniques

| 1 | Explore Microsoft Access 2013 | 3 |
|----------|---|----|
| Identify | ying new features of Access 2013 | |
| | If you are upgrading from Access 2010 | 4 |
| | If you are upgrading from Access 2007 | 5 |
| | If you are upgrading from Access 2003 | 6 |
| Workin | g in the Access 2013 user interface | |
| | Identifying program window elements | 9 |
| | Working with the ribbon | 13 |
| | Sidebar: Adapting exercise steps | 17 |
| | Sidebar: Getting help with Access 2013 | 23 |
| Unders | standing database concepts | |
| | Sidebar: Enabling macros and other active content | |
| Explori | ng tables | |
| Explori | ng forms | |
| Explori | ng queries | |

| Explor | ing reports | |
|----------|---|-----|
| Previe | wing and printing database objects | 46 |
| Key po | oints | 51 |
| | | |
| 2 | Create databases and simple tables | 53 |
| Creatir | ng databases from templates | 54 |
| | Sidebar: Getting started with Access web apps | |
| Creatir | ng databases and tables manually | |
| | Sidebar: Database design | |
| Manip | ulating table columns and rows | 74 |
| Refinir | ng table structure | |
| Definir | ng relationships between tables | 83 |
| Key po | pints | 89 |
| 3 | Create simple forms | 91 |
| Creatin | ng forms by using the Form tool | |
| | tting forms | |
| | ging the layout of forms | |
| _ | pints | |
| | | |
| 4 | Display data | 115 |
| Sorting | g information in tables | |
| | Sidebar: How Access sorts | 120 |
| Filterin | ng information in tables | |
| Filterin | ng information by using forms | 125 |
| | Sidebar: Wildcards | |
| Locatin | ng information that matches multiple criteria | 129 |
| | Sidebar: Saving filters as queries | |
| Kay no | pints | 133 |

| Key | y points | 154 |
|--------|---|--------|
| PART 2 | <u>.</u> | |
| Rela | ational database techr | niques |
| | 6 Maintain data integrity | ı |
| | | |
| - | ecifying the type of data | |
| | tting the field size | |
| Res | stricting the format of data | |
| Val | Sidebar: Creating custom formatslidating the data | |
| Val | Sidebar: Simple validation rules | |
| ΔΙΙ | owing only values in lists | |
| 7 (11) | Sidebar: Multicolumn lookup lists | |
| Alle | owing only values in other tables | |
| | Sidebar: Multivalued fields | |
| Key | y points | |
| | 7 Create queries | 197 |
| Cre | eating queries by using a wizard | |
| | eating queries manually | |
| Sui | mmarizing data by using queries | 208 |
| Cal | Iculating by using queries | 212 |
| Up | odating records by using queries | 218 |
| De | eleting records by using queries | 222 |
| Key | y points | 225 |

Creating reports by using a wizard136Modifying report design.142Previewing and printing reports150

Create simple reports

5


135

| 8 | Create custom forms | 227 |
|-------------|---|----------|
| Modi | fying forms created by using a wizard | 228 |
| | Sidebar: Different types of forms | 230 |
| Addir | ng controls | |
| Displa | aying subforms | |
| | Sidebar: Selecting fields for main forms and subforms | 245 |
| Кеу р | points | |
| 9 | Create custom reports | 255 |
| Creat | ing reports manually | |
| | Sidebar: Adding hyperlinks, charts, and buttons | |
| Modi | fying report content | |
| | Sidebar: Layouts | 264 |
| Addir | ng subreports | |
| Кеу р | points | |
| PART 3 Data | base management and | security |
| 10 | Import and export data | 279 |
| Imno | rting information | 280 |
| mpo | Importing from other Access databases | |
| | Importing from Excel worksheets | |
| | Importing from text files. | |
| | Importing from other database programs | |
| | Importing from Outlook folders | |
| | Importing from SharePoint lists. | |
| | . • | |
| | Importing from .html files | |
| | Importing from .xml files | |
| | Sidebar: Linking to information | 295 |

| Exporting to other Access databases | |
|--|--|
| | |
| Exporting to Excel worksheets | |
| Exporting to Word documents | |
| Exporting to text files | |
| Exporting to .pdf and .xps files | |
| Exporting to SharePoint lists | |
| Exporting to .html files | |
| Exporting to .xml files | |
| Copying to and from other Office programs | |
| Key points | 309 |
| | |
| 11 Make databases user friendly | 311 |
| Designing navigation forms | |
| Creating custom categories | |
| Controlling which features are available | |
| Key points | |
| key points | |
| | |
| 12 Protect databases | 220 |
| 12 Trotect databases | 329 |
| | |
| Assigning passwords to databases | |
| Assigning passwords to databases | |
| Assigning passwords to databases | |
| Assigning passwords to databases Splitting databases. Securing databases for distribution Sidebar: Packaging and signing databases | |
| Assigning passwords to databases Splitting databases. Securing databases for distribution Sidebar: Packaging and signing databases Preventing database problems | |
| Assigning passwords to databases Splitting databases. Securing databases for distribution Sidebar: Packaging and signing databases | |
| Assigning passwords to databases Splitting databases. Securing databases for distribution Sidebar: Packaging and signing databases Preventing database problems Key points | |
| Assigning passwords to databases Splitting databases. Securing databases for distribution Sidebar: Packaging and signing databases Preventing database problems | |
| Assigning passwords to databases Splitting databases. Securing databases for distribution Sidebar: Packaging and signing databases Preventing database problems Key points | |
| Assigning passwords to databases Splitting databases Securing databases for distribution Sidebar: Packaging and signing databases Preventing database problems Key points Work in Access more efficiently | |
| Assigning passwords to databases Splitting databases. Securing databases for distribution Sidebar: Packaging and signing databases Preventing database problems Key points Work in Access more efficiently Changing default program options. | 330 334 338 341 342 347 349 350 |
| Assigning passwords to databases Splitting databases. Securing databases for distribution Sidebar: Packaging and signing databases Preventing database problems Key points Work in Access more efficiently Changing default program options. Sidebar: Using add-ins | |
| Assigning passwords to databases Splitting databases. Securing databases for distribution Sidebar: Packaging and signing databases Preventing database problems Key points Work in Access more efficiently Changing default program options. Sidebar: Using add-ins Customizing the ribbon. | |
| Assigning passwords to databases Splitting databases. Securing databases for distribution Sidebar: Packaging and signing databases Preventing database problems Key points Work in Access more efficiently Changing default program options. Sidebar: Using add-ins Customizing the ribbon. Sidebar: Customizing the status bar. | |

| Glossary | |
|--|-----|
| Keyboard shortcuts | 385 |
| Access 2013 keyboard shortcuts | 385 |
| Open, save, and print databases | |
| Work in Design, Layout, or Datasheet view | |
| Work in the Navigation pane | |
| Work in the Property Sheet pane | |
| Work in the Field List pane | |
| Edit controls in forms or reports in Design view | 387 |
| Work with combo boxes or list boxes | |
| Set properties for a table in Design view | |
| Work with text and data | |
| Navigate records | 391 |
| Navigate in Design view | |
| Navigate in Datasheet view | |
| Navigate in Form view | 393 |
| Navigate in Print Preview | 394 |
| Navigate in the Query Designer | 394 |
| Access web app keyboard shortcuts | 396 |
| Customize a web app in Access | |
| Work with a web app in a web browser | 396 |
| Office 2013 keyboard shortcuts | |
| Work with menus | 397 |
| Use Open and Save As in the Backstage view | 397 |
| Use the Open and Save As dialog boxes | 398 |
| Display and use windows | 398 |
| Navigate on the ribbon | 399 |
| Move around in text or cells | 399 |
| Work with text | 400 |
| Move around in and work in tables | 400 |
| Work with panes | 400 |
| Work with wizards | |
| Work with dialog boxes | 401 |
| Use edit boxes within dialog boxes | |
| Use the Help window | |

| Index | 405 |
|----------------------------|-----|
| About the authors | 427 |
| How to download your ebook | 431 |
| Survey page | 432 |



Introduction

Over the years, Microsoft has put a lot of effort into making Access not only one of the most powerful consumer database programs available, but also one of the easiest to learn and use. Because Access is part of Microsoft Office 2013, you can use many of the techniques you use with Microsoft Word and Microsoft Excel. For example, you can use familiar commands, buttons, and keyboard shortcuts to open and edit the information in Access tables. And you can easily share information between Access and Word, Excel, or other Office programs. *Microsoft Access 2013 Step by Step* offers a comprehensive look at the features of Access that most people will use most frequently.

Who this book is for

Microsoft Access 2013 Step by Step and other books in the Step by Step series are designed for beginning-level to intermediate-level computer users. If part of your job involves entering data in or producing reports from a database designed by someone else, this book will help you understand the behind-the-scenes functionality of the database. If you are tasked with the maintenance of an existing database, you will learn important techniques for ensuring data integrity. Although we don't cover the macro and VBA functionality that enables experienced developers to create full-featured database applications, we do touch on more advanced topics such as controlling access and preventing problems.

Examples shown in the book generally pertain to small and medium businesses but teach skills that can be used in organizations of any size. The databases you create and work with are desktop databases, designed to be used in Access 2013 on a local computer. Access 2013 has powerful new capabilities to enable more advanced users to create applications, called *Access web apps*, that are stored as SQL databases on a Microsoft SharePoint 2013 site and can be viewed and manipulated through a web browser. Because of the behind-the-scenes requirements of these databases, we briefly describe them but don't cover them in depth.

Whether you are already comfortable working in Access and want to learn about new features in Access 2013 or are new to Access, this book provides invaluable hands-on experience so that you can confidently create and work with many types of desktop databases

How this book is organized

This book is divided into three parts. Part 1 explains how to get data into a database, either directly by entering it into tables or indirectly by using forms; and how to get information out of a database, either by displaying it on the screen or by printing it in reports. Part 2 discusses ways to ensure that the data in related tables is accurate, how to use queries to extract data from related tables, and how to create forms and reports that use related tables. Part 3 covers more advanced Access techniques, including securing the database and customizing the program to fit the way you work. With this three-part structure, readers who are new to the program can acquire basic skills and then build on them, whereas readers who are comfortable with Access 2013 basics can focus on material that is of the most interest to them.

Chapter 1 contains introductory information that will primarily be of interest to readers who are new to Access or are upgrading from Access 2003 or an earlier version. If you have worked with a more recent version of Access, you might want to skip directly to Chapter 2.

This book has been designed to lead you step by step through all the tasks a beginning-level or intermediate-level user is most likely to want to perform with Access 2013. If you start at the beginning and work your way through all the exercises, you will gain enough proficiency to be able to create simple databases and work with more complex databases created by experts. However, each chapter is self-contained, so you can jump in anywhere to acquire exactly the skills you need.

Download the practice files

Before you can complete the exercises in this book, you need to download the book's practice files to your computer. These practice files can be downloaded from the following page:

http://aka.ms/Access2013sbs/files

IMPORTANT The Access 2013 program is not available from this website. You should purchase and install that program before using this book.

The following table lists the practice files for this book.

| mpany01.accdb mpany03.accdb mpany04.accdb mpany05.accdb mpany06.accdb mpany07.accdb mpany07.accdb |
|---|
| mpany04.accdb mpany05.accdb mpany06.accdb mpany07.accdb mpany08.accdb |
| mpany04.accdb mpany05.accdb mpany06.accdb mpany07.accdb mpany08.accdb |
| mpany05.accdb mpany06.accdb mpany07.accdb mpany08.accdb |
| mpany05.accdb mpany06.accdb mpany07.accdb mpany08.accdb |
| mpany06.accdb mpany07.accdb mpany08.accdb |
| mpany07.accdb mpany08.accdb |
| mpany08.accdb |
| |
| |
| s.jpg |
| mpany09.accdb |
| .xlsx |
| .txt |
| mpany10.accdb |
| ndSuppliers.accdb |
| sx |
| npany11.accdb |
| |
| |
| |
| mpany12.accdb |
| r |

If you would like to be able to refer to the completed versions of practice files at a later time, save the modified practice files at the end of each exercise. If you might want to repeat the exercises, save the modified practice files with a different name or in a different folder.

Your companion ebook

With the ebook edition of this book, you can do the following:

- Search the full text
- Print
- Copy and paste

To download your ebook, please see the instruction page at the back of the book.

Get support and give feedback

The following sections provide information about getting help with this book and contacting us to provide feedback or report errors.

Errata

We've made every effort to ensure the accuracy of this book and its companion content. Any errors that have been reported since this book was published are listed on our Microsoft Press site, which you can find at:

http://aka.ms/Access2013sbs/errata

If you find an error that is not already listed, you can report it to us through the same page.

If you need additional support, email Microsoft Press Book Support at *mspinput@microsoft.com*.

Please note that product support for Microsoft software is not offered through the addresses above.

We want to hear from you


At Microsoft Press, your satisfaction is our top priority, and your feedback our most valuable asset. Please tell us what you think of this book at:

http://www.microsoft.com/learning/booksurvey


The survey is short, and we read every one of your comments and ideas. Thanks in advance for your input!


Stay in touch

Let's keep the conversation going! We're on Twitter at: http://twitter.com/MicrosoftPress.



Chapter at a glance





Arrange the layout of forms, page 107 Customers Customers Customers Ackerman Phone (425) 555-0194 Address | 8008 Backbay St. City/Stote/ZiP | Bellevue | WA | 88004 Country | USA

IN THIS CHAPTER, YOU WILL LEARN HOW TO

- Create forms by using the Form tool.
- Format forms.
- Arrange the layout of forms.

A database that contains the day-to-day records of an active company is useful only if it is kept current and if the information stored in it can be found quickly. Entering, editing, and retrieving information from tables in Datasheet view is fairly easy for someone who is familiar with Access. But for occasional users or people who are not familiar with Access, these tasks might be tedious and inefficient and leave far too much room for error, especially if details of complex transactions have to be entered into several related tables. The solution to this problem is to create and use forms.

A form is an organized and formatted view of some or all of the fields from one or more tables. Forms work interactively with the tables in a database. You use controls in the form to enter new information, to edit or remove existing information, or to locate information. The controls you will use most frequently in an Access form are as follows:

- **Text box controls** You can view or enter information in these controls. Think of a text box control as a little window through which you can insert data into the corresponding field of the related table or view information that is already in that field.
- Label controls You can tell what type of information you are looking at in the corresponding text box control, or what you are expected to enter in the text box control by using these controls.

TIP An Access form can also include a variety of other controls that transform the form into something very much like a Windows dialog box or wizard page. For information, see "Allowing only values in lists" in Chapter 6, "Maintain data integrity."

In this chapter, you'll discover how easy it is to create forms to view and enter information. You'll also modify forms to suit your needs by changing their appearance and the arrangement of their controls.

PRACTICE FILES To complete the exercises in this chapter, you need the practice files contained in the Chapter03 practice file folder. For more information, see "Download the practice files" in this book's Introduction.

Creating forms by using the Form tool

Before you begin creating a form for a desktop database, you need to know the following:

- Which table the form should be based on
- How the form will be used

After making these decisions, you can create a form in the following ways:

- Click the table you want in the Navigation pane, and then click the Form button in the Forms group on the Create tab. This method creates a simple form that uses all the fields in the table.
- Use a wizard. This method enables you to choose which of the table's fields you want to use in the form.
 - **SEE ALSO** For information about using wizards to create forms, see "Modifying forms created by using a wizard" in Chapter 8, "Create custom forms."
- Switch to Layout view, where you can create the form manually while viewing the underlying data, or switch to Design view, where you have more control over form elements.
 - **SEE ALSO** For information about manipulating forms in Layout view, see the other two topics in this chapter. For information about manually creating forms in Design view, see "Adding controls" in Chapter 8, "Create custom forms."

TIP When you create an Access web app, you can view the data in tables in List view, which includes a mechanism for adding, deleting, and editing records in a pane that is much like a form.

You will usually want to start the process of creating forms that are based on tables by using the Form tool or a wizard—not because the manual process is especially difficult, but because it is simply more efficient to have the tool or a wizard create the basic form for you and then refine that form manually.

In this exercise, you'll use the Form tool to create a form based on a table. You will then enter a couple of records by using the new form and refresh the table to reflect the new entries


- SET UP You need the GardenCompany03 database located in the Chapter03 practice file folder to complete this exercise. The practice file for this exercise contains tables that look similar to those in the practice file for Chapter 1. However, to simplify the steps, we have removed the relationships between the tables. Be sure to use the practice database for this chapter rather than continuing on with the database from an earlier chapter. Open the database, and if you want, save your own version to avoid overwriting the original. Then follow the steps.
 - With All Access Objects displayed in the Navigation pane, in the Tables group, double-click Customers to open the Customers table in Datasheet view.



The record navigation bar shows that there are 108 records in this table.

- TIP The CustomerID field contains an identifier for each customer and is the table's primary key field. In this case, the identifier is not an autogenerated number, but the first three letters of the customer's last name combined with the first two letters of his or her first name. For more information about this type of primary key, see "Allowing only values in other tables" in Chapter 6, "Maintain data integrity."
- On the **Create** tab, in the **Forms** group, click the **Form** button to create a simple form based on the active table and display the form in **Layout** view.

TIP You don't have to open a table to create a form based on it. You can simply click the table in the Navigation pane to select it and then click the Form button in the Forms group on the Create tab. But it is sometimes useful to have the table open behind the form so that you can verify the form contents against the table contents.




The form displays the first record in the Customers table in Layout view. (We have closed the Navigation pane to show more of the form.)

The Form tool has configured all the field names in the table as label controls and all the fields as text box controls. In the header at the top of the form, the name of the table appears as a title, and the form icon appears to the left of the title as a placeholder for a logo. Because the form is displayed in Layout view, the Design, Arrange, and Format tool tabs appear on the ribbon so that you can modify selected controls.

3 Move the mouse pointer over the form, and click any label or text box control to select it for manipulation.

We won't make any changes to the form right now. Instead let's experiment with how the form looks and behaves in Form view.

4 Switch to **Form** view. Then move the mouse pointer over the form, and click the **City** label.




In Form view, the tool tabs are no longer displayed, and clicking a label selects the entry in the adjacent text box, ready for editing.

- In the record navigation bar at the bottom of the form, click the **Next record** button to display the second record in the table.
- 6 Use the record navigation bar to display a few more records.

TIP You can easily compare the information shown in the form to that in the table by alternately clicking the Customers table tab and the Customers form tab to switch back and forth between their pages.

Now let's use the form to enter a couple of new records in the table.

At the right end of the record navigation bar, click the **New (blank) record** button to display a blank **Customers** form.



The record navigation bar shows that this will be record number 109.

- 8 Click the **CustomerID** label to position the cursor in the text box to the right.
- 9 Enter **ASHCH**, noticing that the icon that indicates a record is receiving data (two dots and a pencil) appears at the top of the bar to the left. Then press the **Tab** key, which moves the cursor to the next text box.
- Enter the following information, pressing **Tab** after each entry except the last one to move to the next text box.

FirstName Chris
LastName Ashton

Address 89 Cedar Way

City Redmond

Region WA
PostalCode 88052
Country USA

PhoneNumber (425) 555-0191

TIP By the time you finish this book, you will know how to have Access create the CustomerID entry based on the FirstName and LastName entries, so that you don't have to type it.

When you finish entering the phone number (the last field value in the record), press the **Enter** key to complete the record and display another blank form. Notice that the record navigation bar shows that this will be record number 110 in the table.

12 Enter the following information, pressing **Tab** after each entry except the last one to move from text box to text box.

CustomerID BASSH
FirstName Shai
LastName Bassli

Address 407 Sunny Way

City Kirkland


Region WA

PostalCode 88053

Country USA

PhoneNumber (425) 555-0187

When you finish entering the phone number, press **Enter**. Then in the record navigation bar, click the **Previous record** button to cancel the new record and display the record you just created.




The information you entered for record number 110.

Let's verify that the two records you entered in the form also appear in the table.

Click the **Customers** table tab, and on the record navigation bar, click the **Last record** button. Notice that the two records you entered in the form do not appear at the bottom of the table, and the record navigator bar indicates that there are only 108 records in the table.

On the **Home** tab, in the **Records** group, click the **Refresh All** button to synchronize the table and the form data input.



Second new record

The two new records have been added to the Customers table and appear in alphabetical order based on their CustomerID field values.

- 16 Close the **Customers** table.
- On the **Quick Access Toolbar**, click the **Save** button. Then in the **Save As** dialog box, click **OK** to accept **Customers** as the form name and add the form to the **Forms** group in the **Navigation** pane.
- CLEAN UP Close the form. Keep the GardenCompany03 database open for use in later exercises.

Formatting forms

When you create a form by using the Form tool, as you did in the previous exercise, the form includes every field in the table on which it is based. Each field is represented on the form by a text box control and its associated label control. The form is linked, or bound, to the table, and each text box is bound to its corresponding field. The table is called the *record source*, and the field is called the *control source*.

Forms and their controls have properties that determine how they behave and look. A form inherits some of its properties from the table on which it is based. For example, each text box name on the form reflects the corresponding field name in the source table. The text box label also reflects the field name, unless the field has been assigned a Caption property, in which case it reflects the caption. The width of each text box is determined by the Field Size property in the table.

Even though a form is bound to its table, the properties of the form are not bound to the table's properties. After you have created the form, you can change the properties of the form's fields independently of those in the table. You might want to change these properties to improve the form's appearance—for example, you can change the font, font size, alignment, fill color, and border.

One of the quickest ways to change the look of a form is to change the theme applied to the database. A theme is a combination of colors and fonts that controls the look of certain objects. In the case of a form, it controls the color and text of the header at the top of the form and the text of the labels and text boxes. By default, the Office theme is applied to all databases based on the Blank Desktop Database template and their objects, but you can easily change the theme by clicking the Themes button in the Themes group on the Design tool tab, and then making a selection from the Themes gallery. While the gallery is displayed, you can point to a theme to display a live preview of how the active database object will look with that theme's colors and fonts applied.


If you like the colors of one theme and the fonts of another, you can mix and match theme elements. First apply the theme that most closely resembles the look you want, and then in the Themes group, change the colors by clicking the Colors button or the fonts by clicking the Fonts button.

TIP If you create a combination of colors and fonts that you would like to be able to use with other databases, you can save the combination as a new theme by clicking Save Current Theme at the bottom of the menu containing the Themes gallery.

If you like most of the formatting of a theme but you want to fine-tune some form elements, you can do so by changing properties in Layout view. In this view, you can view the records from the table to which the form is bound, so when you make formatting adjustments, you can assess the impact on the data. (Changes to the data can be made only in Form view.) You might also want to add your organization's logo or a small graphic that represents the form's contents.

In this exercise, you'll first apply a theme to a form and add a logo to the form's title. Then you'll change the form properties that control its colors and text attributes.


- SET UP You need the GardenCompany03 database you worked with in the preceding exercise and the Logo graphic located in the Chapter03 practice file folder to complete this exercise. If necessary, open the database. Then follow the steps.
 - In the **Navigation** pane, in the **Forms** group, right-click **Customers**, and then click **Layout View**.
 - On the **Design** tool tab, in the **Themes** group, click the **Themes** button to display a menu containing the **Themes** gallery.



Each thumbnail represents a theme. By default, the Office theme is applied to this database.

- Point to each thumbnail in turn, pausing until its name appears in a ScreenTip.
- 4 Click the Wisp thumbnail to apply that theme.
 Now let's replace the form icon to the left of the title in the form header with a logo.
- 5 On the **Design** tab, in the **Header/Footer** group, click the **Logo** button.

In the **Insert Picture** dialog box, navigate to the **Chapter03** practice file folder, and double-click the **Logo** picture.




You have inserted a custom logo in the form header.

Next let's experiment with properties.

- On the **Customers** form, click the **CustomerID** label control (not its text box) to select it for manipulation.
- On the **Format** tool tab, in the **Font** group, click the **Font Size** arrow, and then in the list, click **8** to make the label text significantly smaller.
- Olick the **CustomerID** text box control (not its label), and then on the **Design** tool tab, in the **Tools** group, click the **Property Sheet** button to open the **Property Sheet** pane.


KEYBOARD SHORTCUT Press Alt+Enter to open and close the Property Sheet pane. For a list of keyboard shortcuts, see "Keyboard shortcuts" at the end of this book.



The properties of the CustomerID text box control are organized on four pages: Format, Data, Event, and Other. As its name suggests, the All page displays all the properties on one page.

TIP Don't change the properties on the Data page until you know more about controls and their sources.

- Notice that the **Property Sheet** pane displays the properties for the object whose name appears in the text box at the top of the pane, and that above the box, the type of object is identified.
- 11 In the **Property Sheet** pane, click the **Format** tab




The Format page of the Property Sheet pane displays all the commands available in the Font group on the Format tab of the ribbon (plus a few more).

- On the **Format** page, click **Font Size**, click the arrow to the right of the adjacent property, and in the list, click **8**.
- 13 Set the **Font Weight** property to **Bold**.

TIP If the Property Sheet pane obscures your view of the controls on the form, change its width (or the width of any pane) by dragging its left border to the left or right. To change the width of the Property Sheet columns, drag the right border of the first column to the left or right. You can undock the Property Sheet pane from the edge of the window and move it elsewhere by dragging its title bar. Double-click the title bar to dock it again.


- Let's use the Property Sheet pane to display the properties of a different control and then change its properties.
- At the right end of the box at the top of the **Property Sheet** pane, click the arrow, and then in the object list, click **Label3** to select the **FirstName** label.
- Repeat step 12 to change the font size of the **FirstName** label to **8** points.

 These different ways of selecting a control and changing its properties provide some flexibility and convenience, but using this technique to make changes to several controls in a form is tedious. Let's use a faster method.
- In the upper-left corner of the dotted frame surrounding all the controls on the form, click the **Select All** button (the four headed arrow) to surround all the controls with thick orange borders to indicate that they are selected.
- In the **Property Sheet** pane, notice that the selection type is **Multiple selection**, and the box below is blank. Only the settings that are the same for all the selected controls are displayed. Because the changes you made in the previous steps are not shared by all the selected controls, the **Font Size** and **Font Weight** settings are now blank.
- Repeat steps 12 and 13 to set the **Font Size** and **Font Weight** properties of the selected controls to **8** and **Bold**.



You have applied character formatting to all the label and text box controls in the form.


- Although it's not apparent, the background of the labels is transparent. Let's change this property and then apply a theme color and effect.
- With the controls still selected, set the **Back Style** property to **Normal**.
- 20 Click the **Back Color** property, and then click the **Ellipsis** button at the right end of the property to display a menu containing two color palettes.



The colors in the Theme Colors palette reflect the color scheme that is part of the Wisp theme.

TIP The Ellipsis button has different names and serves different purposes for different properties.

- In the top row of the **Theme Colors** palette, click the third swatch (**Light Green**, **Background 2**) to change the background of all the controls to light green.
 - **TIP** If the palettes on the Back Color menu don't include a color you want to use, click More Colors at the bottom of the menu, select a color on the Standard or Custom page of the Colors dialog box, and then click OK to set the color and add it to the Recent Colors palette at the bottom of the menu.
- Set the **Special Effect** property to **Shadowed**, and the **Border Color** property to the eighth swatch in the first row of the **Theme Colors** palette (**Olive Green, Accent 4**).
- Close the **Property Sheet** pane, and in the form, click away from the selected controls to release the selection and display the results.



Applying a color and shadow effect to the labels and text boxes makes them stand out.

The label controls reflect the field names assigned to the table fields they are bound to. Let's assign captions to some of the label controls so that their names include spaces.

- In the form, click the **FirstName** label control. Then open the **Property Sheet** pane, click the **Caption** property, change **FirstName** to **First Name**, and press **Enter**.
- 25 Repeat step 24 to change LastName to Last Name and PhoneNumber to Phone.

 TIP Changing the Caption property of the form does not affect the Caption property of the bound field in the table.
- On the Quick Access Toolbar, click the Save button to save the design of the Customers form. Then close the form, which also closes the Property Sheet pane.
- CLEAN UP Keep the GardenCompany03 database open for use in the last exercise.

Arranging the layout of forms

Forms generated with the Form tool are functional, not fancy. By default, they are arranged in the Stacked layout, which arranges all the label controls in a single column on the left and all their corresponding text box controls in a single column to their right. All the boxes of each type are the same size, and in the boxes, the text is left-aligned.

If it suits the needs of your data better to display records in a tabular layout much like that of a table in Datasheet view, click Tabular in the Table group on the Arrange tool tab.

SEE ALSO For more information about layouts, see the sidebar "Layouts" in Chapter 9, "Create custom reports."

If the default layout doesn't suit your needs or preferences, you can customize it. Most of the rearranging you are likely to want to do can be accomplished in Layout view, where you can view the impact on the underlying data. If you want to make more extensive changes to the layout of a database, you can switch to Design view.

SEE ALSO For information about customizing forms in Design view, see Chapter 8, "Create custom forms."


In Layout view, you can do the following to improve the form's layout and make it attractive and easy to use:

- Add and delete a variety of controls.
- Change the size of controls.
- Move controls.
- Change text alignment.
- Change the margins of controls.

TIP The order in which you make changes can have an impact on the results. If the results aren't what you expect, click the Undo button on the Quick Access Toolbar to reverse your previous action, or click the Undo arrow, and click an action in the list to reverse more than one action.

In this exercise, you'll align, size, and rearrange the label and text box controls in a form.

- SET UP You need the GardenCompany03 database you worked with in the preceding exercise to complete this exercise. If necessary, open the database. Then follow the steps.
 - In the **Navigation** pane, in the **Forms** group, right-click **Customers**, click **Layout View**. **TIP** If the Property Sheet pane was open when you last closed the form, it is displayed with the form.
 - 2 Click the **CustomerID** label control (not its text box), and on the **Arrange** tool tab, in the **Rows & Columns** group, click the **Select Column** button.
 - **TIP** You can also point above the selected control, and when the pointer changes to a single downward-pointing arrow, click to select the column of controls.
 - With all the label controls selected, on the **Format** page of the **Property Sheet** pane, set the **Text Align** property to **Right** to right-align all the labels in their controls.




You can efficiently adjust the alignment of multiple selected controls by changing the Text Align property in the Property Sheet pane.

The Property Sheet pane indicates that the Width property of the label controls is 1.0611". Let's make them narrower.


TIP Throughout this book, we refer to measurements in inches. If your computer is set to display measurements in centimeters, substitute the equivalent metric measurement. As long as you are entering the default units, you don't have to specify the unit type.

- 4 Point to the right border of the **CustomerID** label, and when the pointer changes to a two-headed horizontal arrow, drag to the left until **CustomerID** just fits in its box.
- In the **Property Sheet** pane, adjust the **Width** property to **0.85**", and press **Enter**.
 - **TIP** It is often easier to adjust the size of controls visually and then fine-tune them in the Property Sheet pane than it is to guess what property settings might work.
- Select the **CustomerID** text box (not its label), change its **Width** property to **1.5**", and press **Enter**. Notice that when you size one control in a **Stacked** layout, all the controls in the same column are adjusted, not just the selected control.



In a Stacked layout, all the controls in each column are the same width.

- The controls are the same width but have different heights and interior margins. Let's fix that next.
- Above the upper-left corner of the dotted border that surrounds all the controls, click the **Select All** button to select all the controls within the border. Then in the **Property Sheet** pane, set the **Height** property to **0.25**", and press **Enter**.
- 8 On the **Arrange** tool tab, in the **Position** group, click the **Control Margins** button, and then click **Narrow**.



You can control not only the size of the controls but also the distance from the control's border to its text.

Now let's rearrange some controls.


9 Click the **Phone** label (not its text box), and on the **Arrange** tool tab, in the **Rows & Columns** group, click the **Select Row** button.

TIP You can also point to the left of the selected control, and when the pointer changes to a single right-pointing arrow, click to select the row of controls.

- Point anywhere in the selection, and drag upward, releasing the mouse button when the insertion line sits below the **Last Name** label or text box.
- 11 Click the **Last Name** label, and then press the **Delete** key.
- Click the **LastName** text box, point to the **A** in *Ackerman*, and drag the four-headed arrow pointer up and to the right until the pointer sits slightly to the right of the **FirstName** text box. When the insertion bar appears, release the mouse button.

TIP The control snaps to an invisible grid that helps maintain consistent spacing on the form.

- Repeat step 11 to delete the **Region** and **PostalCode** labels.
- Repeat step 12 to move the **Region** and **PostalCode** text boxes to the right of the **City** text box.
- Select the **City** controls row and move it down one grid space. Then do the same for the **Address** controls row.
 - Now that the controls are arranged, let's remove the Stacked layout from the form so that we can make more extensive layout adjustments.
- In the upper-left corner of the dotted layout border, click the Select All button. Then right-click the selection, click Layout, and click Remove Layout.
 With the Stacked layout removed, let's adjust the widths of individual controls.
- Select the **Region** text box, and on the **Format** page of the **Property** Sheet pane, adjust the **Width** property to .5".
- Select the **PostalCode** text box. Then adjust the **Width** property to **.5**" and the **Left** property to **3.25**".
- Click the **First Name** label, and change the label's **Caption** property to **Name**. Then repeat the process to change the **City** label's caption to **City/State/ZIP**.
- 20 Close the **Property Sheet** pane, and release the selection by clicking a blank area.




In Layout view, this kind of arrangement can be achieved only if you remove the default layout, which constrains sizing and positioning of individual controls.

TIP If you rearrange controls or add new controls to a form and then find that pressing Tab jumps around erratically instead of sequentially from one control to the next, you can change the tab order. When working in Layout view, click the Other tab in the Property Sheet pane, and set the Tab Index property for each control in the tab order you want. When working in Design view, click the Tab Order button in the Tools group on the Design tool tab to display the Tab Order dialog box, where you can drag fields into the correct order. For more information about working with forms in Design view, see Chapter 8, "Create custom forms."

- 21 Close the **Customers** form, clicking **Yes** when prompted to save its layout.
- CLEAN UP Close the GardenCompany03 database.

Key points

- The quickest way to create a form that includes all the fields from one table is by using the Form tool. You can then use the form to view and enter records.
- A form that is based on a table is bound to that table. The table is called the *record source*.
- By default, the form displays one text box control and its associated label control for each field in the table.
- Each text box control is bound to its field, which is called the *control source*.
- Each control has several properties that you can change in Layout view or Design view to improve the look and layout of the form



Index

| Symbols | Proofing page, 355 |
|--|--|
| | Quick Access Toolbar page, 371 |
| & (text concatenation) operator, 269 | Trust Center page, 360 |
| * (asterisk) | Access web apps, 54, 55, 61 |
| icon, 66 | action queries, 197, 218 |
| in query field lists, 205, 223 | defined, 377 |
| wildcard character, 126, 129 | converting to select queries, 225 |
| wildcard character, in validation rules, 178 | creating, 219 |
| # (number sign) wildcard character, 129 | activating Control Wizards, 246 |
| | adding |
| | application parts to databases, 59 |
| A | charts to forms/reports, 258 |
| .accdb files, 19 | combo box controls to forms, 240 |
| .accdc files, 341 | command buttons to forms/reports, 258 |
| accde files, 338, 339 | dates/times to reports, 265 |
| Access | fields to forms, 234 |
| exiting, 10, 22 | fields to reports, 259 |
| getting help, 23 | fields to tables, 78, 79, 80, 82, 159, 167 |
| starting, 8, 18 | forms/reports to navigation forms, 316 |
| Access 2003, upgrading from, 6 | groups to ribbon tabs, 364, 365 |
| Access 2007, upgrading from, 5 | headers/footers to reports, 259 |
| Access 2010, upgrading from, 4 | hyperlinks to forms/reports, 258 |
| Access add-ins, 362 | icons to database applications, 324 |
| Access Database Executable (.accde) files, 377 | logos to forms, 100, 315 |
| Access Deployment (.accdc) files, 377 | page numbers to reports, 268 |
| Access program icon, 10 | pictures to forms, 238 |
| Access Options dialog box, 350 | subforms to forms, 246 |
| Add-Ins page, 359 | subreports to reports, 270 |
| Client Settings page, 358 | tables to query design grid, 205 |
| Current Database page, 323, 352 | tables to Relationships page, 88 |
| Customize Ribbon page, 363 | tabs to ribbon, 364 |
| Datasheet page, 354 | titles to forms, 239 |
| General page, 350 | titles to reports, 263 |
| Language page, 357 | Total row to query design grid, 209 |
| Object Designers page, 355 | Total row to tables, 209 |

| add-ins, 362 | В |
|---|---|
| defined, 377 | back-end databases, 334 |
| options, setting, 359 | defined, 377 |
| Add-Ins page (Access Options dialog box), 359 | background color of controls, 105 |
| advanced filtering criteria, 129, 130 | backing up, 342, 343 |
| saving as queries, 133 | Backstage view, 11 |
| aggregate functions | displaying, 18 |
| defined, 377 | Info page, 332 |
| in queries, 208 | Print page, 47 |
| in reports, 273 | binary files, 377 |
| aliases, field, 217, 379 | blank databases, creating, 68 |
| aligning | blank forms, 230 |
| controls in forms, 108, 235 | boolean, <i>defined</i> , 377 |
| controls in reports, 146, 267 | Boolean data type, 158 |
| alternate row colors, 147 | border color of controls, 105 |
| Analyze Performance utility, 342, 343 | borders, subreport, making transparent, 275 |
| Analyze Table utility, 342 | bound controls, 237 |
| Anchoring gallery, 243 | defined, 377 |
| And operator, 174 | button controls, 258 |
| append queries, 218 | buttons, 12 |
| defined, 377 | Quick Access Toolbar, adding/removing |
| appending table data, 71 | 370, 372 |
| application parts, 53 | ribbon group, adding/removing, 365 |
| defined, 377 | ScreenTips, 12 |
| adding to databases, 59 | Byte size (Number data type), 163, 164 |
| Application Parts gallery, 59 | |
| arithmetic operators, 175 | |
| defined, 377 | |
| asterisk (*) | |
| icon, 66 | calculated controls, 273 |
| in query field lists, 205, 223 | Calculated data type, 159 |
| wildcard character, 126, 129 | calculating |
| wildcard character, in validation rules, 178 | with queries, 212, 213 |
| Attachment data type, 159 | in reports, 270, 273 |
| AutoCorrect options, setting, 356 | vs. storing data, 212 |
| automatic error checking, 143 | calendars, using to enter date, 162 |
| AutoNumber data type, 66, 158 | Caption property, 82 |
| size, 164 | captions |
| averaging field values, 208 | assigning to fields, 82 |
| Avg function, 208 | assigning to label controls, 106, 242 |

| Cascade Delete Related Records option, 222 | comma-delimited text files, 3// |
|---|---|
| defined, 377 | command button controls, 377 |
| case of characters, forcing, 170 | command buttons, adding to forms/reports, 258 |
| categories, Navigation pane, assigning objects, 321 | commands |
| Ccur function, 215 | Quick Access Toolbar, adding/removing, |
| centering controls, 146 | 370, 372 |
| characters, forcing case, 170 | ribbon group, adding/removing, 365 |
| chart controls, 258 | Compact And Repair Database utility, 342, 343 |
| charts, adding to forms/reports, 258 | compacting databases, 342, 343 |
| checking spelling, options, setting, 356 | comparison operators, 174 |
| Client Settings page (Access Options dialog box), 358 | defined, 377 |
| closing | Concatenate operator, 175, 269 |
| database objects, 22 | conditional formatting, 148 |
| database objects, all, 38 | constants, 378 |
| databases, 22 | continuous forms, 230 |
| Navigation pane, 12, 29 | control properties, 378 |
| tables, 31, 70 | controlling database feature availability, 323, |
| collapsing subdatasheets, 31 | 325, 352 |
| color | controls, 142 |
| of control background, 105 | defined, 378 |
| of control borders, 105 | aligning in forms, 108, 235 |
| of form sections, 233, 315 | aligning in reports, 146, 267 |
| of group headers, 147 | background color, 105 |
| of report sections, 263 | bold text, 103 |
| columns, 25, 28 | border color, 105 |
| deleting from query design grid, 206 | bound, 237, 377 |
| freezing, 76 | combo box, 377 |
| hiding, 75 | command button, 377 |
| moving, 77 | copying formatting, 241 |
| selecting adjacent, 75, 119 | deleting, 238 |
| selecting in forms, 108 | disabling, 234 |
| selecting in query design grid, 206 | font size, 101, 148, 265 |
| sizing, 30, 74 | font weight, 103 |
| sizing to fit contents, 30, 74 | formatting, 142, 145 |
| unfreezing, 77 | on forms, 33, 37, 91 |
| unhiding, 75 | grouping, 267 |
| COM add-ins, 362 | height, 110 |
| combo box controls, 377 | keyboard shortcuts for moving, 145 |
| adding to forms, 240 | label, 380 |
| combo boxes, 184 | margins, 110 |
| COMING NONCY, 104 | moving, 110, 145, 235, 261 |

| controls (continued) | Currency data type, 158, 161 |
|---|---|
| navigation, 380 | Current Database page (Access Options dialog box) |
| option button, 381 | 323, 352 |
| properties, 99, 101 | custom |
| Quick Styles, applying, 318 | filters, 122 |
| on reports, 259 | form layouts, 107, 111, 232 |
| selecting, 94 | formats, 172 |
| selecting all, 104, 110, 148 | group headers in reports, 144 |
| selecting multiple, 145 | input masks, 171 |
| selecting in Property Sheet pane, 104 | navigation forms, 315 |
| shadow effects, 105 | Navigation pane categories/groups, 319, 320 |
| sizing, 109, 145, 233, 265 | Quick Access Toolbar, 370, 372 |
| snapping to grid, 266 | Quick Access Toolbar, resetting, 374 |
| tab order, 112 | report layouts, 143, 144, 261, 266 |
| text box, 383 | ribbon, 363, 365 |
| unbound, 237, 383 | ribbon groups, 364, 365 |
| validating, 174 | ribbon, resetting, 369 |
| control sources, 98, 242 | ribbon tabs, 364, 367 |
| defined, 378 | status bar, 369 |
| Control Wizards | subform layouts, 250 |
| activating, 246 | Custom Filter dialog box, 123 |
| deactivating, 240 | Customize Ribbon page (Access Options |
| Controls gallery, 37, 238 | dialog box), 363 |
| converting currency, 215 | customizing status bar, 369 |
| copying | |
| control formatting, 241 | |
| to Excel worksheets, 307 | D |
| to export data, 306 | U |
| to import data, 306, 308 | data types, 79, 80 |
| keyboard shortcut for, 306 | defined, 378 |
| tables, 306 | Attachment, 159 |
| tables, 500 table structure, 67, 71 | AutoNumber, 66, 158 |
| Count function, 208 | AutoNumber, size, 164 |
| counting fields, 208 | Boolean, 158 |
| criteria, filter, 122 | Calculated, 159 |
| criteria, query, 204 | changing, 191 |
| • • | Currency, 158, 161 |
| entering, 206, 220, 223 crosstab queries, 198, 378 | Date/Time, 158, 162 |
| • | Hyperlink, 158 |
| currency | Long Text, 158 |
| converting with function, 215 | Number, 158, 162 |
| format, 162 | Number, size, 163 |

| OLE Object, 158 | basing on templates, 54, 55 |
|--|---|
| Rich Text, 158 | blank, 68 |
| Short Text, 158, 161 | closing, 22 |
| specifying, 79, 158, 159 | compacting/repairing, 342, 343 |
| Yes/No, 158, 162, 183 | controlling feature availability, 323, 325, 352 |
| Yes/No, specifying display, 163 | creating based on templates, 54, 55 |
| for ZIP codes, 81 | creating blank, 68 |
| database applications | creating manually, 64 |
| defined, 378 | default file format, 350 |
| assigning icons, 324 | default location, 57, 350 |
| database design, 73, 212 | designing, 73, 212 |
| analyzing tables, 342 | desktop, 54 |
| Database Documenter utility, 342, 345 | distributing as .accde files, 338 |
| database objects, 3, 24. See also tables; forms; | exporting to, 297, 300 |
| queries; reports | file format, 350 |
| defined, 378 | flat, 379 |
| assigning to Navigation pane categories/ | flat vs. relational, 24 |
| groups, 319, 321 | front-end, 379 |
| closing, 22 | icons, 324 |
| closing all, 38 | importing, 281, 287 |
| Design view options, setting, 355 | importing non-Access, 283 |
| exporting, 295, 300, 379 | linking, 295 |
| identifying with square brackets, 221 | linking to SharePoint lists, 283 |
| importing, 281 | maintaining, 329, 342 |
| printing, 46 | naming, 56 |
| database properties, 332 | non-Access, importing, 283 |
| database security, 329 | opening, 18 |
| defined, 378 | opening for exclusive use, 330, 331 |
| .accdc files, 341 | opening multiple, 301 |
| .accde files, 338 | opening password-protected, 333 |
| passwords, 330 | packaging as .accdc files, 341 |
| splitting databases, 334 | performance, 342, 343 |
| Database Splitter wizard, 335 | populating, 53, 381 |
| database structure, documenting, 342, 345 | relational, 381 |
| databases | saving, 18 |
| adding application parts, 59 | SharePoint lists, linking to, 283 |
| analyzing performance, 342, 343 | split, 382 |
| applying themes, 99, 100, 233 | splitting, 334, 335 |
| assigning icons, 324 | SQL, 382 |
| assigning titles, 324 | templates, 54, 55 |
| back-end, 377 | themes, 99, 100, 233 |
| backing up, 342, 343 | titles, 324 |

| Datasheet Formatting dialog box, 20 | layouts, 264 |
|---|---|
| datasheet forms, 230, 314 | records, with queries, 222 |
| Datasheet page (Access Options dialog box), 354 | relationships, 189 |
| Datasheet view, 378 | tables, 70 |
| Datasheet view (delete queries), 224 | tables from query design grid, 205 |
| Datasheet view (queries), 39 | tables from Relationships page, 189 |
| Datasheet view (tables), 28 | delimited text files |
| Datasheet view (update queries), 221 | defined, 378 |
| datasheets, 28. See also tables | importing, 282, 290 |
| defined, 378 | delimiters, 378 |
| default gridlines/cell effects/font, 354 | design grid, form, 228 |
| embedded, 29 | design grid, query, 39 |
| results, 382 | defined, 378 |
| Date And Time dialog box, 265 | adding Total row, 209 |
| date format, 162 | height, adjusting, 210 |
| date/time controls, 265 | design grid, report, 256 |
| Date/Time data type, 158, 162 | adding headers/footers, 259 |
| dates | controlling snapping, 266 |
| adding to reports, 265 | setting, 263 |
| checking validity, 181 | turning on/off, 263 |
| entering with calendar, 162 | Design view (all objects) |
| entering manually, 162 | defined, 378 |
| filtering in tables, 124 | options, setting, 355 |
| in parameter queries, 207 | Design view (forms), 33, 36, 228 |
| deactivating Control Wizards, 240 | Design view (queries), 39, 41, 201 |
| Decimal size (Number data type), 163 | Design view (reports), 43, 45, 256, 263 |
| default | Design view (tables), 28, 32 |
| field values, 183, 186 | opening tables in, 80 |
| file format, 350 | designing |
| file location, 57, 350 | databases, 73 |
| gridlines/cell effects/font in datasheets, 354 | forms, 228 |
| startup page, 313, 325 | reports, 256 |
| Default Value property, 183, 186 | desktop databases, 54, 55 |
| delete queries, 218, 222, 223 | Detail section (forms), 229 |
| defined, 378 | Detail section (reports), 257 |
| deleting | dialog box launchers, 12 |
| columns from query design grid, 206 | defined, 378 |
| controls, 238 | digital signatures, 341 |
| fields from subforms, 252 | disabling controls, 234 |
| fields from tables, 78, 80, 189 | displaying report sections, 257 |

| distributing databases as .accde files, 338 | Export dialog box, 300 |
|---|--|
| documenting database structure, 342, 345 | exporting, 296 |
| documents, Word, exporting to, 297 | by copying, 306 |
| Double size (Number data type), 163 | database objects, 295, 300, 379 |
| drawing lines on forms, 243 | to Excel worksheets, 297, 301 |
| duplicate queries, 378 | to .html files, 299 |
| duplicate records, finding, 198 | to other databases, 297, 300 |
| duplicating ribbon groups, 364 | to .pdf files, 298 |
| | to SharePoint lists, 298 |
| | tables, 300 |
| E | to text files, 297, 302 |
| _ | to Word documents, 297 |
| Edit Relationships dialog box, 87 | to .xml files, 299 |
| editing of lookup lists, disabling, 187 | to .xps files, 298 |
| effects, adding to controls, 105 | Expression Builder, 379 |
| embedded datasheets, 29 | Expression Builder dialog box, 175, 177, 214 |
| empty fields vs. Null fields, 176 | sizing, 217 |
| empty strings, 378 | expressions |
| enabling/disabling macros, 26 | defined, 379 |
| encryption | operators, 174 |
| defined, 378 | in queries, 213 |
| password-generated, 331 | in reports, 273 |
| enforcing referential integrity, 87, 191 | in validation rules, 174 |
| Enter Parameter Value dialog box, 207 | extensions, file name, 290 |
| Enter Validation Message dialog box, 180 | extracting unique values from field, 241 |
| entering | |
| dates, 162 | |
| field values from lists, 183, 184 records in forms, 95 | F |
| | l field aliases, 217 |
| records in tables, 65, 68 Equal to operator, 174 | |
| | defined, 379 |
| error checking, 143 | Field List pane |
| error messages for validation rules, 175, 180 | displaying, 234, 259 |
| Excel worksheets | keyboard shortcut for, 235, 259 |
| copying to, 307 | field lists, query, asterisk (*) in, 205, 223 |
| exporting to, 297, 301 | field names, 28, 67, 69 |
| importing, 282, 293 | defined, 379 |
| exclusive use, opening databases for, 330, 331 | avoiding spaces in, 69 |
| defined, 378 | field properties, 79, 81, 379. See also properties |
| exiting Access, 10, 22 | field selectors, 78 |
| expanding subdatasheets, 30 | primary key icon, 78 |

| field size, 163 | Quick Start, 68, 72, 160 |
|---|---|
| Field Size property, 81, 163 | requiring, 176 |
| field values | selecting contents, 177 |
| averaging, 208 | selecting in Design view, 78 |
| calculating standard deviation, 208 | size, specifying maximum, 81, 163, 164 |
| calculating variance, 208 | unique, 176 |
| default, 183, 186 | validating, 173, 177 |
| finding, 124 | Fields gallery, 72 |
| finding highest, 208 | file format, default, 350 |
| finding lowest, 208 | file location, default, 57 |
| restricting to lists, 183, 184 | file name extensions, 290 |
| totaling, 208, 273 | File New Database dialog box, 56 |
| fields, 25, 28. See also columns | files |
| defined, 379 | Access Database Executable (.accde), 377 |
| adding to forms, 234 | Access Deployment (.accdc), 377 |
| adding to reports, 259 | attaching to records, 159 |
| adding to tables, 78, 79, 80, 82, 159, 167 | binary, 377 |
| captions, assigning, 82 | comma-delimited text, 377 |
| counting, 208 | delimited text, 378 |
| data type, 79, 80 | fixed-width text, 379 |
| data type, changing, 191 | Microsoft Database Executable (.mde), 380 |
| data type, specifying, 79, 158, 159 | filter forms, 125, 127 |
| default value, 183, 186 | filtered records, moving among, 127 |
| deleting, 78, 80, 189 | filtering |
| deleting from subforms, 252 | Navigation pane, 12, 19 |
| descriptions, 79 | records with advanced criteria, 129, 130 |
| empty, 176 | records by date, 124 |
| format, 172 | records in forms, 121 |
| hiding in query results, 202 | records with forms, 125, 127 |
| indexing, 176 | records in tables, 121 |
| linking to tables, 185 | wildcard characters, 126, 129 |
| moving among in tables, 66 | filters |
| multivalued, 194 | defined, 379 |
| naming, 79, 80 | custom, 122 |
| Null, 176, 380 | saving as queries, 133 |
| numeric, summarizing in reports, 140, 273 | toggling, 122 |
| numeric, summarizing in tables, 209 | finding |
| numeric, summarizing with queries, 208, 210 | duplicate records, 198 |
| properties, 81 | field values, 124 |
| properties, restricting data with, 157 | text, 218 |
| properties, viewing, 79 | unmatched records, 198 |

| fixed-width text files | adding fields, 234 |
|--------------------------------------|---------------------------------------|
| defined, 379 | adding hyperlinks, 258 |
| importing, 282 | adding lines, 243 |
| flat databases, 24 | adding logos, 315 |
| defined, 379 | adding to navigation forms, 316 |
| font size of controls, 101, 148, 265 | adding pictures, 238 |
| font weight of controls, 103 | adding titles, 239 |
| forcing case, 170 | automatic error checking, 143 |
| foreign keys, 83 | charts, 258 |
| defined, 379 | combo box controls, 240 |
| Form Footer section (forms), 229 | command buttons, 258 |
| Form Header section (forms), 229 | continuous, 230 |
| form layouts, 264 | controls. See controls |
| custom, 107, 111, 232 | control sources, 98, 242 |
| removing, 111 | creating manually, 230 |
| Stacked, 107 | creating with all fields, 92, 93, 228 |
| Tabular, 107 | creating with wizards, 92, 228, 231 |
| undoing changes, 107 | customizing layout, 107, 111, 232 |
| form selectors, 379 | datasheet, 230, 314 |
| form structure, 33, 36, 228 | designing, 228 |
| Form view, 33 | Design view options, setting, 355 |
| Form wizard, 231 | drawing lines, 243 |
| format | entering records, 95 |
| of fields, 172 | Field List pane, displaying, 234 |
| of files, default, 350 | fields, 234 |
| Format Painter, 241 | filter, 125 |
| Format property, 172 | filtering records, 121, 127 |
| formats, custom, 172 | formatting, 99 |
| formatting | hyperlinks, 258 |
| conditional, 148 | layout, 107, 111, 232 |
| controls, 142, 145 | lines, 243 |
| copying, 241 | logos, 100 |
| forms, 99 | main, 380 |
| navigation form buttons, 318 | modal dialog, 230 |
| navigation forms, 315 | moving among filtered records, 127 |
| reports, 263, 272 | moving among records, 36, 95 |
| forms, 33, 91 | multiple items, 230 |
| defined, 379 | navigation, 230, 380 |
| adding charts, 258 | opening, 34 |
| adding combo box controls, 240 | opening in Layout view, 100 |
| adding command buttons, 258 | properties, 99, 101 |
| | |

| forms (continued) | grouping levels, 3/9 |
|---|---|
| Property Sheet pane, displaying, 101, 234 | groups, Navigation pane, 379 |
| record selector, hiding, 236 | assigning objects, 321 |
| record sources, 98 | hiding, 322 |
| vs. reports, 135, 262 | removing, 323 |
| restricting changes, 314 | groups, ribbon, 12, 379 |
| saving, 98, 106 | buttons (commands), adding/removing, 365 |
| sections. See sections, form | creating custom, 364, 365 |
| sorting records, 116 | duplicating, 364 |
| split, 230 | moving, 364 |
| subforms, 33, 35 | removing from tabs, 364, 365 |
| synchronizing with tables, 97 | |
| validating controls, 174 | |
| viewing, 33 | Н |
| viewing design, 36, 100, 232 | • • |
| freezing columns, 76 | headers/footers, adding to reports, 259 |
| front-end databases, 334 | height |
| defined, 379 | of controls, 110 |
| functions | of query design grid, 210 |
| defined, 379 | of rows, 74 |
| aggregate, in queries, 208 | help with Access, 10, 23 |
| aggregate, in reports, 273 | hidden columns, 75 |
| | hiding |
| | columns, 75 |
| | fields in query results, 202 |
| | Navigation pane groups, 322 |
| General page (Access Options dialog box), 350 | record selectors in forms, 236 |
| Get External Data wizard, 287 | report sections, 257 |
| getting help, 23 | ribbon, 12, 21, 372 |
| Greater than operator, 174 | subdatasheets, 31 |
| Group Header section (reports), 257 | highest field value, 208 |
| group headers | home pages, navigation forms as, 313, 325 |
| color, 147 | Horizontal Tabs layouts (navigation forms), 312 |
| customizing, 144 | .html files |
| Group, Sort, And Total pane, 151 | exporting to, 299 |
| grouping | importing, 285 |
| controls, 267 | HTML, 379 |
| records in reports, 136, 138, 257, 260 | HTML tags, 380 |
| records in tables, 116 | hyperlink controls, 258 |
| Grouping Intervals dialog box, 139 | Hyperlink data type, 158 |

| | creating, 167 |
|---|--|
| icons | custom, saving, 171 |
| Access program, 10 | for forcing case, 170 |
| assigning to current database, 324 | literal characters, 166 |
| assigning to current database, 324 asterisk, 66 | for phone numbers, 166, 167 |
| pencil, 66 | text, 167 |
| primary key, 78 | Integer size (Number data type), 163 |
| image controls, 238 | |
| effect of Size Mode property, 239 | |
| | V |
| Import Objects dialog box, 288 | K ₁ |
| import process, saving, 280 | keyboard shortcuts |
| Import Specification dialog box, 291 | for copying text, 306 |
| Import Spreadsheet wizard, 293 | for Field List pane, 235, 259 |
| Import Text wizard, 290 | for moving controls, 145 |
| importing, 280 | for navigating, 32 |
| by copying, 306, 308 | for Navigation pane, 325 |
| database objects, 281 | for pasting text, 307 |
| delimited text files, 282, 290 | for Property Sheet pane, 101, 234, 261 |
| Excel worksheets, 282, 293 | for Save As dialog box, 161 |
| fixed-width text files, 282 | for selecting all controls, 148 |
| .html files, 285 | keys |
| vs. linking, 295 | foreign, 379 |
| non-Access databases, 281, 283, 287 | primary, 381 |
| Outlook folders, 283 | |
| queries, 281 | |
| with saved process, 281 | 1 |
| SharePoint lists, 283 | L |
| tables, 281, 380 | label controls, 91, 142 |
| text files, 282 | defined, 380 |
| .xml files, 286 | captions, 106, 242 |
| inconsistent field values, avoiding, 183, 184 | as form titles, 239 |
| Indexed property, 176 | moving without text box controls, 236 |
| indexing fields, 176 | labels, creating, 44 |
| Info page (Backstage view), 332 | .laccdb files, 338 |
| Input Mask property, 165 | Language page (Access Options dialog box), 357 |
| Input Mask wizard, 168 | languages, making available, 357 |
| input masks, 165 | Layout view (forms), 33, 228 |
| defined, 380 | opening forms in, 100 |
| common characters, 166 | Layout view (reports), 43, 144, 263 |
| | |

| layouts. See form layouts; report layouts | many-to-many relationships, 84 |
|---|---|
| Less than operator, 174 | defined, 380 |
| levels, grouping, 379 | margins |
| Like operator, 175, 178 | of controls, 110 |
| lines, drawing on forms, 243 | of reports, 152 |
| linked tables, 283, 295 | of tables, 48 |
| linking | masks, input, 380 |
| defined, 380 | Max function, 208 |
| fields to tables, 185, 190 | maximum field size , 81, 163, 164 |
| vs. importing, 295 | .mdb files, 19 |
| SharePoint lists to databases, 283 | Microsoft Database Executable (.mde) files, 380 |
| lists of field values, 183, 184 | Min function, 208 |
| literal characters in input masks, 166 | minimizing program window, 10 |
| Live Preview options, setting, 350 | modal dialog forms, 230 |
| location of files, default, 350 | modifying queries , 201 |
| logical operators, 174 | moving |
| defined, 380 | columns, 77 |
| logos, adding to forms, 100, 315 | controls, 110, 145, 235, 261 |
| Long Integer size (Number data type), 163 | among fields in tables, 66 |
| Long Text data type, 158 | among filtered records, 127 |
| lookup lists, 183, 184 | among pages in reports, 45, 151 |
| creating, 184, 192 | panes, 103 |
| disabling editing, 187 | Quick Access Toolbar, below ribbon, 370 |
| linking to tables, 190 | among records in forms, 36, 95 |
| multicolumn, 188 | among records in tables, 31 |
| Quick Start, 184 | ribbon groups, 364 |
| Lookup wizard, 184, 380 | text box/label controls, independently, 236 |
| lowest field value, 208 | multiple items forms, 230 |
| | multiplying with queries, 215 |
| | multivalued fields, 194 |
| M | |
| macros, enabling/disabling, 26 | |
| magnification of screen, 15 | N |
| mailing label reports, 44 | named ranges, 380 |
| main forms, 380 | names, field, 379 |
| main reports, 380 | naming |
| maintaining databases, 329, 342 | databases, 56 |
| make-table queries, 218 | fields, 79, 80 |
| defined, 380 | 11Cld3, 73, 00 |
| 45,11164, 500 | |

| navigating | summarizing with queries, 208, 210 |
|---|--|
| fields in tables, 66 | summarizing in tables, 209 |
| filtered records, 127 | |
| keyboard shortcuts for, 32 | |
| pages in reports, 45, 151 | |
| records in forms, 36, 95 | |
| records in tables, 31 | Object Designers page (Access Options dialog box), 355 |
| navigation controls, 380 | object shortcuts, 319, 321 |
| navigation form structure, 313 | Office 365, 8 |
| navigation forms, 230, 312 | OLE Object data type, 158 |
| defined, 380 | one-to-many relationships, 83 |
| adding forms/reports, 316 | defined, 380 |
| creating, 313, 314 | one-to-one relationships, 84 |
| formatting, 315 | defined, 381 |
| formatting buttons, 318 | On/Off data type display, 163 |
| as home pages, 313, 325 | opening |
| layouts, 312 | .accdc files, 341 |
| tables/queries in, 312 | .accde files, 339 |
| Navigation Options dialog box, 320, 354 | databases, 18 |
| Navigation pane | databases, for exclusive use, 330, 331 |
| defined, 380 | forms, 34 |
| custom categories/groups, 319, 320, 379 | forms, in Layout view, 100 |
| customizing, 319, 354 | multiple databases, 301 |
| filtering, 12, 19 | Navigation pane, 12, 30 |
| keyboard shortcut for, 325 | password-protected databases, 333 |
| opening/closing, 12, 29, 30 | reports, 43 |
| nested queries, 212 | tables, 19, 28, 29, 74 |
| New Formatting Rule dialog box, 149 | tables, in Design view, 77, 80 |
| New Query dialog box, 199 | operators, 174 |
| normalization, 73 | arithmetic, 175, 377 |
| defined, 380 | comparison, 174, 377 |
| Not operator, 174 | logical, 174, 380 |
| Null, 176, 380 | text concatenation (&), 269 |
| Null fields vs. empty fields, 176 | option button controls, 381 |
| Number data type, 158, 162 | orientation |
| size, 163 | of reports, 140 |
| number format, 162 | of tables, 48 |
| number sign (#) wildcard character, 129 | Or operator, 174, 179 |
| numbers | Outlook folders, importing, 283 |
| sorting, 120 | overlapping windows vs. tabbed pages, 20 |
| summarizing in reports, 140, 273 | overlapping windows vs. tabbed pages, 20 |

| P | manual vs. autogenerated, 189 |
|---|--|
| Package And Sign tool, 341 | removing, 78, 191 |
| packaging databases as .accdc files, 341 | Print dialog box, 49 |
| page breaks in reports, 150, 151 | Print page (Backstage), 47 |
| Page Footer section (reports), 257 | Print Preview (reports), 43, 151, 263 |
| Page Header section (reports), 257 | Print Table Definition dialog box, 345 |
| page number controls, 153, 268 | printing |
| Page Numbers dialog box, 268 | database objects, 46 |
| page setup, 48, 150, 152 | help topics, 23 |
| Page Setup dialog box, 152 | reports, 150 |
| pages, moving among in reports, 45, 151 | tables, 47 |
| panes | program icon, 10 |
| moving, 103 | Proofing page (Access Options dialog box), 355 |
| sizing, 103 | propagating properties, 171 |
| parameter queries, 204, 207 | properties |
| defined, 381 | defined, 381 |
| supplying values, 207 | Caption, 82 |
| Password Required dialog box, 333 | control, 99, 101, 378 |
| passwords, 330 | database, 332 |
| defined, 381 | Default Value, 183, 186 |
| removing, 334 | field, 79, 81, 379 |
| secure, 382 | field, restricting data with, 157 |
| setting, 331 | Field Size, 81, 163 |
| Paste Table As dialog box, 71 | form, 99, 101 |
| .pdf files, 298 | Format, 172 |
| pencil icon, 66 | Indexed, 176 |
| Performance Analyzer dialog box, 343 | Input Mask, 165 |
| performance of databases, analyzing, 342, 343 | propagating, 171 |
| phone number input masks, 166, 167 | query, 40 |
| pictures | report, 145 |
| adding to forms, 238 | Required, 176 |
| effect of Size Mode property, 239 | Size Mode, 239 |
| populating databases, 53, 381 | Property Sheet pane |
| previewing | displaying, 145, 234, 261 |
| reports, 43, 50, 143, 150, 151 | keyboard shortcut for, 101, 234, 261 |
| tables, 47 | moving, 103 |
| themes, 99, 100 | opening/closing, 101 |
| primary key icon, 78 | selecting controls, 104 |
| primary keys, 66, 83 | sizing, 103 |
| defined, 381 | publishers, of databases, 381 |
| designating, 78, 191 | |

| | summary, 208 |
|--|--|
| eries, 38 | update, 218, 219, 383 |
| defined, 381 | viewing design, 41, 201 |
| action, 197, 218, 219, 377 | Query Designer, 39, 41, 201, 203 |
| adding/deleting tables, 205 | filtering with, 130 |
| adding Total row, 209 | query field lists, asterisk (*) in, 205, 223 |
| append, 218 | query structure, 39, 41, 201 |
| calculating with, 212, 213 | question mark wildcard character, 129 |
| columns, deleting from design grid, 206 | Quick Access Toolbar, 10, 381 |
| columns, selecting in design grid, 206 | customizing, 10, 370, 372 |
| converting action to select, 225 | moving below ribbon, 370 |
| converting select to action, 219, 220, 223 | restoring original configuration, 374 |
| creating manually, 203, 204 | Quick Access Toolbar page (Access Options |
| creating with wizards, 198, 199 | dialog box), 371 |
| criteria, 204, 206, 220, 223 | Quick Start fields, 68, 72, 160 |
| crosstab, 198, 378 | Quick Start lookup lists, 184 |
| delete, 218, 222, 223, 378 | Quick Styles, control, 318 |
| Design view options, 355 | |
| duplicate, 378 | |
| expressions, 213 | R |
| finding duplicate records, 198 | read-only forms, 314 |
| finding unmatched records, 198 | rearranging report layouts, 144 |
| hiding fields in results, 202 | record selectors |
| importing, 281 | defined, 381 |
| make-table, 218, 380 | asterisk icon, 66 |
| modifying, 201 | in forms, turning off, 236 |
| multiplying with, 215 | pencil icon, 66 |
| in navigation forms, 312 | record sources, 98 |
| nested, 212 | defined, 381 |
| operator list, 206 | selecting for reports, 270 |
| parameter, 204, 207, 381 | records, 25, 28. See also rows |
| parameter, supplying values, 207 | defined, 381 |
| properties, 40 | attaching files to, 159 |
| running, 39, 40, 202, 206 | completing, 67 |
| saving, 39 | deleting with queries, 222 |
| saving from filters, 133 | duplicate, finding, 198 |
| select, 197, 382 | entering, 65, 68 |
| sorting results, 202 | entering in forms, 95 |
| SQL, 218 | filtering with advanced criteria, 129, 130 |
| summarizing numeric data, 208, 210 | filtering in forms, 121 |
| | |

| records (continued) | report layouts, 264 |
|--|---|
| filtering with forms, 125, 127 | Navigation pane groups, 323 |
| filtering in tables, 121 | passwords, 334 |
| grouping in reports, 136, 138, 257, 260 | Quick Access Toolbar customization, 374 |
| grouping in tables, 116 | ribbon customization, 369 |
| keeping up to date, 218 | sort from tables, 118 |
| moving among in forms, 36, 95 | tabs/groups from ribbon, 364, 365 |
| moving among in tables, 31 | renaming |
| removing sort, 118 | fields, 67, 69 |
| saving, 68 | tables, 70 |
| saving first, 67 | repairing databases, 342, 343 |
| sorting, 382 | replacing text. 218 |
| sorting in forms, 116 | Replication ID size (Number data type), 163 |
| sorting in reports, 257 | Report Footer section (reports), 257 |
| sorting in tables, 116, 117 | Report Header section (reports), 257 |
| unmatched, finding, 198 | report layouts, 140, 264 |
| validating, 173, 181 | custom, 143, 144, 261, 266 |
| referential integrity, 84 | rearranging, 144 |
| defined, 381 | removing, 264 |
| enforcing, 87, 191 | Stacked, 264 |
| refreshing table data, 97 | Tabular, 264 |
| region and language settings, 162 | undoing changes, 272 |
| relational databases, 24 | report selectors, 263 |
| defined, 381 | defined, 382 |
| relationships, 39, 83 | report structure, 45, 136, 256 |
| defined, 382 | Report view, 43 |
| Cascade Delete Related Records option, 222 | reports, 43 |
| creating, 84, 85 | defined, 382 |
| deleting, 189 | adding charts, 258 |
| enforcing referential integrity, 87, 191 | adding command buttons, 258 |
| many-to-many, 84, 380 | adding date/time, 265 |
| one-to-many, 83, 380 | adding fields, 259 |
| one-to-one, 84, 381 | adding hyperlinks, 258 |
| restricting data with, 189 | adding to navigation forms, 316 |
| Relationships page | adding subreports, 270 |
| tables, deleting, 189 | adding titles, 263 |
| viewing, 222 | aligning controls, 146, 267 |
| removing | applying themes, 147 |
| form layouts, 111 | automatic error checking, 143 |
| | |

| calculating in, 270, 273 | summarizing numeric data, 140, 273 |
|---|---------------------------------------|
| charts, 258 | viewing, 43 |
| command buttons, 258 | viewing design, 45, 144 |
| conditional formatting, 148 | required fields, 176 |
| controls. See controls | Required property, 176 |
| creating manually, 256, 259 | restricting |
| creating with all fields, 136, 137 | data via data types, 158 |
| creating with wizards, 136, 137, 256 | data via default values, 183, 186 |
| customizing layout, 143, 144, 261 | data via field format, 172 |
| date/time, 265 | data via field properties, 157 |
| design grid, setting, 263 | data via field size, 163 |
| designing, 256 | data via input masks, 165 |
| Design view options, setting, 355 | data via lookup lists, 183, 184 |
| Field List pane, displaying, 259 | data via relationships, 189 |
| fields, 259 | data via validation rules, 173 |
| formatting, 263, 272 | data via Yes/No data type, 183 |
| vs. forms, 135, 262 | database use, 323, 325, 338 |
| group headers, 144 | form changes, 314 |
| grouping records, 136, 138, 257, 260 | results datasheets, 382 |
| hyperlinks, 258 | ribbon, 10 |
| magnifying, 44, 144 | defined, 382 |
| main, 380 | buttons, 12 |
| margins, 152 | customizing, 363, 365 |
| modifying, 263 | groups, 12, 379 |
| moving among pages, 45, 151 | hiding/displaying, 12, 21, 372 |
| opening, 43 | restoring original configuration, 369 |
| orientation, 140 | tabs, 11 |
| page breaks, 150, 151 | tool tabs, 11 |
| page numbers, 268 | ribbon tabs, 382 |
| page setup, 150, 152 | Rich Text data type, 158 |
| previewing, 43, 50, 143, 150, 151 | Row Height dialog box, 75 |
| printing, 150 | row selectors, 382 |
| Property Sheet pane, displaying, 145, 261 | rows, 25, 28 |
| query-based, 256 | alternate colors, 147 |
| rearranging, 144 | selecting in forms, 110 |
| record sources, selecting, 270 | sizing, 74 |
| sections. See sections, report | rulers, turning on/off, 263 |
| sorting records, 257 | running queries, 39, 40, 202, 206 |
| subreports, 270 | |

| S | columns in forms, 108 |
|---|---------------------------------------|
| Save As dialog box, 70 | columns in query design grid, 206 |
| saving | controls, 94 |
| .accdc files, 341 | field contents, 177 |
| .accde files, 338, 339 | fields in Design view, 78 |
| databases, 18 | form sections, 233 |
| first record, 67 | multiple controls, 145 |
| forms, 98, 106 | rows in forms, 110 |
| import process, 280 | selectors |
| input masks, custom, 171 | form, 379 |
| keyboard shortcut for, 161 | record, 381 |
| | report, 382 |
| .pdf files, 298 queries, 39 | row, 382 |
| records, 68 | Set Database Password dialog box, 332 |
| | shadow effects, 105 |
| tables, 67, 70 themes, 99 | SharePoint lists |
| • | exporting to, 298 |
| .xps files, 298 | importing, 283 |
| screen magnification, 15 | linking to, 283 |
| screen resolution, 13 | Short Text data type, 158, 161 |
| ScreenTips, 12 | Show Table dialog box, 85, 204 |
| searching text, 218 | signing database packages, 382 |
| sections, form, 229 | Simple Query wizard, 199 |
| color, 233, 315 | Single size (Number data type), 163 |
| selecting, 233 | size |
| sizing, 233 | of fields, 163, 164 |
| sections, report, 257 | of fields, specifying maximum, 81 |
| color, 263 | of font, controls, 265 |
| hiding/displaying, 257 | Size Mode property, 101, 148, 239 |
| sizing, 261 | sizing |
| secure passwords, 382 | columns, 30, 74 |
| security warning for macros, 26, 382 | columns, to fit contents, 30, 74 |
| select queries, 39, 197 | controls, 109, 145, 233, 265 |
| defined, 382 | Expression Builder dialog box, 217 |
| converting to action queries, 219, 220, 223 | form sections, 233 |
| creating manually, 203, 204 | Navigation pane, 12 |
| creating with wizards, 198, 199 | panes, 103 |
| selecting | program window, 10 |
| adjacent columns, 75, 119 | report sections, 261 |
| all controls, 104, 110, 148 | rows, 74 |
| all controls, keyboard shortcut for, 148 | subreports, 271 |
| | Subjection 13, 2/1 |

| snapping to grid, controlling, 266 | subform/subreport controls, 246 |
|--|--|
| sorting | subforms, 33, 35, 245 |
| defined, 382 | defined, 382 |
| numbers, 120 | creating, 246 |
| query results, 202 | customizing, 250 |
| records in forms, 116 | deleting fields, 252 |
| records in reports, 257 | exporting, 297 |
| records in tables, 116, 117 | subqueries, 212, 382 |
| removing sort, 118 | subreport controls, 270 |
| spaces in field names, avoiding, 69 | SubReport wizard, 270 |
| speeding up performance, 334, 342 | subreports |
| spelling, checking, 356 | defined, 382 |
| split forms, 230 | adding to reports, 270 |
| splitting databases, 334, 335 | border, making transparent, 275 |
| defined, 382 | sizing, 271 |
| SQL databases, 382 | Sum function, 208, 273 |
| SQL queries, 218 | summarizing numeric data |
| square brackets, 221 | with queries, 208, 210 |
| Stacked layout, 107, 264 | in reports, 140, 273 |
| standard deviation, calculating, 208 | in tables, 209 |
| starting Access, 8, 18 | summary queries, 208 |
| startup pages, navigation forms as, 313, 325 | synchronizing forms and tables, 97 |
| status bar, 13 | syntax, 382 |
| customizing, 369 | |
| StDev function, 208 | |
| strings, empty, entering, 176 | Т |
| structure | tab arder of controls 112 |
| database, documenting, 342, 345 | tab order of controls, 112 |
| form, 33, 36, 228 | tabbed pages, 382 |
| navigation form, 313 | vs. overlapping windows, 20 |
| query, 39, 41, 201 | table data, appending, 71 table structure, 24, 32, 77, 80 |
| report, 45, 136, 256 | |
| table, 24, 32, 77, 80 | copying, 67, 71 tables, 24, 28 |
| table, copying, 67, 71 | defined, 383 |
| subdatasheets, 29 | adding fields, 78, 79, 80, 82, 159, 167 |
| defined, 382 | adding to query design grid, 205 |
| collapsing, 31 | adding to query design grid, 203 adding to Relationships page, 88 |
| expanding, 30 | adding to Relationships page, 88 adding Total row, 209 |
| exporting, 297 | 3 |
| hiding, 31 | analyzing, 342 |
| SubForm wizard, 246 | appending data, 71 |

| tables (continued) | removing, 364, 365 |
|--|--|
| closing, 31, 70 | removing groups, 364, 365 |
| copying, 306 | Tabular layout, 107, 264 |
| copying structure, 67, 71 | tags, HTML, 380, 383 |
| creating, 67, 159 | templates, 53 |
| deleting, 70 | defined, 383 |
| deleting fields, 78, 80, 189 | basing databases on, 54, 55 |
| deleting from query design grid, 205 | text |
| deleting from Relationships page, 189 | concatenation operator (&), 269 |
| Design view options, setting, 355 | finding/replacing, 218 |
| exporting, 300 | text box controls, 91, 142 |
| field names, 67, 69 | defined, 383 |
| filtering, 121 | moving without label controls, 236 |
| filtering with advanced criteria, 129, 130 | text files |
| filtering by date, 124 | exporting to, 297, 302 |
| filtering with forms, 125 | importing, 282 |
| grouping records, 116 | themes, 99 |
| importing, 281 | applying, 100, 233 |
| margins, 48 | applying to reports, 147 |
| moving among fields, 66 | previewing, 99, 100 |
| moving among records, 31 | saving, 99 |
| in navigation forms, 312 | Themes gallery, 100 |
| opening, 19, 28, 29, 74 | time, adding to reports, 265 |
| opening in Design view, 77, 80 | time format, 162 |
| orientation, 48 | title bar, 9 |
| page setup, 48 | titles |
| previewing, 47 | adding to forms, 239 |
| primary key field, 66, 78, 191 | adding to reports, 263 |
| printing, 47 | assigning to current database, 324 |
| refreshing data, 97 | toggling filters, 122 |
| removing sort, 118 | tool tabs, ribbon, 11 |
| renaming, 70 | Total row |
| saving, 67, 70 | adding to query design grid, 209 |
| sorting, 116, 117 | adding to tables, 209 |
| summarizing numeric data, 209 | totaling field values, 208, 273 |
| viewing, 28 | transparent borders, 275 |
| viewing design, 32, 77, 80 | True/False data type display, 163 |
| tabs, ribbon, 11 | Trust Center page (Access Options dialog box), 360 |
| defined, 382 | trusted locations, 26 |
| creating custom, 364, 367 | trusted publishers, 26, 341 |

| | Var function, 208 |
|---|---|
| unbound controls, 237 | variance, calculating, 208 |
| defined, 383 | Vertical Tabs layouts (navigation forms), 312 |
| undocking, 383 | viewing |
| undoing layout changes, 107, 272 | form design, 36, 100, 232 |
| unfreezing columns, 77 | forms, 33 |
| Unhide Columns dialog box, 75 | query design, 41, 201 |
| unhiding | Relationships page, 222 |
| columns, 75 | report design, 45, 144 |
| ribbon, 372 | reports, 43 |
| unique fields, 176 | table design, 32, 77, 80 |
| unique values, extracting from field, 241 | tables, 28 |
| Universal Naming Convention (UNC), 383 | views |
| unmatched queries, 383 | defined, 383 |
| unmatched records, finding, 198 | Backstage, 11 |
| update queries, 218, 219 | Datasheet, 378 |
| defined, 383 | Datasheet (delete queries), 224 |
| updating records, 218 | Datasheet (queries), 39 |
| | Datasheet (tables), 28 |
| upgrading from Access 2003, 6 | Datasheet (update queries), 221 |
| from Access 2003, 6 | Design, 378 |
| | Design (forms), 33, 36, 228 |
| from Access 2010, 4 user ID, 350 | Design (queries), 39, 41, 201 |
| | Design (reports), 43, 45, 256, 263 |
| user interface options, setting, 350 | Design (tables), 28, 32 |
| | Form, 33 |
| | Layout (forms), 33, 100, 228 |
| \bigvee | Layout (reports), 43, 144, 263 |
| valid dates, checking for, 181 | Print Preview (reports), 43, 263 |
| validation rules, 173, 176 | Report, 43 |
| defined, 383 | switching, 28 |
| control, 174 | View Shortcuts toolbar, 13 |
| creating, 175 | defined, 383 |
| error messages, 175, 180 | |
| field, 173, 177 | |
| record, 173, 181 | \ |
| required fields, 176 | VV |
| unique fields, 176 | web apps, 54, 55, 61 |
| wildcard characters, 178 | web browser controls, 258 |
| values | weight of control font, 103 |
| extracting unique from field, 241 | width of columns, 30 |
| finding, 124 | adjusting, 74 |

wildcard characters, 126, 129 defined, 383 in validation rules, 178 windows. overlapping, vs. tabbed pages, 20 wizards control wizards, activating, 246 control wizards, deactivating, 240 Database Splitter, 335 Form, 231 Get External Data, 287 Import Spreadsheet, 293 Import Text, 290 Input Mask, 168 Lookup, 184, 380 Simple Query, 199 SubForm, 246 SubReport, 270 Word documents, exporting to, 297 worksheets, Excel copying to, 307 exporting to, 297, 301 importing, 282, 293

X
.xml files
 exporting to, 299
 importing, 286
XML, 383
.xps files, 298



years in dates, 162 Yes/No data type, 158, 162, 183 specifying display, 163

ZIP codes, data type for, 81 zooming in/out, 44, 144

About the authors

Joyce Cox



Joyce has more than 30 years' experience in the development of training materials about technical subjects for non-technical audiences, and is the author of dozens of books about Microsoft Office and Windows technologies. She is the Vice President of Online Training Solutions, Inc. (OTSI).

As President of and principal author for Online Press, she developed the Quick Course series of computer training books for beginning and intermediate adult learners. She was also the first managing editor of Microsoft Press, an editor for Sybex, and an editor for the University of California.

Joan Lambert



Joan has worked in the training and certification industry for 16 years. As President of OTSI, Joan is responsible for guiding the translation of technical information and requirements into useful, relevant, and measurable training and certification tools.

Joan is a Microsoft Office Certified Master, a Microsoft Certified Application Specialist Instructor, a Microsoft Certified Technology Specialist, a Microsoft Certified Trainer, and the author of more than two dozen books about Windows and Office (for Windows and Mac). Joan enthusiastically shares her love of technology through her participation in the creation of books, learning materials, and certification exams. She greatly enjoys communicating the benefits of new technologies by delivering training and facilitating Microsoft Experience Center events.

Joan currently lives in a nearly perfect small town in Texas with her daughter, Trinity.

The team

This book would not exist without the support of these hard-working members of the OTSI publishing team:

- Jan Bednarczuk
- Rob Carr
- Susie Carr
- Jeanne Craver
- Kathy Krause
- Marlene Lambert
- Jaime Odell
- Jean Trenary

We are especially thankful to the support staff at home who make it possible for our team members to devote their time and attention to these projects.

Rosemary Caperton provided invaluable support on behalf of Microsoft Learning.

Online Training Solutions, Inc. (OTSI)

OTSI specializes in the design, creation, and production of Office and Windows training products for information workers and home computer users. For more information about OTSI, visit:

www.otsi.com

