

LECTURE ONE

DATA COMMUNICATIONS

Data communications are the exchange of data between two devices via some form of transmission medium such as a wire cable. For data communications to occur, the communicating devices must be part of a communication system made up of a combination of hardware (physical equipment) and software (programs). The effectiveness of a data communications system depends on **four fundamental characteristics**: delivery, accuracy, timeliness, and jitter.

1. Delivery. The system must deliver data to the correct destination. Data must be received by the intended device or user and only by that device or user.


2. Accuracy. The system must deliver the data accurately. Data that have been altered in transmission and left uncorrected are unusable.

3. Timeliness. The system must deliver data in a timely manner. Data delivered late are useless. In the case of video and audio, timely delivery means delivering data as they are produced, in the same order that they are produced, and without significant delay. This kind of delivery is called *real-time* transmission.

4. Jitter. Jitter refers to the variation in the packet arrival time. It is the uneven delay in the delivery of audio or video packets.

Components:

A data communications system has **five components**.



1. Message. The message is the information (data) to be communicated. Popular forms of information include text, numbers, pictures, audio, and video.

2. Sender. The sender is the device that sends the data message. It can be a computer, workstation, telephone handset, video camera, and so on.

3. Receiver. The receiver is the device that receives the message. It can be a computer, workstation, telephone handset, television, and so on.


4. Transmission medium. The transmission medium is the physical path by which a message travels from sender to receiver. Some examples of transmission media include twisted-pair wire, coaxial cable, fiber-optic cable, and radio waves

5. Protocol. A protocol is a set of rules that govern data communications. It represents an agreement between the communicating devices.

COMPUTER NETWORK

- **Computer Network** is a group of computers connected with each other through wires, optical fibres or optical links so that various devices can interact with each other through a network.
- The aim of the computer network is the sharing of resources among various devices.
- In the case of computer network technology, there are several types of networks that vary from simple to complex level.

Components of Computer Network:



NIC (Network interface card)

NIC is a device that helps the computer to communicate with another device. The network interface card contains the hardware addresses, the data-link layer protocol use this address to identify the system on the network so that it transfers the data to the correct destination.

There are two types of NIC: wireless NIC and wired NIC.

- **Wireless NIC:** All the modern laptops use the wireless NIC. In Wireless NIC, a connection is made using the antenna that employs the **radio wave technology**.
- **Wired NIC:** Cables use the **wired NIC** to transfer the data over the medium.

Hub

A Hub is a hardware device that divides the network connection among multiple devices. When computer requests for some information from a network, it first sends the request to the Hub through cable. Hub will broadcast this request to the entire network. All the devices will check whether the request belongs to them or not. If not, the request will be dropped.

The process used by the Hub consumes more bandwidth and limits the amount of communication. Nowadays, the use of hub is obsolete, and it is replaced by more advanced computer network components such as Switches, Routers.

Switches

Switch is a networking device that groups all the devices over the network to transfer the data to another device. A Switch contains more advanced features than Hub. The Switch contains the updated table that decides where the data is transmitted or not. Switch delivers the message to the correct destination based on the physical address present in the incoming message. A Switch does not broadcast the message to the entire network like the Hub. It determines the device to whom the message is to be transmitted. Therefore, we can say that switch provides a direct connection between the source and destination. It increases the speed of the network.

Router

A router is a hardware device which is used to connect a LAN with an internet connection. It is used to receive, analyze and forward the incoming packets to another network. A router works in a **Layer 3 (Network layer)** of the OSI Reference model. A router forwards the packet based on the information available in the routing table. It determines the best path from the available paths for the transmission of the packet.

Advantages of Router:

- **Security:** The information which is transmitted to the network will traverse the entire cable, but the only specified device which has been addressed can read the data.
- **Reliability:** If the server has stopped functioning, the network goes down, but no other networks are affected that are served by the router.
- **Performance:** Router enhances the overall performance of the network. Suppose there are 24 workstations in a network generates a same amount of traffic. This increases the traffic load on the network. Router splits the single

network into two networks of 12 workstations each, reduces the traffic load by half.

- **Network range**

Cables and connectors

Cable is a transmission media that transmits the communication signals. **There are three types of cables:**

- **Twisted pair cable:** It is a high-speed cable that transmits the data over **1Gbps** or more.
- **Coaxial cable:** Coaxial cable resembles like a TV installation cable. Coaxial cable is more expensive than twisted pair cable, but it provides the high data transmission speed.
- **Fibre optic cable:** Fibre optic cable is a high-speed cable that transmits the data using light beams. It provides high data transmission speed as compared to other cables. It is more expensive as compared to other cables, so it is installed at the government level.

Modem

- A modem is a hardware device that allows the computer to connect to the internet over the existing telephone line.
- A modem is not integrated with the motherboard rather than it is installed on the PCI slot found on the motherboard.
- It stands for **Modulator/Demodulator**. It converts the digital data into an analog signal over the telephone lines.

Based on the differences in speed and transmission rate, a modem can be classified in the following categories:

- Standard PC modem or Dial-up modem
- Cellular Modem
- Cable modem

Uses of Computer Network

- **Resource sharing:** Resource sharing is the sharing of resources such as programs, printers, and data among the users on the network without the requirement of the physical location of the resource and user.
- **Server-Client model:** Computer networking is used in the **server-client model**. A server is a central computer used to store the information and maintained by the system administrator. Clients are the machines used to access the information stored in the server remotely.
- **Communication medium:** Computer network behaves as a communication medium among the users. For example, a company contains more than one computer has an email system which the employees use for daily communication.
- **E-commerce:** Computer network is also important in businesses. We can do the business over the internet. For example, amazon.com is doing their business over the internet, i.e., they are doing their business over the internet.

Features of Computer network

A list of Computer network features is given below.

- Communication speed
- File sharing
- Back up and Roll back is easy
- Software and Hardware sharing
- Security
- Scalability
- Reliability

Communication speed

Network provides us to communicate over the network in a fast and efficient manner. For example, we can do video conferencing, email messaging, etc. over the

internet. Therefore, the computer network is a great way to share our knowledge and ideas.

File sharing

File sharing is one of the major advantage of the computer network. Computer network provides us to share the files with each other.

Back up and Roll back is easy

Since the files are stored in the main server which is centrally located. Therefore, it is easy to take the back up from the main server.

Software and Hardware sharing

We can install the applications on the main server, therefore, the user can access the applications centrally. So, we do not need to install the software on every machine. Similarly, hardware can also be shared.

Security

Network allows the security by ensuring that the user has the right to access the certain files and applications.

Scalability

Scalability means that we can add the new components on the network. Network must be scalable so that we can extend the network by adding new devices. But, it decreases the speed of the connection and data of the transmission speed also decreases, this increases the chances of error occurring. This problem can be overcome by using the routing or switching devices.

Reliability


Computer network can use the alternative source for the data communication in case of any hardware failure.

COMPUTER NETWORK ARCHITECTURE

Computer Network Architecture is defined as the physical and logical design of the software, hardware, protocols, and media of the transmission of data. Simply we can say that how computers are organized and how tasks are allocated to the computer.


- Peer-To-Peer network
- Client/Server network

The two types of network architectures are used:



Peer-To-Peer network

- Peer-To-Peer network is a network in which all the computers are linked together with equal privilege and responsibilities for processing the data.
- Peer-To-Peer network is useful for small environments, usually up to 10 computers.
- Peer-To-Peer network has no dedicated server.
- Special permissions are assigned to each computer for sharing the resources, but this can lead to a problem if the computer with the resource is down.



Advantages of Peer-To-Peer Network:


- It is less costly as it does not contain any dedicated server.
- If one computer stops working but, other computers will not stop working.
- It is easy to set up and maintain as each computer manages itself.

Disadvantages of Peer-To-Peer Network:

- In the case of Peer-To-Peer network, it does not contain the centralized system . Therefore, it cannot back up the data as the data is different in different locations.
- It has a security issue as the device is managed itself.

Client/Server Network

- Client/Server network is a network model designed for the end users called clients, to access the resources such as songs, video, etc. from a central computer known as Server.
- The central controller is known as a **server** while all other computers in the network are called **clients**.
- A server performs all the major operations such as security and network management.
- A server is responsible for managing all the resources such as files, directories, printer, etc.
- All the clients communicate with each other through a server. For example, if client1 wants to send some data to client 2, then it first sends the request to the server for the permission. The server sends the response to the client 1 to initiate its communication with the client 2.



Advantages Of Client/Server network:

- A Client/Server network contains the centralized system. Therefore we can back up the data easily.
- A Client/Server network has a dedicated server that improves the overall performance of the whole system.
- Security is better in Client/Server network as a single server administers the shared resources.
- It also increases the speed of the sharing resources.

Disadvantages Of Client/Server network:

- Client/Server network is expensive as it requires the server with large memory.
- A server has a Network Operating System(NOS) to provide the resources to the clients, but the cost of NOS is very high.
- It requires a dedicated network administrator to manage all the resources.

COMPUTER NETWORK TYPES

A **computer network** is a group of computers linked to each other that enables the computer to communicate with another computer and share their resources, data, and applications.

A computer network can be categorized by their size. A **computer network** is mainly of **four types**:

- LAN(Local Area Network)
- PAN(Personal Area Network)
- MAN(Metropolitan Area Network)
- WAN(Wide Area Network)

LAN (Local Area Network)

- Local Area Network is a group of computers connected to each other in a small area such as building, office.

- LAN is used for connecting two or more personal computers through a communication medium such as twisted pair, coaxial cable, etc.
- It is less costly as it is built with inexpensive hardware such as hubs, network adapters, and ethernet cables.
- The data is transferred at an extremely faster rate in Local Area Network.
- Local Area Network provides higher security.

PAN (Personal Area Network)

- Personal Area Network is a network arranged within an individual person, typically within a range of 10 meters.
- Personal Area Network is used for connecting the computer devices of personal use is known as Personal Area Network.
- **Thomas Zimmerman** was the first research scientist to bring the idea of the Personal Area Network.
- Personal Area Network covers an area of **30 feet**.
- Personal computer devices that are used to develop the personal area network are the laptop, mobile phones, media player and play stations.

MAN(Metropolitan Area Network)

- A metropolitan area network is a network that covers a larger geographic area by interconnecting a different LAN to form a larger network.
- Government agencies use MAN to connect to the citizens and private industries.
- In MAN, various LANs are connected to each other through a telephone exchange line.
- It has a higher range than Local Area Network(LAN).

WAN(Wide Area Network)

- A Wide Area Network is a network that extends over a large geographical area such as states or countries.
- A Wide Area Network is quite bigger network than the LAN.
- A Wide Area Network is not limited to a single location, but it spans over a large geographical area through a telephone line, fibre optic cable or satellite links.
- The internet is one of the biggest WAN in the world.
- A Wide Area Network is widely used in the field of Business, government, and education.

Internetwork

- An internetwork is defined as two or more computer network LANs or WAN or computer network segments are connected using devices, and they are configured by a local addressing scheme. This process is known as **internetworking**.
- An interconnection between public, private, commercial, industrial, or government computer networks can also be defined as **internetworking**.
- An internetworking uses the **internet protocol**.
- The reference model used for internetworking is **Open System Interconnection(OSI)**.

Types of Internetwork:

1. **Extranet:** An extranet is a communication network based on the internet protocol such as **Transmission Control protocol** and **internet protocol**. It is used for information sharing. The access to the extranet is restricted to only those users who have login credentials. An extranet is the lowest level of internetworking. It can be categorized as **MAN, WAN** or other computer networks. An extranet cannot have a single **LAN**, at least it must have one connection to the external network.

2. **Intranet:** An intranet is a private network based on the internet protocol such as **Transmission Control protocol** and **internet protocol**. An intranet belongs to an organization which is only accessible by the **organization's employee** or members. The main aim of the intranet is to share the information and resources among the

organization employees. An intranet provides the facility to work in groups and for teleconferences.

Intranet advantages:

- **Communication:** It provides a cheap and easy communication. An employee of the organization can communicate with another employee through email, chat.
- **Time-saving:** Information on the intranet is shared in real time, so it is time-saving.
- **Collaboration:** Collaboration is one of the most important advantage of the intranet. The information is distributed among the employees of the organization and can only be accessed by the authorized user.
- **Platform independency:** It is a neutral architecture as the computer can be connected to another device with different architecture.
- **Cost effective:** People can see the data and documents by using the browser and distributes the duplicate copies over the intranet. This leads to a reduction in the cost.