



Question 1

Not yet answered

Marked out of
1.00

Flag question

What are the main cloud computing models ?

- 1) IaaS
- 2) PaaS
- 3) SaaS
- 4) MBaaS
- 5) MLaaS

Select one:

- ☒ a. 1,2,3
- ☐ b. 1,2,4
- ☐ c. 1,4,5
- ☐ d. 2,3,4
- ☐ e. 3,4,5



NetExam

Sri Lanka Institute of Information Technology

Question 2

Not yet answered

Marked out of
1.00

Flag question

The _____ allows systems and services to be accessible by a group of organizations.

Select one:

- ☐ a. Private cloud
- ☒ b. Public cloud
- ☐ c. Community cloud
- ☐ d. Hybrid cloud
- ☐ e. Multi cloud



NetExam

Sri Lanka Institute of Information Technology

Question 1

Not yet answered

Marked out of
1.00

Flag question

The _____ allows systems and services to be accessible within an organization.

Select one:

- ☒ a. Private cloud
- ☐ b. Public cloud
- ☐ c. Community cloud
- ☐ d. Hybrid cloud
- ☐ e. Multi cloud



Question 3

Not yet answered

Marked out of
1.00

Flag question

Which of the following is a type of Service Models ?

Select one:

- ☐ a. Public-as-a-Service
- ☒ b. Platform-as-a-Service
- ☐ c. Community-as-a-Service
- ☐ d. Private-as-a-Service
- ☐ e. Cloud-as-a-Service

_____ provides the runtime environment for applications, development and deployment tools, etc.

Select one:

- ☒ a. IaaS
- ☐ b. PaaS
- ☐ c. SaaS
- ☐ d. XaaS
- ☐ e. CaaS

Question 1

Not yet answered

Marked out of
1.00

Flag question

Select the "correct" statements regarding cloud-based infrastructure services (IaaS)

- 1) Reliable and Scalable
- 2) Efficient and pay as you go facility
- 3) Since it is in your data center, you have the control of everything
- 4) Provides computing, storage, network virtualization and security aspects
- 5) No downtime

Select one:

- ☐ a. 1,3,4
- ☐ b. 2,3,5
- ☐ c. 1,2,5
- ☐ d. 1,2,4
- ☐ e. 2,4



Question 1

Not yet answered

Marked out of
1.00

Flag question

Which of the following is the working models for cloud computing ?

Select one:

- ☐ a. Deployment Model
- ☐ b. Configuring Model
- ☐ c. Collaborative Model
- ☐ d. Storage Model
- ☐ e. Network Model



Question 2

Not yet answered

Marked out of
1.00

Flag question

Which of the following is a type of Service Models ?

Select one:

- ☐ a. Public-as-a-Service
- ☐ b. Platform-as-a-Service
- ☐ c. Community-as-a-Service
- ☐ d. Private-as-a-Service
- ☐ e. Cloud-as-a-Service



ion 2

yet answered
ked out of

Flag question

Which of the following is the working models for cloud computing?

Select one:

- ☐ a. Deployment Model
- ☐ b. Configuring Model
- ☐ c. Collaborative Model
- ☐ d. Storage Model
- ☐ e. Network Model



NetExam

Sri Lanka Institute of Information Technology

Question 3

Not yet answered
Marked out of
1.00

Flag question

The _____ allows systems and services to be accessible within an organization.

Select one:

- ☒ a. Private cloud
- ☐ b. Public cloud
- ☐ c. Community cloud
- ☐ d. Hybrid cloud
- ☐ e. Multi cloud

Next page

ASUS VivoBook



NetExam

Sri Lanka Institute of Information Technology

Which of the following are characteristics of the Auto Scaling services on AWS?

Select one or more:

- ☐ a. Sends traffic to healthy instances
- ☒ b. Responds to changing conditions by adding or terminating EC2 instances
- ☐ c. Collects and tracks metrics and sets alarms
- ☒ d. Launches instances from a specified Amazon Machine Image (AMI)
- ☐ e. Sends traffic to the instance that failed its health checks

MacBook Pro

esc



Question 4

Not yet answered

Marked out of
1.00

Flag question

Which of the following is/are benefit(s) for user to use the public cloud ?

Select one or more:

- ☐ a. No separate hardware procurement
- ☒ b. No separate IT infrastructure maintenance required
- ☐ c. Low scalability
- ☐ d. Required separate power cost
- ☐ e. No support for all users who want cloud services and resources on a subscription basis



NetExam

Sri Lanka Institute of Information Technology

Question 4

Not yet answered

Marked out of
1.00

Flag question

Which of the following is an advantage of IaaS (Infrastructure as service)?

Select one or more:



a. Efficient and flexible renting of computer hardware.



b. Complete control of the computing resources through administrative access to VMs.



c. Portability, interoperability with legacy applications.



d. Provides the developer with the cloud application platform.



e. Provides applications as a service



NetExam

Sri Lanka Institute of Information Technology

Which of the following is the working models for cloud computing ?

Select one:

- ☐ a. Deployment Model
- ☐ b. Configuring Model
- ☐ c. Collaborative Model
- ☐ d. Storage Model
- ☐ e. Network Model



NetExam

Sri Lanka Institute of Information Technology

Question 5

Not yet answered

Marked out of
1.00

Flag question

When you try to SSH to a remote EC2 instance, you get the error "Permission denied (public key)." and you cannot SSH. What is the reason?

Select one or more:

- ☒ a. Incorrect username
- ☐ b. Incorrect SSH port
- ☐ c. Incorrect SSH private-key
- ☐ d. You have not opened the correct port related SSH in security groups
- ☐ e. Your EC2 instance is not running at the moment

- C. Application
- D. None of the mentioned

[View Answer](#)

13. Which of the following is the working models for cloud computing?

- A. Deployment Models
- B. Configuring Model
- C. Collaborative Model
- D. All of the above

[View Answer](#)

Answer : A

Explanation: The working models for cloud computing are:

Deployment Models and Service Models. So, Option A is correct.

14. Cloud computing is a _____ system and it is necessarily



NetExam

Sri Lanka Institute of Information Technology

Question 5

Not yet answered

Marked out of
1.00

Flag question

Advantages of using an ELB could be

Select one or more:

- ☒ a. Can distribute same web traffic across "multiple EC2 servers"
- ☐ b. High availability
- ☒ c. Can route traffic to individual nodes based on the "content"
- ☒ d. Supports for auto scaling with auto scaling groups
- ☐ e. Can be used to host "web services"



NetExam

Sri Lanka Institute of Information Technology

Question 5

Not yet answered

Marked out of 1.00

Flag question

Which of the following can be used to address an Amazon Elastic Compute Cloud (EC2) instance over the web?

Select one or more:

- ☐ a. Windows machine name
- ☒ b. Public DNS name
- ☐ c. Amazon EC2 instance ID
- ☒ d. Elastic IP address
- ☐ e. CIDR block

Next page

8

answered

out of

question

What are the "correct" statements regarding AWS ELB

- 1) It supports protocols such as HTTP, HTTPS and TCP
- 2) It can expose one port to outside and pass traffic to a different port in the EC2 instance
- 3) It supports both TCP and HTTP health checks
- 4) ELB can have only one EC2 instance attached to it
- 5) An ELB does not need security group clearance to connect to an EC2 instance in an auto scaling group

Select one:

- ☐ a. 1,3,4
- ☐ b. 1,2,3
- ☐ c. 1,3,5
- ☐ d. 1,2
- ☐ e. 2,3,4



NetExam

Sri Lanka Institute of Information Technology

Question 6

Not yet answered

Marked out of
1.00

Flag question

Which of the following describes a physical location around the world where AWS clusters data centers?

Select one:

- ☐ a. Endpoint
- ☐ b. Collection
- ☐ c. Fleet
- ☒ d. Region
- ☐ e. Availability Zone



NetExam

Sri Lanka Institute of Information Technology

Select the "correct" statements regarding cloud-based infrastructure services (IaaS)

- 1) Reliable and Scalable
- 2) Efficient and pay as you go facility
- 3) Since it is in your data center, you have the control of everything
- 4) Provides computing, storage, network virtualization and security aspects
- 5) No downtime

Select one:

- ☒ a. 1,3,4
- ☐ b. 2,3,5
- ☐ c. 1,2,5
- ☐ d. 1,2,4
- ☐ e. 2,4

TAKING YOU TO A
NEW REALITY
www.asus.com/roadtoreality

intel OPTANE
MEMORY



Question 6

Not yet answered

Marked out of
1.00 Flag question

How do you control access to the services running in AWS (ex RDS, EC2, ELB) "within the same environment and from outside" ?

Select one:

- ☐ a. Use subnets
- ☒ b. Use NAT gateway
- ☐ c. Use security groups
- ☐ d. Define firewall rules (IPtables)
- ☐ e. Setup everything in a VPC



NetExam

Sri Lanka Institute of Information Technology

Question 6

Not yet answered
Marked out of
1.00

Flag question

What are the "correct" statements regarding AWS ELB

- 1) It supports protocols such as HTTP, HTTPS and TCP
- 2) It can expose one port to outside and pass traffic to a different port in the EC2 instance
- 3) It supports both TCP and HTTP health checks
- 4) ELB can have only one EC2 instance attached to it
- 5) An ELB does not need security group clearance to connect to an EC2 instance in an auto scaling group

Select one:

- ☐ a. 1,3,4
- ☒ b. 1,2,3
- ☐ c. 1,3,5
- ☐ d. 1,2
- ☐ e. 2,3,4

Next page

ASUS VivoBook



answered

ut of

uestion

How can you connect to a new Linux instance using SSH ?

Select one:

- ☐ a. Decrypt the root password
- ☐ b. Using a certificate
- ☐ c. Using the private half of the instance's key pair
- ☐ d. Using Multi-Factor Authentication (MFA)
- ☐ e. Using IAM users



Question 7

Not yet answered

Marked out of
1.00

Flag question

Elastic Load Balancing allows you to distribute traffic across which of the following ?

Select one:

- ☒ a. Only within a single Availability Zone
- ☐ b. Multiple Availability Zones within a region
- ☐ c. Multiple Availability Zones within and between regions
- ☐ d. Multiple Availability Zones within and between regions and on-premises virtualized instances running OpenStack
- ☐ e. Only within two Availability Zone



Select the incorrect statement/s.

Select one or more:

- ☐ a. Public cloud is more cost effective than private cloud
- ☐ b. Private cloud can be located on or off premises of the cloud provider
- ☒ c. Private cloud can be used by the general public
- ☐ d. Private cloud can be used by multiple business units
- ☒ e. Private cloud is more cost effective than public cloud

10

answered

out of

question

Which of the following can be used to address an Amazon Elastic Compute Cloud (EC2) instance over the web ?

Select one or more:

- ☐ a. Windows machine name
- ☒ b. Public DNS name
- ☐ c. Amazon EC2 instance ID
- ☒ d. Elastic IP address
- ☐ e. CIDR block

Which of the following is/are benefit(s) for user to use the public cloud ?

Select one or more:

- ☐ a. No separate hardware procurement
- ☒ b. No separate IT infrastructure maintenance required
- ☐ c. Low scalability
- ☐ d. Required separate power cost
- ☐ e. No support for all users who want cloud services and resources on a subscription basis

80

TAKING YOU TO A
NEW REALITY
www.asus.com/realnreality

intel OPTANE
MEMORY

Which of the following must be specified when launching a new Amazon Elastic Compute Cloud (EC2) Linux instance ?

Select one or more:

- ☒ a. The Amazon EC2 instance ID
- ☐ b. Password for the administrator account
- ☒ c. Amazon EC2 instance type
- ☒ d. Amazon Machine Image (AMI)
- ☐ e. Amazon S3



6

answered

out of

question

Under what circumstances will Amazon Elastic Compute Cloud (EC2) instance store data not be preserved?

Select one:

- ☒ a. The associated security groups are changed
- ☐ b. The instance is stopped or rebooted
- ☐ c. The instance is rebooted or terminated
- ☐ d. The instance is stopped or terminated
- ☐ e. The associated route tables are changed



NetExam

Sri Lanka Institute of Information Technology

Question 9

Not yet answered

Marked out of
1.00

Flag question

Select benefits of using the cloud over traditional data centers.

Select one or more:

- ☐ a. It has less powerful servers.
- ☒ b. Data availability became more convenient with the use of the cloud.
- ☒ c. It provides various forms of services like Software as a Service (SaaS), Infrastructure as a Service (IaaS), Platform as a Service (PaaS), etc
- ☐ d. Time consuming
- ☒ e. Its on-demand service allows the pay-as-you-use feature

Next page



NetExam

Sri Lanka Institute of Information Technology

Question 8

Not yet answered

Marked out of 1.00

Flag question

What are the main difference between an AWS Infrastructure Region and an AWS Availability Zones?

- 1) AWS regions are connected using public internet, but AWS regions are connected using the AWS high speed private network.
- 2) Each region is deployed completely independent to other regions, but availability zones are deployed with the region.
- 3) AWS availability zones are used to increase the availability of the user applications but not the AWS regions.

Select one:

- ☐ a. 1
- ☐ b. 2
- ☐ c. 1, 2
- ☒ d. 2, 3
- ☐ e. 1, 2, 3

Next page

ASUS VivoBook



NetExam

Sri Lanka Institute of Information Technology

Which of the following is/are benefit(s) for user to use the public cloud ?

Select one or more:

- ☒ a. No separate hardware procurement
- ☒ b. No separate IT infrastructure maintenance required
- ☐ c. Low scalability
- ☐ d. Required separate power cost
- ☐ e. No support for all users who want cloud services and resources on a subscription basis

Question 9

Not yet answered

Marked out of 1.00

Flag question

Next page



Question 10

Not yet answered

Marked out of
1.00

Flag question

Which of the following are characteristics of the Auto Scaling services on AWS ?

Select one or more:

- ☐ a. Sends traffic to healthy instances
- ☐ b. Responds to changing conditions by adding or terminating EC2 instances
- ☐ c. Collects and tracks metrics and sets alarms
- ☐ d. Launches instances from a specified Amazon Machine Image (AMI)
- ☐ e. Sends traffic to the instance that failed its health checks



Question 6

Not yet answered

Marked out of 1

Flag question

Elastic Load Balancing allows you to distribute traffic across which of the following?

Select one:

- ☒ a. Only within a single Availability Zone
- ☐ b. Multiple Availability Zones within a region
- ☐ c. Multiple Availability Zones within and between regions
- ☐ d. Multiple Availability Zones within and between regions and on-premises virtualized instances running OpenStack
- ☐ e. Only within two Availability Zone



NetExam

Sri Lanka Institute of Information Technology

Question 10

Not yet answered
Marked out of
1.00

Flag question

Advantages of using an ELB could be

Select one or more:

- ☒ a. Can distribute same web traffic across "multiple EC2 servers"
- ☒ b. High availability
- ☒ c. Can route traffic to individual nodes based on the "content"
- ☐ d. Supports for auto scaling with auto scaling groups
- ☐ e. Can be used to host "web services"

ASUS VivoBook

NetExam

Sri Lanka Institute of Information Technology

When you try to SSH to a remote EC2 instance, you get the error "Permission denied (public key)." and you cannot SSH. What could be the reason?

Select one or more:

- ☒ a. Incorrect username
- ☐ b. Incorrect SSH port
- ☐ c. Incorrect SSH private-key
- ☐ d. You have not opened the correct port related SSH in security groups
- ☐ e. Your EC2 instance is not running at the moment



Question 7

Not yet answered

Marked out of
1.00

Flag question

What are the "correct" statements regarding AWS ELB

- 1) It supports protocols such as HTTP, HTTPS and TCP
- 2) It can expose one port to outside and pass traffic to a different port in the EC2 instance
- 3) It supports both TCP and HTTP health checks
- 4) ELB can have only one EC2 instance attached to it
- 5) An ELB does not need security group clearance to connect to an EC2 instance in an auto scaling group

Select one:

- ☐ a. 1,3,4
- ☒ b. 1,2,3
- ☐ c. 1,3,5
- ☐ d. 1,2
- ☐ e. 2,3,4



Question **11**

Not yet answered

Marked out of
1.00

Flag question

Which of the following is an optional security control that can be applied at the subnet layer of a VPC ?

Select one:

- ☒ a. Network ACL
- ☐ b. Security Group
- ☐ c. Firewall
- ☐ d. Web application firewall
- ☐ e. Gateways

Which of the following is an optional security control that can be applied at the subnet layer of a VPC?

Select one:

- ☒ a. Network ACL
- ☐ b. Security Group
- ☐ c. Firewall
- ☐ d. Web application firewall
- ☐ e. Gateways

answered
ed out of

Flag question



What are the main difference between an AWS Infrastructure Region and an AWS Availability Zones ?

- 1) AWS regions are connected using public internet, but AWS regions are connected using the AWS high speed private network.
- 2) Each region is deployed completely independent to other regions, but availability zones are deployed with the region.
- 3) AWS availability zones are used to increase the availability of the user applications but not the AWS regions.

Select one:

- ☐ a. 1
- ☐ b. 2
- ☐ c. 1,2
- ☐ d. 2,3
- ☐ e. 1,2,3



NetExam

Sri Lanka Institute of Information Technology

Question 8

Not yet answered

Marked out of 1.00

Flag question

What are the main difference between an AWS Infrastructure Region and an AWS Availability Zones?

- 1) AWS regions are connected using public internet, but AWS regions are connected using the AWS high speed private network.
- 2) Each region is deployed completely independent to other regions, but availability zones are deployed with the region.
- 3) AWS availability zones are used to increase the availability of the user applications but not the AWS regions.

Select one:

☐ a. 1

☐ b. 2

☐ c. 1, 2

☒ d. 2, 3

☐ e. 1, 2, 3

Next page

ASUS VivoBook



NetExam

Sri Lanka Institute of Information Technology

Question 12

Not yet answered

Marked out of
1.00 Flag question

How many IGWs can you attach to an Amazon VPC at any one time ?

Select one:

- ☒ a. 1
- ☐ b. 2
- ☐ c. 3
- ☐ d. 4
- ☐ e. 5

answered
out of
question

Which of the following sentences explains the AMI in AWS context?

- 1) AMI is the short form for "*Amazon Machine Image*" and it is an "EC2 instance type".
- 2) An AMI can be used to create multiple EC2 instances with same configurations.
- 3) In an "autoscaling group", you can define an AMI from which the instances should be started.
- 4) In a "launch configuration", you can define an AMI from which the instances should be started.
- 5) You "cannot" create an AMI from an "existing EC2 instance".

Select one:

- ☐ a. 1, 5
- ☐ b. 2,4,5
- ☐ c. 1,2,4
- ☐ d. 2,4
- ☐ e. 1,3,4



Which Amazon Elastic Compute Cloud (EC2) pricing model allows you to pay a set hourly price for compute, giving you full control over when the instance launches and terminates?

Select one:

- ☐ a. Spot instances
- ☐ b. Reserved instance
- ☒ c. On demand instances
- ☐ d. Dedicated instances
- ☐ e. EC2 instances



Question 12

Not yet answered

Marked out of
1.00 Flag question

Which of the following is an edge-storage or content-delivery system that caches data in different physical locations?

Select one:

- ☐ a. Amazon Associates Web Services
- ☐ b. Amazon Relational Database Service
- ☒ c. Amazon CloudFront
- ☐ d. Amazon SimpleDB
- ☐ e. Amazon S3



NetExam

Sri Lanka Institute of Information Technology

Question 11

Not yet answered

Marked out of
1.00

Flag question

What happens when you create a new Amazon VPC ?

Select one:

- ☒ a. A main route table is created by default
- ☐ b. Three subnets are created by default - one for each AZ
- ☐ c. Three subnets are created by default in one AZ
- ☐ d. An IGW is created by default
- ☐ e. A NAT gateway is created by default



NetExam

Sri Lanka Institute of Information Technology

Question **13**

Not yet answered

Marked out of
1.00

Flag question

Which of the following is an edge-storage or content-delivery system that caches data in different physical locations?

Select one:

- ☐ a. Amazon Associates Web Services
- ☐ b. Amazon Relational Database Service
- ☐ c. Amazon CloudFront
- ☐ d. Amazon SimpleDB
- ☒ e. Amazon S3



NetExam

Sri Lanka Institute of Information Technology

Question **10**

Not yet answered


Marked out of
1.00

Flag question

Which of the following are characteristics of the Auto Scaling services on AWS ?

Select one or more:

- ☐ a. Sends traffic to healthy instances
- ☒ b. Responds to changing conditions by adding or terminating EC2 instances
- ☐ c. Collects and tracks metrics and sets alarms
- ☒ d. Launches instances from a specified Amazon Machine Image (AMI)
- ☐ e. Sends traffic to the instance that failed its health checks



Question 12

Not yet answered

Marked out of
1.00

Flag question

What aspect of an Amazon VPC is stateful?

Select one:

- ☐ a. Network ACLs
- ☒ b. Security groups
- ☐ c. Amazon DynamoDB
- ☐ d. Amazon S3
- ☐ e. IAM roles



NetExam

Sri Lanka Institute of Information Technology

Question **14**

Not yet answered

Marked out of
1.00

Flag question

What properties of an Amazon VPC must be specified at the time of creation?

Select one or more:

- ☒ a. The CIDR block representing the IP address range
- ☐ b. One or more subnets for the Amazon VPC
- ☒ c. The region for the Amazon VPC
- ☐ d. Amazon VPC Peering relationships
- ☐ e. Storage types



Answered
t of
Question

How can you connect to a new Linux instance using SSH ?

Select one:

- ☒ a. Decrypt the root password
- ☐ b. Using a certificate
- ☐ c. Using the private half of the instance's key pair
- ☐ d. Using Multi-Factor Authentication (MFA)
- ☐ e. Using IAM users

1080

TAKING YOU TO A
NEW REALITY
www.acer.com/takingreality

intel OPTANE
MEMORY





Question 13

Not yet answered

Marked out of
1.00

Flag question

What AWS Cloud Service provides a logically isolated section of the AWS Cloud where organizations can launch AWS resources in a virtual network that they define?

Select one:

- ☐ a. Amazon Simple Workflow Service (SWF)
- ☐ b. Amazon Route 53
- ☐ c. Amazon Virtual Private Cloud (VPC)
- ☐ d. AWS CloudFormation
- ☐ e. Amazon S3



1
answered
t of
question

You create a new subnet and then add a route to your route table that routes traffic out from that subnet to the Internet using an IGW. What type of subnet have you created ?

Select one:

- ☐ a. An internal subnet
- ☐ b. A private subnet
- ☐ c. An external subnet
- ☒ d. A public subnet
- ☐ e. None of the mentioned

Which of the following is an edge-storage or content-delivery system that caches data in different physical locations ?

Select one:

- ☐ a. Amazon Associates Web Services
- ☐ b. Amazon Relational Database Service
- ☐ c. Amazon CloudFront
- ☐ d. Amazon SimpleDB
- ☒ e. Amazon S3



Question 13

Not yet answered

Marked out of

10

Flag question

What happens when you create a new Amazon VPC ?

Select one:

- ☒ a. A main route table is created by default
- ☐ b. Three subnets are created by default – one for each AZ
- ☐ c. Three subnets are created by default in one AZ
- ☐ d. An IGW is created by default
- ☐ e. A NAT gateway is created by default



Question 9

Not yet answered

Marked out of 1

Flag question

Which of the following is the feature of SaaS (Software as a Service) ?

Select one or more:

- ☒ a. Multitenancy
- ☐ b. Reduces the price of IT infrastructure
- ☒ c. Time management
- ☐ d. Full control of the computing resources
- ☐ e. Administrative access to Virtual Machines

Which of the following is an optional security control that can be applied at the subnet layer of a VPC?

Select one:

- ☒ a. Network ACL
- ☐ b. Security Group
- ☐ c. Firewall
- ☐ d. Web application firewall
- ☐ e. Gateways

Cloud Computing Services

Software as a Service

Advantages

Accessibility: Ability to run via an internet browser
24/7 from any device

Operational Management: No installation,
equipment updates or traditional licensing management

Cost Effective: No upfront hardware costs and
flexible payment methods such as pay-as-you-go models

Data Storage: Data is routinely saved in the cloud

Challenges

Loss of Control: The vendor manages everything,
making you dependent upon the vendor's capabilities

Limited Customization: Most SaaS applications
offer little in the way of customization from the vendor

Security Risks: While the SaaS provider secures the
application itself, strict measures should be taken with
sensitive data



4

answered

out of

question

Select the elements of Amazon Virtual Private Cloud (VPC).

Select one or more:

- ☒ a. VPC
- ☒ b. Subnet
- ☒ c. Internet Gateway
- ☐ d. Load Balancer
- ☐ e. Database



NetExam

Sri Lanka Institute of Information Technology

Advantages of using an ELB could be

Select one or more:

- ☒ a. Can distribute same web traffic across "multiple EC2 servers"
- ☒ b. High availability
- ☒ c. Can route traffic to individual nodes based on the "content"
- ☐ d. Supports for auto scaling with auto scaling groups
- ☐ e. Can be used to host "web services"

080

TAKING YOU TO A
NEW REALITY
www.acer.com/nextreality

intel OPTANE
MEMORY



Question 14

Not yet answered

Marked out of
1.00

Flag question

Select the elements of Amazon Virtual Private Cloud (VPC).

Select one or more:

- ☒ a. VPC
- ☒ b. Subnet
- ☒ c. Internet Gateway
- ☐ d. Load Balancer
- ☐ e. Database

Select correct statement/s about VPC Peering.

Select one or more:

- ☒ a. It is the networking connection between two VPs in the same network.
- ☒ b. It is possible to create a VPC peering connection between your own VPs or VPC with another AWS account within the same region
- ☐ c. There is a need of a special hardware for VPC Peering.
- ☐ d. It is creating a VPN connection or network gateway within the AWS.
- ☐ e. Transitive connection is allowed.

Next page



NetExam

Sri Lanka Institute of Information Technology

Question 23

Not yet answered

Marked out of
1.00

Flag question

What Amazon Relational Database Service (RDS) feature provides the high availability for your database ?

Select one:

- ☐ a. Regular maintenance windows
- ☐ b. Security groups
- ☐ c. Automated backups
- ☒ d. Multi-AZ deployment
- ☐ e. DB Engine type

What must you do to create a record of who accessed your Amazon Simple Storage Service (S3) data and from where?

Select one:

- ☐ a. Enable Amazon CloudWatch logs
- ☐ b. Enable versioning on the buckets
- ☐ c. Enable website hosting on the buckets
- ☒ d. Enable server access logs on the bucket
- ☐ e. Create an AWS IAM bucket policy



Question 11

Not yet answered

Marked out of
1.00

Flag question

What AWS Cloud Service provides a logically isolated section of the AWS Cloud where organizations can launch AWS resources in a virtual network that they define ?

Select one:

- ☐ a. Amazon Simple Workflow Service (SWF)
- ☐ b. Amazon Route 53
- ☒ c. Amazon Virtual Private Cloud (VPC)
- ☐ d. AWS CloudFormation
- ☐ e. Amazon S3

Next page

What AWS Cloud Service provides a logically isolated section of the AWS Cloud where organizations can launch AWS resources in a virtual network that they define ?

Select one:

- ☐ a. Amazon Simple Workflow Service (SWF)
- ☐ b. Amazon Route 53
- ☒ c. Amazon Virtual Private Cloud (VPC)
- ☐ d. AWS CloudFormation
- ☐ e. Amazon S3

25

answered

out of

question

Which AWS database service is best suited for traditional Online Transaction Processing (OLTP) ?

Select one:

- ☐ a. Amazon Redshift
- ☒ b. Amazon RDS
- ☐ c. Amazon Glacier
- ☐ d. Elastic Database
- ☐ e. Amazon DynamoDB

How is data stored in Amazon S3 for high durability?

Select one:

- ☐ a. Data is automatically replicated to other regions
- ☒ b. Data is automatically replicated to different AZ within a region
- ☐ c. Data is replicated only if versioning is enabled on the bucket
- ☐ d. Data is automatically backed up on tape and restored if needed
- ☐ e. Data is automatically replicated to different AZ in different regions



NetExam

Sri Lanka Institute of Information Technology

12

answered

out of

question

What is the maximum size IP address range that you can have in an Amazon VPC ?


Select one:

- ☐ a. /16
- ☐ b. /24
- ☐ c. /28
- ☐ d. /30
- ☐ e. /25

1080

TAKING YOU TO A
NEW REALITY

intel OPTANE
MEMORY





NetExam

Sri Lanka Institute of Information Technology

Question 17

Not yet answered
Marked out of
1.00

Flag question

How is data stored in Amazon S3 for high durability?

Select one:

- ☐ a. Data is automatically replicated to other regions
- ☐ b. Data is automatically replicated to different AZ within a region
- ☐ c. Data is replicated only if versioning is enabled on the bucket
- ☐ d. Data is automatically backed up on tape and restored if needed
- ☒ e. Data is automatically replicated to different AZ in different regions

Next page



Question 15

Not yet answered

Marked out of 1.00

Flag question

Select the Network Gateway Services.

Select one or more:

- ☐ a. Internet Gateway
- ☐ b. NAT Gateway
- ☒ c. VPN Gateway
- ☐ d. Network Transfer Gateway
- ☐ e. VPC Gateway

vered
of
estion

Select the "correct" statement regarding EBS ?

- 1) EBS stands for "EC2 Block Storage"
- 2) EBS is same as S3
- 3) It is a Database service
- 4) It is a type of a load balancer.
- 5) ESB can be attached to an EC2 instance

Select one:

- ☐ a. 1
- ☐ b. 2,3
- ☐ c. 5
- ☐ d. 2,3,5
- ☐ e. 4,5



NetExam

Sri Lanka Institute of Information Technology

Question 18

Not yet answered
Marked out of 1.00

Flag question

Amazon S3 is an eventually consistent storage system. For what kinds of operations is it possible to get stale data as a result of eventual consistency?

Select one:

- ☐ a. GET after PUT of a new object
- ☒ b. GET or LIST after a DELETE
- ☐ c. GET after overwrite PUT (PUT to an existing key)
- ☐ d. DELETE after GET of a new object
- ☐ e. GET after DELETE of a new object

Next page



NetExam

Sri Lanka Institute of Information Technology

Which features can be used to restrict access to Amazon S3 data ?

Select one or more:

- ☐ a. Enable static website hosting on the bucket
- ☐ b. Create a pre-signed URL for an object
- ☒ c. Use an Amazon S3 Access Control List (ACL) on a bucket or object
- ☐ d. Use lifecycle policy
- ☒ e. Use an Amazon S3 bucket policy



wered

t of

estion

You have a distributed application that periodically processes large volumes of data across multiple Amazon EC2 Instances. The application is designed to recover gracefully from Amazon EC2 instance failures. You are required to accomplish this task in the most cost effective way.

Which of the following will meet your requirements ?

Select one:

- ☐ a. On demand instance
- ☒ b. Reserved instance
- ☐ c. Spot instance
- ☐ d. Dedicated instance
- ☐ e. None of the mentioned

Next page

Based on the following Amazon S3 URL, which one of the following statements is correct?

<https://bucket1.abc.com.s3.amazonaws.com/folder1/myfile.doc>

Select one:

- ☐ a. The object "myfile.doc" is stored in the folder "folder1" in the bucket "bucket1.abc.com"
- ☐ b. The object "myfile.doc" is stored in the bucket "bucket1.abc.com"
- ☐ c. The object "folder1/myfile.doc" is stored in the bucket "bucket1.abc.com"
- ☐ d. The object "myfile.doc" is stored in the bucket "bucket1"
- ☐ e. The object "folder1" is stored in the bucket "bucket1"

What are the "incorrect" statements regarding AWS RDS

- 1) RDS stands for Relational Database Server
- 2) AWS has only MySQL in RDS
- 3) You can SSH to RDS server
- 4) One requirement to access MySQL RDS is to make sure security groups associated with RDS allows port 3306 to be connected from the source.
- 5) You can create a snapshot of RDS instance

Select one:

- ☐ a. 1,2,3
- ☐ b. 1,2,5
- ☐ c. 2,3,5
- ☐ d. 2,3,4
- ☐ e. 4,5



NetExam

Sri Lanka Institute of Information Technology

Which Amazon RDS database engines support Multi-AZ ?

Select one:

- ☒ a. Only oracle and MySQL
- ☐ b. All of the available DB engines
- ☐ c. Only Microsoft SQL Server, MySQL and Oracle
- ☐ d. Only Oracle, Amazon Aurora and PostgreSQL
- ☐ e. Only MySQL

Which is a function that Amazon Route 53 does not perform ?

Select one:

- ☐ a. Domain registration
- ☐ b. DNS service
- ☐ c. Load Balancing
- ☐ d. Health checks
- ☒ e. Store data



NetExam

Sri Lanka Institute of Information Technology

Question 20

Not yet answered
Marked out of 1.00

Flag question

In which ways does Amazon S3 object storage differ from block and file storage?

Select one or more:

- ☐ a. Amazon S3 stores data in fixed size blocks
- ☐ b. Objects are identified by a numbered address
- ☐ c. Objects can be any size
- ☒ d. Objects contain both data and metadata
- ☒ e. Objects are stored in buckets

Next page

ASUS VivoBook



Which AWS database service is best suited for traditional Online Transaction Processing (OLTP)?

Select one:

- ☐ a. Amazon Redshift
- ☒ b. Amazon RDS
- ☐ c. Amazon Glacier
- ☐ d. Elastic Database
- ☐ e. Amazon DynamoDB

Which AWS database service is best suited for traditional Online Analytics Processing (OLAP) ?

Select one:

- ☒ a. Amazon Redshift
- ☐ b. Amazon RDS
- ☐ c. Amazon Glacier
- ☐ d. Elastic Database
- ☐ e. Amazon DynamoDB



Amazon S3 is an eventually consistent storage system. For what kinds of operations is it possible to get stale data as a result of eventual consistency?

Select one:

- ☐ a. GET after PUT of a new object
- ☐ b. GET or LIST after a DELETE
- ☐ c. GET after overwrite PUT (PUT to an existing key)
- ☐ d. DELETE after GET of a new object
- ☐ e. GET after DELETE of a new object



NetExam

Sri Lanka Institute of Information Technology

Amazon S3 bucket policies can restrict access to an Amazon S3 bucket and objects by which of the following

Select one or more:

- ☐ a. Company name
- ☐ b. IP address range
- ☐ c. AWS account
- ☐ d. Country of origin
- ☐ e. Objects with a specific prefix



Question 19

Not yet answered

Marked out of

Flag question

Based on the following Amazon S3 URL, which one of the following statements is correct?

<https://bucket1.abc.com.s3.amazonaws.com/folder1/myfile.doc>

Select one:

- ☐ a. The object "myfile.doc" is stored in the folder "folder1" in the bucket "bucket1.abc.com"
- ☐ b. The object "myfile.doc" is stored in the bucket "bucket1.abc.com"
- ☐ c. The object "folder1/myfile.doc" is stored in the bucket "bucket1.abc.com"
- ☐ d. The object "myfile.doc" is stored in the bucket "bucket1"
- ☐ e. The object "folder1" is stored in the bucket "bucket1"



NetExam

Sri Lanka Institute of Information Technology

Question 21

Not yet answered

Marked out of 1.00

Flag question

Amazon S3 bucket policies can restrict access to an Amazon S3 bucket and objects by which of the following?

Select one or more:

- ☐ a. Company name
- ☒ b. IP address range
- ☒ c. AWS account
- ☐ d. Country of origin
- ☐ e. Objects with a specific prefix

Next page

What are some of the key characteristics of Amazon S3 ?

Select one or more:

- ☐ a. All objects have a URL
- ☐ b. Amazon S3 can store unlimited amounts of data
- ☐ c. Objects are world-readable by default
- ☐ d. Amazon S3 uses REST API
- ☐ e. You must pre-allocate the storage in a bucket



Which service offered by Amazon will you choose if you want to collect and process e-commerce data for near real-time analysis?

Select one or more:

- ☒ a. DynamoDB
- ☒ b. RedShift
- ☐ c. Amazon Aurora
- ☐ d. SimpleDB
- ☐ e. Amazon ElastiCache



NetExam

Sri Lanka Institute of Information Technology

Question 23

Not yet answered

Marked out of 1.00

Flag question

Which AWS database service is best suited for traditional Online Transaction Processing (OLTP)?

Select one:

- ☐ a. Amazon Redshift
- ☒ b. Amazon RDS
- ☐ c. Amazon Glacier
- ☐ d. Elastic Database
- ☐ e. Amazon DynamoDB

ASUS VivoBook

Which of the following are features of Amazon Elastic Block Store (EBS) ?

Select one or more:

- ☐ a. Data stored on Amazon EBS is automatically replicated within an AZ
- ☐ b. Amazon EBS data is automatically backed up to tape
- ☐ c. Amazon EBS volumes can be encrypted transparently to workloads on the attached instance
- ☐ d. Data on an Amazon EBS volume is lost when the attached instance is stopped
- ☐ e. Data stored on Amazon EBS is in file format



NetExam

Sri Lanka Institute of Information Technology

24

yet answered

arked out of

00

Flag question

What Amazon Relational Database Service (RDS) feature provides the high availability for your database?

Select one:

- ☐ a. Regular maintenance windows
- ☐ b. Security groups
- ☐ c. Automated backups
- ☒ d. Multi-AZ deployment
- ☐ e. DB Engine type



NetExam

Sri Lanka Institute of Information Technology

Which of the following are not appropriate use cases for Amazon S3 ?

Select one or more:

- ☐ a. Storing web content
- ☐ b. Storing a file system mounted to an Amazon EC2 instance
- ☐ c. Storing backups for a relational database
- ☐ d. Primary storage for a database
- ☐ e. Storing logs for analytics



3D+

TAKING YOU TO A
NEW REALITY

intel OPTANE
MEMORY



Provide your feedback



maru habai

I



Which features can be used to restrict access to Amazon S3 data ?

Select one or more:

- ☐ a. Enable static website hosting on the bucket
- ☐ b. Create a pre-signed URL for an object
- ☐ c. Use an Amazon S3 Access Control List (ACL) on a bucket or object
- ☐ d. Use lifecycle policy
- ☐ e. Use an Amazon S3 bucket policy



NetExam

Sri Lanka Institute of Information Technology

Question 26
Not yet answered
Marked out of 1.00
Flag question

Which service offered by Amazon will you choose if you want to collect and process e-commerce data for near real-time analysis?

Select one or more:

- ☒ a. DynamoDB
- ☒ b. RedShift
- ☐ c. Amazon Aurora
- ☒ d. SimpleDB
- ☐ e. Amazon ElastiCache

Next page

Quiz navigation

Finish attempt ...

Time left 0:04:53

1	2	3	4	5	6	7
8	9	10	11	12	13	14
15	16	17	18	19	20	21
22	23	24	25	26	27	28
29	30	31				

ASUS VivoBook

Select feature/s of the Amazon Relational Database Service (RDS).

Select one or more:

- ☐ a. Amazon RDS is highly scalable.
- ☐ b. It is highly secured as it lets you run database instances in Amazon Virtual Private Cloud.
- ☐ c. It does not support for Multi-availability zone deployment.
- ☐ d. It is a highly reliable infrastructure
- ☐ e. Using Amazon RDS is very expensive



3

Answered

1 of

Question

You have an EC2 instance and an MySQL RDS instance. You need to allow MySQL access to RDS "only from that EC2 instance". What would be your approach?

Select one:

- ☐ a. Create 2 security groups and assign to RDS and EC2 separately. Allow EC2 security group to SSH to RDS (port 22).
- ☐ b. Create a security group and assign both RDS and EC2 to that security group and open port 3306 globally.
- ☐ c. Create a security group and assign both RDS and EC2 to that security group and open port 3306 to the entire EC2 subnet.
- ☐ d. Create 2 security groups and assign to RDS and EC2 separately. In EC2 security group, allow RDS security group as the source to connect to EC2 port 3306.
- ☐ e. Create 2 security groups and assign to RDS and EC2 separately. In RDS security group, allow EC2 security group as the source to connect to RDS port 3306.

Next page

Your firm wants to connect the data center of its organization to the Amazon cloud environment for faster accessibility and performance. Following actions can be suggested for the stated scenario.

- A. The data center of the firm can be connected to the Amazon cloud environment with the help of VPC (Virtual Private Cloud).
- B. Establish a virtual private network and then connect VPC and the data center.
- C. Create multiple backups of the company data before moving it successfully to the cloud.

Select the suitable suggestions.

Select one:

- ☐ a. A
- ☐ b. B
- ☐ c. A,B
- ☐ d. B,C
- ☒ e. A,B,C

You have a video trans-coding application. The videos are processed according to a queue. If the processing of a video is interrupted in one instance, it is resumed in another instance. Currently there is a huge back-log of videos which needs to be processed, for this you need to add more instances, but you need these instances only until your backlog is reduced.

Which of these would be an efficient way to do it ?

Select one:

- ☐ a. On demand instance
- ☐ b. Reserved instance
- ☐ c. Spot instance
- ☐ d. Dedicated instance
- ☐ e. None of the mentioned

Your organization has decided to transfer its business processes to the public cloud. However, they want some of their information/data to be accessed only by the management team. The rest of the resources will be shared among the employees of the firm.

Select suitable cloud architecture for your firm.

Select one:

- ☐ a. Private Cloud
- ☐ b. Public Cloud
- ☐ c. Hybrid Cloud
- ☐ d. Community Cloud
- ☐ e. Enterprise Cloud



NetExam

Sri Lanka Institute of Information Technology

Question 30

Not yet answered

Marked out of
1.00

Flag question

Your company experiences fluctuations in traffic patterns to their e-commerce website based on flash sales. What service can help your company dynamically match the required compute capacity to the spike in traffic during flash sales?

Select one:

- ☐ a. Auto Scaling
- ☐ b. Amazon Glacier
- ☒ c. Amazon Simple Notification Service (SNS)
- ☐ d. Amazon Virtual Private Cloud (VPC)
- ☐ e. Amazon EC2

Next page



Which of the following use cases is well suited for Amazon Redshift ?

Select one:

- ☐ a. A 500 TB data warehouse used for market analytics
- ☐ b. A NoSQL, unstructured database workload
- ☐ c. A high traffic, e-commerce web application
- ☐ d. An in-memory cache
- ☐ e. None of the above

1080

TAKING YOU TO A
NEW REALITY
www.asus.com/innovation/realty

intel OPTANE
MEMORY



NetExam

Sri Lanka Institute of Information Technology

Question 27

Not yet answered

Marked out of
1.00

Flag question

Select some of the better alternatives to Amazon RDS.

Select one or more:

- ☐ a. Amazon Aurora
- ☐ b. Azure SQL Database
- ☐ c. Amazon DynamoDB
- ☐ d. MongoDB Atlas
- ☐ e. Amazon ElastiCache

FULL HD 1080

TAKING YOU TO A
NEW REALITY

Intel OPTANE
MEMORY



Question 30

Not answered

0 out of 1

Flag question

You have a distributed application that periodically processes large volumes of data across multiple Amazon EC2 instances. The application is designed to recover gracefully from Amazon EC2 instance failures. You are required to accomplish this task in the most cost effective way. Which of the following will meet your requirements?

Select one:

- ☐ a. On demand instance
- ☒ b. Reserved instance
- ☐ c. Spot instance
- ☐ d. Dedicated instance
- ☐ e. None of the mentioned

[Next page](#)

≡ C

Finish

Time

1

8

16

24

25