


An organization is measuring the latency of an application every minute



Online Exams
Sri Lanka Institute of Information Technology

Question 13
Type: answered
Marked out of 1
Flag question


An organization is measuring the latency of an application every minute and storing data inside a file in the JSON format. The organization wants to send all latency data to AWS CloudWatch. How can the organization achieve this?

Select one:



- ☐ a. The user has to parse the file before uploading data to CloudWatch
- ☐ b. It is not possible to upload the custom data to CloudWatch
- ☒ c. The user can supply the file as an input to the CloudWatch command
- ☐ d. The user can use the CloudWatch Import command to import data from the file to CloudWatch
- ☐ e. None of the above

Next page



A user has created a subnet with VPC and launched an EC2 instance in that



is managed, in memory key value data store service



While creating an Amazon RDS DB, your first task is to set up a DB



An instance is launched into a VPC subnet with the network ACL configured to allowed inbound

To scale up the AWS resources using manual Auto Scaling

 **Online Exams**
Sri Lanka Institute of Information Technology

on 9
et answered
ed out of
lag question


To scale up the AWS resources using manual Auto Scaling, which of the below mentioned parameters should the user change?

Select one:

- ☐ a. Maximum capacity
- ☐ b. Desired capacity
- ☒ c. Preferred capacity
- ☐ d. Current capacity
- ☐ e. All of the above

Next Page

Which of the following statements are true in terms of allowing/denying traffic from/to VPC assuming



A company is storing data on Amazon simple storage service (S3)

Online Exams
Sri Lanka Institute of Information Technology

3
wered
of
ation

A company is storing data on Amazon Simple Storage Service (S3). The company's security policy mandates that data is encrypted at rest. Which of the following methods can achieve this?

Select one or more:

- ☒ a. Encrypt the data on the client-side before ingesting to Amazon S3 using their own master key.
- ☒ b. Use Amazon S3 server-side encryption with customer-provided keys.
- ☒ c. Use Amazon S3 server-side encryption with AWS Key Management Service managed keys.
- ☐ d. Use Amazon S3 bucket policies to restrict access to the data at rest.
- ☐ e. Use Amazon S3 server-side encryption with EC2 key pair.

Next page

What is the most cost-effective

Answer: Amazon S3 Glacier Amazon S3 Glacier

AWS offering as fully-managed services that involved in continuous software development. Select the correct tool for
A Fully-managed source control service that makes it easy for companies to host secure and highly scalable private

Answer: AWS CodeCommit AWS CodeCommit


Aws offerings as fully-managed services that involved in continuous software development

You have a static HTML website that requires inexpensive, highly available hosting solution that scales automatically
demands. Which AWS service would best suit this requirement?


Answer: Amazon S3 Static website hosting Amazon S3 Static Website Hosting

You have a static HTML website that requires inexpensive, highly available hosting solution

When attached to an Amazon VPC which two components provide connectivity



If you want to launch Amazon Elastic Compute Cloud (EC2) instances and assign



You have an application hosted on AWS consisting of EC2 Instances launched via an Auto Scaling Group

Online Exams
Sri Lanka Institute of Information Technology

7
answered
out of
question

You have an application hosted on AWS consisting of EC2 Instances launched via an Auto Scaling Group. You notice that the EC2 Instances are not scaling up on demand. What checks can be done to ensure that the scaling occurs as expected?

Select one:

- ☐ a. Ensure that the instances are placed across multiple Availability Zones.
- ☐ b. Ensure that ELB health checks are being used across multiple Availability Zones.
- ☐ c. Ensure that ELB health checks are being used.
- ☐ d. Ensure that the right metrics are being used to trigger the scale out.
- ☒ e. Ensure that the instances are placed across multiple regions.

Next page

Moodle x

Online Exams
Sri Lanka Institute of Information Technology

Question 2
Not yet answered
Marked out of 1.00
Flag question

A company has configured and peered two VPCs: VPC-1 and VPC-2. VPC-1 contains only private subnets and VPC-2 contains only public subnets. The company uses a single AWS Direct Connect connection and private virtual interface to connect their on-premises network with VPC-1. What are the methods increases the fault tolerance of the connection to VPC-1?

Select one or more:

- ☐ a. Establish a new AWS Direct Connect connection and private virtual interface in a different AWS region than VPC-1.
- ☐ b. Establish a hardware VPN over the internet between VPC-2 and the on-premises network
- ☒ c. Establish a hardware VPN over the internet between VPC-1 and the on-premises network.
- ☒ d. Establish a new AWS Direct Connect connection and private virtual interface in a different region than VPC-2.
- ☐ e. Establish a new AWS Direct Connect connection and private virtual interface in the same AWS region as VPC-1.

Next page

DECLA
1
MCQ
2
9
16
23
SHORT
27
STRUC
32

A company has configured and peered two VPCs: VPC-1 and VPC-2.

What is the command which lists images in docker

Answer: `Docker image ls` **Docker images**

This architecture is similar to a big container wherein all the software components of an application

This architecture is similar to a big container wherein all the software components of an application are assembled together and tightly packaged. What is this microservice architecture ?

Answer: **Monolithic**


It is one of the most important features, which helps you to access the current state of an application

It is one of the most important features, which helps you to access the current state of an application that is running in production environment. There are multiple metrics which can be used to check the current state. They also provide endpoints of restful web services which can be simply used to check the different metrics.

About what spring boot feature it describes above ?

Answer: **Spring Boot Actuator**

Which of the following are characteristics of Amazon VPC subnets



The screenshot shows a web interface for 'Online Exams' at the 'Sri Lanka Institute of Information Technology'. The header includes the SLIIT logo. On the left, a sidebar indicates 'Question 3', 'Not yet answered', 'Marked out of 1.00', and a 'Flag question' button. The main content area contains the question: 'Which of the following are characteristics of Amazon VPC subnets?'. Below the question, it says 'Select one or more:'. There are five options, each with a checkbox: a. 'By default, all subnets can route between each other, whether they are private or public.' (unchecked), b. 'Each subnet spans at least 2 Availability Zones to provide a high-availability environment.' (checked), c. 'Instances in a private subnet can communicate with the Internet only if they have an Elastic IP.' (checked), d. 'Each subnet maps to a single Availability Zone.' (unchecked), and e. 'CIDR block mask of /25 is the smallest range supported.' (unchecked). A red line is drawn under options b and c.

Online Exams
Sri Lanka Institute of Information Technology


Question 3
Not yet answered
Marked out of 1.00
Flag question

Which of the following are characteristics of Amazon VPC subnets?

Select one or more:

- ☐ a. By default, all subnets can route between each other, whether they are private or public.
- ☒ b. Each subnet spans at least 2 Availability Zones to provide a high-availability environment.
- ☒ c. Instances in a private subnet can communicate with the Internet only if they have an Elastic IP.
- ☐ d. Each subnet maps to a single Availability Zone.
- ☐ e. CIDR block mask of /25 is the smallest range supported.

X



The screenshot shows a web interface for 'Online Exams' at the 'Sri Lanka Institute of Information Technology'. The header includes the SLIIT logo. On the left, a sidebar shows 'erred', 'f', and 'ion'. The main content area contains a paragraph about a software company 'XYZ' and its data center. It then states that directors have received a report from consultants recommending the following:

- The company should consider using Office 365 as a SaaS service for office productivity applications and email.
- Company's some of the software could be run as a PaaS service for internal users but could also be supplied as a platform for other users to access as a service.
- The company can move some of its aging computing infrastructure to an IaaS service to avoid the capital cost of replacement.

Below the list are three questions labeled a, b, and c, each worth 5 marks:

- a) Describe the benefits and drawbacks of using SaaS, PaaS and IaaS models. (5 marks)
- b) Explain what you can do for the second suggestion given by the consultants regarding the software. (5 marks)
- c) Company management decides that the infrastructure should be created in a public cloud. Consider the cloud provider as AWS and briefly explain what steps you would take to secure the infrastructure. (5 marks)

A red 'X' is drawn to the left of the question text.

Online Exams
Sri Lanka Institute of Information Technology

erred
f
ion

'XYZ' is a software company which handles various services. The company has a small data center at its main branch where the company's servers and data storage is located. All the staff of the company use of different types of personal computers to connect with the company data center.

The directors of the company have received a report from a group of consultants that recommends the following.



- The company should consider using Office 365 as a SaaS service for office productivity applications and email.
- Company's some of the software could be run as a PaaS service for internal users but could also be supplied as a platform for other users to access as a service.
- The company can move some of its aging computing infrastructure to an IaaS service to avoid the capital cost of replacement.

a) Describe the benefits and drawbacks of using SaaS, PaaS and IaaS models. (5 marks)


b) Explain what you can do for the second suggestion given by the consultants regarding the software. (5 marks)

c) Company management decides that the infrastructure should be created in a public cloud. Consider the cloud provider as AWS and briefly explain what steps you would take to secure the infrastructure. (5 marks)


acts as a firewall that controls the traffic allowed to reach one or more instances




You create an Auto Scaling group which is used to spin up instances on Demand.



What does Amazon CloudFormation provide



Elastic Load Balancing health checks may be



Online Exams
Sri Lanka Institute of Information Technology

Question 6
Not yet answered
Marked out of 1.00
Flag question

Elastic Load Balancing health checks may be

Select one or more:

- ☐ a. An Amazon Elastic Compute Cloud (Amazon EC2) instance status check
- ☒ b. A page request
- ☒ c. A ping
- ☐ d. A key pair verification
- ☒ e. A connection attempt

Next page

Which AWS services will you use to collect and process e-commerce

Which AWS services will you use to collect and process e-commerce data for ne

Answer: Amazon Redshift Amazon DynamoDB and Amazon Redshift

Companies today need the ability to simple and securely collect, store and analyze


Companies today need the ability to simply and securely collect, store, and analyze any amount of data from anywhere. This service is designed to deliver 99.99999999

Answer: VDR Software (Not Sure)


Infrastructure as code (IaC) which is a trending topic in the IT world now

Infrastructure as code (IaC) which is a trending topic in the IT world now, is the process rather than physical hardware configuration or interactive configuration tools. In AWS another AWS Region in a matter of minutes. Name this AWS service.

Answer: AWS CloudFormation



Which of the following statements are true in terms of allowing/denying traffic



An organization is managing a Redshift Cluster in AWS.

 **Sri Lanka Institute of Information Technology**


An organization is managing a Redshift Cluster in AWS. They need to monitor the performance of this Redshift cluster to ensure that it is performing as efficiently as possible. Which of the following services can be used for achieving this requirement?

Select one:

- ☐ a. AWS Trusted Advisor
- ☐ b. CloudTrail
- ☐ c. VPC Flow Logs
- ☐ d. AWS S3
- ☒ e. CloudWatch

[Next page](#)

What is specifically used by AWS Content Delivery Network/CDN to distribute



A company has configured and peered two VPCs: VPC-1 and VPC-2

**Sri Lanka Institute of Information Technology**

Question 2

Not yet answered

Marked out of 1.00


Flag question

A company has configured and peered two VPCs: VPC-1 and VPC-2. VPC-1 contains only private subnets and VPC-2 contains only public subnets. The company uses a single AWS Direct Connect connection and private virtual interface to connect their on-premises network with VPC-1. What are the methods that increase the fault tolerance of the connection to VPC-1?

Select one or more:

- ☐ a. Establish a new AWS Direct Connect connection and private virtual interface in a different AWS region than VPC-1.
- ☐ b. Establish a new AWS Direct Connect connection and private virtual interface in a different region than VPC-2.
- ☒ c. Establish a hardware VPN over the internet between VPC-2 and the on-premises network.
- ☒ d. Establish a hardware VPN over the internet between VPC-1 and the on-premises network.
- ☐ e. Establish a new AWS Direct Connect connection and private virtual interface in the same AWS region as VPC-1.

Next page



Because of the extensibility limitations of striped storage attached to windows server.



33

ABC is a business and software company. You are the newly appointed systems engineer at ABC com
been asked to design an AWS infrastructure to host below resources. Highly availability is a priority.

- 25 Public Load balancers
- 20 Private Load balancers
- 15 Private EC2 Instances
- 10 Private DB Instances

a) Describe how you calculate an optimal CIDR block for this environment. (10 marks)

b) Briefly explain the subnets you choose. (5 marks)



c) DB instances are better to create as private instances not as public instances. Justify this statement.



a) Describe how you calculate an optimal CIDR block for this environment. (10 marks)

total public subnets = $25 * 2 = 50$

total private subnets = $20 * 2 + 15 + 10 = 65$

Why is the launch configuration referenced by the Auto Scaling group instead of being part of the





AWS also offers a popular compute service which can be used to develop serverless applications

Question 41
Not yet answered
Marked out of 1.00
Flag question

AWS also offers a popular compute service which can be used to develop Serverless applications, and the main benefit of this service is that you pay only for the compute time you consume rather there is no charge when your code is not running. Name this AWS service.

Answer: Lamda **AWS Lambda**

AWS offering as fully-managed services that involved in continuous software development.

Question 42
Not yet answered
Marked out of 1.00
Flag question

AWS offering as fully-managed services that involved in continuous software development. Select the correct tool for the following scenarios
A Fully-managed source control service that makes it easy for companies to host secure and highly scalable private Git repositories.

Answer: CodeCommit **AWS CodeCommit**

Question 43
Not yet answered
Marked out of 1.00
Flag question

Infrastructure as code (IaC) is the process of managing and provisioning infrastructure resources through machine-readable text files, rather than physical hardware configuration or interactive configuration tools. Name the service which AWS facilitates as a service under their offerings

Answer: CodeFormation **AWS CodeFormation**

Online Exams
Sri Lanka Institute of Information Technology

Question 4
Not yet answered
Marked out of 1.00
Flag question

What properties of an Amazon VPC must be specified at the time of creation?

Select one or more:

- ☐ a. Recommendation to start with two Availability Zones per region.
- ☐ b. One or more subnets for the Amazon VPC
- ☒ c. The region for the Amazon VPC
- ☒ d. An Amazon VPC endpoint
- ☒ e. The CIDR block representing the IP address range

Next page

What properties of an Amazon VPC must be specified at the time of creation

You have successfully set up a VPC peering connection in your account between



Online Exams

Sri Lanka Institute of Information Technology

You have successfully set up a VPC peering connection in your account between two VPCs - VPC A and VPC B, each in a different region. When you are trying to make a request from VPC A to VPC B, request getting failed. Which of the following could be a reason?

Select one or more:

- ☐ a. Cross region peering is supported in AWS.
- ☐ b. Cross region peering is not supported in AWS.
- ☐ c. Routes not configured in route tables for peering connections.
- ☒ d. VPC A security group default outbound rules not allowing traffic to VPC B IP range.
- ☐ e. CIDR blocks of both VPCs might be overlapping.

Next Page

Quiz na

DECLARATION

1

MCQ

2	3
10	11
18	19
26	

SHORT ANSW

27	28	29
----	----	----


STRUCTURED

32


STRUCTURED

33

Which of the following statements are true in terms of allowing/denying traffic from/to VPC assuming



You work for hospital aggregated storage solution project that required to store



Answer: Amazon s3 Glacier

The developer tools in Amazon web Services are designed to help developers

49
answered
out of
question

The developer tools in Amazon Web Services are designed to help developers to get the software to deliver rapidly and safely. It helps developers to build, test, and deploy the software applications to AWS or on-premises environment. AWS also offers fully managed developing tools that the developer able to start entire continuous delivery toolchain in minutes. It helps to release the software process automatically, which allows to test and release software more often. Tool enables you to quickly develop, build, and deploy applications on AWS. provides a unified user interface, enabling you to easily manage your software development activities in one place.

Answer: AWS CodeStar

AWS CodeStar

Content Delivery Network (or CDN) is a geographically


on 50
answered
out of
question

Content Delivery Network (or CDN) is a geographically distributed network which enables quickly and easily distribute content to end users world-wide. Name the CDN service which AWS facilitates as a service under their offerings.


Answer: CloudFront

AWS CloudFront

A user has setup an Auto Scaling group, The group has failed to launch



is a technique that reduce downtime and risk by running two identical production environment



A company has an application hosted in AWS. This application consists of EC2 Instance

Online Exams
Sri Lanka Institute of Information Technology

A company has an application hosted in AWS. This application consists of EC2 Instances which sit behind an ELB with EC2 Instances. The following are requirements from an administrative perspective:

- a) Ensure notifications are sent when the read requests go beyond 1000 requests per minute
- b) Ensure notifications are sent when the latency goes beyond 10 seconds

Which of the following can be used to satisfy these requirements?

Select one:

- ☐ a. Use Amazon Simple Queue Services
- ☐ b. Use CloudWatch logs to monitor the API Activity.
- ☐ c. Use a custom log software to monitor the latency and read requests to the ELB.
- ☐ d. Use CloudTrail to monitor the API Activity.
- ☒ e. Use CloudWatch metrics for the metrics that needs to be monitored as per the requirement and set up an alarm activity to send out notifications when the metric reaches the set threshold limit.

Next page

Quiz navigation

DECLARATION

1

MCQ

2 3 4 5

10 11 12 13

18 19 20 21

26

SHORT ANSWER QUESTIONS

27 28 29 30

32

Online Exams
Sri Lanka Institute of Information Technology

You create a new VPC in US-East-1 and provision three subnets inside this Amazon VPC. Which of the following statements is/are true?

Select one or more:

- ☐ a. By default, these subnets will not be able to communicate with each other; you will need to create routes.
- ☐ b. All subnets are public by default.
- ☐ c. All subnets will be able to communicate with each other by default.
- ☒ d. Each subnet will have identical CIDR blocks.
- ☐ e. None of the above

Next page

Let's consider a practical use case which involves AWS. You work in the security industry

The screenshot shows a quiz interface with a browser-like header containing navigation icons (back, forward, close, refresh, help, and a document icon). Below the header, there is a section for "Question 45" which is marked as "Not yet answered" and worth "1.00" points. The question text is: "Let's consider a practical use case which involves AWS. You work in the security industry for a large consultancy. A new customer of yours runs a production environment in AWS and they require a log of all API calls made to their Elastic Load Balancer. How can you achieve this?". The answer field contains the text "AWS CloudTrail" in red. Above this question, there is an "Answer:" label followed by a text box containing "CodeDeploy". Below Question 45, the start of "Question 46" is visible, with the text "AWS offering as fully managed services that involved in continuous software development. Select the correct tool for the".

Answer: CodeDeploy


Question 45
Not yet answered
Marked out of 1.00
Flag question


Let's consider a practical use case which involves AWS. You work in the security industry for a large consultancy. A new customer of yours runs a production environment in AWS and they require a log of all API calls made to their Elastic Load Balancer. How can you achieve this?

Answer: AWS CloudTrail


Question 46
AWS offering as fully managed services that involved in continuous software development. Select the correct tool for the

A customer is using AWS for Dev and Test. The customer wants to setup the dev environment





An organization has setup Auto Scaling ELB. Due to some manual error,



Online Exams
Sri Lanka Institute of Information Technology

An organization has setup Auto Scaling with ELB. Due to some manual error, one of the instances got rebooted. Thus, it failed the Auto Scaling health check. Auto Scaling has marked it for replacement. How can the system admin ensure that the instance does not get terminated?

Select one:

- ☒ a. Change the health of the instance to healthy using the Auto Scaling commands.
- ☐ b. Manually change the Auto Scaling group configurations.
- ☐ c. It is not possible to change the status once it is marked for replacement .
- ☐ d. Update the Auto Scaling group to ignore the instance reboot event .
- ☐ e. Manually add that instance to the Auto Scaling group after reboot to avoid replacement .

Next page

What happens when you create a new Amazon VPC

Online Exams
Sri Lanka Institute of Information Technology

What happens when you create a new Amazon VPC?

Select one:

- ☐ a. Three subnets are created by default in one Availability Zone.
- ☐ b. An IGW is created by default.
- ☒ c. Two subnets are created by default—one for each Availability Zone.
- ☐ d. Three subnets are created by default—one for each Availability Zone.
- ☐ e. A main route table is created by default.

Next page

Question 45: Let's consider a practical use case which involves AWS. You work in the security industry for a large consultancy. A new customer of yours runs a production environment in AWS and they require a log of all API calls made to their Elastic Load Balancer. How can you achieve this?
Answer: AWS CloudTrail

Question 46: The developer tools in Amazon Web Services are designed to help developers to get the software to deliver rapidly and safely. It helps developers to build, test, and deploy the software applications to AWS or on-premises environment. AWS also offers fully managed developing tools that the developer able to start entire continuous delivery toolchain in minutes. It helps to release the software process automatically, which allows to test and release software more often. It helps developers analyze and debug production, distributed applications, such as those built using a microservices architecture. With X-Ray, you can understand how your application and its underlying services are performing to identify and troubleshoot the root cause of performance issues and errors.
Answer: AWS CodeBuild

Question 47: You have a static HTML website that requires inexpensive, highly available hosting solution that scales automatically to meet traffic demands. Which AWS service would best suit this requirement?
Answer: Amazon S3

Answer: Amazon CloudFront

The developer tools in Amazon Web Services are designed to help developers to get the software to deliver rapidly and safely. It helps developers to build, test, and deploy the software applications to AWS or on-premises environment. AWS also offers fully managed developing tools that the developer able to start entire continuous delivery toolchain in minutes. It helps to release the software process automatically, which allows to test and release software more often. It helps developers analyze and debug production, distributed applications, such as those built using a microservices architecture. With X-Ray, you can understand how your application and its underlying services are performing to identify and troubleshoot the root cause of performance issues and errors.

Answer: AWS CodeBuild

AWS offering as fully-managed services that involved in continuous software development. Select the correct tool for the following scenarios.

A Fully-managed source control service that makes it easy for companies to host secure and highly scalable private Git repositories.

Question 57

Not yet answered
Marked out of 1.00

Flag question

Fill in the blanks

..... is also called Rx. It is a design pattern which allows collecting results by calling multiple services and then compile a combined response. Rx is a popular tool in distributed systems which works exactly opposite to legacy flows.

Answer: Reactive Microservices

Question 58

Not yet answered
Marked out of 1.00

Flag question

This architecture is similar to a big container wherein all the software components of an application are assembled together and tightly packaged. What is this microservice architecture?

Answer: Docker

Question 59

Not yet answered
Marked out of 1.00

Flag question

Fill in the blanks

A good Microservices application design always consists of low..... and high

Answer: coupling, cohesive



Question 60

Not yet answered
Marked out of 1.00

Flag question

Three Embedded Containers Are Supported by Spring Boot are

Answer: Tomcat, Jetty, Undertow



You have two Elastic Compute Cloud (EC2) instances inside a Virtual Private Cloud (VPC)

 **Online Exams**
Sri Lanka Institute of Information Technology

Question 2
Not yet answered
Marked out of 1.00
Flag question

You have two Elastic Compute Cloud (EC2) instances inside a Virtual Private Cloud (VPC) in the same Availability Zone (AZ) but in different subnets. One instance is running a database and the other instance an application that will interface with the database. You want to confirm that they can talk to each other for your application to work properly.

Which of the things do we need to confirm in the VPC settings so that these EC2 instances can communicate inside the VPC?

Select one or more:

- ☒ a. A network ACL that allows communication between the two subnets.
- ☐ b. Both instances are the same instance class and using the same Key-pair.
- ☐ c. That the default route is set to a NAT instance or internet Gateway (IGW) for them to communicate.
- ☐ d. Security groups are set to allow the application host to talk to the database on the right port/protocol.
- ☒ e. All of the above

Next page

Question 58
Not yet answered
Marked out of 1.00
Flag question

This MS Architecture is a collection of services which communicate with each other through simple data passing or it could involve two or more services coordinating some task.

Answer: Service-Oriented Architecture (SOA)

Question 59
Not yet answered
Marked out of 1.00
Flag question

What is the command which lists images in docker?


Answer:



Question 60
Not yet answered
Marked out of 1.00
Flag question


Three Embedded Containers Are Supported by Spring Boot are

Answer: Tomcat, jetty, Undertow

What are the components of VPC







Which of the following are characteristics of the Auto Scaling services on AWS

Question 37

Not yet answered

Marked out of 1.00

Flag question

Why do you make subnets?

Answer: Logically isoate from other virtual network

Question 38

Not yet answered

Marked out of 1.00

Flag question

Which AWS services will you use to collect and process e-commerce data for near real-time analysis?

Answer: Kinesis

Question 39


Not yet answered

Marked out of 1.00

Flag question


Companies today need the ability to simply and securely collect, store, and analyze their data at a massive scale. AWS offers a storage service built to store and retrieve any amount of data from anywhere. This service is designed to deliver 99.999999999% availability. Name this storage service.

Answer:



What does Amazon CloudFormation Provide

Next page



When attached to an Amazon VPC which two components

A user is planning to use AWS Cloud Formation for his automatic

 Sri Lanka Institute of Information Technology

on 15
it answered
d out of
g question

A user is planning to use AWS Cloud formation for his automatic deployment requirements. Which of the below mentioned components are required as a part of the template?

Select one or more:

- ☐ a. Parameters
- ☐ b. Outputs
- ☐ c. Template version
- ☐ d. Resource
- ☐ e. All of the above

Next page



Online Exams

Sri Lanka Institute of Information Technology

For Windows AMI's the private key file is required to obtain the used to log into your instance.

Next

Question 39

Not yet answered

Marked out of 1.00

Flag question

Companies today need the ability to simply and securely collect, store, and analyze their data. Amazon offers a popular object storage service built to store and retrieve any amount of data from anywhere, designed to deliver 99.99999999% durability. Name this storage service.

Answer:

Question 40

Not yet answered

Marked out of 1.00

Flag question

Infrastructure as code (IaC) which is a trending topic in the IT world now, is the process of managing and provisioning computer data centers through machine-readable definition files, rather than physical hardware configurations and interactive configuration tools. In AWS also, you have the ability to develop an infrastructure as code deployed in another AWS Region in a matter of minutes. Name this AWS service.

Answer:

An organization is measuring the latency of an application every minute


 **Online Exams**
Sri Lanka Institute of Information Technology

An organization is measuring the latency of an application every minute and storing data inside a file in the JSON format. The organization wants to send all latency data to AWS CloudWatch. How can the organization achieve this?


Select one:

- ☐ a. The user has to parse the file before uploading data to CloudWatch
- ☐ b. It is not possible to upload the custom data to CloudWatch
- ☐ c. The user can supply the file as an input to the CloudWatch command
- ☒ d. The user can use the CloudWatch import command to import data from the file to CloudWatch
- ☐ e. None of the above

[Next page](#)



While reviewing the Auto Scaling events for your application, you notice



As the cloud administrator of your company, you notice that one of EC2



Online Exams

Sri Lanka Institute of Information Technology

In a default VPC, all Amazon EC2 instances are assigned 2 IP addresses at launch, what are these?

Answer:

Next page



Online Exams

Sri Lanka Institute of Information Technology

What is a Security Group?

Select one:

- ☐ a. An Access Control List (ACL) for AWS resources.
- ☒ b. A firewall for inbound traffic, built-in around every Amazon EC2 instance.
- ☐ c. A firewall for inbound and outbound traffic, built-in around every Amazon EC2 instance.
- ☐ d. A firewall for outbound traffic, built-in around every Amazon EC2 instance.
- ☐ e. A list of users that can access Amazon EC2 instances.

What is a Security Group

A user has configured the Auto Scaling Group with the minimum


 Sri Lanka Institute of Information Technology

7
answered
out of
question

A user has configured the Auto Scaling group with the minimum capacity as 3 and the maximum capacity as 5. When the AS group is launched, how many instances will Auto Scaling launch?

Select one:

- ☐ a. 1
- ☐ b. 0
- ☐ c. 5
- ☒ d. 3
- ☐ e. 2



Question 42

Not yet answered

Marked out of 1.00

Flag question

AWS offering as fully-managed services that involved in continuous software development. Select the following scenarios.

It is a service that automates code deployments to any instance, including Amazon EC2 instance: on-premises. You can use AWS CodeDeploy to automate software deployments, eliminating the need for manual operations

Answer:

Question 43

Not yet answered

Marked out of 1.00

Flag question

The developer tools in Amazon Web Services are designed to help developers to get the software to production safely. It helps developers to build, test, and deploy the software applications to AWS or on-premises. AWS also offers fully managed developing tools that the developer able to start entire continuous delivery pipeline in minutes. It helps to release the software process automatically, which allows to test and release software. What is the developer tool Cloud-based integrated development environment (IDE) that lets you write, build, and test your code with just a browser? It includes a code editor, debugger, and terminal

Answer:

Question 44

Not yet answered

Marked out of 1.00

Flag question

Infrastructure as code (IaC) is the process of managing and provisioning infrastructure resources through machine-readable text files, rather than physical hardware configuration or interactive configuration tools. Name the AWS service that facilitates IaC as a service under their offerings

Answer:

A company has an application hosted in AWS. This application consists

Online Exams
Sri Lanka Institute of Information Technology

Question 12
Not yet answered
Marked out of 1.00
Flag question

A company has an application hosted in AWS. This application consists of EC2 instances which sit behind an ELB with EC2 instances. The following are requirements from an administrative perspective:

- a) Ensure notifications are sent when the read requests go beyond 1000 requests per minute
- b) Ensure notifications are sent when the latency goes beyond 10 seconds

Which of the following can be used to satisfy these requirements?

Select one:

- ☐ a. Use CloudTrail to monitor the API Activity.
- ☐ b. Use CloudWatch logs to monitor the API Activity.
- ☐ c. Use Amazon Simple Queue Services
- ☐ d. Use a custom log software to monitor the latency and read requests to the ELB.
- ☒ e. Use CloudWatch metrics for the metrics that needs to be monitored as per the requirement and set up an alarm activity to send out notifications when the metric reaches the set threshold limit.

Quiz navigation
DECLARATION
1
MCQ
2 3 4
10 11 12
18 19 20
26
SHORT ANSWER Q
27 28 29 30
STRUCTURED QUES
32
STRUCTURED QUES
33

Next page

Online Exams
Sri Lanka Institute of Information Technology

let you categorize your EC2 resources in different ways, for example, by purpose, owner, or environment.

Next page



Online Exams

Sri Lanka Institute of Information Technology

Question 6

Not yet answered

Marked out of 1.00


Flag question

Which of the following are required elements of an Auto Scaling

Select one or more:

- ☒ a. Minimum size
- ☐ b. Security Group
- ☒ c. Launch configuration
- ☐ d. Desired capacity
- ☐ e. Health checks

Which of the following are required elements of an Auto Scaling



You create an Auto Scaling Group which is used to spin up instances on Demand.

You create a new subnet and then add a route to your route table that routes traffic out from that subnet to the Internet using an IGW. What type of subnet have you created?

Select one:

- ☒ a. A public subnet
- ☐ b. An external subnet
- ☐ c. An internal subnet
- ☐ d. A private subnet
- ☐ e. A private and a Public subnet

Moodle

← → X C ⓘ A

Question 54
Not yet answered
Marked out of 1.00
Flag question

What is the command which lists images in docker

Answer:

Question 55
Not yet answered
Marked out of 1.00
Flag question

Fill in the blanks
A good Microservices application design always consists of low..... and high

Answer:

Question 56
Not yet answered
Marked out of 1.00
Flag question

Fill in the blanks
..... is a technique that reduces downtime and risk by running two identical production environments called Blue and Green. At any time, only one of the environments is live, with the live environment serving all production traffic. For this example, Blue is currently live and Green is idle

Answer:

STUDENT FEED BACK
61
Finish attempt ...
Time left 0:13:28

Which of the following statements are true in terms of allowing/denying

on 3
et answered
ed out of
Flag question

Which of the following statements are true in terms of allowing/denying traffic from/to VPC assuming the default rules are not in effect?

Select one or more:

- ☐ a. In a Network ACL, for a successful HTTPS connection, add an outbound rule with HTTPS type, IP range in source and ALLOW traffic.
- ☐ b. In a Network ACL, for a successful HTTPS connection, add an inbound rule with HTTPS type, IP range in source and ALLOW traffic.
- ☐ c. In a Security Group, for a successful HTTPS connection, you must add an inbound rule and outbound rule with HTTPS type, IP range in source and destination respectively.
- ☒ d. In a Security Group, for a successful HTTPS connection, add an inbound rule with HTTPS type and IP range in the source.
- ☒ e. In a Network ACL for a successful HTTPS connection, you must add an inbound rule and outbound rule with HTTPS type, IP range in source and destination respectively and ALLOW traffic.

Next page

Quiz navigation

DECLARATION

1


MCQ

2	3	4	5
9	10	11	12
16	17	18	19
23	24	25	26

SHORT ANSWER QUESTIONS

27	28	29	30	31
----	----	----	----	----

12



Flag question

Question 58

Not yet answered

Marked out of 1.00

Flag question

In micro services , CDC stands for ?

Answer:

Question 59

Not yet answered

Marked out of 1.00

Flag question

This MS Architecture is a collection of services which communicate with each other. The communication can be as simple as data passing or it could involve two or more services coordinating some activity. What is this architecture called?

Answer:

Question 60

Not yet answered

Marked out of 1.00

Flag question

Fill in the blanks

..... is a technique that reduces downtime and risk by running two identical production environments, one called Blue and Green. At any time, only one of the environments is live, with the live environment handling all traffic. For this example, Blue is currently live and Green is idle.

Answer:

Online Exams
Sri Lanka Institute of Information Technology

It17103114 Tissera W.S

is a Open-source container management and orchestration .

Next page

Quiz navigation

DECLARATION

1

MCQ

2 3 4 5 6

9 10 11 12 13

16 17 18 19 20

23 24 25 26

SHORT ANSWER QUESTION

27 28 29 30 31

STRUCTURED QUESTION

32

Online Exams
Sri Lanka Institute of Information Technology

Question 26
Not yet answered
Marked out of 10
Flag question

Which of the following cannot be used in Amazon EC2 to control who has access to specific Amazon EC2 instances?

Select one:

- ☐ a. Windows Username
- ☐ b. Security Groups
- ☐ c. IAM System
- ☒ d. SSH keys
- ☐ e. Windows passwords

Next page

Which of the following cannot be used in Amazon EC2 to control who has


Answer: When I create the virtual private cloud, must specify the range of subnet masks

Which AWS services will you use to collect and process e-commerce data for near real-time analysis?

Answer: Amazon redshift and amazon dynamoDB

Companies today need the ability to simply and securely collect, store, and analyze their data at a massive scale. AWS provides a storage service built to store and retrieve any amount of data from anywhere. This service is designed to deliver high performance and low latency. Name this storage service.

Answer: Amazon S3



Question 55

Not yet answered

Marked out of
1.00

Flag question

Fill in the blanks

..... is a technique that reduces downtime and risk by running two identical production environments called Blue and Green. At any time, only one of the environments is live, with the live environment serving all production traffic. For this example, Blue is currently live and Green is idle


Answer:

Question 56


Fill in the blanks




An application hosted on EC2 Instances has its promotional campaign



Your architecture for an application currently consists of EC2 Instances





Online Exams

Sri Lanka Institute of Information Technology

11

answered
t of
estion

AWS DNS service is known as

Online Exams

Sri Lanka Institute of Information Technology

You create a new VPC in US-East-1 and provision three subnets inside this Amazon VPC. Which of the following statements is/are true?

Select one or more:


- ☐ a. By default, these subnets will not be able to communicate with each other; you will need to create routes.
- ☐ b. All subnets are public by default.
- ☒ c. All subnets will be able to communicate with each other by default.
- ☐ d. Each subnet will have identical CIDR blocks.
- ☐ e. None of the above

Next page


You create a new VPC in US-East-1 and provision three subnets




What properties of an Amazon VPC must be specified at the time



By default, EC2 monitoring carried out by CloudWatch





Your company currently has a set of EC2 instances in AWS

An application consists of the following architecture

SLITT Online Exams
Sri Lanka Institute of Information Technology

5
answered
out of
question

An application consists of the following architecture:

1. EC2 Instances in a single AZ behind an ELB
2. A NAT Instance which is used to ensure that instances can download updates from the Internet

Which of the following can be used to ensure better fault tolerance in this setup?


Select one or more:

- ☐ a. Add more Security groups for the setup
- ☒ b. Add more instances in another Availability Zone.
- ☐ c. Add more instances in the existing Availability Zone.
- ☒ d. Add an Auto Scaling Group to the setup.
- ☐ e. Add another ELB for more fault tolerance.

Next page

DECLAR
1
MCQ
2 3
9 10
16 17
23 24
SHORT AN
27 28
STRUCTUR
32

A user has created a public subnet with VPC and launched an EC2 instance with it.





in 41

t answered
d out of

ig question

AWS also offers a popular compute service which can be used to develop Serverless applications, and the main benefit of this service is that you pay only for the compute time you consume rather there is no charge when your code is not running. Name this AWS service.

Answer:

oodle

x



Question 35

Not yet answered
Marked out of 1.00

Flag question

You have a video trans-coding application. The videos are processed across multiple instances. If an instance fails, it is resumed in another instance. Currently there is a huge backlog of videos to process. You want to add more instances, but you need these instances only until your backlog is cleared.

Answer:

Question 36

Not yet answered
Marked out of 1.00

Flag question

When you need to move data over long distances using the internet, for instance, which method or service will you use?

Answer:

Transfer Acceleration

Question 37

Not yet answered
Marked out of 1.00

Flag question

Why do you make subnets?

Answer:

Question 38



Not yet answered
Marked out of 1.00

Flag question

Which AWS services will you use to collect and process e-commerce data for real-time analytics?

Answer:

When Auto Scaling is launching a new instance based on condition



You have two Elastic Compute (EC2) instance inside a Virtual Private Cloud (VPC)

Sri Lanka Institute of Information Technology

ABC is a business and software company. You are the newly appointed systems engineer at ABC company. You are responsible for designing an AWS infrastructure to host below resources. Highly availability is a priority.

- 24 Public Load balancers
- 10 Private Load balancers
- 12 Private EC2 Instances
- 6 Private DB Instances


- Describe how you calculate an optimal CIDR block for this environment. (10 marks)
- Briefly explain the subnets you choose. (5 marks)
- DB instances are better to create as private instances not as public instances. Justify this statement. (5 marks)



- Describe how you calculate an optimal CIDR block for this environment. (10 marks)

- Briefly explain the subnets you choose. (5 marks)

Which is a recommended way to protect Access Keys





Online Exams

Sri Lanka Institute of Information Technology

It is one of the most important features, which helps you to access the current state of an application that is running in production environment. There are endpoints that can be used to check the current state. They also provide endpoints of restful web services which can be simply used to check the different metrics. About what spring boot feature it describes above ?


Answer:

Fill in the blank


..... testing validates all the processes in the workflow to check if everything is working as expected. It also ensures that the system works in a unified manner satisfying the business requirement.

Answer:

In micro services , CDC stands for ?



Which of the following can be used to trigger scaling up or down for an Auto Scaling



Online Exams


Sri Lanka Institute of Information Technology

'XYZ' is a software company which handles various services. The company has a small data center at its main branch where the company's servers and data storage is located. All the staff of the company use of different types of personal computers to connect with the company data center.



The directors of the company have received a report from a group of consultants that recommends the following:

- The company should consider using Office 365 as a SaaS service for office productivity applications and email.
- Company's some of the software could be run as a PaaS service for internal users but could also be supplied as a platform for other users to access as a service.
- The company can move some of its aging computing infrastructure to an IaaS service to avoid the capital cost of replacement.

- a) Explain the critical points (other than cost) that the company would need to consider in choosing to migrate from local hosted infrastructure to an IaaS service provider. (5 marks)
- b) Describe the drawbacks of moving to an IaaS model in a public cloud. (5 marks)
- c) The management has requested that the system should have high availability. Explain how you would do that and describe how Cloudwatch relate with it. (5 marks)



An infrastructure is being hosted in AWS using the following resources



Online Exams

Sri Lanka Institute of Information Technology

An organization is measuring the latency of an application every minute and storing data inside a file in the JSON format. The organization wants to send all latency data to AWS CloudWatch. How can the organization achieve this?

Select one:

- ☐ a. It is possible to upload the custom data to CloudWatch
- ☐ b. The user has to parse the file before uploading data to CloudWatch
- ☒ c. The user can supply the file as an input to the CloudWatch command
- ☐ d. It is not possible to upload the custom data to CloudWatch
- ☐ e. The user can use the CloudWatch import command to import data from the file to CloudWatch

Next page

An Organization is measuring the latency of an application every minute



Online Exams

Sri Lanka Institute of Information Technology

Question 2

Not yet answered

Marked out of 1.00

Flag question

If you want to launch Amazon Elastic Compute Cloud (EC2) instances and assign each instance a predetermined private IP address you should:

Select one:

- ☐ a. Launch the instances in a Placement Group.
- ☐ b. Launch the instances in the Amazon Virtual Private Cloud (VPC).
- ☒ c. Launch the instances in a Placement Group.
- ☐ d. Assign a group of sequential Elastic IP address to the instances.
- ☐ e. Launch the instance from a private Amazon Machine Image (AMI).

If you want to launch Amazon Elastic Compute Cloud (EC2) instances and assign each

Question 52

Not yet answered

Marked out of 1.00

Flag question

Fill in the blank

..... testing validates all the processes in the workflow to check if everything is working as expected. It also ensures that the system works in a unified manner, thereby satisfying the business requirement.

Answer: Workflow

Question 53

Not yet answered

Marked out of 1.00

Flag question

In micro services, CDC stands for ?

Answer: Customer Driven Contracts

Question 54

Not yet answered

Marked out of 1.00

Flag question

Fill in the blanks

..... is a technique that reduces downtime and risk by running two identical production environments called Blue and Green. At any time, only one of the environments is live, with the live environment serving all production traffic. For this example, Blue is currently live and Green is idle

Answer: Blue-Green Deployment

Question 55

Not yet answered

Marked out of 1.00

Flag question

This MS Architecture is a collection of services which communicate with each other. The communication can involve either simple data passing or it could involve two or more services coordinating some activity. What is this architecture ?

Answer: Service-Oriented Architecture (SOA)



Online Exams

Sri Lanka Institute of Information Technology

1
wered
of
stion

How independent micro-services communicate with each other?

Answer:

ered
if

What is the use of Docker ?





Online Exams

Sri Lanka Institute of Information Technology

1
wered
of
stion

Which AWS solutions offers durable, available storage for flat files?

Answer:



Online Exams

Sri Lanka Institute of Information Technology

19
nswered
out of
question


You are deploying an application to collect votes for a very popular television show. Millions of users will submit votes using mobile devices. The votes must be collected into a durable, scalable, and highly available data store for real-time public tabulation. Which service should you use?

Select one:

- ☐ a. Amazon Kinesis
- ☐ b. Amazon Simple Queue Service
- ☐ c. Amazon Redshift
- ☐ d. Amazon DynamoDB
- ☒ e. Amazon RDS

Next page

You are deploying an application to collect votes for a very popular television show.



...per tool Cloud-based in
... with just a browser? It includes
Answer: AWS cloud9

You have a static HTML website that requires inex
meet traffic demands. Which AWS service would b
Answer: S3 static website hosting

The developer tools in Amazon Web Services are designed
safely. It helps developers to build, test, and deploy the soft
also offers fully managed developing tools that the develop
minutes. It helps to release the software process automatical

Which of the following statements are true in terms of allowing/denying traffic from/to VPC

on 3
et answered
ed out of
Flag question

Which of the following statements are true in terms of allowing/denying traffic from/to VPC assuming the default rules are not in effect?

Select one or more:

- ☐ a. In a Network ACL, for a successful HTTPS connection, add an outbound rule with HTTPS type, IP range in source and ALLOW traffic.
- ☐ b. In a Network ACL, for a successful HTTPS connection, add an inbound rule with HTTPS type, IP range in source and ALLOW traffic.
- ☐ c. In a Security Group, for a successful HTTPS connection, you must add an inbound rule and outbound rule with HTTPS type, IP range in source and destination respectively.
- ☒ d. In a Security Group, for a successful HTTPS connection, add an inbound rule with HTTPS type and IP range in the source.
- ☒ e. In a Network ACL for a successful HTTPS connection, you must add an inbound rule and outbound rule with HTTPS type, IP range in source and destination respectively and ALLOW traffic.

next page

Quiz navigation

DECLARATION

1

MCQ

2	3	4	5
9	10	11	12
16	17	18	19
23	24	25	26

SHORT ANSWER QUESTIONS

27	28	29	30	31
----	----	----	----	----

12

Answer:

The developer tools in Amazon Web Services are designed to help developers to get the software applications to AWS or on-premises environment. AWS also offers fully managed services. It helps to release the software process automatically, which allows to test and deploy. It helps developers analyze and debug production, distributed applications, such as those that use AWS services, to identify and troubleshoot the root cause of application and its underlying services are performing to identify and troubleshoot the root cause of application and its underlying services are performing.

Answer:

Let's consider a practical use case which involves AWS. You work in the security industry for a company that requires a log of all API calls made to their Elastic Load Balancer. How can you achieve this?

Answer:

AWS also offers a popular compute service which can be used to develop Serverless applications. Name this AWS service.

Answer:

Esc

F1

F2

F3

F4

F5

!

@

#

\$

1

2

3

4

Marked out of 1.00

Flag question

Answer:

Question 43

Not yet answered

Marked out of 1.00

Flag question

The developer tools in Amazon Web Services are designed to help developers to get the software to deliver rapidly and safely. It helps developers to build, test, and deploy the software applications to AWS or on-premises environment. AWS also offers fully managed developing tools that the developer able to start entire continuous delivery toolchain in minutes. It helps to release the software process automatically, which allows to test and release software more often. It helps developers analyze and debug production, distributed applications, such as those built using a microservices architecture. With X-Ray, you can understand how your application and its underlying services are performing to identify and troubleshoot the root cause of performance issues and errors.

Answer:

Question 44

Not yet answered

Marked out of 1.00

Flag question

AWS offering as fully-managed services that involved in continuous software development. Select the correct tool for the following scenarios.

It is a service that automates code deployments to any instance, including Amazon EC2 instances and servers running on-premises. You can use AWS CodeDeploy to automate software deployments, eliminating the need for error-prone manual operations.

Answer: