


## CLIENT NAME: OYU TOLGOI LLC


## PROJECT NAME: Oyu Tolgoi Underground Project Rev\_1

	R	EQUEST FOR I	NFORMATION	(RFI)		
TO:	Jacobs			DATE:	09-03-	2022
FROM: PHONE #:	MCS International LI	LC		RFI No: REV #	TWS-0	)414-RFI-0057
FIIONL#.	+976-77226262			KLV#	0	
SUBJECT: 1	883: Edge of 1883-W	VSS-2001 ins	tallation hole	•	<u> </u>	
Refer	ence Document No.	Rev No.		Ti	tle	
	1883-15-L4-1115	1	TRUCK SHOP HAULAGE LEVEL – WASH BAY CONCRETE – PLAN, SECTION AND DETAILS			
1883-55-L4-8320		2	CHASSIS SPRAY FRAME/ CHANNEL DETAIL			NEL DETAIL
1883-55-L4-8294		2	MAIN FRAME – CHASSIS SPINNER		PINNER	
Discipline C	odes (Mandatory) D	01 (CSA) - 🖂	<b>D2</b> (MP) -	<b>D3</b> (E8	kl) - 🔲	<b>D4</b> (Other) -
made with eq equipment in: There provide detail	On drawing 1883-15-R1 jual angle L03, plate 6x stallation hole is made v efore, the contractor rec on how the works show erequested RFI applies only to this reques	32 and stud. Or with equal angle quests the compuld be done.	n drawing 1883 e L02. In attach pany to clear di	3-55-L4-8320 nment 1.	The edg	e of washer
TECHNICAL DEVI	ATION REQUIRED					
Response Requ	ired By:					
Prepared By: Delgersuren.N (SMP engineer)		Date: 08-31-2022	Approved By: Erdenebayar.Sh (Senior field engi	neer)		Date: 08-31-2022
	rith equal angle L3, below highlighted d			er drawing	1883-1	5-R1-1115_1.
Reference Document No.		Rev No.	Title Comme		ent	
Prepared By		Date	Approved By		Date	
			<u> </u>			





## Attachment 1

On drawing 1883-15-R1-1115, The edge of grating and washer equipment installation hole is made with equal angle L03, plate 6x32 and stud.




On drawing 1883-55-L4-8320, The edge of washer equipment installation hole is made with equal angle L02.





## Attachment 3 Angle iron 2/2/0.25;

SLOPE 3.7 % —



1883-WSS-2001 ASSEMBLY JWS ITEM 8.0B

JACOBS Cont		ractor/Supplier/Vendor Technical Document and Drawing Review for SN1809A0 - OT Underground Project			
	1	Reviewed with No Comments. (Construction/Fabrication may Proceed)			
	2	Reviewed with Minor Comments. Revise and resubmit "Final Version" incorporating comments. (Construction/Fabrication may proceed thereafter)			
3		Rejected with Major Comments. Correct and resubmit "For Review" incorporating comments. (DO NOT PROCEED with Construction or Fabrication)			
4		Not Reviewed - Received For Information Only.  Note: Turther submission is required.			
5		Rex ed Certified/Equipment Package Vendor Document. Received As Built - Contractor Document.			
	6	Cancelled.			
YES NO		Submit Certified Document.			
Responsible Enginee	r	Name Signature Date			
Equipment Tag No.					
Client Document No		1883-55-L4-8320			
Jacobs Document No. a Revision	and	CW2106421-B008-0037_R2			
AUTHORISATION TO PROCEED DOES NOT RELIEVE THE VENDOR/CONTRACTOR OF ANY RESPONSIBILITY, OBLIGATION OR LIABILITY UNDER THE PURCHASE ORDER/CONTRACT. NO RESPONSIBILITY IS ASSUMED BY JACOBS FOR CORRECTNESS OF DIMENSIONS OR DETAILS. SHOP DRAWINGS ARE ACCEPTED AS FOR INFORMATION ONLY (NOT REVIEWED).					

VENDOR/CONTRACTOR IS FULLY RESPONSIBLE FOR SHOP DRAWINGS.

I hereby certify that this drawing was prepared by me or under my direct supervision for Johnson Wash Systems, LLC and is approved for manufacture.

Project: OT Underground Mine Vehicle Wash System

Name: Charley Finley, Engineer

Date: <u>January 14, 2019</u>

Client Do	ocument No.	1883-55-L4-8320		
Jacobs D	ocument No.	CW2106421-B008-0037		

UNLESS OTHERWISE SPECIFIED:
DIMENSIONS ARE IN MILLIMETERS
SURFACE FINISH:
TOLERANCES:
LINEAR:
ANGULAR:
NAME SIGNATURE DATE
DRAWN PP 2018
CHKD JB
APPVD
MFG
Q.A MATERIAL:

DEBURR AND
BREAK SHARP
EDGES

TITLE:

CHASSIS SPRAY FRAME/
CHANNEL DETAIL

DWG NO.
8.0B-1883-WSS-2001 D9.00

THIS DRAWING AND DESIGN IS THE PROPERTY OF JOHNSON WASH SYSTEMS, LLC AND CAN NOT BE REPRODUCED, TRANSMITTED, DISCLOSED TO THIRD PARTIES (WHETHER PART OR WHOLE) WITHOUT FIRST OBTAINING OUR WRITTEN CONSENT.

JOHNSON WASH SYSTEMS, LLC

