	Logo	- > /
A23BR	TAILS 38823250423660423660423660423660423660423660423660423660423660423660423660423660423660466046604660466046604660466046604660	5
)	3 STOPLINI REBURI	200
c c	TAILS 38th 36th 36th 36th 36th 36th 36th 36th 36	38R
DE	TAILS ST SEPT SEPT SEPT SEPT SEPT SEPT SEPT	
N	TAILS 34R12 CSOM2	SOAN
0	DEEKSHITHA B	
SOAR	OII NUMBER	
	3BR23CS042	3B,
EX		,50
Titl	PERIMENTA e Sections Sections	, C
E	LECTIONS Lections ARA Cook A Service Cook A Servi	3BRJ'S
823°	NO 38 PT CSONIL REPORT CSONIL	V
Ď	Pescription 2230 230 200 2230 2300 2300 2500 2500 2	;50 ² ?
(You are the head of the election committee in your village. Each Political party is associated with a unique number and the	.55
SOA	votes are represented as an integer array A. where each element contains the party number voted for by the villagers. For a party to win, they must have a majority of votes. our task is to find and return an integer value denoting the winning party's	
		3BR
ó	Note: If only one vote is there he is the winner.	, V
36	Input Format :	
		A Paris
30	input2: An integer array A representing the votes of the voters.	1
235	output Format:	0
	Return an integer value denoting the winning party's number.Return -1 there is no party with a majority	;50A
,50Å	Example 1:	
)	Input:	8
	112223	\varphi^3'
38	Output:	
	2	J. 9.
ر (Explanation:	50
57°3	As 2 got the most number of votes i.e 3.	
	Example 2:	.582
	Input:	,
	6	~9
	121122	923
	Output:	-
	-1	20
	Explanation:	San

Explanation:

Source Code:

n=int(input()) arr=list(map(int,input().split())) d={ } if n==1: print(arr[0]) else: for i in arr: if i not in d: d[i]=1 else: d[i]+=1x=sorted(d.items(),key=lambda x:x[1], reverse =True)if x[0][1]==x[1][1]: print(-1) else: print(x[0][0])

RESULT

6 / 6 Test Cases Passed | 100 %