

Visual Programming

JavaFX

Button

Button

Button()

Button(String text)

Button(String text, Node graphic)

Button Methods

String getText()

void setText(String text)

void setTextFill(Paint value)

void setBackground(Background value)

void setFont(Font newFont)

void setUnderline(boolean value)

void setRotate(double degree)

void setWrapText(boolean value)

void setLineSpacing(double value)

void setPadding(Insets value)

Button Methods

void setPreferredSize(double prefWidth, double prefHeight)

void setContentDisplay(ContentDisplay value)

void setDisable(boolean value)

void setOnAction(EventHandler<ActionEvent> e)

Button Example Sentences

```
Button button = new Button("Press");  
button.setFont(new Font("Arial", 32));  
button.setTextFill(Color.RED);  
button.setBackground(new Background(new  
BackgroundFill(Color.BLACK, new CornerRadii(5),  
Insets.EMPTY)));  
button.setPadding(new Insets(10));
```

Button Example Sentences

```
Image image = new  
Image(getClass().getResourceAsStream("/images/smily-  
face.png"));  
  
Button button = new Button("Press", new  
ImageView(image));  
button.setContentDisplay(ContentDisplay.LEFT);
```

Button Example Sentences

```
Button button = new Button("Press");  
button.setFont(new Font("Arial"));  
button.setTextWrapText(true);  
button.setMinWidth(1);  
button.setPrefWidth(1);  
button.setMaxWidth(1);
```

Button Example Sentences

```
Button button = new Button("Press");  
button.setFont(new Font("Arial"));  
button.setRotate(45);
```

Button Example Sentences

```
DropShadow shadow = new DropShadow(10,  
Color.RED);
```

```
button.addEventHandler(MouseEvent.MOUSE_ENTER  
ED, (MouseEvent e) -> {  
    button.setEffect(shadow);  
});
```

```
button.addEventHandler(MouseEvent.MOUSE_EXITED  
, (MouseEvent e) -> {  
    button.setEffect(null);  
});
```

Button Example Sentences

```
button.setOnAction((ActionEvent e) -> {  
    stage2.show();  
});
```