

Visual Programming

JavaFX

ToggleButton

ToggleButton

ToggleButton()

ToggleButton(String text)

ToggleButton(String text, Node graphic)

ToggleButton Methods

String getText()

void setText(String text)

void setTextFill(Paint value)

void setBackground(Background value)

void setFont(Font newFont)

void setPreferredSize(double prefWidth, double prefHeight)

void setContentDisplay(ContentDisplay value)

void setDisable(boolean value)

void setOnAction(EventHandler<ActionEvent> e)

boolean isSelected()

ToggleButton Example Sentences

```
ToggleButton toggleButton = new ToggleButton("ToggleButton");
toggleButton.setPrefSize(110, 40);
toggleButton.setFont(new Font("Arial", 18));
toggleButton.setTextFill(Color.RED);
toggleButton.setOnAction((ActionEvent e) -> {
    if(toggleButton.isSelected())
        toggleButton.setText("Stop");
    else
        toggleButton.setText("Start");
});
```

ToggleButton Example Sentences

```
ToggleButton tg_Left = new ToggleButton("Left");  
ToggleButton tg_Right = new ToggleButton("Right");  
ToggleGroup group = new ToggleGroup();  
tg_Left.setToggleGroup(group);  
tg_Right.setToggleGroup(group);  
group.selectToggle(tg_Left);
```

ToggleButton Example Sentences

```
group.selectedToggleProperty().addListener((Observable  
Value<? extends Toggle> ov, Toggle toggle, Toggle  
new_toggle) -> {
```

```
    if(group.getSelectedToggle().equals(tg_L))
```

```
        textArea.setNodeOrientation(NodeOrientation.LEFT_TO  
_RIGHT);
```

```
        else
```

```
            textArea.setNodeOrientation(NodeOrientation.RIGHT_T  
O_LEFT);
```

```
    });
```