#### Don't find out which feature to contain those following projects:

- tos svn repository

```
#for P2?
   org.talend.babel.all-feature
   org.talend.i18n.all-feature
# for tesb-studio-se?
    org.talend.camel.libraries
# same org.talend.componentdesigner in tdi-studio-se?
   org.talend.componentdesigner.rcp
   org.talend.componentdesigner.rcp.nl
# same as org.talend.cwm.mip in tcommon-studio-se?
   org.talend.cwm.mip.editor
   org.talend.designer.components.libs
# same org.talend.designer.mapper in tdi-studio-se?
   org.talend.designer.mapper.advanced
# dev settings should be tcommon-studio-ee?
   org.talend.developpement
   org.talend.emptyproject
   org.talend.esb.ws
   org.talend.helpers
   org.talend.helpers.nl
# should be in tbd-studio-se?
    org.talend.libraries.apache.hive
   org.talend.libraries.hadoop
# same as org.talend.jdbc... in tcommon-studio-se?
   org.talend.libraries.jdbc.saphana
   org.talend.libraries.w3c
   org.talend.rcp.branding.jetlxcmmty
   org.talend.rcp.branding.jetlxcmmty-feature
   org.talend.rcp.branding.sdi
   org.talend.rcp.branding.sdi-feature
   test.drools training
    tuj
```

PS, if striketthrough, means it has been in the tXXX-studio-[se]e list.

#### - top svn repsoitory

org.talend.dataquality.editor # Seems work for mdm(org.talend.mdm.core.enterprise, MDM server/web) org.talend.dataquality.matchmerge

org.talend.dataquality.standardization.migration test.mydistance test.mvudi

# - tom svn repsoitory(Mainly for MDM server/Web)

org.talend.mdm.base org.talend.mdm.bulkload.client org.talend.mdm.calljob.plugin org.talend.mdm.commons.core org.talend.mdm.connector.core org.talend.mdm.connector.jdbc org.talend.mdm.connector.logging org.talend.mdm.connector.smtp org.talend.mdm.core org.talend.mdm.core.open org.talend.mdm.core.plugin.base org.talend.mdm.datamodel.synchronization org.talend.mdm.ext.images.server org.talend.mdm.ext.publish.component org.talend.mdm.jaas.jboss.open org.talend.mdm.service.calljob org.talend.mdm.service.calltransformer org.talend.mdm.service.dumptoconsole org.talend.mdm.service.itemdispatcher org.talend.mdm.service.jdbc org.talend.mdm.service.logging org.talend.mdm.service.loggingsmtp org.talend.mdm.service.smtp org.talend.mdm.webapp.adapter.logging org.talend.mdm.webapp.adapter.smtp org.talend.mdm.webapp.base org.talend.mdm.webapp.browserecords org.talend.mdm.webapp.core org.talend.mdm.webapp.core.open org.talend.mdm.webapp.general org.talend.mdm.webapp.hierarchical org.talend.mdm.webapp.journal

org.talend.mdm.webapp.openmdm

org.talend.mdm.webapp.recyclebin org.talend.mdm.webapp.reporting org.talend.mdm.webapp.stagingarea org.talend.mdm.webapp.viewbrowser org.talend.mdm.webapp.welcomeportal org.talend.mdm.xmlserver.interfaces talend.mdm.libraries

#Seems there is no feature to contain it, maybe not used. org.talend.rcp.branding.tom

## - tdq svn repsoitory

# Only for component for building jar, Maybe should be **tdq-studio-ee**/org.talend.designer.components.tdqprovider/components/tFirstnameMatch
org.talend.dataquality.data.index

# for Tdq hadoop components for building jar, Maybe should be **tdq-studio-ee** org.talend.designer.components.tdqhadoopprovider org.talend.dataquality.hadoop

org.talend.dataquality.reporting.engine.build test.dq.datamart

## - tem svn repsoitory (Same as tom, most for MDM server/web)

mdm-performance

org.talend.mdm.backgroundqueue

org.talend.mdm.base.enterprise

org.talend.mdm.bonita.connector

org.talend.mdm.connector.svn org.talend.mdm.core.enterprise

org.talend.mdm.db.migration

org.talend.mdm.ext.service.schedule

org.talend.mdm.izpack

org. talend. mdm. jaas. exist db. jboss

org.talend.mdm.jaas.ldap.jboss

org.talend.mdm.jmx

org.talend.mdm.nsis

org.talend.mdm.patchtool

org.talend.mdm.service.svn

org.talend.mdm.service.synchronization

org. talend. mdm. service. workflow

org.talend.mdm.webapp.core.enterprise

org.talend.mdm.webapp.crossreference

org.talend.mdm.webapp.hierarchy

org.talend.mdm.webapp.licensemanager

org.talend.mdm.webapp.search
org.talend.mdm.webapp.stewardship
org.talend.mdm.webapp.synchronization
org.talend.mdm.webapp.synchronizationaction
org.talend.mdm.webapp.universemanager
org.talend.mdm.webapp.usermanager
org.talend.mdm.webapp.workflow.tasks
org.talend.mdm.workbench-updatesite
org.talend.mdm.workflow
talend.ext.libraries

## - tis\_shared svn repsoitory

HashTests development

org.eclipse.swt.unknown

# Maybe should be for **tdq-studio-ee**, But in org.talend.tis\_feature org.talend.designer.tdqmatching

#### #Maybe for MDM?

org.talend.studio.workflow.workspace

org.talend.rcp.branding.thales org.talend.rcp.branding.thales-feature org.talend.thalestechnical-feature org.talend.designer.components.thalesprovider

org.talend.rcp.branding.dqsh org.talend.rcp.branding.dqsh-feature org.talend.rcp.branding.kurtosys org.talend.rcp.branding.kurtosys-feature org.talend.rcp.branding.lynasetl org.talend.rcp.branding.lynasetl-feature org.talend.rcp.branding.tod org.talend.rcp.branding.tod-feature org.talend.rcp.branding.wdci org.talend.rcp.branding.wdci

org.talend.rcp.branding.jetl org.talend.rcp.branding.jetl-feature org.talend.rcp.branding.jetl.bigdata org.talend.rcp.branding.jetl.bigdata-feature org.talend.rcp.branding.jetlexpress org.talend.rcp.branding.jetlexpress-feature org.talend.rcp.branding.jetlplus

```
#for QA?
org.eclipse.swtbot.forms.finder

# Because tis_shared/org.talend.tooling_feature and top/org.talend.rcp.branding.top_feature,
I prefere to tcommon-studio-se
org.talend.update.p2-feature

#maybe should be in tdi-studio-ee
org.talend.designer.components.libs.tis

#Maybe should add in tdi-studio-ee
org.talend.metalanguage.jobscript.generator
```

#### - tis\_private svn repsoitory

```
drools-guvnor-custom
org.talend.administrator
org.talend.ant.build
org.talend.gadget.admindashboard
org.talend.jobserver.karaf.feature
org.talend.mavenUrlHandler
org.talend.oryx
org.talend.remote.jobserver.sigar
org.talend.remote.server
org.talend.soamanager
org.talend.soamanager
org.talend.test.build
org.talend.test.build
org.talend.test.performance

#should be in tcommon-studio-ee
org.talend.commandline.performances
```

Now, for top, tdq, tom and tem. Did for studio via feature, so there is only **top2tdq-studio-se. tdq2tdq-studio-se.** tdq2tdq-studio-ee, etc.

But for tis\_private, only move all studio bundles to **tcommon-studio-ee**.