


Start Page x JavaFXApplication1.java x JavaFXApplication2.java x JavaFXApplication3.java x JavaFXApplication4.java x

```
Source History
5 import javafx.scene.layout.VBox;
6 import javafx.stage.FileChooser;
7 import javafx.stage.Stage;
8 import javafx.scene.media.Media;
9 import javafx.scene.media.MediaPlayer;
10 import javafx.util.Duration;
11
12 import java.io.File;
13
14 public class JavaFXApplication2 extends Application {
15
16     private MediaPlayer mediaPlayer;
17     private ProgressBar progressBar;
18
19     @Override
20     public void start(Stage primaryStage) {
21         primaryStage.setTitle("Audio Upload App");
22
23         FileChooser fileChooser = new FileChooser();
24         fileChooser.getExtensionFilters().add(
25             new FileChooser.ExtensionFilter("Audio Files", "*.mp3", "*.wav")
26         );
27
28         Button openButton = new Button("Select Audio");
29         progressBar = new ProgressBar(0);
30
31         openButton.setOnAction(e -> {
32             File file = fileChooser.showOpenDialog(primaryStage);
33             if (file != null) {
34                 playAudio(file);
35             }
36         });
37     }
38 }
```



```
Output x
JavaFXApplication3 (jfxsa-run) x JavaFXApplication2 (jfxsa-run) x
Launching task from C:\Program Files\Java\jdk1.8.0_111\jre\bin\javaw.exe
Warning: From JDK7u25 the Codebase manifest attribute should be used to restrict JAR repurposing.
Please set manifest.custom.codebase property to override the current default non-secure value '*'.
Launching <fx:deploy> task from C:\Program Files\Java\jdk1.8.0_111\jre\bin\javaw.exe
No base JDK. Package will use system JRE.
No base JDK. Package will use system JRE.
jfx-deployment-script:
jfx-deployment:
javac:
Copying 12 files to C:\Users\DELL\OneDrive\Documents\NetBeansProjects\JavaFXApplication2\dist\run595841024
jfx-project-run:
Executing C:\Users\DELL\OneDrive\Documents\NetBeansProjects\JavaFXApplication2\dist\run595841024\JavaFXApplication2.jar using platform C:\Program Files\Java\jdk1.8.0_111\jre\bin\javaw.exe
```



JavaFXApplication2 (jfxsa-run)

running...

(1 more...)


66:1

INS



Start Page x JavaFXApplication1.java x JavaFXApplication2.java x JavaFXApplication3.java x JavaFXApplication4.java x

```
Source History
1 package javafxapplication3;
2 import javafx.application.Application;
3 import javafx.event.EventHandler;
4 import javafx.scene.Group;
5 import javafx.scene.Scene;
6 import javafx.scene.control.TextField;
7 import javafx.scene.input.KeyEvent;
8 import javafx.scene.paint.Color;
9 import javafx.stage.Stage;
10 public class JavaFXApplication3 extends Application{
11
12     @Override
13     public void start(Stage primaryStage) throws Exception{
14
15         // TODO Auto-generated method stub
16
17         //Creating TextFields and setting position for the
18         TextField tf1 = new TextField();
19         TextField tf2 = new TextField();
20         tf1.setTranslateX(100);
21         tf1.setTranslateY(100);
22         tf2.setTranslateX(300);
23         tf2.setTranslateY(100);
24
25         //Handling KeyEvent for textfield 1
26         tf1.setOnKeyPressed(new EventHandler<KeyEvent>() {
27
28             @Override
29             public void handle(KeyEvent key) {
30                 // TODO Auto-generated method stub
31             }
32         });
33     }
34 }
```



Output - JavaFXApplication3 (jfxsa-run) x


```
ant -f C:\Users\DELL\OneDrive\Documents\NetBeansProjects\JavaFXApplication3\jfxsa-run
init:
Deleting: C:\Users\DELL\OneDrive\Documents\NetBeansProjects\JavaFXApplication3\build\build-jar.properties
deps-jar:
Updating property file: C:\Users\DELL\OneDrive\Documents\NetBeansProjects\JavaFXApplication3\build\build-jar.properties
compile:
Detected JavaFX Ant ADI version 1.3
jfx-deployment:
jar:
Copying 13 files to C:\Users\DELL\OneDrive\Documents\NetBeansProjects\JavaFXApplication3\dist\run490235130
jfx-project-run:
Executing C:\Users\DELL\OneDrive\Documents\NetBeansProjects\JavaFXApplication3\dist\run490235130\JavaFXApplication3.jar using platform C:\Program Files\Java\jdk1.8.0_111\jre\bin\java
```

JavaFXApplication3 (jfxsa-run)

running..

1:27

INS



Projects | Files | Services

- JavaFXApplication1
 - Source Packages
 - javafxapplication1
 - JavaFXApplication1.java
 - Libraries
- JavaFXApplication2
 - Source Packages
 - javafxapplication2
 - JavaFXApplication2.java
 - Libraries
- JavaFXApplication3
 - Source Packages
 - Libraries
- JavaFXApplication4
 - Source Packages
 - javafxapplication4
 - JavaFXApplication4.java
 - Libraries

Navigators

Members: <empty>

JavaFXApplication4 :: Application

Start Page | JavaFXApplication1.java | JavaFXApplication2.java | JavaFXApplication3.java | JavaFXApplication4.java

Source | History

```
1 package javafxapplication4;
2 import javafx.animation.TranslateTransition;
3 import javafx.application.Application;
4 import javafx.event.EventHandler;
5 import javafx.scene.Group;
6 import javafx.scene.Scene;
7 import javafx.scene.control.Button;
8 import javafx.scene.input.MouseEvent;
9 import javafx.scene.paint.Color;
10 import javafx.scene.shape.Circle;
11 import javafx.stage.Stage;
12 import javafx.util.Duration;
13 public class JavaFXApplication4 extends Application {
14     @Override
15     public void start(Stage primaryStage) throws Exception {
16         // TODO Auto-generated method stub
17         //Creating Circle and setting the color and stroke
18         Circle c = new Circle(100,100,50);
19         c.setFill(Color.GREEN);
20         c.setStroke(Color.BLACK);
21
22         //creating play button and setting coordinates for
23         Button btn = new Button("Play");
24         btn.setTranslateX(125);
25         btn.setTranslateY(200);
26
27         // creating pause button and setting coordinate for
28         Button btn1 = new Button("Pause");
29         btn1.setTranslateX(175);
30         btn1.setTranslateY(200);
```



javafxapplication4.JavaFXApplication4

Output - JavaFXApplication4 (jfxsa-run)

```
ant -f C:\Users\DELL\OneDrive\Documents\NetBeansProjects\JavaFXApplication4\jfxsa-run
init:
Deleting: C:\Users\DELL\OneDrive\Documents\NetBeansProjects\JavaFXApplication4\build\build-jar.properties
deps-jar:
Updating property file: C:\Users\DELL\OneDrive\Documents\NetBeansProjects\JavaFXApplication4\build\build-jar.properties
compile:
Detected JavaFX Ant ADI version 1.9
jfx-deployment:
jar:
Copying 13 files to C:\Users\DELL\OneDrive\Documents\NetBeansProjects\JavaFXApplication4\dist\run968603802
jfx-project-run:
Executing C:\Users\DELL\OneDrive\Documents\NetBeansProjects\JavaFXApplication4\dist\run968603802\JavaFXApplication4.jar using platform C:\Program Files\Java\jdk1.8.0_111\jre\bin\java
```

JavaFXApplication4 (jfxsa-run)

running...

13:32

INS

