

Using Oracle 11g

--3

```

SELECT CalMonth, AddrCatCode1,
       SUM(SumExtCost) AS SumExtCost,
       SUM(SumQuantity) AS SumQuantity
FROM (SELECT CalMonth, AddrCatCode1,
            SalesByVendorDateKeyMV2011.SumExtCost1 AS SumExtCost,
            SalesByVendorDateKeyMV2011.SumQuantity1 AS SumQuantity
      FROM SalesByVendorDateKeyMV2011, cust_vendor_dim, Date_dim
      WHERE SalesByVendorDateKeyMV2011.CustVendorKey =
cust_vendor_dim.CustVendorKey
        AND SalesByVendorDateKeyMV2011.DateKey = Date_dim.DateKey)
GROUP BY CUBE(AddrCatCode1, CalMonth);

```

	CALMONTH	ADDRCATCODE1	SUMEXTCOST	SUMQUANTITY
1	(null)	(null)	408636516	407993
2	1	(null)	39223850	39662
3	2	(null)	31004612	30861
4	3	(null)	30708411	30757
5	4	(null)	31377826	31944
6	5	(null)	43465242	42830
7	6	(null)	30511845	29881
8	7	(null)	32509732	32640
9	8	(null)	40267943	40048
10	9	(null)	30055987	29459