Que. Color Question Category: Hard

N ⇒ No. of nodes

color[ ] : Actually colored nodes

parent[i] : Store parent of $i^{th}$ node

expectedColor[i] : Find expected color

color : 0-white / 1-black

In one operation you can either flip the color of a node or can flip the subtree.

Find the minimum no. of operation needed to convert color[ ] ⇒ expectedColor[ ].

Que. Question Category : Complex

S ⇒ Source Node
T ⇒ Sink Node ] $S \neq T$

M ⇒ Maximum no. of allowed edges

edges [u, v, c]
c → capacity of edge

You need to find all disjoint edge paths,.

eg. $S = 0, T = 2, M = 2$

$0 \xrightarrow{4} 1 \xrightarrow{8} 2$ min(4,8) = 4
$0 \xrightarrow{2} 3 \xrightarrow{3} 2$ min(3,2) = 2
$0 \xrightarrow{7} 3$ min(3) = 3

Sum
4+2+3
= 9

Question

Category : Medium

Person X, gifts an Array A with size N to his gf.
He also need an Array B of size k.
Now you need to take a (at a time) subarray from A[] & that subarray size need to be present as a element in B[].
A contains both positive & negative integers.

eg. N = 4 K = 2

A | 1 | 2 | -100 | 112 |

| 3 | 4 |

$\Rightarrow$ 14

3

$14 * 1 = 14$

No. of operation

eg: $N = 5 \qquad K = 3$

| 1 | 2 | 3 | 7 | 8 |
|---|---|---|---|---|

| 2 | 3 | 4 |
|---|---|---|

choose 2

$7 + 8 = 15$

choose 3

6

2 operations

$(15 + 6) \times 2 = 21$ ✓