

# Complete List of AZ CLI Commands

*CLI Version: 2.36.0*

*Dated: 1 Sep 2022*

**This list includes commands available in AZ CLI including all ~125+ publicly listed extensions as on date.**

az configure --defaults --list-defaults --scope  
az feedback  
az find  
az init  
az interactive --style --update  
az login --allow-no-subscriptions --federated-token --password --scope --service-principal --tenant --use-cert-sn-issuer --use-device-code --username --identity  
az logout --username  
az next  
az rest --uri --body --headers --method --output-file --resource --skip-authorization-header --uri-parameters --url-parameters  
az upgrade --all --yes  
az version  
az account clear  
az account create --enrollment-account-name --offer-type --display-name --owner-object-id --owner-spn --owner-upn  
az account get-access-token --name --subscription --resource --resource-type --scope --tenant  
az account list --all --refresh  
az account list-locations  
az account set --name  
az account show --name --subscription  
az account alias create --name --billing-scope --display-name --no-wait --reseller-id --subscription-id -workload  
az account alias delete --name  
az account alias list  
az account alias show --name  
az account alias wait --name --created --custom --deleted --exists --interval --timeout --updated  
az account lock create --lock-type --name --notes  
az account lock delete --ids --name  
az account lock list --filter-string  
az account lock show --ids --name  
az account lock update --ids --lock-type --name --notes  
az account management-group check-name-availability --name  
az account management-group create --name --display-name --no-register --parent  
az account management-group delete --name --no-register  
az account management-group list --no-register  
az account management-group show --name --expand --no-register --recurse  
az account management-group update --name --display-name --parent --add --force-string --remove --set  
az account management-group entities list

az account management-group hierarchy-settings create --name --default-management-group --require-authorization-for-group-creation  
 az account management-group hierarchy-settings delete --name --yes  
 az account management-group hierarchy-settings list --name  
 az account management-group hierarchy-settings update --name --default-management-group --require-authorization-for-group-creation --add --force-string --remove --set  
 az account management-group subscription add --name --subscription  
 az account management-group subscription remove --name --subscription  
 az account management-group subscription show --name --subscription  
 az account management-group subscription show-sub-under-mg --name  
 az account management-group tenant-backfill get  
 az account management-group tenant-backfill start  
 az account subscription cancel --id --yes  
 az account subscription enable --id  
 az account subscription list  
 az account subscription list-location --id  
 az account subscription rename --id --name --subscription-name  
 az account subscription show --id  
 az account tenant list  
 az acr build --registry --agent-pool --auth-mode --build-arg --file --image --log-template --no-format --no-logs --no-push --no-wait --platform --resource-group --secret-build-arg --target --timeout  
 az acr check-health --ignore-errors --name --vnet --yes  
 az acr check-name --name  
 az acr create --name --resource-group --sku --admin-enabled --allow-exports --location --tags --workspace --zone-redundancy --identity --key-encryption-key --allow-trusted-services --default-action --public-network-enabled  
 az acr delete --name --resource-group --yes  
 az acr import --name --source --force --image --no-wait --password --registry --repository --resource-group --username  
 az acr list --resource-group  
 az acr login --name --expose-token --password --suffix --username  
 az acr run --registry --agent-pool --auth-mode --cmd --file --log-template --no-format --no-logs --no-wait --platform --resource-group --set --set-secret --timeout --values  
 az acr show --name --resource-group  
 az acr show-endpoints --name --resource-group  
 az acr show-usage --name --resource-group  
 az acr update --name --admin-enabled --allow-exports --anonymous-pull-enabled --resource-group --sku --tags --add --force-string --remove --set --allow-trusted-services --data-endpoint-enabled --default-action --public-network-enabled  
 az acr agentpool create --name --registry --count --no-wait --resource-group --subnet-id --tier  
 az acr agentpool delete --name --registry --no-wait --resource-group --yes  
 az acr agentpool list --registry --resource-group  
 az acr agentpool show --name --registry --queue-count --resource-group  
 az acr agentpool update --name --registry --count --no-wait --resource-group  
 az acr config content-trust show --registry --resource-group  
 az acr config content-trust update --registry --resource-group --status  
 az acr config retention show --registry --resource-group  
 az acr config retention update --registry --type --days --resource-group --status

```

az acr connected-registry create --name --registry --client-tokens --log-level --mode --notifications --
parent --repository --resource-group --sync-message-ttl --sync-schedule --sync-token --sync-window
az acr connected-registry deactivate --name --registry --resource-group --yes
az acr connected-registry delete --name --registry --cleanup --resource-group --yes
az acr connected-registry get-settings --name --parent-protocol --registry --generate-password --
resource-group --yes
az acr connected-registry list --registry --no-children --parent --resource-group
az acr connected-registry list-client-tokens --name --registry --resource-group
az acr connected-registry show --name --registry --resource-group
az acr connected-registry update --name --registry --add-client-tokens --add-notifications --log-level -
-remove-client-tokens --remove-notifications --resource-group --sync-message-ttl --sync-schedule --
sync-window
az acr connected-registry permissions show --name --registry --resource-group
az acr connected-registry permissions update --name --registry --add --remove --resource-group
az acr credential renew --name --password-name --resource-group
az acr credential show --name --resource-group
az acr encryption rotate-key --name --identity --key-encryption-key --resource-group
az acr encryption show --name --resource-group
az acr export-pipeline create --name --registry --resource-group --secret-uri --storage-container-uri --
assign-identity --options
az acr export-pipeline delete --name --registry --resource-group
az acr export-pipeline list --registry --resource-group
az acr export-pipeline show --name --registry --resource-group
az acr helm delete --name --password --prov --suffix --username --version --yes
az acr helm install-cli --client-version --install-location --yes
az acr helm list --name --password --suffix --username
az acr helm push --name --force --password --suffix --username
az acr helm show --name --password --suffix --username --version
az acr helm repo add --name --password --suffix --username
az acr identity assign --identities --name --resource-group
az acr identity remove --identities --name --resource-group
az acr identity show --name --resource-group
az acr import-pipeline create --name --registry --resource-group --secret-uri --storage-container-uri --
assign-identity --options --source-trigger-enabled
az acr import-pipeline delete --name --registry --resource-group
az acr import-pipeline list --registry --resource-group
az acr import-pipeline show --name --registry --resource-group
az acr manifest delete --name --password --registry --suffix --username --yes
az acr manifest list --name --orderby --password --registry --suffix --top --username
az acr manifest list-metadata --name --orderby --password --registry --suffix --top --username
az acr manifest list-referrers --artifact-type --name --password --recursive --registry --suffix --
username
az acr manifest show --name --password --raw --registry --suffix --username
az acr manifest show-metadata --name --password --registry --suffix --username
az acr manifest update-metadata --delete-enabled --list-enabled --name --password --read-enabled -
-registry --suffix --username --write-enabled
az acr network-rule add --name --ip-address --resource-group --subnet --vnet-name
az acr network-rule list --name --resource-group

```

```

az acr network-rule remove --name --ip-address --resource-group --subnet --vnet-name
az acr pack build --builder --image --registry --agent-pool --auth-mode --no-format --no-logs --no-
wait --pack-image-tag --platform --pull --resource-group --timeout
az acr pipeline-run clean --registry --resource-group --dry-run
az acr pipeline-run create --name --pipeline --pipeline-type --registry --resource-group --storage-blob
--artifacts --force-redeploy
az acr pipeline-run delete --name --registry --resource-group
az acr pipeline-run list --registry --resource-group --top
az acr pipeline-run show --name --registry --resource-group
az acr private-endpoint-connection approve --name --registry-name --description --resource-group
az acr private-endpoint-connection delete --name --registry-name --resource-group
az acr private-endpoint-connection list --registry-name --resource-group
az acr private-endpoint-connection reject --name --registry-name --description --resource-group
az acr private-endpoint-connection show --name --registry-name --resource-group
az acr private-link-resource list --name --resource-group
az acr replication create --location --registry --name --region-endpoint-enabled --resource-group --
tags --zone-redundancy
az acr replication delete --name --registry --resource-group
az acr replication list --registry --resource-group
az acr replication show --name --registry --resource-group
az acr replication update --name --registry --region-endpoint-enabled --resource-group --tags --add --
force-string --remove --set
az acr repository delete --name --image --password --repository --suffix --username --yes
az acr repository list --name --password --suffix --top --username
az acr repository show --name --image --password --repository --suffix --username
az acr repository show-tags --name --repository --detail --orderby --password --suffix --top --
username
az acr repository untag --image --name --password --suffix --username
az acr repository update --name --delete-enabled --image --list-enabled --password --read-enabled --
repository --suffix --username --write-enabled
az acr scope-map create --name --registry --description --gateway --repository --resource-group
az acr scope-map delete --name --registry --resource-group --yes
az acr scope-map list --registry --resource-group
az acr scope-map show --name --registry --resource-group
az acr scope-map update --name --registry --add-gateway --add-repository --description --remove-
gateway --remove-repository --resource-group
az acr task cancel-run --registry --run-id --resource-group
az acr task create --name --registry --agent-pool --arg --assign-identity --auth-mode --cmd --context --
cpu --file --image --is-system-task --log-template --no-cache --no-push --platform --resource-group --
secret-arg --set --set-secret --status --target --timeout --values --base-image-trigger-enabled --base-
image-trigger-name --base-image-trigger-type --commit-trigger-enabled --git-access-token --pull-
request-trigger-enabled --schedule --schedule --source-trigger-name --update-trigger-endpoint --
update-trigger-payload-type
az acr task delete --name --registry --resource-group --yes
az acr task list --registry --resource-group
az acr task list-runs --registry --image --name --resource-group --run-status --top
az acr task logs --registry --image --name --no-format --resource-group --run-id

```

```

az acr task run --name --registry --agent-pool --arg --context --file --log-template --no-format --no-logs --no-wait --resource-group --secret-arg --set --set-secret --target --update-trigger-token
az acr task show --name --registry --resource-group --with-secure-properties
az acr task show-run --registry --run-id --resource-group
az acr task update --name --registry --agent-pool --arg --auth-mode --context --cpu --file --image --log-template --no-cache --no-push --platform --resource-group --secret-arg --set --set-secret --status --target --timeout --values --base-image-trigger-enabled --base-image-trigger-type --commit-trigger-enabled --git-access-token --pull-request-trigger-enabled --update-trigger-endpoint --update-trigger-payload-type
az acr task update-run --registry --run-id --no-archive --resource-group
az acr task credential add --login-server --name --registry --password --resource-group --use-identity --username
az acr task credential list --name --registry --resource-group
az acr task credential remove --login-server --name --registry --resource-group
az acr task credential update --login-server --name --registry --password --resource-group --use-identity --username
az acr task identity assign --name --registry --identities --resource-group
az acr task identity remove --name --registry --identities --resource-group
az acr task identity show --name --registry --resource-group
az acr task timer add --name --registry --schedule --timer-name --enabled --resource-group
az acr task timer list --name --registry --resource-group
az acr task timer remove --name --registry --timer-name --resource-group
az acr task timer update --name --registry --timer-name --enabled --resource-group --schedule
az acr taskrun delete --name --registry --resource-group --yes
az acr taskrun list --registry --resource-group
az acr taskrun logs --name --registry --no-format --resource-group
az acr taskrun show --name --registry --resource-group
az acr token create --name --registry --expiration --expiration-in-days --gateway --no-passwords --repository --resource-group --scope-map --status
az acr token delete --name --registry --resource-group --yes
az acr token list --registry --resource-group
az acr token show --name --registry --resource-group
az acr token update --name --registry --resource-group --scope-map --status
az acr token credential delete --name --registry --password1 --password2 --resource-group
az acr token credential generate --name --registry --expiration --expiration-in-days --password1 --password2 --resource-group
az acr webhook create --actions --name --registry --uri --headers --location --resource-group --scope --status --tags
az acr webhook delete --name --registry --resource-group
az acr webhook get-config --name --registry --resource-group
az acr webhook list --registry --resource-group
az acr webhook list-events --name --registry --resource-group
az acr webhook ping --name --registry --resource-group
az acr webhook show --name --registry --resource-group
az acr webhook update --name --registry --actions --headers --resource-group --scope --status --tags --uri --add --force-string --remove --set

```

```

az ad app create --display-name --app-roles --available-to-other-tenants --credential-description --
end-date --homepage --identifier-uris --key-type --key-usage --key-value --native-app --oauth2-allow-
implicit-flow --optional-claims --password --reply-urls --required-resource-accesses --start-date
az ad app delete --id
az ad app list --all --app-id --display-name --filter --identifier-uri --show-mine
az ad app show --id
az ad app update --id --app-roles --available-to-other-tenants --credential-description --display-name
--end-date --homepage --identifier-uris --key-type --key-usage --key-value --oauth2-allow-implicit-
flow --optional-claims --password --reply-urls --required-resource-accesses --start-date --add --force-
string --remove --set
az ad app credential delete --id --key-id --cert
az ad app credential list --id --cert
az ad app credential reset --id --append --credential-description --end-date --cert --create-cert --
keyvault --password --years
az ad app owner add --id --owner-object-id
az ad app owner list --id
az ad app owner remove --id --owner-object-id
az ad app permission add --api --api-permissions --id
az ad app permission admin-consent --id
az ad app permission delete --api --id --api-permissions
az ad app permission grant --api --id --consent-type --expires --principal-id --scope
az ad app permission list --id
az ad app permission list-grants --filter --id --show-resource-name
az ad ds create --domain --name --replica-sets --resource-group --domain-config-type --filtered-sync -
-no-wait --sku --tags --ntlm-v1 --sync-kerberos-pwd --sync-ntlm-pwd --sync-on-prem-pwd --tls-v1 --
external-access --ldaps --pfx-cert --pfx-cert-pwd --notify-dc-admins --notify-global-admins --notify-
others --resource-forest --settings
az ad ds delete --no-wait --yes --ids --name --resource-group --subscription
az ad ds list --resource-group
az ad ds show --ids --name --resource-group --subscription
az ad ds update --domain-config-type --filtered-sync --no-wait --replica-sets --sku --tags --ntlm-v1 --
sync-kerberos-pwd --sync-ntlm-pwd --sync-on-prem-pwd --tls-v1 --external-access --ldaps --pfx-cert -
pfx-cert-pwd --notify-dc-admins --notify-global-admins --notify-others --resource-forest --settings --
ids --name --resource-group --subscription
az ad ds wait --ids --name --resource-group --subscription --created --custom --deleted --exists --
interval --timeout --updated
az ad group create --display-name --mail-nickname --description --force
az ad group delete --group
az ad group get-member-groups --group --additional-properties --security-enabled-only
az ad group list --display-name --filter
az ad group show --group
az ad group member add --group --member-id --additional-properties
az ad group member check --group --member-id
az ad group member list --group
az ad group member remove --group --member-id
az ad group owner add --group --owner-object-id
az ad group owner list --group
az ad group owner remove --group --owner-object-id

```

```

az ad signed-in-user list-owned-objects --type
az ad signed-in-user show
az ad sp create --id
az ad sp create-for-rbac --name --role --scopes --sdk-auth --cert --create-cert --keyvault --years
az ad sp delete --id
az ad sp list --all --display-name --filter --show-mine --spn
az ad sp show --id
az ad sp update --id --add --force-string --remove --set
az ad sp credential delete --id --key-id --cert
az ad sp credential list --id --cert
az ad sp credential reset --name --append --cert --create-cert --credential-description --end-date --
keyvault --password --years
az ad sp owner list --id
az ad user create --display-name --password --user-principal-name --force-change-password-next-
login --immutable-id --mail-nickname
az ad user delete --id
az ad user get-member-groups --id --security-enabled-only
az ad user list --display-name --filter --upn
az ad user show --id
az ad user update --id --account-enabled --display-name --force-change-password-next-login --mail-
nickname --password
az advisor configuration list
az advisor configuration show --resource-group
az advisor configuration update --configuration-name --exclude --include --low-cpu-threshold --
resource-group --add --force-string --remove --set
az advisor recommendation disable --days --ids --name --resource-group
az advisor recommendation enable --ids --name --resource-group
az advisor recommendation list --category --ids --refresh --resource-group
az afd custom-domain create --certificate-type --custom-domain-name --host-name --minimum-tls-
version --profile-name --resource-group --azure-dns-zone --no-wait --secret
az afd custom-domain delete --yes --custom-domain-name --ids --profile-name --resource-group --
subscription
az afd custom-domain list --profile-name --resource-group
az afd custom-domain regenerate-validation-token --custom-domain-name --ids --profile-name --
resource-group --subscription
az afd custom-domain show --custom-domain-name --ids --profile-name --resource-group --
subscription
az afd custom-domain update --azure-dns-zone --certificate-type --minimum-tls-version --secret --
custom-domain-name --ids --profile-name --resource-group --subscription
az afd custom-domain wait --custom-domain-name --ids --profile-name --resource-group --
subscription --created --custom --deleted --exists --interval --timeout --updated
az afd endpoint create --endpoint-name --profile-name --resource-group --enabled-state --name-
reuse-scope --tags
az afd endpoint delete --yes --endpoint-name --ids --profile-name --resource-group --subscription
az afd endpoint list --profile-name --resource-group
az afd endpoint purge --content-paths --domains --no-wait --endpoint-name --ids --profile-name --
resource-group --subscription
az afd endpoint show --endpoint-name --ids --profile-name --resource-group --subscription

```

az afd endpoint update --enabled-state --tags --endpoint-name --ids --profile-name --resource-group --subscription  
 az afd log-analytic location list --profile-name --resource-group  
 az afd log-analytic metric list --custom-domains --date-time-begin --date-time-end --granularity --metrics --profile-name --protocols --resource-group --continents --country-or-regions --group-by  
 az afd log-analytic ranking list --date-time-begin --date-time-end --max-ranking --metrics --profile-name --rankings --resource-group --custom-domains  
 az afd log-analytic resource list --profile-name --resource-group  
 az afd origin create --enabled-state --host-name --origin-group-name --origin-name --profile-name --resource-group --enable-private-link --enforce-certificate-name-check --http-port --https-port --origin-host-header --priority --private-link-location --private-link-request-message --private-link-resource --private-link-sub-resource-type --weight  
 az afd origin delete --yes --ids --origin-group-name --origin-name --profile-name --resource-group --subscription  
 az afd origin list --origin-group-name --profile-name --resource-group  
 az afd origin show --ids --origin-group-name --origin-name --profile-name --resource-group --subscription  
 az afd origin update --enable-private-link --enabled-state --enforce-certificate-name-check --host-name --http-port --https-port --origin-host-header --priority --private-link-location --private-link-request-message --private-link-resource --private-link-sub-resource-type --weight --ids --origin-group-name --origin-name --profile-name --resource-group --subscription  
 az afd origin-group create --origin-group-name --profile-name --resource-group --probe-path --probe-protocol --probe-request-type --probe-interval-in-seconds --additional-latency-in-milliseconds --sample-size --successful-samples-required  
 az afd origin-group delete --yes --ids --origin-group-name --profile-name --resource-group --subscription  
 az afd origin-group list --profile-name --resource-group  
 az afd origin-group show --ids --origin-group-name --profile-name --resource-group --subscription  
 az afd origin-group update --probe-interval-in-seconds --probe-path --probe-protocol --probe-request-type --additional-latency-in-milliseconds --sample-size --successful-samples-required --ids --origin-group-name --profile-name --resource-group --subscription  
 az afd profile create --profile-name --resource-group --sku --origin-response-timeout-seconds --tags  
 az afd profile delete --ids --profile-name --resource-group --subscription  
 az afd profile list --resource-group  
 az afd profile show --ids --profile-name --resource-group --subscription  
 az afd profile update --origin-response-timeout-seconds --tags --ids --profile-name --resource-group --subscription  
 az afd profile usage --ids --profile-name --resource-group --subscription  
 az afd route create --endpoint-name --https-redirect --origin-group --profile-name --resource-group --route-name --supported-protocols --content-types-to-compress --custom-domains --enable-caching --enable-compression --enabled-state --link-to-default-domain --origin-path --patterns-to-match --query-parameters --query-string-caching-behavior --rule-sets --forwarding-protocol  
 az afd route delete --yes --endpoint-name --ids --profile-name --resource-group --route-name --subscription  
 az afd route list --endpoint-name --profile-name --resource-group  
 az afd route show --endpoint-name --ids --profile-name --resource-group --route-name --subscription



```

az afd route update --content-types-to-compress --custom-domains --enable-caching --enable-compression --enabled-state --https-redirect --link-to-default-domain --origin-group --origin-path --patterns-to-match --query-parameters --query-string-caching-behavior --rule-sets --supported-protocols --forwarding-protocol --endpoint-name --ids --profile-name --resource-group --route-name --subscription
az afd rule create --order --profile-name --resource-group --rule-name --rule-set-name --match-processing-behavior --action-name --cache-behavior --cache-duration --custom-fragment --custom-hostname --custom-path --custom-querystring --destination --enable-caching --enable-compression --forwarding-protocol --header-action --header-name --header-value --origin-group --preserve-unmatched-path --query-parameters --query-string-caching-behavior --redirect-protocol --redirect-type --source-pattern --match-values --match-variable --negate-condition --operator --selector --transforms
az afd rule delete --yes --ids --profile-name --resource-group --rule-name --rule-set-name --subscription
az afd rule list --profile-name --resource-group --rule-set-name
az afd rule show --ids --profile-name --resource-group --rule-name --rule-set-name --subscription
az afd rule action add --action-name --cache-behavior --cache-duration --custom-fragment --custom-hostname --custom-path --custom-querystring --destination --enable-caching --enable-compression --forwarding-protocol --header-action --header-name --header-value --origin-group --preserve-unmatched-path --query-parameters --query-string-caching-behavior --redirect-protocol --redirect-type --source-pattern --ids --profile-name --resource-group --rule-name --rule-set-name --subscription
az afd rule action list --profile-name --resource-group --rule-name --rule-set-name
az afd rule action remove --index --ids --profile-name --resource-group --rule-name --rule-set-name --subscription
az afd rule condition add --match-variable --operator --match-values --negate-condition --selector --transforms --ids --profile-name --resource-group --rule-name --rule-set-name --subscription
az afd rule condition list --profile-name --resource-group --rule-name --rule-set-name
az afd rule condition remove --index --ids --profile-name --resource-group --rule-name --rule-set-name --subscription
az afd rule-set create --profile-name --resource-group --rule-set-name
az afd rule-set delete --yes --ids --profile-name --resource-group --rule-set-name --subscription
az afd rule-set list --profile-name --resource-group
az afd rule-set show --ids --profile-name --resource-group --rule-set-name --subscription
az afd secret create --profile-name --resource-group --secret-name --secret-source --secret-version --use-latest-version
az afd secret delete --yes --ids --profile-name --resource-group --secret-name --subscription
az afd secret list --profile-name --resource-group
az afd secret show --ids --profile-name --resource-group --secret-name --subscription
az afd secret update --secret-source --secret-version --use-latest-version --ids --profile-name --resource-group --secret-name --subscription
az afd security-policy create --domains --profile-name --resource-group --security-policy-name --waf-policy
az afd security-policy delete --yes --ids --profile-name --resource-group --security-policy-name --subscription
az afd security-policy list --profile-name --resource-group
az afd security-policy show --ids --profile-name --resource-group --security-policy-name --subscription

```

az afd security-policy update --domains --waf-policy --ids --profile-name --resource-group --security-policy-name --subscription  
 az afd waf-log-analytic metric list --date-time-begin --date-time-end --granularity --metrics --profile-name --resource-group --actions --group-by --rule-types  
 az afd waf-log-analytic ranking list --date-time-begin --date-time-end --max-ranking --metrics --profile-name --rankings --resource-group --actions --rule-types  
 az ai-examples check-connection  
 az aks browse --name --resource-group --disable-browser --listen-address --listen-port  
 az aks check-acr --acr --name --resource-group  
 az aks create --name --resource-group --aad-admin-group-object-ids --aad-client-app-id --aad-server-app-id --aad-server-app-secret --aad-tenant-id --aci-subnet-name --admin-username --aks-custom-headers --api-server-authorized-ip-ranges --apiserver-subnet-id --assign-identity --assign-kubelet-identity --attach-acr --auto-upgrade-channel --azure-keyvault-kms-key-id --azure-keyvault-kms-key-vault-network-access --azure-keyvault-kms-key-id --azure-keyvault-kms-key-vault-resource-id --ca-profile --cluster-autoscaler-profile --client-secret --cluster-snapshot-id --crg-id --defender-config --disable-disk-driver --disable-file-driver --disable-local-accounts --disable-public-fqdn --disable-rbac --disable-snapshot-controller --disk-driver-version --dns-name-prefix --dns-service-ip --dns-zone-resource-id --docker-bridge-address --edge-zone --enable-aad --enable-addons --enable-ahub --enable-apiserver-vnet-integration --enable-azure-keyvault-kms --enable-azure-rbac --enable-cluster-autoscaler --enable-custom-ca-trust --enable-defender --enable-encryption-at-host --enable-fips-image --enable-keda --enable-managed-identity --enable-msi-auth-for-monitoring --enable-node-public-ip --enable-oidc-issuer --enable-pod-identity --enable-pod-identity-with-kubenet --enable-pod-security-policy --enable-private-cluster --enable-secret-rotation --enable-sgxquotehelper --enable-ultra-ssd --enable-windows-gmsa --enable-workload-identity --fqdn-subdomain --generate-ssh-keys --gmsa-dns-server --gmsa-root-domain-name --gpu-instance-profile --host-group-id --http-proxy-config --ip-families --kubelet-config --kubernetes-version --linux-os-config --load-balancer-idle-timeout --load-balancer-managed-outbound-ip-count --load-balancer-managed-outbound-ipv6-count --load-balancer-outbound-ip-prefixes --load-balancer-outbound-ips --load-balancer-outbound-ports --load-balancer-sku --location --max-count --max-pods --message-of-the-day --min-count --nat-gateway-idle-timeout --nat-gateway-managed-outbound-ip-count --network-plugin --network-policy --no-ssh-key --no-wait --node-count --node-osdisk-diskencryptionset-id --node-osdisk-size --node-osdisk-type --node-public-ip-prefix-id --node-resource-group --node-vm-size --node-zones --nodepool-labels --nodepool-name --nodepool-tags --os-sku --outbound-type --pod-cidr --pod-cidrs --pod-subnet-id --ppg --private-dns-zone --rotation-poll-interval --service-cidr --service-cidrs --service-principal --skip-subnet-role-assignment --snapshot-id --ssh-key-value --tags --uptime-sla --vm-set-type --vnet-subnet-id --windows-admin-password --windows-admin-username --workload-runtime --workspace-resource-id --yes --zones --appgw-id --appgw-name --appgw-subnet-cidr --appgw-subnet-id --appgw-watch-namespace  
 az aks delete --name --resource-group --ignore-pod-disruption-budget --no-wait --yes  
 az aks disable-addons --addons --name --resource-group --no-wait  
 az aks enable-addons --addons --name --resource-group --dns-zone-resource-id --enable-msi-auth-for-monitoring --enable-secret-rotation --enable-sgxquotehelper --no-wait --rotation-poll-interval --subnet-name --workspace-resource-id --appgw-id --appgw-name --appgw-subnet-cidr --appgw-subnet-id --appgw-watch-namespace  
 az aks get-credentials --name --resource-group --admin --context --file --format --overwrite-existing --public-fqdn --user  
 az aks get-os-options --location  
 az aks get-upgrades --name --resource-group

```

az aks get-versions --location
az aks install-cli --base-src-url --client-version --install-location --kubelogin-base-src-url --kubelogin-
install-location --kubelogin-version
az aks kanalyze --name --resource-group
az aks kollect --name --resource-group --container-logs --kube-objects --node-logs --node-logs-
windows --sas-token --storage-account
az aks list --resource-group
az aks remove-dev-spaces --name --resource-group --yes
az aks rotate-certs --name --resource-group --no-wait --yes
az aks scale --name --node-count --resource-group --no-wait --nodepool-name
az aks show --name --resource-group
az aks start --name --resource-group --no-wait
az aks stop --name --resource-group --no-wait
az aks update --name --resource-group --aad-admin-group-object-ids --aad-tenant-id --aks-custom-
headers --api-server-authorized-ip-ranges --apiserver-subnet-id --assign-identity --assign-kubelet-
identity --attach-acr --auto-upgrade-channel --azure-keyvault-kms-key-id --azure-keyvault-kms-key-
vault-network-access --azure-keyvault-kms-key-id --azure-keyvault-kms-key-vault-resource-id --ca-
profile --cluster-autoscaler-profile --defender-config --detach-acr --disable-ahub --disable-azure-rbac
--disable-cluster-autoscaler --disable-defender --disable-disk-driver --disable-file-driver --disable-
keda --disable-local-accounts --disable-pod-identity --disable-pod-security-policy --disable-public-
fqdn --disable-secret-rotation --disable-snapshot-controller --disk-driver-version --enable-aad --
enable-ahub --enable-apiserver-vnet-integration --enable-azure-keyvault-kms --enable-azure-rbac --
enable-cluster-autoscaler --enable-defender --enable-disk-driver --enable-file-driver --enable-keda --
enable-local-accounts --enable-managed-identity --enable-oidc-issuer --enable-pod-identity --
enable-pod-identity-with-kubenet --enable-pod-security-policy --enable-public-fqdn --enable-secret-
rotation --enable-snapshot-controller --enable-windows-gmsa --enable-workload-identity --gmsa-
dns-server --gmsa-root-domain-name --http-proxy-config --load-balancer-idle-timeout --load-
balancer-managed-outbound-ip-count --load-balancer-managed-outbound-ipv6-count --load-
balancer-outbound-ip-prefixes --load-balancer-outbound-ips --load-balancer-outbound-ports --max-
count --min-count --nat-gateway-idle-timeout --nat-gateway-managed-outbound-ip-count --no-
uptime-sla --no-wait --nodepool-labels --rotation-poll-interval --tags --update-cluster-autoscaler --
uptime-sla --windows-admin-password --yes
az aks update-credentials --name --resource-group --no-wait --aad-client-app-id --aad-server-app-id -
aad-server-app-secret --aad-tenant-id --reset-aad --client-secret --reset-service-principal --service-
principal
az aks upgrade --name --resource-group --aks-custom-headers --control-plane-only --kubernetes-
version --no-wait --node-image-only --yes
az aks use-dev-spaces --name --resource-group --endpoint --space --update --yes
az aks wait --name --resource-group --created --custom --deleted --exists --interval --timeout --
updated
az aks addon disable --addon --name --resource-group --no-wait
az aks addon enable --addon --name --resource-group --dns-zone-resource-id --enable-msi-auth-for-
monitoring --enable-secret-rotation --enable-sgxquotehelper --no-wait --rotation-poll-interval --
subnet-name --workspace-resource-id --appgw-id --appgw-name --appgw-subnet-cidr --appgw-
subnet-id --appgw-watch-namespace
az aks addon list --name --resource-group
az aks addon list-available
az aks addon show --addon --name --resource-group

```

az aks addon update --addon --name --resource-group --dns-zone-resource-id --enable-msi-auth-for-monitoring --enable-secret-rotation --enable-sgxquotehelper --no-wait --rotation-poll-interval --subnet-name --workspace-resource-id --appgw-id --appgw-name --appgw-subnet-cidr --appgw-subnet-id --appgw-watch-namespace  
 az aks app up --acr --aks-cluster --branch-name --do-not-wait --port --repository  
 az aks command invoke --name --resource-group --command --file --no-wait  
 az aks command result --name --resource-group --command-id  
 az aks draft create --app --create-config --deployment-only --destination --dockerfile-only --language --path  
 az aks draft generate-workflow --branch --cluster-name --container-name --destination --path --registry-name --resource-group  
 az aks draft setup-gh --app --gh-repo --path --provider --resource-group --subscription-id  
 az aks draft up --app --branch --cluster-name --container-name --destination --gh-repo --path --provider --registry-name --resource-group --subscription-id  
 az aks draft update --certificate --destination --host --path  
 az aks egress-endpoints list --name --resource-group  
 az aks maintenanceconfiguration add --cluster-name --name --resource-group --config-file --start-hour --weekday  
 az aks maintenanceconfiguration delete --cluster-name --name --resource-group  
 az aks maintenanceconfiguration list --cluster-name --resource-group  
 az aks maintenanceconfiguration show --cluster-name --name --resource-group  
 az aks maintenanceconfiguration update --cluster-name --name --resource-group --config-file --start-hour --weekday  
 az aks nodepool add --cluster-name --name --resource-group --aks-custom-headers --crg-id --enable-cluster-autoscaler --enable-custom-ca-trust --enable-encryption-at-host --enable-fips-image --enable-node-public-ip --enable-ultra-ssd --eviction-policy --priority --gpu-instance-profile --host-group-id --kubelet-config --kubernetes-version --labels --linux-os-config --max-count --max-pods --max-surge --message-of-the-day --min-count --mode --no-wait --node-count --node-osdisk-size --node-osdisk-type --node-public-ip-prefix-id --node-taints --node-vm-size --node-zones --os-sku --os-type --pod-subnet-id --ppg --priority --scale-down-mode --snapshot-id --spot-max-price --tags --vnet-subnet-id --workload-runtime --zones  
 az aks nodepool delete --cluster-name --name --resource-group --ignore-pod-disruption-budget --no-wait  
 az aks nodepool get-upgrades --cluster-name --nodepool-name --resource-group  
 az aks nodepool list --cluster-name --resource-group  
 az aks nodepool scale --cluster-name --name --resource-group --no-wait --node-count  
 az aks nodepool show --cluster-name --name --resource-group  
 az aks nodepool start --cluster-name --nodepool-name --resource-group --aks-custom-headers --no-wait  
 az aks nodepool stop --cluster-name --nodepool-name --resource-group --aks-custom-headers --no-wait  
 az aks nodepool update --cluster-name --name --resource-group --aks-custom-headers --dcat --disable-custom-ca-trust --disable-cluster-autoscaler --enable-cluster-autoscaler --enable-custom-ca-trust --labels --max-count --max-surge --min-count --mode --no-wait --node-taints --scale-down-mode --tags --update-cluster-autoscaler  
 az aks nodepool upgrade --cluster-name --name --resource-group --aks-custom-headers --kubernetes-version --max-surge --no-wait --node-image-only --snapshot-id

```

az aks nodepool wait --agent-pool-name --name --resource-group --created --custom --deleted --
exists --interval --timeout --updated
az aks nodepool snapshot create --name --nodepool-id --resource-group --aks-custom-headers --
location --no-wait --tags
az aks nodepool snapshot delete --name --resource-group --no-wait --yes
az aks nodepool snapshot list --resource-group
az aks nodepool snapshot show --name --resource-group
az aks nodepool snapshot wait --name --resource-group --created --custom --deleted --exists --
interval --timeout --updated
az aks pod-identity add --cluster-name --identity-resource-id --namespace --resource-group --
binding-selector --name
az aks pod-identity delete --cluster-name --name --namespace --resource-group
az aks pod-identity list --cluster-name --resource-group
az aks pod-identity exception add --cluster-name --namespace --pod-labels --resource-group --name
az aks pod-identity exception delete --cluster-name --name --namespace --resource-group
az aks pod-identity exception list --cluster-name --resource-group
az aks pod-identity exception update --cluster-name --name --namespace --pod-labels --resource-
group
az aks snapshot create --cluster-id --name --resource-group --aks-custom-headers --location --no-
wait --tags
az aks snapshot delete --name --resource-group --no-wait --yes
az aks snapshot list --resource-group
az aks snapshot show --name --resource-group
az aks snapshot wait --name --resource-group --created --custom --deleted --exists --interval --
timeout --updated
az aks trustedaccess role list --location
az aks trustedaccess rolebinding create --cluster-name --name --resource-group --roles --source-
resource-id
az aks trustedaccess rolebinding delete --cluster-name --name --resource-group --yes
az aks trustedaccess rolebinding list --cluster-name --resource-group
az aks trustedaccess rolebinding show --cluster-name --name --resource-group
az aks trustedaccess rolebinding update --cluster-name --name --resource-group --roles --source-
resource-id
az alias create --command --name
az alias export --exclude --path
az alias import --source
az alias list
az alias remove --name
az alias remove-all --yes
az ams account check-name --name --location
az ams account create --name --resource-group --storage-account --disable-public-network --location
--tags --mi-system-assigned --mi-user-assigned --default-action --ip-allow-list
az ams account delete --ids --name --resource-group --subscription
az ams account list --resource-group
az ams account show --ids --name --resource-group --subscription
az ams account update --tags --add --force-string --remove --set --ids --name --resource-group --
subscription

```

```

az ams account encryption set --key-type --current-key-id --key-identifier --system-assigned --user-
assigned --account-name --ids --resource-group --subscription
az ams account encryption show --account-name --ids --resource-group --subscription
az ams account identity assign --system-assigned --user-assigned --ids --name --resource-group --
subscription
az ams account identity remove --system-assigned --user-assigned --ids --name --resource-group --
subscription
az ams account identity show --ids --name --resource-group --subscription
az ams account mru set --count --type --ids --name --resource-group --subscription
az ams account mru show --ids --name --resource-group --subscription
az ams account sp create --account-name --resource-group --name --new-sp-name --password --role
--xml --years
az ams account sp reset-credentials --password --role --xml --years --account-name --ids --name --
resource-group --subscription
az ams account storage add --system-assigned --user-assigned --account-name --ids --name --
resource-group --subscription
az ams account storage remove --account-name --ids --name --resource-group --subscription
az ams account storage set-authentication --storage-auth --storage-account-id --system-assigned --
user-assigned --account-name --ids --resource-group --subscription
az ams account storage sync-storage-keys --storage-account-id --account-name --ids --resource-
group --subscription
az ams account-filter create --account-name --name --resource-group --first-quality --tracks --end-
timestamp --force-end-timestamp --live-backoff-duration --presentation-window-duration --start-
timestamp --timescale
az ams account-filter delete --account-name --ids --name --resource-group --subscription
az ams account-filter list --account-name --resource-group
az ams account-filter show --account-name --ids --name --resource-group --subscription
az ams account-filter update --first-quality --tracks --add --force-string --remove --set --end-
timestamp --force-end-timestamp --live-backoff-duration --presentation-window-duration --start-
timestamp --timescale --account-name --ids --name --resource-group --subscription
az ams asset create --account-name --name --resource-group --alternate-id --container --description
--storage-account
az ams asset delete --account-name --ids --name --resource-group --subscription
az ams asset get-encryption-key --account-name --ids --name --resource-group --subscription
az ams asset get-sas-urls --expiry --permissions --account-name --ids --name --resource-group --
subscription
az ams asset list --account-name --resource-group --filter --orderby --top
az ams asset list-streaming-locators --account-name --ids --name --resource-group --subscription
az ams asset show --account-name --ids --name --resource-group --subscription
az ams asset update --alternate-id --description --add --force-string --remove --set --account-name --
ids --name --resource-group --subscription
az ams asset-filter create --account-name --asset-name --name --resource-group --first-quality --
tracks --end-timestamp --force-end-timestamp --live-backoff-duration --presentation-window-
duration --start-timestamp --timescale
az ams asset-filter delete --account-name --asset-name --ids --name --resource-group --subscription
az ams asset-filter list --account-name --asset-name --resource-group
az ams asset-filter show --account-name --asset-name --ids --name --resource-group --subscription

```

az ams asset-filter update --first-quality --tracks --add --force-string --remove --set --end-timestamp --force-end-timestamp --live-backoff-duration --presentation-window-duration --start-timestamp --timescale --account-name --asset-name --ids --name --resource-group --subscription  
 az ams asset-track create --account-name --asset-name --resource-group --track-name --track-type --no-wait --display-name --file-name --language-code --player-visibility  
 az ams asset-track delete --asset-name --track-name --account-name --ids --resource-group --subscription  
 az ams asset-track list --account-name --asset-name --resource-group  
 az ams asset-track show --asset-name --track-name --account-name --ids --resource-group --subscription  
 az ams asset-track update --asset-name --track-name --no-wait --account-name --ids --resource-group --subscription --display-name --language-code --player-visibility  
 az ams asset-track update-data --asset-name --track-name --no-wait --account-name --ids --resource-group --subscription  
 az ams content-key-policy create --account-name --name --policy-option-name --resource-group --description --clear-key-configuration --ask --fair-play-pfx --fair-play-pfx-password --fp-playback-duration-seconds --fp-storage-duration-seconds --rental-and-lease-key-type --rental-duration --open-restriction --play-ready-template --alt-rsa-token-keys --alt-symmetric-token-keys --alt-x509-token-keys --audience --issuer --open-id-connect-discovery-document --token-claims --token-key --token-key-type --token-type --widevine-template  
 az ams content-key-policy delete --account-name --ids --name --resource-group --subscription  
 az ams content-key-policy list --account-name --resource-group --filter --orderby --top  
 az ams content-key-policy show --with-secrets --account-name --ids --name --resource-group --subscription  
 az ams content-key-policy update --description --add --force-string --remove --set --account-name --ids --name --resource-group --subscription  
 az ams content-key-policy option add --policy-option-name --clear-key-configuration --ask --fair-play-pfx --fair-play-pfx-password --fp-playback-duration-seconds --fp-storage-duration-seconds --rental-and-lease-key-type --rental-duration --open-restriction --play-ready-template --account-name --ids --name --resource-group --subscription --alt-rsa-token-keys --alt-symmetric-token-keys --alt-x509-token-keys --audience --issuer --open-id-connect-discovery-document --token-claims --token-key --token-key-type --token-type --widevine-template  
 az ams content-key-policy option remove --policy-option-id --account-name --ids --name --resource-group --subscription  
 az ams content-key-policy option update --policy-option-id --policy-option-name --ask --fair-play-pfx --fair-play-pfx-password --fp-playback-duration-seconds --fp-storage-duration-seconds --rental-and-lease-key-type --rental-duration --play-ready-template --account-name --ids --name --resource-group --subscription --add-alt-token-key --add-alt-token-key-type --audience --issuer --open-id-connect-discovery-document --token-claims --token-key --token-key-type --token-type --widevine-template  
 az ams job cancel --delete --account-name --ids --name --resource-group --subscription --transform-name  
 az ams job delete --account-name --ids --name --resource-group --subscription --transform-name  
 az ams job list --account-name --resource-group --transform-name --filter --orderby  
 az ams job show --account-name --ids --name --resource-group --subscription --transform-name  
 az ams job start --output-assets --correlation-data --description --files --label --priority --input-asset-name --base-uri --account-name --ids --name --resource-group --subscription --transform-name  
 az ams job update --description --priority --add --force-string --remove --set --account-name --ids --name --resource-group --subscription --transform-name

```

az ams live-event create --account-name --name --resource-group --auto-start --description --
hostname-prefix --no-wait --stream-options --tags --transcription-lang --use-static-hostname --client-
access-policy --cross-domain-policy --encoding-type --key-frame-interval --preset-name --stretch-
mode --ips --streaming-protocol --access-token --key-frame-interval-duration --alternative-media-id -
-preview-ips --preview-locator --streaming-policy-name
az ams live-event delete --account-name --ids --name --resource-group --subscription
az ams live-event list --account-name --resource-group
az ams live-event reset --no-wait --account-name --ids --name --resource-group --subscription
az ams live-event show --account-name --ids --name --resource-group --subscription
az ams live-event standby --no-wait --account-name --ids --name --resource-group --subscription
az ams live-event start --no-wait --account-name --ids --name --resource-group --subscription
az ams live-event stop --no-wait --remove-outputs-on-stop --account-name --ids --name --resource-
group --subscription
az ams live-event update --description --tags --client-access-policy --cross-domain-policy --add --
force-string --remove --set --ips --key-frame-interval-duration --preview-ips --account-name --ids --
name --resource-group --subscription
az ams live-event wait --account-name --ids --name --resource-group --subscription --created --
custom --deleted --exists --interval --timeout --updated
az ams live-output create --account-name --archive-window-length --asset-name --live-event-name -
-name --resource-group --description --fragments-per-ts-segment --manifest-name --output-snap-
time
az ams live-output delete --account-name --ids --live-event-name --name --resource-group --
subscription
az ams live-output list --account-name --live-event-name --resource-group
az ams live-output show --account-name --ids --live-event-name --name --resource-group --
subscription
az ams streaming-endpoint create --account-name --name --resource-group --scale-units --auto-start
--availability-set-name --custom-host-names --description --max-cache-age --no-wait --tags --ips --
cdn-profile --cdn-provider --client-access-policy --cross-domain-policy
az ams streaming-endpoint delete --account-name --ids --name --resource-group --subscription
az ams streaming-endpoint get-skus --account-name --ids --name --resource-group --subscription
az ams streaming-endpoint list --account-name --resource-group
az ams streaming-endpoint scale --scale-units --account-name --ids --name --resource-group --
subscription
az ams streaming-endpoint show --account-name --ids --name --resource-group --subscription
az ams streaming-endpoint start --no-wait --account-name --ids --name --resource-group --
subscription
az ams streaming-endpoint stop --no-wait --account-name --ids --name --resource-group --
subscription
az ams streaming-endpoint update --custom-host-names --description --max-cache-age --no-wait --
tags --ips --cdn-profile --cdn-provider --disable-cdn --client-access-policy --cross-domain-policy --add
--force-string --remove --set --account-name --ids --name --resource-group --subscription
az ams streaming-endpoint wait --account-name --ids --name --resource-group --subscription --
created --custom --deleted --exists --interval --timeout --updated
az ams streaming-endpoint akamai add --base64-key --expiration --identifier --account-name --ids --
name --resource-group --subscription
az ams streaming-endpoint akamai remove --identifier --account-name --ids --name --resource-
group --subscription

```



```

az ams streaming-locator create --account-name --asset-name --name --resource-group --streaming-
policy-name --alternative-media-id --content-key-policy-name --content-keys --end-time --filters --
start-time --streaming-locator-id
az ams streaming-locator delete --account-name --ids --name --resource-group --subscription
az ams streaming-locator get-paths --account-name --ids --name --resource-group --subscription
az ams streaming-locator list --account-name --resource-group --filter --orderby --top
az ams streaming-locator list-content-keys --account-name --ids --name --resource-group --
subscription
az ams streaming-locator show --account-name --ids --name --resource-group --subscription
az ams streaming-policy create --account-name --name --resource-group --default-content-key-
policy-name --no-encryption-protocols --cbcs-clear-tracks --cbcs-default-key-label --cbcs-default-key-
policy-name --cbcs-fair-play-allow-persistent-license --cbcs-fair-play-template --cbcs-key-to-track-
mappings --cbcs-protocols --cenc-clear-tracks --cenc-default-key-label --cenc-default-key-policy-
name --cenc-disable-play-ready --cenc-disable-widevine --cenc-key-to-track-mappings --cenc-play-
ready-attributes --cenc-play-ready-template --cenc-protocols --cenc-widevine-template --envelope-
clear-tracks --envelope-default-key-label --envelope-default-key-policy-name --envelope-key-to-
track-mappings --envelope-protocols --envelope-template
az ams streaming-policy delete --account-name --ids --name --resource-group --subscription
az ams streaming-policy list --account-name --resource-group --filter --orderby --top
az ams streaming-policy show --account-name --ids --name --resource-group --subscription
az ams transform create --account-name --name --preset --resource-group --description --on-error --
relative-priority --audio-analysis-mode --audio-language --blur-type --face-detector-mode --
resolution --insights-to-extract --video-analysis-mode
az ams transform delete --account-name --ids --name --resource-group --subscription
az ams transform list --account-name --resource-group --filter --orderby
az ams transform show --account-name --ids --name --resource-group --subscription
az ams transform update --description --add --force-string --remove --set --account-name --ids --
name --resource-group --subscription
az ams transform output add --preset --on-error --relative-priority --audio-analysis-mode --audio-
language --blur-type --face-detector-mode --resolution --account-name --ids --name --resource-
group --subscription --insights-to-extract --video-analysis-mode
az ams transform output remove --output-index --account-name --ids --name --resource-group --
subscription
az apim apply-network-updates --name --resource-group --location --no-wait
az apim backup --backup-name --container-name --name --resource-group --no-wait --storage-
account-key --storage-account-name
az apim check-name --name
az apim create --name --publisher-email --publisher-name --resource-group --enable-client-
certificate --enable-managed-identity --location --no-wait --sku-capacity --sku-name --tags --virtual-
network
az apim delete --name --resource-group --no-wait --yes
az apim list --resource-group
az apim restore --backup-name --container-name --name --resource-group --no-wait --storage-
account-key --storage-account-name
az apim show --name --resource-group
az apim update --name --resource-group --enable-client-certificate --enable-managed-identity --no-
wait --publisher-email --publisher-name --sku-capacity --sku-name --tags --virtual-network --add --
force-string --remove --set

```

```

az apim wait --name --resource-group --created --custom --deleted --exists --interval --timeout --
updated
az apim api create --resource-group --service-name --authorization-scope --authorization-server-id --
bearer-token-sending-methods --no-wait --open-id-provider-id --subscription-key-required --api-id --
display-name --path --api-type --description --protocols --service-url --subscription-key-header-name
--subscription-key-query-param-name --subscription-required
az apim api delete --resource-group --service-name --delete-revisions --if-match --no-wait --yes --api-
id
az apim api import --resource-group --service-name --specification-format --no-wait --soap-api-type -
-specification-path --specification-url --wsdl-endpoint-name --wsdl-service-name --path --api-id --api-
revision --api-type --api-version --api-version-set-id --description --display-name --protocols --service-
url --subscription-key-header-name --subscription-key-query-param-name --subscription-required
az apim api list --resource-group --service-name --skip --top --filter-display-name
az apim api show --resource-group --service-name --api-id
az apim api update --resource-group --service-name --if-match --no-wait --tags --api-id --api-type --
description --display-name --path --protocols --service-url --subscription-key-header-name --
subscription-key-query-param-name --subscription-required --add --force-string --remove --set
az apim api wait --api-id --name --resource-group --created --custom --deleted --exists --interval --
timeout --updated
az apim api operation create --display-name --method --resource-group --service-name --url-
template --description --if-match --operation-id --params --template-parameters --api-id
az apim api operation delete --operation-id --resource-group --service-name --if-match --api-id
az apim api operation list --resource-group --service-name --api-id
az apim api operation show --operation-id --resource-group --service-name --api-id
az apim api operation update --operation-id --resource-group --service-name --description --display-
name --if-match --method --url-template --api-id --add --force-string --remove --set
az apim api release create --api-revision --resource-group --service-name --if-match --notes --release-
id --api-id
az apim api release delete --release-id --resource-group --service-name --if-match --api-id
az apim api release list --resource-group --service-name --api-id
az apim api release show --release-id --resource-group --service-name --api-id
az apim api release update --release-id --resource-group --service-name --if-match --notes --api-id --
add --force-string --remove --set
az apim api revision create --api-revision --resource-group --service-name --api-revision-description -
-rev-description --api-id
az apim api revision list --resource-group --service-name --api-id
az apim api schema create --resource-group --service-name --no-wait --schema-content --schema-
name --schema-path --api-id --schema-id --schema-type --resource-type
az apim api schema delete --resource-group --service-name --if-match --no-wait --yes --api-id --
schema-id
az apim api schema get-etag --resource-group --service-name --api-id --schema-id
az apim api schema list --resource-group --service-name --skip --top --api-id --filter-display-name
az apim api schema show --resource-group --service-name --api-id --schema-id
az apim api schema wait --api-id --name --resource-group --schema-id --created --custom --deleted --
exists --interval --timeout --updated
az apim api versionset create --display-name --resource-group --service-name --versioning-scheme --
description --if-match --version-header-name --version-query-name --version-set-id
az apim api versionset delete --resource-group --service-name --version-set-id --if-match

```

```

az apim api versionset list --resource-group --service-name
az apim api versionset show --resource-group --service-name --version-set-id
az apim api versionset update --resource-group --service-name --version-set-id --description --
display-name --if-match --version-header-name --version-query-name --versioning-scheme --add --
force-string --remove --set
az apim nv create --display-name --named-value-id --resource-group --service-name --if-match --no-
wait --secret --tags --value
az apim nv delete --named-value-id --resource-group --service-name --yes
az apim nv list --resource-group --service-name
az apim nv show --named-value-id --resource-group --service-name
az apim nv show-secret --named-value-id --resource-group --service-name
az apim nv update --named-value-id --resource-group --service-name --if-match --secret --tags --
value --add --force-string --remove --set
az apim product create --product-name --resource-group --service-name --approval-required --
description --legal-terms --no-wait --product-id --state --subscription-required --subscriptions-limit
az apim product delete --product-id --resource-group --service-name --delete-subscriptions --if-
match --no-wait --yes
az apim product list --resource-group --service-name
az apim product show --product-id --resource-group --service-name
az apim product update --product-id --resource-group --service-name --approval-required --
description --if-match --legal-terms --no-wait --product-name --state --subscription-required --
subscriptions-limit --add --force-string --remove --set
az apim product wait --product-id --resource-group --service-name --created --custom --deleted --
exists --interval --timeout --updated
az apim product api add --product-id --resource-group --service-name --api-id
az apim product api check --product-id --resource-group --service-name --api-id
az apim product api delete --product-id --resource-group --service-name --api-id
az apim product api list --product-id --resource-group --service-name
az appconfig create --location --name --resource-group --assign-identity --disable-local-auth --enable-
public-network --enable-purge-protection --retention-days --sku --tags
az appconfig delete --name --resource-group --yes
az appconfig list --resource-group
az appconfig list-deleted
az appconfig purge --name --location --yes
az appconfig recover --name --location --resource-group --yes
az appconfig show --name --resource-group
az appconfig show-deleted --name --location
az appconfig update --name --disable-local-auth --enable-public-network --enable-purge-protection -
-resource-group --sku --tags --encryption-key-name --encryption-key-vault --encryption-key-version -
-identity-client-id
az appconfig credential list --name --resource-group
az appconfig credential regenerate --id --name --resource-group
az appconfig feature delete --auth-mode --connection-string --endpoint --feature --key --label --name
--yes
az appconfig feature disable --auth-mode --connection-string --endpoint --feature --key --label --
name --yes
az appconfig feature enable --auth-mode --connection-string --endpoint --feature --key --label --
name --yes

```

```

az appconfig feature list --all --auth-mode --connection-string --endpoint --feature --fields --key --
label --name --top
az appconfig feature lock --auth-mode --connection-string --endpoint --feature --key --label --name --
yes
az appconfig feature set --auth-mode --connection-string --description --endpoint --feature --key --
label --name --yes
az appconfig feature show --auth-mode --connection-string --endpoint --feature --fields --key --label -
-name
az appconfig feature unlock --auth-mode --connection-string --endpoint --feature --key --label --
name --yes
az appconfig feature filter add --filter-name --auth-mode --connection-string --endpoint --feature --
filter-parameters --index --key --label --name --yes
az appconfig feature filter delete --all --auth-mode --connection-string --endpoint --feature --filter-
name --index --key --label --name --yes
az appconfig feature filter list --all --auth-mode --connection-string --endpoint --feature --key --label -
-name --top
az appconfig feature filter show --filter-name --auth-mode --connection-string --endpoint --feature --
index --key --label --name
az appconfig identity assign --name --identities --resource-group
az appconfig identity remove --name --identities --resource-group
az appconfig identity show --name --resource-group
az appconfig kv delete --key --auth-mode --connection-string --endpoint --label --name --yes
az appconfig kv export --destination --auth-mode --connection-string --endpoint --key --label --name
--prefix --skip-features --skip-keyvault --yes --dest-auth-mode \"--auth-mode\" --dest-connection-
string --dest-endpoint --dest-label --dest-name --preserve-labels --dest-label. --appservice-account --
format --naming-convention --path --profile --resolve-keyvault --separator
az appconfig kv import --source --auth-mode --connection-string --content-type --endpoint --label --
name --prefix --skip-features --yes --preserve-labels --label. --src-auth-mode \"--auth-mode\" --src-
connection-string --src-endpoint --src-key --src-label --src-name --appservice-account --depth --
format --path --profile --separator --strict
az appconfig kv list --all --auth-mode --connection-string --datetime --endpoint --fields --key --label --
name --resolve-keyvault --top
az appconfig kv lock --key --auth-mode --connection-string --endpoint --label --name --yes
az appconfig kv restore --datetime --auth-mode --connection-string --endpoint --key --label --name --
yes
az appconfig kv set --key --auth-mode --connection-string --content-type --endpoint --label --name --
tags --value --yes
az appconfig kv set-keyvault --key --secret-identifier --auth-mode --connection-string --endpoint --
label --name --tags --yes
az appconfig kv show --key --auth-mode --connection-string --datetime --endpoint --label --name
az appconfig kv unlock --key --auth-mode --connection-string --endpoint --label --name --yes
az appconfig revision list --all --auth-mode --connection-string --datetime --endpoint --fields --key --
label --name --top
az appservice list-locations --sku --linux-workers-enabled
az appservice ase create --name --resource-group --subnet --force-network-security-group --force-
route-table --front-end-scale-factor --front-end-sku --ignore-network-security-group --ignore-route-
table --ignore-subnet-size-validation --kind --location --no-wait --os-preference --virtual-ip-type --
vnet-name --zone-redundant

```

```

az appservice ase create-inbound-services --name --resource-group --subnet --skip-dns --vnet-name
az appservice ase delete --name --no-wait --resource-group --yes
az appservice ase list --resource-group
az appservice ase list-addresses --name --resource-group
az appservice ase list-plans --name --resource-group
az appservice ase show --name --resource-group
az appservice ase update --name --allow-new-private-endpoint-connections --front-end-scale-factor
--front-end-sku --no-wait --resource-group
az appservice domain create --contact-info --hostname --resource-group --accept-terms --auto-
renew --dryrun --privacy --tags
az appservice domain show-terms --hostname
az appservice hybrid-connection set-key --hybrid-connection --key-type --namespace --plan --
resource-group
az appservice kube create --custom-location --name --resource-group --location --no-wait --static-ip -
-tags
az appservice kube delete --name --resource-group --no-wait --yes
az appservice kube list --resource-group
az appservice kube show --name --resource-group
az appservice kube update --name --resource-group --custom-location --no-wait --static-ip --tags
az appservice kube wait --name --resource-group --created --custom --deleted --exists --interval --
timeout --updated
az appservice plan create --name --resource-group --app-service-environment --custom-location --
hyper-v --is-linux --location --no-wait --number-of-workers --per-site-scaling --sku --tags
az appservice plan delete --yes --ids --name --resource-group --subscription
az appservice plan list --resource-group
az appservice plan show --ids --name --resource-group --subscription
az appservice plan update --no-wait --number-of-workers --sku --ids --name --resource-group --
subscription
az appservice vnet-integration list --plan --resource-group
az arcdata ad-connector create --account-provisioning --name --nameserver-addresses --realm --dns-
domain-name --dns-replicas --domain-service-account-secret --netbios-domain-name --ou-
distinguished-name --prefer-k8s-dns --primary-ad-dc-hostname --secondary-ad-dc-hostnames --
data-controller-name --resource-group --k8s-namespace --use-k8s
az arcdata ad-connector delete --name --data-controller-name --resource-group --k8s-namespace --
use-k8s
az arcdata ad-connector show --name --data-controller-name --resource-group --k8s-namespace --
use-k8s
az arcdata ad-connector update --name --dns-replicas --domain-service-account-secret --
nameserver-addresses --prefer-k8s-dns --primary-ad-dc-hostname --secondary-ad-dc-hostnames --
data-controller-name --resource-group --k8s-namespace --use-k8s
az arcdata dc create --connectivity-mode --name --resource-group --infrastructure --k8s-namespace -
-location --no-wait --path --profile-name --storage-class --auto-upload-logs --auto-upload-metrics --
cluster-name --custom-location --annotations --labels --logs-ui-private-key-file --logs-ui-public-key-
file --metrics-ui-private-key-file --metrics-ui-public-key-file --service-annotations --service-labels --
storage-annotations --storage-labels --use-k8s
az arcdata dc delete --name --force --no-wait --yes --resource-group --k8s-namespace --use-k8s
az arcdata dc export --k8s-namespace --path --type --force --use-k8s
az arcdata dc list-upgrades --k8s-namespace --use-k8s

```

```

az arcdata dc update --desired-version --name --no-wait --auto-upload-logs --auto-upload-metrics --
resource-group --k8s-namespace --maintenance-duration --maintenance-enabled --maintenance-
recurrence --maintenance-start --maintenance-time-zone --use-k8s
az arcdata dc upgrade --desired-version --dry-run --name --no-wait --target --resource-group --k8s-
namespace --use-k8s
az arcdata dc upload --path
az arcdata dc config add --config-file --json-values --path
az arcdata dc config init --force --path --source --target
az arcdata dc config list --config-profile
az arcdata dc config patch --config-file --patch-file --path
az arcdata dc config remove --config-file --json-path --path
az arcdata dc config replace --config-file --json-values --path
az arcdata dc config show --k8s-namespace --use-k8s
az arcdata dc debug copy-logs --k8s-namespace --container --exclude-dumps --exclude-system-logs --
pod --resource-kind --resource-name --skip-compress --target-folder --timeout --use-k8s
az arcdata dc debug dump --k8s-namespace --container --target-folder --use-k8s
az arcdata dc endpoint list --k8s-namespace --endpoint-name --use-k8s
az arcdata dc status show --name --resource-group --k8s-namespace --use-k8s
az arcdata resource-kind get --kind --dest
az arcdata resource-kind list
az aro create --master-subnet --name --resource-group --worker-subnet --apiserver-visibility --client-
id --client-secret --cluster-resource-group --domain --ingress-visibility --location --master-vm-size --
no-wait --pod-cidr --pull-secret --service-cidr --tags --vnet --vnet-resource-group --worker-count --
worker-vm-disk-size-gb --worker-vm-size
az aro delete --name --resource-group --no-wait --yes
az aro list --resource-group
az aro list-credentials --name --resource-group
az aro show --name --resource-group
az aro update --name --resource-group --client-id --client-secret --no-wait --refresh-credentials
az aro wait --name --resource-group --created --custom --deleted --exists --interval --timeout --
updated
az artifacts universal download --feed --name --path --version --detect --file-filter --org --organization
--project --scope
az artifacts universal publish --feed --name --path --version --description --detect --org --organization
--project --scope
az attestation create --location --name --resource-group --certs-input-path --tags
az attestation delete --id --name --resource-group --yes
az attestation get-default-by-location --location
az attestation list --resource-group
az attestation list-default
az attestation show --id --name --resource-group
az attestation update --name --resource-group --tags
az attestation policy reset --attestation-type --id --name --policy-jws --resource-group
az attestation policy set --attestation-type --id --name --new-attestation-policy --new-attestation-
policy-file --policy-format --resource-group
az attestation policy show --attestation-type --id --name --resource-group
az attestation signer add --id --name --resource-group --signer --signer-file
az attestation signer list --id --name --resource-group

```

```

az attestation signer remove --id --name --resource-group --signer --signer-file
az automation account create --automation-account-name --resource-group --location --sku --tags
az automation account delete --yes --automation-account-name --name --ids --resource-group --
subscription
az automation account list --resource-group
az automation account show --automation-account-name --name --ids --resource-group --
subscription
az automation account update --sku --tags --automation-account-name --name --ids --resource-
group --subscription
az automation job list --automation-account-name --resource-group
az automation job resume --automation-account-name --ids --job-name --name --resource-group --
subscription
az automation job show --automation-account-name --ids --job-name --name --resource-group --
subscription
az automation job stop --automation-account-name --ids --job-name --name --resource-group --
subscription
az automation job suspend --automation-account-name --ids --job-name --name --resource-group --
subscription
az automation runbook create --automation-account-name --name --resource-group --type --
description --location --log-activity-trace --log-progress --log-verbose --tags
az automation runbook delete --yes --automation-account-name --ids --name --runbook-name --
resource-group --subscription
az automation runbook list --automation-account-name --resource-group
az automation runbook publish --no-wait --automation-account-name --ids --name --runbook-name -
-resource-group --subscription
az automation runbook replace-content --content --no-wait --automation-account-name --ids --
name --runbook-name --resource-group --subscription
az automation runbook revert-to-published --automation-account-name --ids --name --runbook-
name --resource-group --subscription
az automation runbook show --automation-account-name --ids --name --runbook-name --resource-
group --subscription
az automation runbook start --parameters --run-on --automation-account-name --ids --name --
runbook-name --resource-group --subscription
az automation runbook update --description --log-activity-trace --log-progress --log-verbose --tags --
automation-account-name --ids --name --runbook-name --resource-group --subscription
az automation runbook wait --automation-account-name --ids --name --runbook-name --resource-
group --subscription --created --custom --deleted --exists --interval --timeout --updated
az azurestackhci galleryimage create --name --resource-group --container-name --image-path --
location --os-type --tags
az azurestackhci galleryimage delete --yes --ids --name --resource-group --subscription
az azurestackhci galleryimage list --resource-group
az azurestackhci galleryimage show --ids --name --resource-group --subscription
az azurestackhci galleryimage update --tags --ids --name --resource-group --subscription
az azurestackhci networkinterface create --name --resource-group --gateway --ip-address --ip-
allocation-method --ip-configurations --location --mac-address --prefix-length --subnet-id --tags
az azurestackhci networkinterface delete --yes --ids --name --resource-group --subscription
az azurestackhci networkinterface list --resource-group
az azurestackhci networkinterface show --ids --name --resource-group --subscription

```

```

az azurestackhci networkinterface update --tags --ids --name --resource-group --subscription
az azurestackhci storagepath create --name --resource-group --location --path --tags
az azurestackhci storagepath delete --yes --ids --name --resource-group --subscription
az azurestackhci storagepath list --resource-group
az azurestackhci storagepath update --tags --ids --name --resource-group --subscription
az azurestackhci virtualharddisk create --name --resource-group --block-size-bytes --disk-size-bytes --
dynamic --location --logical-sector-bytes --physical-sector-bytes --storagepath-id --tags
az azurestackhci virtualharddisk delete --yes --ids --name --resource-group --subscription
az azurestackhci virtualharddisk list --resource-group
az azurestackhci virtualharddisk show --ids --name --resource-group --subscription
az azurestackhci virtualharddisk update --tags --ids --name --resource-group --subscription
az azurestackhci virtualmachine create --name --resource-group --admin-password --admin-
username --computer-name --hardware-profile --image-reference --linux-configuration --location --
network-profile --nic-id --os-profile --provision-vm-agent --security-profile --ssh-public-keys --
storage-profile --tags --vm-size --windows-configuration
az azurestackhci virtualmachine delete --yes --ids --name --resource-group --subscription
az azurestackhci virtualmachine list --resource-group
az azurestackhci virtualmachine restart --ids --name --resource-group --subscription
az azurestackhci virtualmachine show --ids --name --resource-group --subscription
az azurestackhci virtualmachine start --ids --name --resource-group --subscription
az azurestackhci virtualmachine stop --ids --name --resource-group --subscription
az azurestackhci virtualmachine update --cpu-count --memory-gb --tags --vhd-names --vnic-names --
ids --name --resource-group --subscription
az azurestackhci virtualmachine vnic add --vnic-names --ids --name --resource-group --subscription
az azurestackhci virtualmachine vnic remove --vnic-names --yes --ids --name --resource-group --
subscription
az azurestackhci virtualnetwork create --name --resource-group --address-prefix --ip-allocation-
method --ip-pool-end --ip-pool-start --ip-pool-type --ip-pools --location --network-type --subnets --
tags --vlan
az azurestackhci virtualnetwork delete --yes --ids --name --resource-group --subscription
az azurestackhci virtualnetwork list --resource-group
az azurestackhci virtualnetwork show --ids --name --resource-group --subscription
az azurestackhci virtualnetwork update --tags --ids --name --resource-group --subscription
az backup container list --backup-management-type --resource-group --vault-name --use-secondary-
region
az backup container re-register --workload-type --backup-management-type --yes --container-name
--ids --resource-group --subscription --vault-name
az backup container register --resource-group --resource-id --vault-name --workload-type --backup-
management-type
az backup container show --backup-management-type --use-secondary-region --ids --name --
resource-group --subscription --vault-name
az backup container unregister --backup-management-type --yes --container-name --ids --resource-
group --subscription --vault-name
az backup item list --resource-group --vault-name --backup-management-type --container-name --
use-secondary-region --workload-type
az backup item set-policy --policy-name --backup-management-type --workload-type --container-
name --ids --name --resource-group --subscription --vault-name

```



```

az backup item show --backup-management-type --use-secondary-region --workload-type --
container-name --ids --name --resource-group --subscription --vault-name
az backup job list --resource-group --vault-name --backup-management-type --end-date --operation -
-start-date --status --use-secondary-region
az backup job show --use-secondary-region --ids --name --resource-group --subscription --vault-
name
az backup job stop --use-secondary-region --ids --name --resource-group --subscription --vault-name
az backup job wait --timeout --use-secondary-region --ids --name --resource-group --subscription --
vault-name
az backup policy create --backup-management-type --name --policy --resource-group --vault-name --
workload-type
az backup policy delete --ids --name --resource-group --subscription --vault-name
az backup policy get-default-for-vm --resource-group --vault-name
az backup policy list --resource-group --vault-name --backup-management-type --policy-sub-type --
workload-type
az backup policy list-associated-items --backup-management-type --ids --name --resource-group --
subscription --vault-name
az backup policy set --backup-management-type --fix-for-inconsistent-items --policy --ids --name --
resource-group --subscription --vault-name
az backup policy show --ids --name --resource-group --subscription --vault-name
az backup protectable-item initialize --container-name --resource-group --vault-name --workload-
type
az backup protectable-item list --resource-group --vault-name --workload-type --backup-
management-type --container-name --protectable-item-type --server-name
az backup protectable-item show --protectable-item-type --server-name --workload-type --ids --
name --resource-group --subscription --vault-name
az backup protection auto-disable-for-azurewl --protectable-item-name --protectable-item-type --
resource-group --server-name --vault-name --workload-type
az backup protection auto-enable-for-azurewl --policy-name --protectable-item-name --protectable-
item-type --resource-group --server-name --vault-name --workload-type
az backup protection backup-now --backup-management-type --backup-type --enable-compression -
-retain-until --workload-type --container-name --ids --item-name --resource-group --subscription --
vault-name
az backup protection check-vm --resource-group --vm
az backup protection disable --backup-management-type --delete-backup-data --workload-type --yes
--container-name --ids --item-name --resource-group --subscription --vault-name
az backup protection enable-for-azurefileshare --azure-file-share --policy-name --resource-group --
storage-account --vault-name
az backup protection enable-for-azurewl --policy-name --protectable-item-name --protectable-item-
type --resource-group --server-name --vault-name --workload-type
az backup protection enable-for-vm --policy-name --resource-group --vault-name --vm --disk-list-
setting --diskslist --exclude-all-data-disks
az backup protection resume --policy-name --backup-management-type --workload-type --
container-name --ids --item-name --resource-group --subscription --vault-name
az backup protection undelete --backup-management-type --workload-type --container-name --ids --
item-name --resource-group --subscription --vault-name
az backup protection update-for-vm --disk-list-setting --diskslist --exclude-all-data-disks --container-
name --ids --item-name --resource-group --subscription --vault-name

```

```

az backup recoveryconfig show --restore-mode --backup-management-type --filepath --from-full-rp-
name --log-point-in-time --rp-name --target-container-name --target-item-name --target-resource-
group --target-server-name --target-server-type --target-vault-name --workload-type --container-
name --ids --item-name --resource-group --subscription --vault-name
az backup recoverypoint list --container-name --item-name --resource-group --vault-name --backup-
management-type --end-date --is-ready-for-move --recommended-for-archive --start-date --target-
tier --tier --use-secondary-region --workload-type
az backup recoverypoint move --container-name --destination-tier --item-name --name --resource-
group --source-tier --vault-name --backup-management-type --workload-type
az backup recoverypoint show --backup-management-type --use-secondary-region --workload-type -
-container-name --ids --item-name --name --resource-group --subscription --vault-name
az backup recoverypoint show-log-chain --container-name --item-name --resource-group --vault-
name --backup-management-type --end-date --start-date --use-secondary-region --workload-type
az backup restore restore-azurefiles --resolve-conflict --restore-mode --source-file-path --source-file-
type --target-file-share --target-folder --target-storage-account --container-name --ids --item-name --
resource-group --rp-name --subscription --vault-name
az backup restore restore-azurefileshare --resolve-conflict --restore-mode --target-file-share --target-
folder --target-storage-account --container-name --ids --item-name --resource-group --rp-name --
subscription --vault-name
az backup restore restore-azurewl --recovery-config --resource-group --vault-name --rehydration-
duration --rehydration-priority --use-secondary-region
az backup restore restore-disks --storage-account --disk-encryption-set-id --diskslist --mi-system-
assigned --mi-user-assigned --rehydration-duration --rehydration-priority --restore-as-unmanaged-
disks --restore-mode --restore-only-osdisk --restore-to-staging-storage-account --target-resource-
group --target-subnet-name --target-vm-name --target-vnet-name --target-vnet-resource-group --
target-zone --use-secondary-region --container-name --ids --item-name --resource-group --rp-name -
-subscription --vault-name
az backup restore files mount-rp --container-name --ids --item-name --resource-group --rp-name --
subscription --vault-name
az backup restore files unmount-rp --container-name --ids --item-name --resource-group --rp-name -
-subscription --vault-name
az backup vault create --location --name --resource-group --tags
az backup vault delete --force --yes --ids --name --resource-group --subscription
az backup vault list --resource-group
az backup vault show --ids --name --resource-group --subscription
az backup vault backup-properties set --backup-storage-redundancy --cross-region-restore-flag --
hybrid-backup-security-features --soft-delete-feature-state --ids --name --resource-group --
subscription
az backup vault backup-properties show --ids --name --resource-group --subscription
az backup vault encryption show --ids --name --resource-group --subscription
az backup vault encryption update --encryption-key-id --infrastructure-encryption --mi-system-
assigned --mi-user-assigned --ids --name --resource-group --subscription
az backup vault identity assign --system-assigned --user-assigned --ids --name --resource-group --
subscription
az backup vault identity remove --system-assigned --user-assigned --ids --name --resource-group --
subscription
az backup vault identity show --ids --name --resource-group --subscription
az baremetalinstance delete --ids --instance-name --resource-group --subscription

```

```

az baremetalinstance list --resource-group
az baremetalinstance restart --ids --instance-name --resource-group --subscription
az baremetalinstance show --ids --instance-name --resource-group --subscription
az baremetalinstance shutdown --ids --instance-name --resource-group --subscription
az baremetalinstance start --ids --instance-name --resource-group --subscription
az baremetalinstance update --no-wait --add --force-string --remove --set --ids --instance-name --
resource-group --subscription
az batch account create --location --name --resource-group --encryption-key-identifier --encryption-
key-source --identity-type --keyvault --no-wait --public-network-access --storage-account --tags
az batch account delete --name --resource-group --no-wait --yes
az batch account list --resource-group
az batch account login --name --resource-group --shared-key-auth --show
az batch account outbound-endpoints --name --resource-group
az batch account set --name --resource-group --encryption-key-identifier --encryption-key-source --
identity-type --storage-account --tags
az batch account show --name --resource-group
az batch account autostorage-keys sync --name --resource-group
az batch account keys list --name --resource-group
az batch account keys renew --key-name --name --resource-group
az batch application create --application-name --name --resource-group --parameters
az batch application delete --application-name --name --resource-group --yes
az batch application list --name --resource-group --maxresults
az batch application set --application-name --name --resource-group --allow-updates --default-
version --display-name
az batch application show --application-name --name --resource-group
az batch application package activate --application-name --format --name --resource-group --
version-name
az batch application package create --application-name --name --package-file --resource-group --
version-name
az batch application package delete --application-name --name --resource-group --version-name --
yes
az batch application package list --application-name --name --resource-group --maxresults
az batch application package show --application-name --name --resource-group --version-name
az batch application summary list --account-endpoint --account-key --account-name
az batch application summary show --application-id --account-endpoint --account-key --account-
name
az batch certificate create --certificate-file --thumbprint --password --account-endpoint --account-
key --account-name
az batch certificate delete --thumbprint --abort --yes --account-endpoint --account-key --account-
name
az batch certificate list --account-endpoint --account-key --account-name --filter --select
az batch certificate show --thumbprint --account-endpoint --account-key --account-name --select
az batch file download --file-group --local-path --overwrite --remote-path --account-endpoint --
account-key --account-name --resource-group
az batch file upload --file-group --local-path --flatten --remote-path --account-endpoint --account-
key --account-name --resource-group
az batch job create --id --json-file --metadata --priority --uses-task-dependencies --account-endpoint
--account-key --account-name --resource-group --parameters --template --job-max-task-retry-count -

```

```

--job-max-wall-clock-time --job-manager-task-command-line --job-manager-task-environment-
settings --job-manager-task-id --job-manager-task-resource-files --pool-id
az batch job delete --job-id --yes --account-endpoint --account-key --account-name --if-match --if-
modified-since --if-none-match --if-unmodified-since
az batch job disable --job-id --disable-tasks --account-endpoint --account-key --account-name --if-
match --if-modified-since --if-none-match --if-unmodified-since
az batch job enable --job-id --account-endpoint --account-key --account-name --if-match --if-
modified-since --if-none-match --if-unmodified-since
az batch job list --job-schedule-id --account-endpoint --account-key --account-name --expand --filter
--select
az batch job reset --job-id --json-file --account-endpoint --account-key --account-name --allow-task-
preemption --max-parallel-tasks --metadata --on-all-tasks-complete --priority --job-max-task-retry-
count --job-max-wall-clock-time --pool-id --if-match --if-modified-since --if-none-match --if-
unmodified-since
az batch job set --job-id --json-file --account-endpoint --account-key --account-name --allow-task-
preemption --max-parallel-tasks --metadata --on-all-tasks-complete --priority --job-max-task-retry-
count --job-max-wall-clock-time --pool-id --if-match --if-modified-since --if-none-match --if-
unmodified-since
az batch job show --job-id --account-endpoint --account-key --account-name --expand --if-match --if-
modified-since --if-none-match --if-unmodified-since --select
az batch job stop --job-id --terminate-reason --account-endpoint --account-key --account-name --if-
match --if-modified-since --if-none-match --if-unmodified-since
az batch job all-statistics show --account-endpoint --account-key --account-name
az batch job prep-release-status list --job-id --account-endpoint --account-key --account-name --filter
--select
az batch job task-counts show --job-id --account-endpoint --account-key --account-name
az batch job-schedule create --json-file --account-endpoint --account-key --account-name --id --
metadata --allow-task-preemption --max-parallel-tasks --on-all-tasks-complete --priority --uses-task-
dependencies --job-max-task-retry-count --job-max-wall-clock-time --job-manager-task-command-
line --job-manager-task-id --job-manager-task-resource-files --required-slots --pool-id --do-not-run-
after --do-not-run-until --recurrence-interval --start-window
az batch job-schedule delete --job-schedule-id --yes --account-endpoint --account-key --account-
name --if-match --if-modified-since --if-none-match --if-unmodified-since
az batch job-schedule disable --job-schedule-id --account-endpoint --account-key --account-name --
if-match --if-modified-since --if-none-match --if-unmodified-since
az batch job-schedule enable --job-schedule-id --account-endpoint --account-key --account-name --
if-match --if-modified-since --if-none-match --if-unmodified-since
az batch job-schedule list --account-endpoint --account-key --account-name --expand --filter --select
az batch job-schedule reset --job-schedule-id --json-file --account-endpoint --account-key --account-
name --metadata --allow-task-preemption --job-metadata --max-parallel-tasks --on-all-tasks-
complete --priority --uses-task-dependencies --job-manager-task-application-package-references --
job-manager-task-command-line --job-manager-task-environment-settings --job-manager-task-id --
job-manager-task-resource-files --required-slots --pool-id --do-not-run-after --do-not-run-until --
recurrence-interval --start-window --if-match --if-modified-since --if-none-match --if-unmodified-
since
az batch job-schedule set --job-schedule-id --json-file --account-endpoint --account-key --account-
name --metadata --allow-task-preemption --job-metadata --max-parallel-tasks --on-all-tasks-
complete --priority --uses-task-dependencies --job-manager-task-application-package-references --

```

job-manager-task-command-line --job-manager-task-environment-settings --job-manager-task-id --  
 job-manager-task-resource-files --required-slots --pool-id --do-not-run-after --do-not-run-until --  
 recurrence-interval --start-window --if-match --if-modified-since --if-none-match --if-unmodified-  
 since  
 az batch job-schedule show --job-schedule-id --account-endpoint --account-key --account-name --  
 expand --if-match --if-modified-since --if-none-match --if-unmodified-since --select  
 az batch job-schedule stop --job-schedule-id --account-endpoint --account-key --account-name --if-  
 match --if-modified-since --if-none-match --if-unmodified-since  
 az batch location list-skus --location --filter --maxresults  
 az batch location quotas show --location  
 az batch node delete --pool-id --json-file --account-endpoint --account-key --account-name --node-  
 deallocation-option --node-list --resize-timeout --if-match --if-modified-since --if-none-match --if-  
 unmodified-since  
 az batch node list --pool-id --account-endpoint --account-key --account-name --filter --select  
 az batch node reboot --node-id --pool-id --node-reboot-option --account-endpoint --account-key --  
 account-name  
 az batch node reimage --node-id --pool-id --node-reimage-option --account-endpoint --account-key -  
 -account-name  
 az batch node show --node-id --pool-id --account-endpoint --account-key --account-name --select  
 az batch node file delete --file-path --node-id --pool-id --recursive --yes --account-endpoint --  
 account-key --account-name  
 az batch node file download --destination --file-path --node-id --pool-id --account-endpoint --  
 account-key --account-name --end-range --if-modified-since --if-unmodified-since --start-range  
 az batch node file list --node-id --pool-id --recursive --account-endpoint --account-key --account-  
 name --filter  
 az batch node file show --file-path --node-id --pool-id --account-endpoint --account-key --account-  
 name --if-modified-since --if-unmodified-since  
 az batch node remote-desktop download --destination --node-id --pool-id --account-endpoint --  
 account-key --account-name  
 az batch node remote-login-settings show --node-id --pool-id --account-endpoint --account-key --  
 account-name  
 az batch node scheduling disable --node-id --pool-id --node-disable-scheduling-option --account-  
 endpoint --account-key --account-name  
 az batch node scheduling enable --node-id --pool-id --account-endpoint --account-key --account-  
 name  
 az batch node service-logs upload --node-id --pool-id --json-file --account-endpoint --account-key --  
 account-name --container-url --end-time --start-time --resource-id  
 az batch node user create --node-id --pool-id --json-file --account-endpoint --account-key --account-  
 name --expiry-time --is-admin --name --password --ssh-public-key  
 az batch node user delete --node-id --pool-id --user-name --yes --account-endpoint --account-key --  
 account-name  
 az batch node user reset --node-id --pool-id --user-name --json-file --account-endpoint --account-key  
 --account-name --expiry-time --password --ssh-public-key  
 az batch pool create --application-licenses --application-package-references --auto-scale-formula --  
 certificate-references --enable-inter-node-communication --id --json-file --metadata --resize-timeout  
 --target-dedicated-nodes --target-low-priority-nodes --vm-size --account-endpoint --account-key --  
 account-name --resource-group --parameters --template --os-family --start-task-command-line --

```

start-task-resource-files --start-task-wait-for-success --disk-encryption-targets --image --node-agent-sku-id
az batch pool delete --pool-id --yes --account-endpoint --account-key --account-name --if-match --if-modified-since --if-none-match --if-unmodified-since
az batch pool list --account-endpoint --account-key --account-name --expand --filter --select
az batch pool reset --pool-id --json-file --account-endpoint --account-key --account-name --application-package-references --certificate-references --metadata --start-task-command-line --start-task-environment-settings --start-task-max-task-retry-count --start-task-wait-for-success
az batch pool resize --pool-id --abort --node-deallocation-option --resize-timeout --target-dedicated-nodes --target-low-priority-nodes --account-endpoint --account-key --account-name --if-match --if-modified-since --if-none-match --if-unmodified-since
az batch pool set --pool-id --json-file --account-endpoint --account-key --account-name --application-package-references --certificate-references --metadata --start-task-command-line --start-task-environment-settings --start-task-max-task-retry-count --start-task-resource-files --start-task-wait-for-success --if-match --if-modified-since --if-none-match --if-unmodified-since
az batch pool show --pool-id --account-endpoint --account-key --account-name --expand --if-match --if-modified-since --if-none-match --if-unmodified-since --select
az batch pool all-statistics show --account-endpoint --account-key --account-name
az batch pool autoscale disable --pool-id --account-endpoint --account-key --account-name
az batch pool autoscale enable --pool-id --auto-scale-evaluation-interval --auto-scale-formula --account-endpoint --account-key --account-name --if-match --if-modified-since --if-none-match --if-unmodified-since
az batch pool autoscale evaluate --auto-scale-formula --pool-id --account-endpoint --account-key --account-name
az batch pool node-counts list --account-endpoint --account-key --account-name --filter
az batch pool supported-images list --account-endpoint --account-key --account-name --filter
az batch pool usage-metrics list --account-endpoint --account-key --account-name --end-time --filter --start-time
az batch private-endpoint-connection list --account-name --resource-group --maxresults
az batch private-endpoint-connection show --account-name --name --resource-group
az batch private-link-resource list --account-name --resource-group --maxresults
az batch private-link-resource show --account-name --name --resource-group
az batch task create --job-id --affinity-id --application-package-references --command-line --environment-settings --json-file --max-task-retry-count --max-wall-clock-time --resource-files --retention-time --task-id --account-endpoint --account-key --account-name
az batch task delete --job-id --task-id --yes --account-endpoint --account-key --account-name --if-match --if-modified-since --if-none-match --if-unmodified-since
az batch task list --job-id --account-endpoint --account-key --account-name --expand --filter --select
az batch task reactivate --job-id --task-id --account-endpoint --account-key --account-name --if-match --if-modified-since --if-none-match --if-unmodified-since
az batch task reset --job-id --task-id --json-file --account-endpoint --account-key --account-name --max-task-retry-count --max-wall-clock-time --retention-time --if-match --if-modified-since --if-none-match --if-unmodified-since
az batch task show --job-id --task-id --account-endpoint --account-key --account-name --expand --if-match --if-modified-since --if-none-match --if-unmodified-since --select
az batch task stop --job-id --task-id --account-endpoint --account-key --account-name --if-match --if-modified-since --if-none-match --if-unmodified-since

```

```

az batch task file delete --file-path --job-id --task-id --recursive --yes --account-endpoint --account-
key --account-name
az batch task file download --destination --file-path --job-id --task-id --account-endpoint --account-
key --account-name --end-range --if-modified-since --if-unmodified-since --start-range
az batch task file list --job-id --task-id --recursive --account-endpoint --account-key --account-name --
filter
az batch task file show --file-path --job-id --task-id --account-endpoint --account-key --account-name
--if-modified-since --if-unmodified-since
az batch task subtask list --job-id --task-id --account-endpoint --account-key --account-name --select
az bicep build --file --outdir --outfile --stdout
az bicep decompile --file
az bicep install --target-platform --version
az bicep list-versions
az bicep publish --file --target
az bicep uninstall
az bicep upgrade --target-platform
az bicep version
az billing account list --expand
az billing account show --name --expand
az billing account update --name --billing-profiles-value --departments --display-name --enrollment-
accounts --no-wait --sold-to
az billing account wait --name --expand --created --custom --deleted --exists --interval --timeout --
updated
az billing agreement list --account-name --expand
az billing agreement show --account-name --name --expand
az billing balance show --account-name --profile-name
az billing customer list --account-name --filter --profile-name --search
az billing customer show --account-name --customer-name --expand
az billing enrollment-account list
az billing enrollment-account show --name
az billing instruction create --account-name --name --profile-name --amount --creation-date --end-
date --start-date
az billing instruction list --account-name --profile-name
az billing instruction show --account-name --name --profile-name
az billing instruction update --account-name --name --profile-name --amount --creation-date --end-
date --start-date --add --force-string --remove --set
az billing invoice download --account-name --download-token --download-urls --invoice-name
az billing invoice list --period-end-date --period-start-date --account-name --profile-name
az billing invoice show --name --account-name --by-subscription
az billing invoice section create --account-name --invoice-section-name --profile-name --display-
name --labels --no-wait
az billing invoice section list --account-name --profile-name
az billing invoice section show --account-name --invoice-section-name --profile-name
az billing invoice section update --account-name --invoice-section-name --profile-name --display-
name --labels --no-wait
az billing invoice section wait --account-name --invoice-section-name --profile-name --created --
custom --deleted --exists --interval --timeout --updated
az billing period list --filter --skiptoken --top

```

az billing period show --name  
 az billing permission list --account-name --customer-name --invoice-section-name --profile-name  
 az billing policy show --account-name --customer-name --profile-name  
 az billing policy update --account-name --customer-name --marketplace-purchases --profile-name --reservation-purchases --view-charges  
 az billing product list --account-name --customer-name --filter --invoice-section-name --profile-name  
 az billing product move --account-name --name --destination-invoice-section-id  
 az billing product show --account-name --name  
 az billing product update --account-name --name --auto-renew --billing-frequency --status  
 az billing product validate-move --account-name --name --destination-invoice-section-id  
 az billing profile create --account-name --name --bill-to --display-name --enabled-azure-plans --invoice-email-opt-in --invoice-sections-value --no-wait --po-number  
 az billing profile list --account-name --expand  
 az billing profile show --account-name --name --expand  
 az billing profile update --account-name --name --bill-to --display-name --enabled-azure-plans --invoice-email-opt-in --invoice-sections-value --no-wait --po-number  
 az billing profile wait --account-name --name --expand --created --custom --deleted --exists --interval --timeout --updated  
 az billing property show  
 az billing property update --cost-center  
 az billing role-assignment delete --account-name --name --invoice-section-name --profile-name --yes  
 az billing role-assignment list --account-name --invoice-section-name --profile-name  
 az billing role-assignment show --account-name --name --invoice-section-name --profile-name  
 az billing role-definition list --account-name --invoice-section-name --profile-name  
 az billing role-definition show --account-name --name --invoice-section-name --profile-name  
 az billing subscription list --account-name --customer-name --invoice-section-name --profile-name  
 az billing subscription move --account-name --destination-invoice-section-id --no-wait  
 az billing subscription show --account-name  
 az billing subscription update --account-name --cost-center --sku-id --subscription-billing-status  
 az billing subscription validate-move --account-name --destination-invoice-section-id  
 az billing subscription wait --account-name --created --custom --deleted --exists --interval --timeout --updated  
 az billing transaction list --account-name --invoice-name  
 az blockchain consortium list --location  
 az blockchain member create --name --resource-group --consortium --consortium-management-account-password --firewall-rules --location --no-wait --password --protocol --sku --tags --validator-nodes-sku  
 az blockchain member delete --name --resource-group --no-wait --yes  
 az blockchain member list --resource-group  
 az blockchain member list-api-key --name --resource-group  
 az blockchain member list-consortium-member --name --resource-group  
 az blockchain member regenerate-api-key --name --resource-group --key-name  
 az blockchain member show --name --resource-group  
 az blockchain member update --name --resource-group --consortium-management-account-password --firewall-rules --password --tags  
 az blockchain member wait --name --resource-group --created --custom --deleted --exists --interval --timeout --updated



```

az blockchain transaction-node create --member-name --name --resource-group --firewall-rules --
location --no-wait --password
az blockchain transaction-node delete --member-name --name --resource-group --no-wait --yes
az blockchain transaction-node list --member-name --resource-group
az blockchain transaction-node list-api-key --member-name --name --resource-group
az blockchain transaction-node regenerate-api-key --member-name --name --resource-group --key-
name --value
az blockchain transaction-node show --member-name --name --resource-group
az blockchain transaction-node update --member-name --name --resource-group --firewall-rules --
password
az blockchain transaction-node wait --member-name --name --resource-group --created --custom --
deleted --exists --interval --timeout --updated
az blueprint create --name --description --display-name --parameters --resource-groups --target-
scope --versions --management-group --subscription
az blueprint delete --name --yes --management-group --subscription
az blueprint export --name --output-path --yes --management-group --subscription
az blueprint import --input-path --name --yes --management-group --subscription
az blueprint list --management-group --subscription
az blueprint publish --blueprint-name --version --change-notes --management-group --subscription
az blueprint show --name --management-group --subscription
az blueprint update --name --description --display-name --parameters --resource-groups --target-
scope --versions --add --force-string --remove --set --management-group --subscription
az blueprint artifact delete --blueprint-name --name --yes --management-group --subscription
az blueprint artifact list --blueprint-name --management-group --subscription
az blueprint artifact show --blueprint-name --name --management-group --subscription
az blueprint artifact policy create --artifact-name --blueprint-name --policy-definition-id --depends-
on --description --display-name --parameters --resource-group-art --management-group --
subscription
az blueprint artifact policy update --artifact-name --blueprint-name --depends-on --description --
display-name --parameters --resource-group-art --management-group --subscription
az blueprint artifact role create --artifact-name --blueprint-name --principal-ids --role-definition-id --
depends-on --description --display-name --resource-group-art --management-group --subscription
az blueprint artifact role update --artifact-name --blueprint-name --depends-on --description --
display-name --resource-group-art --management-group --subscription
az blueprint artifact template create --artifact-name --blueprint-name --template --depends-on --
description --display-name --parameters --resource-group-art --management-group --subscription
az blueprint artifact template update --artifact-name --blueprint-name --depends-on --description --
display-name --parameters --resource-group-art --template --management-group --subscription
az blueprint assignment create --name --blueprint-version --description --display-name --location --
locks-excluded-principals --locks-mode --parameters --resource-group-value --identity-type --user-
assigned-identity --management-group --subscription
az blueprint assignment delete --name --yes --management-group --subscription
az blueprint assignment list --management-group --subscription
az blueprint assignment show --name --management-group --subscription
az blueprint assignment update --name --blueprint-version --description --display-name --location --
locks-excluded-principals --locks-mode --parameters --resource-group-value --identity-type --user-
assigned-identity --management-group --subscription

```

```

az blueprint assignment wait --name --management-group --subscription --created --custom --
deleted --exists --interval --timeout --updated
az blueprint assignment who --name --management-group --subscription
az blueprint resource-group add --blueprint-name --artifact-name --depends-on --description --
display-name --rg-location --rg-name --tags --management-group --subscription
az blueprint resource-group list --blueprint-name --management-group --subscription
az blueprint resource-group remove --artifact-name --blueprint-name --yes --management-group --
subscription
az blueprint resource-group show --artifact-name --blueprint-name --management-group --
subscription
az blueprint resource-group update --artifact-name --blueprint-name --depends-on --description --
display-name --rg-location --rg-name --tags --management-group --subscription
az blueprint version delete --blueprint-name --version --yes --management-group --subscription
az blueprint version list --blueprint-name --management-group --subscription
az blueprint version show --blueprint-name --version --management-group --subscription
az blueprint version artifact list --blueprint-name --version --management-group --subscription
az blueprint version artifact show --artifact-name --blueprint-name --version --management-group --
subscription
az boards query --detect --id --org --organization --path --project --wiql
az boards area project create --name --detect --org --organization --path --project
az boards area project delete --path --detect --org --organization --project --yes
az boards area project list --depth --detect --org --organization --path --project
az boards area project show --id --detect --org --organization --project
az boards area project update --path --child-id --detect --name --org --organization --project
az boards area team add --path --team --detect --include-sub-areas --org --organization --project --
set-as-default
az boards area team list --team --detect --org --organization --project
az boards area team remove --path --team --detect --org --organization --project
az boards area team update --path --team --detect --include-sub-areas --org --organization --project -
-set-as-default
az boards iteration project create --name --detect --finish-date --org --organization --path --path --
project --start-date
az boards iteration project delete --path --detect --org --organization --project --yes
az boards iteration project list --depth --detect --org --organization --path --project
az boards iteration project show --id --detect --org --organization --project
az boards iteration project update --path --child-id --detect --finish-date --name --org --organization -
project --start-date
az boards iteration team add --id --team --detect --org --organization --project
az boards iteration team list --team --detect --org --organization --project --timeframe
az boards iteration team list-work-items --id --team --detect --org --organization --project
az boards iteration team remove --id --team --detect --org --organization --project
az boards iteration team set-backlog-iteration --id --team --detect --org --organization --project
az boards iteration team set-default-iteration --team --default-iteration-macro --detect --id --org --
organization --project
az boards iteration team show-backlog-iteration --team --detect --org --organization --project
az boards iteration team show-default-iteration --team --detect --org --organization --project
az boards work-item create --title --type --area --assigned-to --description --detect --discussion --
fields --iteration --open --org --organization --project --reason

```

```

az boards work-item delete --id --destroy --detect --org --organization --project --yes
az boards work-item show --id --as-of --detect --expand --fields --open --org --organization
az boards work-item update --id --area --assigned-to --description --detect --discussion --fields --
iteration --open --org --organization --reason --state --title
az boards work-item relation add --id --relation-type --detect --org --organization --target-id --target-
url
az boards work-item relation list-type --detect --org --organization
az boards work-item relation remove --id --relation-type --target-id --detect --org --organization --yes
az boards work-item relation show --id --detect --org --organization
az bot create --appid --kind --name --resource-group --cmk --cmk-key-vault-key-url --location --tags --
description --display-name --endpoint --sku --echo --lang --password
az bot delete --name --resource-group
az bot download --name --resource-group --save-path
az bot prepare-deploy --lang --code-dir --proj-file-path
az bot prepare-publish --name --proj-file-path --resource-group --sln-name --code-dir --version
az bot publish --name --resource-group --code-dir --keep-node-modules --proj-file-path --timeout --
version
az bot show --name --resource-group --msbot
az bot update --name --resource-group --cmk --cmk-key-vault-key-url --cmk-off --description --
display-name --endpoint --icon-url --sku --tags --ai-api-key --app-insights-api-key --ai-app-id --app-
insights-app-id --ai-key --app-insights-key
az bot authsetting create --client-id --client-secret --name --provider-scope-string --resource-group --
service --setting-name --parameters
az bot authsetting delete --name --resource-group --setting-name
az bot authsetting list --name --resource-group
az bot authsetting list-providers --provider-name
az bot authsetting show --name --resource-group --setting-name
az bot directline create --name --resource-group --add-disabled --disablev1 --disablev3 --enable-
enhanced-auth --trusted-origins --location --site-name --trusted-origins --trusted-origins
az bot directline delete --name --resource-group
az bot directline show --name --resource-group --with-secrets
az bot directline update --name --resource-group --add-disabled --disablev1 --disablev3 --enable-
enhanced-auth --trusted-origins --site-name --trusted-origins --trusted-origins
az bot email create --email-address --name --password --resource-group --add-disabled --location
az bot email delete --name --resource-group
az bot email show --name --resource-group --with-secrets
az bot facebook create --appid --name --page-id --resource-group --secret --token --add-disabled --
location
az bot facebook delete --name --resource-group
az bot facebook show --name --resource-group --with-secrets
az bot kik create --key --name --resource-group --user-name --add-disabled --is-validated --location
az bot kik delete --name --resource-group
az bot kik show --name --resource-group --with-secrets
az bot msteams create --name --resource-group --add-disabled --calling-web-hook --enable-calling --
location
az bot msteams delete --name --resource-group
az bot msteams show --name --resource-group --with-secrets

```

```

az bot skype create --name --resource-group --add-disabled --calling-web-hook --enable-calling --
enable-groups --enable-media-cards --enable-messaging --enable-screen-sharing --enable-video --
groups-mode --location
az bot skype delete --name --resource-group
az bot skype show --name --resource-group --with-secrets
az bot slack create --client-id --client-secret --name --resource-group --verification-token --add-
disabled --landing-page-url --location
az bot slack delete --name --resource-group
az bot slack show --name --resource-group --with-secrets
az bot sms create --account-sid --auth-token --name --phone --resource-group --add-disabled --is-
validated --location
az bot sms delete --name --resource-group
az bot sms show --name --resource-group --with-secrets
az bot telegram create --access-token --name --resource-group --add-disabled --is-validated --
location
az bot telegram delete --name --resource-group
az bot telegram show --name --resource-group --with-secrets
az bot webchat show --name --resource-group --with-secrets
az cache delete --name --resource-group --resource-type
az cache list
az cache purge
az cache show --name --resource-group --resource-type
az capacity reservation create --capacity-reservation-group --capacity-reservation-name --resource-
group --sku --capacity --location --no-wait --tags --zone
az capacity reservation delete --capacity-reservation-group --capacity-reservation-name --resource-
group --no-wait --yes
az capacity reservation list --capacity-reservation-group --resource-group
az capacity reservation show --capacity-reservation-group --capacity-reservation-name --resource-
group --instance-view
az capacity reservation update --capacity-reservation-group --capacity-reservation-name --resource-
group --capacity --no-wait --tags
az capacity reservation group create --capacity-reservation-group --resource-group --location --tags -
-zones
az capacity reservation group delete --capacity-reservation-group --resource-group --yes
az capacity reservation group list --resource-group --vm-instance --vmss-instance
az capacity reservation group show --capacity-reservation-group --resource-group --instance-view
az capacity reservation group update --capacity-reservation-group --resource-group --tags
az cdn name-exists --ids --name --subscription
az cdn usage
az cdn custom-domain create --endpoint-name --hostname --name --profile-name --resource-group -
-location --tags
az cdn custom-domain delete --endpoint-name --name --profile-name --resource-group
az cdn custom-domain disable-https --endpoint-name --name --profile-name --resource-group
az cdn custom-domain enable-https --endpoint-name --name --profile-name --resource-group --min-
tls-version --user-cert-group-name --user-cert-protocol-type --user-cert-secret-name --user-cert-
secret-version --user-cert-subscription-id --user-cert-vault-name
az cdn custom-domain list --endpoint-name --profile-name --resource-group
az cdn custom-domain show --endpoint-name --name --profile-name --resource-group

```

```

az cdn edge-node list
az cdn endpoint create --name --origin --profile-name --resource-group --content-types-to-compress
--enable-compression --location --no-http --no-https --no-wait --origin-host-header --origin-path --
query-string-caching --tags
az cdn endpoint delete --no-wait --ids --name --profile-name --resource-group --subscription
az cdn endpoint list --profile-name --resource-group
az cdn endpoint load --content-paths --no-wait --ids --name --profile-name --resource-group --
subscription
az cdn endpoint purge --content-paths --no-wait --ids --name --profile-name --resource-group --
subscription
az cdn endpoint show --ids --name --profile-name --resource-group --subscription
az cdn endpoint start --no-wait --ids --name --profile-name --resource-group --subscription
az cdn endpoint stop --no-wait --ids --name --profile-name --resource-group --subscription
az cdn endpoint update --content-types-to-compress --default-origin-group --enable-compression --
no-http --no-https --no-wait --origin-host-header --origin-path --query-string-caching --tags --add --
force-string --remove --set --ids --name --profile-name --resource-group --subscription
az cdn endpoint validate-custom-domain --host-name --ids --name --profile-name --resource-group -
subscription
az cdn endpoint rule add --order --rule-name --action-name --cache-behavior --cache-duration --
custom-fragment --custom-hostname --custom-path --custom-querystring --destination --header-
action --header-name --header-value --origin-group --preserve-unmatched-path --query-parameters
--query-string-behavior --redirect-protocol --redirect-type --source-pattern --match-values --match-
variable --negate-condition --operator --selector --transform --ids --name --profile-name --resource-
group --subscription
az cdn endpoint rule remove --order --rule-name --ids --name --profile-name --resource-group --
subscription
az cdn endpoint rule show --ids --name --profile-name --resource-group --subscription
az cdn endpoint rule action add --rule-name --action-name --cache-behavior --cache-duration --
custom-fragment --custom-hostname --custom-path --custom-querystring --destination --header-
action --header-name --header-value --origin-group --preserve-unmatched-path --query-parameters
--query-string-behavior --redirect-protocol --redirect-type --source-pattern --ids --name --profile-
name --resource-group --subscription
az cdn endpoint rule action remove --index --rule-name --ids --name --profile-name --resource-group
--subscription
az cdn endpoint rule action show --ids --name --profile-name --resource-group --subscription
az cdn endpoint rule condition add --rule-name --match-variable --operator --match-values --negate-
condition --selector --transform --ids --name --profile-name --resource-group --subscription
az cdn endpoint rule condition remove --index --rule-name --ids --name --profile-name --resource-
group --subscription
az cdn endpoint rule condition show --ids --name --profile-name --resource-group --subscription
az cdn endpoint waf policy remove --yes --endpoint-name --ids --profile-name --resource-group --
subscription
az cdn endpoint waf policy set --waf-policy-id --waf-policy-name --waf-policy-resource-group-name -
-waf-policy-subscription-id --endpoint-name --ids --profile-name --resource-group --subscription
az cdn endpoint waf policy show --endpoint-name --ids --profile-name --resource-group --
subscription

```

```

az cdn origin create --endpoint-name --host-name --name --profile-name --resource-group --disabled
--http-port --https-port --origin-host-header --priority --private-link-approval-message --private-link-
location --private-link-resource-id --weight
az cdn origin delete --yes --endpoint-name --ids --name --profile-name --resource-group --
subscription
az cdn origin list --endpoint-name --profile-name --resource-group
az cdn origin show --endpoint-name --ids --name --profile-name --resource-group --subscription
az cdn origin update --disabled --host-name --http-port --https-port --origin-host-header --priority --
private-link-approval-message --private-link-location --private-link-resource-id --weight --endpoint-
name --ids --name --profile-name --resource-group --subscription
az cdn origin-group create --endpoint-name --name --profile-name --resource-group --origins --
probe-interval --probe-method --probe-path --probe-protocol
az cdn origin-group delete --yes --endpoint-name --ids --name --profile-name --resource-group --
subscription
az cdn origin-group list --endpoint-name --profile-name --resource-group
az cdn origin-group show --endpoint-name --ids --name --profile-name --resource-group --
subscription
az cdn origin-group update --origins --probe-interval --probe-method --probe-path --probe-protocol -
--endpoint-name --ids --name --profile-name --resource-group --subscription
az cdn profile create --name --resource-group --location --sku --tags
az cdn profile delete --ids --name --resource-group --subscription
az cdn profile list --resource-group
az cdn profile show --ids --name --resource-group --subscription
az cdn profile update --tags --add --force-string --remove --set --ids --name --resource-group --
subscription
az cdn profile usage --ids --name --resource-group --subscription
az cdn waf policy delete --yes --ids --name --resource-group --subscription
az cdn waf policy list --resource-group
az cdn waf policy set --block-response-body --block-response-status-code --disabled --mode --
redirect-url --sku --tags --ids --name --resource-group --subscription
az cdn waf policy show --ids --name --resource-group --subscription
az cdn waf policy custom-rule delete --name --yes --ids --policy-name --resource-group --subscription
az cdn waf policy custom-rule list --policy-name --resource-group
az cdn waf policy custom-rule set --action --match-condition --name --priority --disabled --ids --
policy-name --resource-group --subscription
az cdn waf policy custom-rule show --name --ids --policy-name --resource-group --subscription
az cdn waf policy managed-rule-set add --rule-set-type --rule-set-version --ids --policy-name --
resource-group --subscription
az cdn waf policy managed-rule-set list --policy-name --resource-group
az cdn waf policy managed-rule-set list-available
az cdn waf policy managed-rule-set remove --rule-set-type --rule-set-version --yes --ids --policy-
name --resource-group --subscription
az cdn waf policy managed-rule-set show --rule-set-type --rule-set-version --ids --policy-name --
resource-group --subscription
There are more entries
az cdn waf policy rate-limit-rule delete --name --yes --ids --policy-name --resource-group --
subscription
az cdn waf policy rate-limit-rule list --policy-name --resource-group

```

az cdn waf policy rate-limit-rule set --action --duration --match-condition --name --priority --request-threshold --disabled --ids --policy-name --resource-group --subscription  
 az cdn waf policy rate-limit-rule show --name --ids --policy-name --resource-group --subscription  
 az cli-translator arm translate --parameters --resource-group --template --target-subscription  
 az cloud list  
 az cloud list-profiles --name --show-all  
 az cloud register --name --cloud-config --endpoint-active-directory --endpoint-active-directory-data-lake-resource-id --endpoint-active-directory-graph-resource-id --endpoint-active-directory-resource-id --endpoint-gallery --endpoint-management --endpoint-resource-manager --endpoint-sql-management --endpoint-vm-image-alias-doc --profile --suffix-acr-login-server-endpoint --suffix-azure-datalake-analytics-catalog-and-job-endpoint --suffix-azure-datalake-store-file-system-endpoint --suffix-keyvault-dns --suffix-sql-server-hostname --suffix-storage-endpoint  
 az cloud set --name --profile  
 az cloud show --name  
 az cloud unregister --name  
 az cloud update --cloud-config --endpoint-active-directory --endpoint-active-directory-data-lake-resource-id --endpoint-active-directory-graph-resource-id --endpoint-active-directory-resource-id --endpoint-gallery --endpoint-management --endpoint-resource-manager --endpoint-sql-management --endpoint-vm-image-alias-doc --name --profile --suffix-acr-login-server-endpoint --suffix-azure-datalake-analytics-catalog-and-job-endpoint --suffix-azure-datalake-store-file-system-endpoint --suffix-keyvault-dns --suffix-sql-server-hostname --suffix-storage-endpoint  
 az cloud-service create --cloud-service-name --resource-group --configuration --configuration-url --location --no-wait --package-url --start-cloud-service --tags --upgrade-mode --extensions --lb --load-balancer-configurations --id --secrets --roles  
 az cloud-service delete --no-wait --yes --cloud-service-name --name --ids --resource-group --subscription  
 az cloud-service delete-instance --no-wait --role-instances --yes --cloud-service-name --name --ids --resource-group --subscription  
 az cloud-service list --resource-group  
 az cloud-service list-all  
 az cloud-service power-off --no-wait --cloud-service-name --name --ids --resource-group --subscription  
 az cloud-service rebuild --no-wait --role-instances --cloud-service-name --name --ids --resource-group --subscription  
 az cloud-service reimage --no-wait --role-instances --cloud-service-name --name --ids --resource-group --subscription  
 az cloud-service restart --no-wait --role-instances --cloud-service-name --name --ids --resource-group --subscription  
 az cloud-service show --cloud-service-name --name --ids --resource-group --subscription  
 az cloud-service show-instance-view --cloud-service-name --name --ids --resource-group --subscription  
 az cloud-service start --no-wait --cloud-service-name --name --ids --resource-group --subscription  
 az cloud-service update --no-wait --tags --cloud-service-name --name --ids --resource-group --subscription  
 az cloud-service wait --cloud-service-name --name --ids --resource-group --subscription --created --custom --deleted --exists --interval --timeout --updated  
 az cloud-service role list --cloud-service-name --resource-group  
 az cloud-service role show --cloud-service-name --ids --resource-group --role-name --subscription

```

az cloud-service role-instance delete --no-wait --yes --cloud-service-name --ids --resource-group --
role-instance-name --subscription
az cloud-service role-instance list --cloud-service-name --resource-group
az cloud-service role-instance rebuild --no-wait --cloud-service-name --ids --resource-group --role-
instance-name --subscription
az cloud-service role-instance reimage --no-wait --cloud-service-name --ids --resource-group --role-
instance-name --subscription
az cloud-service role-instance restart --no-wait --cloud-service-name --ids --resource-group --role-
instance-name --subscription
az cloud-service role-instance show --cloud-service-name --ids --resource-group --role-instance-
name --subscription
az cloud-service role-instance show-instance-view --cloud-service-name --ids --resource-group --role-
instance-name --subscription
az cloud-service role-instance show-remote-desktop-file --cloud-service-name --ids --resource-group
--role-instance-name --subscription
az cloud-service update-domain list-update-domain --cloud-service-name --resource-group
az cloud-service update-domain show-update-domain --cloud-service-name --ids --resource-group --
subscription --update-domain
az cloud-service update-domain walk-update-domain --cloud-service-name --ids --resource-group --
subscription --update-domain
az cognitiveservices account create --kind --location --name --resource-group --sku --api-properties --
assign-identity --custom-domain --encryption --storage --tags --yes
az cognitiveservices account delete --name --resource-group
az cognitiveservices account list --resource-group
az cognitiveservices account list-deleted
az cognitiveservices account list-kinds
az cognitiveservices account list-models --name --resource-group
az cognitiveservices account list-skus --kind --location --name --resource-group
az cognitiveservices account list-usage --name --resource-group
az cognitiveservices account purge --location --name --resource-group
az cognitiveservices account recover --location --name --resource-group
az cognitiveservices account show --name --resource-group
az cognitiveservices account show-deleted --location --name --resource-group
az cognitiveservices account update --name --resource-group --api-properties --custom-domain --
encryption --sku --storage --tags
az cognitiveservices account commitment-plan create --auto-renew --commitment-plan-name --
hosting-model --name --plan-type --resource-group --current-count --current-tier --next-count --
next-tier
az cognitiveservices account commitment-plan delete --commitment-plan-name --name --resource-
group
az cognitiveservices account commitment-plan list --name --resource-group
az cognitiveservices account commitment-plan show --commitment-plan-name --name --resource-
group
az cognitiveservices account deployment create --name --resource-group --deployment-name --
model-format --model-name --model-version --scale-capacity --scale-settings-scale-type
az cognitiveservices account deployment delete --name --resource-group --deployment-name
az cognitiveservices account deployment list --name --resource-group
az cognitiveservices account deployment show --name --resource-group --deployment-name

```



```

az cognitiveservices account identity assign --name --resource-group
az cognitiveservices account identity remove --name --resource-group
az cognitiveservices account identity show --name --resource-group
az cognitiveservices account keys list --name --resource-group
az cognitiveservices account keys regenerate --key-name --name --resource-group
az cognitiveservices account network-rule add --name --resource-group --ip-address --subnet --vnet-
name
az cognitiveservices account network-rule list --name --resource-group
az cognitiveservices account network-rule remove --name --resource-group --ip-address --subnet --
vnet-name
az cognitiveservices commitment-tier list --location
az communication create --name --resource-group --data-location --location --no-wait --tags
az communication delete --no-wait --yes --ids --name --resource-group --subscription
az communication link-notification-hub --connection-string --resource-id --ids --name --resource-
group --subscription
az communication list --resource-group
az communication list-key --name --resource-group
az communication regenerate-key --key-type --ids --name --resource-group --subscription
az communication show --ids --name --resource-group --subscription
az communication update --data-location --location --tags --ids --name --resource-group --
subscription
az communication wait --ids --name --resource-group --subscription --created --custom --deleted --
exists --interval --timeout --updated
az communication chat message delete --message-id --thread --access-token --endpoint
az communication chat message get --message-id --thread --access-token --endpoint
az communication chat message list --thread --start-time --access-token --endpoint
az communication chat message send --content --thread --display-name --message-type --access-
token --endpoint
az communication chat message update --content --message-id --thread --access-token --endpoint
az communication chat message receipt list --thread --skip --access-token --endpoint
az communication chat message receipt send --message-id --thread --access-token --endpoint
az communication chat participant add --thread --user --display-name --start-time --access-token --
endpoint
az communication chat participant list --thread --skip --access-token --endpoint
az communication chat participant remove --thread --user --access-token --endpoint
az communication chat thread create --topic --idempotency-token --access-token --endpoint
az communication chat thread delete --thread --access-token --endpoint
az communication chat thread list --start-time --access-token --endpoint
az communication chat thread update-topic --thread --topic --access-token --endpoint
az communication identity token get-for-teams-user --aad-token --aad-user --client --connection-
string
az communication identity token issue --scope --user --connection-string
az communication identity token revoke --user --connection-string
az communication identity user create --connection-string
az communication identity user delete --user --connection-string
az communication phonenumber list --connection-string
az communication phonenumber show --phonenumber --connection-string
az communication sms send --message --recipient --sender --connection-string

```

```

az confidentialledger create --ledger-name --resource-group --aad-based-security-principals --aad-based-users --cert-based-security-principals --cert-based-users --ledger-type --location --no-wait --tags
az confidentialledger delete --no-wait --yes --ids --ledger-name --name --resource-group --subscription
az confidentialledger list --filter --resource-group
az confidentialledger show --ids --ledger-name --name --resource-group --subscription
az confidentialledger update --aad-based-security-principals --aad-based-users --cert-based-security-principals --cert-based-users --ledger-type --location --no-wait --tags --ids --ledger-name --name --resource-group --subscription
az confidentialledger wait --ids --ledger-name --name --resource-group --subscription --created --custom --deleted --exists --interval --timeout --updated
az config get --local
az config set --local
az config unset --local
az config param-persist delete --all --purge --recursive --yes
az config param-persist off
az config param-persist on
az config param-persist show
az confluent offer-detail show --publisher-id --offer-id
az confluent organization create --name --resource-group --location --no-wait --tags --plan-id --plan-name --term-unit --offer-id --publisher-id
az confluent organization delete --no-wait --yes --ids --name --organization-name --resource-group --subscription
az confluent organization list --resource-group
az confluent organization show --ids --name --organization-name --resource-group --subscription
az confluent organization update --tags --ids --name --organization-name --resource-group --subscription
az confluent organization wait --ids --name --organization-name --resource-group --subscription --created --custom --deleted --exists --interval --timeout --updated
az connectedk8s connect --name --resource-group --correlation-id --custom-locations-oid --disable-auto-upgrade --distribution --infrastructure --kube-config --kube-context --location --tags --enable-private-link --pls-arm-id --private-link-scope-resource-id --proxy-cert --proxy-http --proxy-https --proxy-skip-range --no-wait --onboarding-timeout
az connectedk8s delete --kube-config --kube-context --no-wait --yes --ids --name --resource-group --subscription
az connectedk8s disable-features --features --kube-config --kube-context --yes --ids --name --resource-group --subscription
az connectedk8s enable-features --features --custom-locations-oid --kube-config --kube-context --app-id --app-secret --skip-azure-rbac-list --ids --name --resource-group --subscription
az connectedk8s list --resource-group
az connectedk8s proxy --file --kube-context --port --token --ids --name --resource-group --subscription
az connectedk8s show --ids --name --resource-group --subscription
az connectedk8s troubleshoot --name --resource-group --kube-config --kube-context --tags
az connectedk8s update --auto-upgrade --kube-config --kube-context --tags --disable-proxy --proxy-cert --proxy-http --proxy-https --proxy-skip-range --ids --name --resource-group --subscription

```

```

az connectedk8s upgrade --agent-version --kube-config --kube-context --upgrade-timeout --ids --
name --resource-group --subscription
az connectedmachine delete --yes --ids --machine-name --name --resource-group --subscription
az connectedmachine list --resource-group
az connectedmachine show --ids --machine-name --name --resource-group --subscription
az connectedmachine upgrade-extension --extension-targets --ids --machine-name --resource-group
--subscription
az connectedmachine extension create --machine-name --name --resource-group --auto-upgrade-
minor --enable-auto-upgrade --force-update-tag --location --no-wait --protected-settings --publisher
--settings --tags --type --type-handler-version --inst-handler-version --instance-view-type --status
az connectedmachine extension delete --no-wait --yes --ids --machine-name --name --resource-
group --subscription
az connectedmachine extension list --machine-name --resource-group --expand
az connectedmachine extension show --ids --machine-name --name --resource-group --subscription
az connectedmachine extension update --auto-upgrade-minor --enable-auto-upgrade --force-
update-tag --no-wait --protected-settings --publisher --settings --tags --type --type-handler-version --
ids --machine-name --name --resource-group --subscription
az connectedmachine extension wait --ids --machine-name --name --resource-group --subscription --
created --custom --deleted --exists --interval --timeout --updated
az connectedmachine private-endpoint-connection delete --no-wait --yes --ids --name --private-
endpoint-connection-name --resource-group --scope-name --subscription
az connectedmachine private-endpoint-connection list --resource-group --scope-name
az connectedmachine private-endpoint-connection show --ids --name --private-endpoint-
connection-name --resource-group --scope-name --subscription
az connectedmachine private-endpoint-connection update --connection-state --no-wait --id --ids --
name --private-endpoint-connection-name --resource-group --scope-name --subscription
az connectedmachine private-endpoint-connection wait --ids --name --private-endpoint-connection-
name --resource-group --scope-name --subscription --created --custom --deleted --exists --interval --
timeout --updated
az connectedmachine private-link-resource list --resource-group --scope-name
az connectedmachine private-link-resource show --group-name --ids --resource-group --scope-name
--subscription
az connectedmachine private-link-scope create --resource-group --scope-name --location --public-
network-access --tags
az connectedmachine private-link-scope delete --no-wait --yes --ids --resource-group --scope-name -
-subscription
az connectedmachine private-link-scope list --resource-group
az connectedmachine private-link-scope show --ids --resource-group --scope-name --subscription
az connectedmachine private-link-scope show-validation-detail --ids --location --private-link-scope-id
--subscription
az connectedmachine private-link-scope show-validation-detail-for-machine --ids --machine-name --
resource-group --subscription
az connectedmachine private-link-scope update --location --public-network-access --tags --add --
force-string --remove --set --ids --resource-group --scope-name --subscription
az connectedmachine private-link-scope update-tag --tags --ids --resource-group --scope-name --
subscription
az connectedmachine private-link-scope wait --ids --resource-group --scope-name --subscription --
created --custom --deleted --exists --interval --timeout --updated

```

```

az connectedvmware cluster create --custom-location --inventory-item --location --name --resource-
group --vcenter --no-wait --tags
az connectedvmware cluster delete --force --no-wait --yes --ids --name --resource-group --
subscription
az connectedvmware cluster list --resource-group
az connectedvmware cluster show --ids --name --resource-group --subscription
az connectedvmware datastore create --custom-location --inventory-item --location --name --
resource-group --vcenter --no-wait --tags
az connectedvmware datastore delete --force --no-wait --yes --ids --name --resource-group --
subscription
az connectedvmware datastore list --resource-group
az connectedvmware datastore show --ids --name --resource-group --subscription
az connectedvmware host create --custom-location --inventory-item --location --name --resource-
group --vcenter --no-wait --tags
az connectedvmware host delete --force --no-wait --yes --ids --name --resource-group --subscription
az connectedvmware host list --resource-group
az connectedvmware host show --ids --name --resource-group --subscription
az connectedvmware resource-pool create --custom-location --inventory-item --location --name --
resource-group --vcenter --no-wait --tags
az connectedvmware resource-pool delete --force --no-wait --yes --ids --name --resource-group --
subscription
az connectedvmware resource-pool list --resource-group
az connectedvmware resource-pool show --ids --name --resource-group --subscription
az connectedvmware vcenter connect --custom-location --location --fqdn --no-wait --password --port
--tags --username --ids --name --resource-group --subscription
az connectedvmware vcenter delete --force --no-wait --yes --ids --name --resource-group --
subscription
az connectedvmware vcenter list --resource-group
az connectedvmware vcenter show --ids --name --resource-group --subscription
az connectedvmware vcenter inventory-item list --resource-group --vcenter
az connectedvmware vcenter inventory-item show --inventory-item --resource-group --vcenter
az connectedvmware virtual-network create --custom-location --inventory-item --location --name --
resource-group --vcenter --no-wait --tags
az connectedvmware virtual-network delete --force --no-wait --yes --ids --name --resource-group --
subscription
az connectedvmware virtual-network list --resource-group
az connectedvmware virtual-network show --ids --name --resource-group --subscription
az connectedvmware vm create --custom-location --location --name --resource-group --admin-
password --admin-username --cluster --datastore --disk --host --inventory-item --memory-size --nic --
no-wait --num-CPU --num-cores-per-socket --resource-pool --tags --vcenter --vm-template
az connectedvmware vm delete --force --no-wait --yes --ids --name --resource-group --subscription
az connectedvmware vm list --resource-group
az connectedvmware vm restart --no-wait --ids --name --resource-group --subscription
az connectedvmware vm show --ids --name --resource-group --subscription
az connectedvmware vm start --no-wait --ids --name --resource-group --subscription
az connectedvmware vm stop --no-wait --skip-shutdown --ids --name --resource-group --subscription
az connectedvmware vm update --memory-size --no-wait --num-CPU --num-cores-per-socket --tags
--ids --name --resource-group --subscription

```

```

az connectedvmware vm disk add --controller-key --disk-size --name --resource-group --vm-name --
disk-mode --no-wait --unit-number
az connectedvmware vm disk delete --disks --resource-group --vm-name --no-wait --yes
az connectedvmware vm disk list --resource-group --vm-name
az connectedvmware vm disk show --name --resource-group --vm-name
az connectedvmware vm disk update --resource-group --vm-name --controller-key --device-key --
disk-mode --disk-size --name --no-wait --unit-number
az connectedvmware vm extension create --location --name --resource-group --vm-name --auto-
upgrade-minor --force-update-tag --no-wait --protected-settings --publisher --settings --tags --type --
type-handler-version --inst-handler-version --instance-view-type
az connectedvmware vm extension delete --no-wait --yes --ids --name --resource-group --
subscription --vm-name
az connectedvmware vm extension list --resource-group --vm-name --expand
az connectedvmware vm extension show --ids --name --resource-group --subscription --vm-name
az connectedvmware vm extension update --name --resource-group --vm-name --auto-upgrade-
minor --force-update-tag --no-wait --protected-settings --publisher --settings --tags --type --type-
handler-version
az connectedvmware vm guest-agent enable --password --resource-group --username --vm-name --
https-proxy --no-wait
az connectedvmware vm guest-agent show --resource-group --vm-name
az connectedvmware vm nic add --name --network --resource-group --vm-name --nic-type --no-wait
--power-on-boot
az connectedvmware vm nic delete --nics --resource-group --vm-name --no-wait --yes
az connectedvmware vm nic list --resource-group --vm-name
az connectedvmware vm nic show --name --resource-group --vm-name
az connectedvmware vm nic update --resource-group --vm-name --device-key --name --network --
no-wait --power-on-boot
az connectedvmware vm-template create --custom-location --inventory-item --location --name --
resource-group --vcenter --no-wait --tags
az connectedvmware vm-template delete --force --no-wait --yes --ids --name --resource-group --
subscription
az connectedvmware vm-template list --resource-group
az connectedvmware vm-template show --ids --name --resource-group --subscription
az consumption budget create --amount --budget-name --category --end-date --start-date --time-
grain --meter-filter --resource-filter --resource-group --resource-group-filter
az consumption budget delete --budget-name --resource-group
az consumption budget list --resource-group
az consumption budget show --budget-name --resource-group
az consumption marketplace list --billing-period-name --end-date --start-date --top
az consumption pricesheet show --billing-period-name --include-meter-details
az consumption reservation detail list --end-date --reservation-order-id --start-date --reservation-id
az consumption reservation summary list --grain --reservation-order-id --end-date --reservation-id --
start-date
az consumption usage list --billing-period-name --end-date --include-additional-properties --include-
meter-details --start-date --top
az container attach --container-name --ids --name --resource-group --subscription
az container create --resource-group --command-line --cpu --dns-name-label --environment-
variables --file --image --ip-address --location --memory --name --no-wait --os-type --ports --protocol

```

```

--restart-policy --secrets --secrets-mount-path --secure-environment-variables --zone --azure-file-
volume-account-key --azure-file-volume-account-name --azure-file-volume-mount-path --azure-file-
volume-share-name --gitrepo-dir --gitrepo-mount-path --gitrepo-revision --gitrepo-url --acr-identity -
--registry-login-server --registry-password --registry-username --log-analytics-workspace --log-
analytics-workspace-key --assign-identity --role --scope --subnet --subnet-address-prefix --vnet --
vnet-address-prefix
az container delete --yes --ids --name --resource-group --subscription
az container exec --exec-command --container-name --ids --name --resource-group --subscription
az container export --file --ids --name --resource-group --subscription
az container list --resource-group
az container logs --container-name --follow --ids --name --resource-group --subscription
az container restart --name --resource-group --no-wait
az container show --ids --name --resource-group --subscription
az container start --name --resource-group --no-wait
az container stop --name --resource-group
az container app up --acr --branch-name --do-not-wait --port --repository
az containerapp browse --ids --name --resource-group --subscription
az containerapp create --name --resource-group --environment --no-wait --tags --yaml --registry-
password --registry-server --registry-username --revisions-mode --secrets --args --command --
container-name --cpu --env-vars --image --memory --revision-suffix --dapr-app-id --dapr-app-port --
dapr-app-protocol --enable-dapr --system-assigned --user-assigned --ingress --target-port --transport
--max-replicas --min-replicas
az containerapp delete --no-wait --yes --ids --name --resource-group --subscription
az containerapp exec --name --resource-group --container --replica --revision --command
az containerapp list --resource-group
az containerapp show --ids --name --resource-group --subscription
az containerapp up --name --browse --environment --image --location --resource-group --source --
registry-password --registry-server --registry-username --env-vars --branch --context-path --repo --
service-principal-client-id --sp-cid --service-principal-client-secret --sp-sec --service-principal-tenant-
id --sp-tid --token --ingress --target-port --logs-workspace-id --logs-workspace-key
az containerapp update --no-wait --tags --yaml --args --command --container-name --cpu --image --
memory --revision-suffix --remove-all-env-vars --remove-env-vars --replace-env-vars --set-env-vars --
ids --name --resource-group --subscription --max-replicas --min-replicas
az containerapp compose create --environment --resource-group --compose-file-path --location --
registry-password --registry-server --registry-username --tags --transport
az containerapp dapr disable --ids --name --resource-group --subscription
az containerapp dapr enable --dapr-app-id --dapr-app-port --dapr-app-protocol --ids --name --
resource-group --subscription
az containerapp env create --name --resource-group --location --no-wait --tags --dapr-
instrumentation-key --logs-workspace-id --logs-workspace-key --docker-bridge-cidr --infrastructure-
subnet-resource-id --internal-only --platform-reserved-cidr --platform-reserved-dns-ip
az containerapp env delete --no-wait --yes --ids --name --resource-group --subscription
az containerapp env list --resource-group
az containerapp env show --ids --name --resource-group --subscription
az containerapp env dapr-component list --name --resource-group
az containerapp env dapr-component remove --dapr-component-name --name --resource-group
az containerapp env dapr-component set --dapr-component-name --name --resource-group --yaml
az containerapp env dapr-component show --dapr-component-name --name --resource-group

```

az containerapp env storage list --name --resource-group  
 az containerapp env storage remove --name --resource-group --storage-name --no-wait --yes  
 az containerapp env storage set --access-mode --account-name --azure-file-account-key --azure-file-share-name --name --resource-group --storage-name --no-wait  
 az containerapp env storage show --name --resource-group --storage-name  
 az containerapp github-action add --repo-url --branch --context-path --image --login-with-github --registry-password --registry-url --registry-username --service-principal-client-id --service-principal-client-secret --service-principal-tenant-id --token --ids --name --resource-group --subscription  
 az containerapp github-action delete --login-with-github --token --ids --name --resource-group --subscription  
 az containerapp github-action show --ids --name --resource-group --subscription  
 az containerapp identity assign --no-wait --system-assigned --user-assigned --ids --name --resource-group --subscription  
 az containerapp identity remove --no-wait --system-assigned --user-assigned --ids --name --resource-group --subscription  
 az containerapp identity show --ids --name --resource-group --subscription  
 az containerapp ingress disable --ids --name --resource-group --subscription  
 az containerapp ingress enable --type --allow-insecure --target-port --transport --ids --name --resource-group --subscription  
 az containerapp ingress show --ids --name --resource-group --subscription  
 az containerapp ingress traffic set --label-weight --revision-weight --traffic-weight --ids --name --resource-group --subscription  
 az containerapp ingress traffic show --ids --name --resource-group --subscription  
 az containerapp logs show --name --resource-group --container --follow --format --replica --revision --tail  
 az containerapp registry list --name --resource-group  
 az containerapp registry remove --server --ids --name --resource-group --subscription  
 az containerapp registry set --server --password --username --ids --name --resource-group --subscription  
 az containerapp registry show --server --ids --name --resource-group --subscription  
 az containerapp replica list --name --resource-group --revision  
 az containerapp replica show --name --replica --resource-group --revision  
 az containerapp revision activate --revision --ids --name --resource-group --subscription  
 az containerapp revision copy --from-revision --image --tags --yaml --args --command --container-name --cpu --memory --revision-suffix --remove-all-env-vars --remove-env-vars --replace-env-vars --set-env-vars --ids --name --resource-group --subscription --max-replicas --min-replicas  
 az containerapp revision deactivate --revision --ids --name --resource-group --subscription  
 az containerapp revision list --name --resource-group  
 az containerapp revision restart --revision --ids --name --resource-group --subscription  
 az containerapp revision set-mode --mode --ids --name --resource-group --subscription  
 az containerapp revision show --revision --ids --name --resource-group --subscription  
 az containerapp revision label add --label --resource-group --revision --name  
 az containerapp revision label remove --label --name --resource-group  
 az containerapp secret list --name --resource-group --show-values  
 az containerapp secret remove --secret-names --ids --name --resource-group --subscription  
 az containerapp secret set --secrets --ids --name --resource-group --subscription  
 az containerapp secret show --secret-name --ids --name --resource-group --subscription  
 az cosmosdb check-name-exists --ids --name --subscription

```

az cosmosdb create --name --resource-group --assign-identity --capabilities --default-consistency-
level --default-identity --disable-key-based-metadata-write-access --enable-analytical-storage --
enable-automatic-failover --enable-free-tier --enable-materialized-views --enable-mv --enable-
multiple-write-locations --enable-public-network --enable-virtual-network --ip-range-filter --key-uri --
kind --locations --max-interval --max-staleness-prefix --network-acl-bypass --network-acl-bypass-
resource-ids --server-version --tags --virtual-network-rules --analytical-storage-schema-type --as-
schema --backup-interval --backup-policy-type --backup-redundancy --backup-retention --
continuous-tier --databases-to-restore --gremlin-databases-to-restore --is-restore-request --restore-
source --restore-timestamp --tables-to-restore
az cosmosdb delete --yes --ids --name --resource-group --subscription
az cosmosdb failover-priority-change --failover-policies --ids --name --resource-group --subscription
az cosmosdb list --resource-group
az cosmosdb restore --account-name --location --resource-group --restore-timestamp --target-
database-account-name --databases-to-restore --gremlin-databases-to-restore --tables-to-restore
az cosmosdb show --ids --name --resource-group --subscription
az cosmosdb update --capabilities --default-consistency-level --default-identity --disable-key-based-
metadata-write-access --enable-analytical-storage --enable-automatic-failover --enable-
materialized-views --enable-mv --enable-multiple-write-locations --enable-public-network --enable-
virtual-network --ip-range-filter --locations --max-interval --max-staleness-prefix --network-acl-
bypass --network-acl-bypass-resource-ids --server-version --tags --virtual-network-rules --analytical-
storage-schema-type --as-schema --backup-interval --backup-policy-type --backup-redundancy --
backup-retention --continuous-tier --ids --name --resource-group --subscription
az cosmosdb cassandra keyspace create --account-name --name --resource-group --max-throughput
--throughput
az cosmosdb cassandra keyspace delete --account-name --name --resource-group --yes
az cosmosdb cassandra keyspace exists --account-name --name --resource-group
az cosmosdb cassandra keyspace list --account-name --resource-group
az cosmosdb cassandra keyspace show --account-name --name --resource-group
az cosmosdb cassandra keyspace throughput migrate --account-name --name --resource-group --
throughput-type
az cosmosdb cassandra keyspace throughput show --account-name --name --resource-group
az cosmosdb cassandra keyspace throughput update --account-name --name --resource-group --
max-throughput --throughput
az cosmosdb cassandra table create --account-name --keyspace-name --name --resource-group --
schema --schema --schema --analytical-storage-ttl --max-throughput --throughput --ttl
az cosmosdb cassandra table delete --account-name --keyspace-name --name --resource-group --yes
az cosmosdb cassandra table exists --account-name --keyspace-name --name --resource-group
az cosmosdb cassandra table list --account-name --keyspace-name --resource-group
az cosmosdb cassandra table show --account-name --keyspace-name --name --resource-group
az cosmosdb cassandra table update --account-name --keyspace-name --name --resource-group --
analytical-storage-ttl --schema --schema --schema --ttl
az cosmosdb cassandra table throughput migrate --account-name --keyspace-name --name --
resource-group --throughput-type
az cosmosdb cassandra table throughput show --account-name --keyspace-name --name --resource-
group
az cosmosdb cassandra table throughput update --account-name --keyspace-name --name --
resource-group --max-throughput --throughput
az cosmosdb dts cancel --account-name --job-name --resource-group

```



```

az cosmosdb dts copy --account-name --resource-group --dest-cassandra-table --dest-sql-container --
job-name --source-cassandra-table --source-sql-container --worker-count
az cosmosdb dts list --account-name --resource-group
az cosmosdb dts pause --account-name --job-name --resource-group
az cosmosdb dts resume --account-name --job-name --resource-group
az cosmosdb dts show --account-name --job-name --resource-group
az cosmosdb gremlin retrieve-latest-backup-time --account-name --database-name --graph-name --
location --resource-group
az cosmosdb gremlin database create --account-name --name --resource-group --max-throughput --
throughput
az cosmosdb gremlin database delete --account-name --name --resource-group --yes
az cosmosdb gremlin database exists --account-name --name --resource-group
az cosmosdb gremlin database list --account-name --resource-group
az cosmosdb gremlin database show --account-name --name --resource-group
az cosmosdb gremlin database throughput migrate --account-name --name --resource-group --
throughput-type
az cosmosdb gremlin database throughput show --account-name --name --resource-group
az cosmosdb gremlin database throughput update --account-name --name --resource-group --max-
throughput --throughput
az cosmosdb gremlin graph create --account-name --database-name --name --partition-key-path --
resource-group --conflict-resolution-policy --conflict-resolution-policy --idx --idx --idx --max-
throughput --throughput --ttl
az cosmosdb gremlin graph delete --account-name --database-name --name --resource-group --yes
az cosmosdb gremlin graph exists --account-name --database-name --name --resource-group
az cosmosdb gremlin graph list --account-name --database-name --resource-group
az cosmosdb gremlin graph show --account-name --database-name --name --resource-group
az cosmosdb gremlin graph update --account-name --database-name --name --resource-group --idx -
idx --idx --ttl
az cosmosdb gremlin graph throughput migrate --account-name --database-name --name --
resource-group --throughput-type
az cosmosdb gremlin graph throughput show --account-name --database-name --name --resource-
group
az cosmosdb gremlin graph throughput update --account-name --database-name --name --resource-
group --max-throughput --throughput
az cosmosdb gremlin restorable-database list --instance-id --location
az cosmosdb gremlin restorable-graph list --database-rid --instance-id --location --end-time --start-
time
az cosmosdb gremlin restorable-resource list --instance-id --location --restore-location --restore-
timestamp
az cosmosdb identity assign --identities --ids --name --resource-group --subscription
az cosmosdb identity remove --identities --ids --name --resource-group --subscription
az cosmosdb identity show --ids --name --resource-group --subscription
az cosmosdb keys list --name --resource-group --type
az cosmosdb keys regenerate --key-kind --ids --name --resource-group --subscription
az cosmosdb locations list
az cosmosdb locations show --location
az cosmosdb mongodb retrieve-latest-backup-time --account-name --collection-name --database-
name --location --resource-group

```

```

az cosmosdb mongodb collection create --account-name --database-name --name --resource-group -
-analytical-storage-ttl --idx --idx --max-throughput --shard --throughput
az cosmosdb mongodb collection delete --account-name --database-name --name --resource-group -
-yes
az cosmosdb mongodb collection exists --account-name --database-name --name --resource-group
az cosmosdb mongodb collection list --account-name --database-name --resource-group
az cosmosdb mongodb collection merge --account-name --database-name --name --resource-group
az cosmosdb mongodb collection redistribute-partition-throughput --account-name --database-
name --name --resource-group --evenly-distribute --source-partition-info --target-partition-info
az cosmosdb mongodb collection retrieve-partition-throughput --account-name --database-name --
name --resource-group --all-partitions --physical-partition-ids
az cosmosdb mongodb collection show --account-name --database-name --name --resource-group
az cosmosdb mongodb collection update --account-name --database-name --name --resource-group
--analytical-storage-ttl --idx --idx
az cosmosdb mongodb collection throughput migrate --account-name --database-name --name --
resource-group --throughput-type
az cosmosdb mongodb collection throughput show --account-name --database-name --name --
resource-group
az cosmosdb mongodb collection throughput update --account-name --database-name --name --
resource-group --max-throughput --throughput
az cosmosdb mongodb database create --account-name --name --resource-group --max-throughput
--throughput
az cosmosdb mongodb database delete --account-name --name --resource-group --yes
az cosmosdb mongodb database exists --account-name --name --resource-group
az cosmosdb mongodb database list --account-name --resource-group
az cosmosdb mongodb database show --account-name --name --resource-group
az cosmosdb mongodb database throughput migrate --account-name --name --resource-group --
throughput-type
az cosmosdb mongodb database throughput show --account-name --name --resource-group
az cosmosdb mongodb database throughput update --account-name --name --resource-group --
max-throughput --throughput
az cosmosdb mongodb restorable-collection list --database-rid --instance-id --location --end-time --
start-time
az cosmosdb mongodb restorable-database list --instance-id --location
az cosmosdb mongodb restorable-resource list --instance-id --location --restore-location --restore-
timestamp
az cosmosdb mongodb role definition create --account-name --body --resource-group
az cosmosdb mongodb role definition delete --account-name --id --resource-group --yes
az cosmosdb mongodb role definition exists --account-name --id --resource-group
az cosmosdb mongodb role definition list --account-name --resource-group
az cosmosdb mongodb role definition show --account-name --id --resource-group
az cosmosdb mongodb role definition update --account-name --body --resource-group
az cosmosdb mongodb user definition create --account-name --body --resource-group
az cosmosdb mongodb user definition delete --account-name --id --resource-group --yes
az cosmosdb mongodb user definition exists --account-name --id --resource-group
az cosmosdb mongodb user definition list --account-name --resource-group
az cosmosdb mongodb user definition show --account-name --id --resource-group
az cosmosdb mongodb user definition update --account-name --body --resource-group

```

```

az cosmosdb network-rule add --subnet --ignore-missing-endpoint --ignore-missing-vnet-service-
endpoint --virtual-network --vnet-name --ids --name --resource-group --subscription
az cosmosdb network-rule list --name --resource-group
az cosmosdb network-rule remove --subnet --virtual-network --vnet-name --ids --name --resource-
group --subscription
az cosmosdb private-endpoint-connection approve --description --id --name --account-name --ids --
resource-group --subscription
az cosmosdb private-endpoint-connection delete --id --name --account-name --ids --resource-group -
-subscription
az cosmosdb private-endpoint-connection reject --description --id --name --account-name --ids --
resource-group --subscription
az cosmosdb private-endpoint-connection show --id --name --account-name --ids --resource-group --
subscription
az cosmosdb private-link-resource list --account-name --resource-group
az cosmosdb restorable-database-account list --account-name --location
az cosmosdb restorable-database-account show --instance-id --location
az cosmosdb service create --account-name --kind --name --resource-group-name --count --no-wait -
-size
az cosmosdb service delete --account-name --name --resource-group-name --no-wait --yes
az cosmosdb service list --account-name --resource-group-name
az cosmosdb service show --account-name --name --resource-group-name
az cosmosdb service update --account-name --count --kind --name --resource-group-name --no-wait
--size
az cosmosdb sql retrieve-latest-backup-time --account-name --container-name --database-name --
location --resource-group
az cosmosdb sql container create --account-name --database-name --name --partition-key-path --
resource-group --analytical-storage-ttl --conflict-resolution-policy --conflict-resolution-policy --idx --
idx --idx --max-throughput --partition-key-version --throughput --ttl --unique-key-policy --unique-
key-policy
az cosmosdb sql container delete --account-name --database-name --name --resource-group --yes
az cosmosdb sql container exists --account-name --database-name --name --resource-group
az cosmosdb sql container list --account-name --database-name --resource-group
az cosmosdb sql container merge --account-name --database-name --name --resource-group
az cosmosdb sql container redistribute-partition-throughput --account-name --database-name --
name --resource-group --evenly-distribute --source-partition-info --target-partition-info
az cosmosdb sql container retrieve-partition-throughput --account-name --database-name --name --
resource-group --all-partitions --physical-partition-ids
az cosmosdb sql container show --account-name --database-name --name --resource-group
az cosmosdb sql container update --account-name --database-name --name --resource-group --
analytical-storage-ttl --idx --idx --idx --ttl
az cosmosdb sql container throughput migrate --account-name --database-name --name --resource-
group --throughput-type
az cosmosdb sql container throughput show --account-name --database-name --name --resource-
group
az cosmosdb sql container throughput update --account-name --database-name --name --resource-
group --max-throughput --throughput
az cosmosdb sql database create --account-name --name --resource-group --max-throughput --
throughput

```

```

az cosmosdb sql database delete --account-name --name --resource-group --yes
az cosmosdb sql database exists --account-name --name --resource-group
az cosmosdb sql database list --account-name --resource-group
az cosmosdb sql database show --account-name --name --resource-group
az cosmosdb sql database throughput migrate --account-name --name --resource-group --
throughput-type
az cosmosdb sql database throughput show --account-name --name --resource-group
az cosmosdb sql database throughput update --account-name --name --resource-group --max-
throughput --throughput
az cosmosdb sql restorable-container list --database-rid --instance-id --location --end-time --start-
time
az cosmosdb sql restorable-database list --instance-id --location
az cosmosdb sql restorable-resource list --instance-id --location --restore-location --restore-
timestamp
az cosmosdb sql role assignment create --account-name --principal-id --resource-group --scope --no-
wait --role-assignment-id --role-definition-id --role-definition-name
az cosmosdb sql role assignment delete --account-name --resource-group --role-assignment-id --no-
wait --yes
az cosmosdb sql role assignment exists --account-name --resource-group --role-assignment-id
az cosmosdb sql role assignment list --account-name --resource-group
az cosmosdb sql role assignment show --account-name --resource-group --role-assignment-id
az cosmosdb sql role assignment update --account-name --resource-group --role-assignment-id --no-
wait --principal-id --role-definition-id --role-definition-name --scope
az cosmosdb sql role assignment wait --account-name --resource-group --role-assignment-id --
created --custom --deleted --exists --interval --timeout --updated
az cosmosdb sql role definition create --account-name --body --body --body --resource-group --no-
wait
az cosmosdb sql role definition delete --account-name --id --resource-group --no-wait --yes
az cosmosdb sql role definition exists --account-name --id --resource-group
az cosmosdb sql role definition list --account-name --resource-group
az cosmosdb sql role definition show --account-name --id --resource-group
az cosmosdb sql role definition update --account-name --body --body --body --resource-group --no-
wait
az cosmosdb sql role definition wait --account-name --id --resource-group --created --custom --
deleted --exists --interval --timeout --updated
az cosmosdb sql stored-procedure create --account-name --body --container-name --database-name
--name --resource-group
az cosmosdb sql stored-procedure delete --account-name --container-name --database-name --
name --resource-group --yes
az cosmosdb sql stored-procedure list --account-name --container-name --database-name --
resource-group
az cosmosdb sql stored-procedure show --account-name --container-name --database-name --name
--resource-group
az cosmosdb sql stored-procedure update --account-name --body --container-name --database-
name --name --resource-group
az cosmosdb sql trigger create --account-name --body --container-name --database-name --name --
resource-group --operation --type

```

```

az cosmosdb sql trigger delete --account-name --container-name --database-name --name --
resource-group --yes
az cosmosdb sql trigger list --account-name --container-name --database-name --resource-group
az cosmosdb sql trigger show --account-name --container-name --database-name --name --resource-
group
az cosmosdb sql trigger update --account-name --container-name --database-name --name --
resource-group --body --operation --type
az cosmosdb sql user-defined-function create --account-name --body --container-name --database-
name --name --resource-group
az cosmosdb sql user-defined-function delete --account-name --container-name --database-name --
name --resource-group --yes
az cosmosdb sql user-defined-function list --account-name --container-name --database-name --
resource-group
az cosmosdb sql user-defined-function show --account-name --container-name --database-name --
name --resource-group
az cosmosdb sql user-defined-function update --account-name --body --container-name --database-
name --name --resource-group
az cosmosdb table create --account-name --name --resource-group --max-throughput --throughput
az cosmosdb table delete --account-name --name --resource-group --yes
az cosmosdb table exists --account-name --name --resource-group
az cosmosdb table list --account-name --resource-group
az cosmosdb table retrieve-latest-backup-time --account-name --location --resource-group --table-
name
az cosmosdb table show --account-name --name --resource-group
az cosmosdb table restorable-resource list --instance-id --location --restore-location --restore-
timestamp
az cosmosdb table restorable-table list --instance-id --location --end-time --start-time
az cosmosdb table throughput migrate --account-name --name --resource-group --throughput-type
az cosmosdb table throughput show --account-name --name --resource-group
az cosmosdb table throughput update --account-name --name --resource-group --max-throughput --
throughput
az costmanagement export create --name --scope --storage-account-id --storage-container --storage-
directory --timeframe --dataset-configuration --time-period --type --recurrence --recurrence-period -
-schedule-status
az costmanagement export delete --name --scope --yes
az costmanagement export list --scope
az costmanagement export show --name --scope
az costmanagement export update --name --scope --storage-account-id --storage-container --
storage-directory --dataset-configuration --time-period --timeframe --recurrence --recurrence-period
--schedule-status
az csvmware private-cloud list --location
az csvmware private-cloud show --location --name
az csvmware resource-pool list --location --private-cloud
az csvmware resource-pool show --location --name --private-cloud
az csvmware virtual-network list --location --private-cloud --resource-pool
az csvmware virtual-network show --location --name --private-cloud
az csvmware vm create --name --private-cloud --resource-group --resource-pool --template --cores --
expose-to-guest-vm --location --ram --nic --disk

```

```

az csvmware vm delete --name --resource-group
az csvmware vm list --resource-group
az csvmware vm show --name --resource-group
az csvmware vm start --name --resource-group
az csvmware vm stop --mode --name --resource-group
az csvmware vm update --name --resource-group --no-wait --add --force-string --remove --set
az csvmware vm disk add --resource-group --vm-name --controller --mode --size
az csvmware vm disk delete --resource-group --vm-name --disks
az csvmware vm disk list --resource-group --vm-name
az csvmware vm disk show --resource-group --vm-name --name
az csvmware vm nic add --resource-group --vm-name --virtual-network --adapter --power-on-boot
az csvmware vm nic delete --resource-group --vm-name --nics
az csvmware vm nic list --resource-group --vm-name
az csvmware vm nic show --resource-group --vm-name --name
az csvmware vm-template list --location --private-cloud --resource-pool
az csvmware vm-template show --location --name --private-cloud
az custom-providers resource-provider create --name --resource-group --action --location --no-wait -
-resource-type --tags --validation
az custom-providers resource-provider delete --name --resource-group --no-wait --yes
az custom-providers resource-provider list --resource-group
az custom-providers resource-provider show --name --resource-group
az custom-providers resource-provider update --name --resource-group --tags
az customlocation create --cluster-extension-ids --host-resource-id --name --namespace --resource-
group --assign-identity --kubeconfig --location --tags
az customlocation delete --name --resource-group --yes
az customlocation list --resource-group
az customlocation list-enabled-resource-types --name --resource-group
az customlocation patch --name --resource-group --assign-identity --cluster-extension-ids --display-
name --host-resource-id --location --namespace --tags
az customlocation show --name --resource-group
az customlocation update --cluster-extension-ids --host-resource-id --name --namespace --resource-
group --assign-identity --location --tags
az databox job cancel --name --reason --resource-group --yes
az databox job create --location --name --resource-group --sku --expected-data-size --tags --contact-
name --email-list --phone --mobile --resource-group-for-managed-disk --staging-storage-account --
city --country --postal-code --state-or-province --street-address1 --company-name --street-address2
--street-address3 --storage-accounts
az databox job delete --name --resource-group --yes
az databox job list --resource-group
az databox job list-credentials --name --resource-group
az databox job show --name --resource-group
az databox job update --name --resource-group --contact-name --email-list --mobile --phone --city --
company-name --country --postal-code --state-or-province --street-address1 --street-address2 --
street-address3
az databoxedge list-node --device-name --resource-group
az databoxedge list-sku --filter
az databoxedge show-job --device-name --ids --name --resource-group --subscription
az databoxedge alert list --device-name --resource-group

```

az databoxedge alert show --device-name --ids --name --resource-group --subscription  
 az databoxedge bandwidth-schedule create --days --device-name --name --rate-in-mbps --resource-group --start --stop --no-wait  
 az databoxedge bandwidth-schedule delete --no-wait --yes --device-name --ids --name --resource-group --subscription  
 az databoxedge bandwidth-schedule list --device-name --resource-group  
 az databoxedge bandwidth-schedule show --device-name --ids --name --resource-group --subscription  
 az databoxedge bandwidth-schedule update --days --rate-in-mbps --start --stop --no-wait --add --force-string --remove --set --device-name --ids --name --resource-group --subscription  
 az databoxedge bandwidth-schedule wait --device-name --ids --name --resource-group --subscription --created --custom --deleted --exists --interval --timeout --updated  
 az databoxedge device create --device-name --resource-group --description --etag --friendly-name --location --model-description --no-wait --sku --status --tags  
 az databoxedge device delete --no-wait --yes --device-name --name --ids --resource-group --subscription  
 az databoxedge device download-update --no-wait --device-name --name --ids --resource-group --subscription  
 az databoxedge device install-update --no-wait --device-name --name --ids --resource-group --subscription  
 az databoxedge device list --expand --resource-group  
 az databoxedge device scan-for-update --no-wait --device-name --name --ids --resource-group --subscription  
 az databoxedge device show --device-name --name --ids --resource-group --subscription  
 az databoxedge device show-update-summary --device-name --name --ids --resource-group --subscription  
 az databoxedge device update --tags --device-name --name --ids --resource-group --subscription  
 az databoxedge device wait --device-name --name --ids --resource-group --subscription --created --custom --deleted --exists --interval --timeout --updated  
 az databoxedge order create --device-name --resource-group --no-wait --company-name --contact-person --email-list --phone --status --comments --address-line1 --city --country --postal-code --state --address-line2 --address-line3  
 az databoxedge order delete --no-wait --yes --device-name --ids --resource-group --subscription  
 az databoxedge order list --device-name --resource-group  
 az databoxedge order show --device-name --ids --resource-group --subscription  
 az databoxedge order update --no-wait --company-name --contact-person --email-list --phone --comments --status --add --force-string --remove --set --device-name --ids --resource-group --subscription --address-line1 --address-line2 --address-line3 --city --country --postal-code --state  
 az databoxedge order wait --device-name --ids --resource-group --subscription --created --custom --deleted --exists --interval --timeout --updated  
 az databricks workspace create --location --name --resource-group --sku --enable-no-public-ip --managed-resource-group --no-wait --prepare-encryption --public-network-access --require-infrastructure-encryption --required-nsg-rules --tags --private-subnet --public-subnet --vnet  
 az databricks workspace delete --no-wait --yes --ids --name --resource-group --subscription  
 az databricks workspace list --resource-group  
 az databricks workspace show --ids --name --resource-group --subscription  
 az databricks workspace update --no-wait --prepare-encryption --tags --key-name --key-source --key-vault --key-version --ids --name --resource-group --subscription

```

az databricks workspace wait --ids --name --resource-group --subscription --created --custom --
deleted --exists --interval --timeout --updated
az databricks workspace vnet-peering create --name --remote-vnet --resource-group --workspace-
name --allow-forwarded-traffic --allow-gateway-transit --allow-virtual-network-access --no-wait --
use-remote-gateways
az databricks workspace vnet-peering delete --name --resource-group --workspace-name --no-wait
az databricks workspace vnet-peering list --resource-group --workspace-name
az databricks workspace vnet-peering show --name --resource-group --workspace-name
az databricks workspace vnet-peering update --name --resource-group --workspace-name --allow-
forwarded-traffic --allow-gateway-transit --allow-virtual-network-access --no-wait --use-remote-
gateways
az databricks workspace vnet-peering wait --name --resource-group --workspace-name --created --
custom --deleted --exists --interval --timeout --updated
az datadog monitor create --monitor-name --resource-group --datadog-organization-properties --
location --no-wait --tags --user-info --type --sku-name
az datadog monitor delete --no-wait --yes --ids --monitor-name --name --resource-group --
subscription
az datadog monitor get-default-key --ids --monitor-name --name --resource-group --subscription
az datadog monitor list --resource-group
az datadog monitor list-api-key --monitor-name --resource-group
az datadog monitor list-host --monitor-name --resource-group
az datadog monitor list-linked-resource --monitor-name --resource-group
az datadog monitor list-monitored-resource --monitor-name --resource-group
az datadog monitor refresh-set-password-link --ids --monitor-name --name --resource-group --
subscription
az datadog monitor set-default-key --created --created-by --key --name --ids --monitor-name --
resource-group --subscription
az datadog monitor show --ids --monitor-name --name --resource-group --subscription
az datadog monitor update --monitoring-status --no-wait --tags --ids --monitor-name --name --
resource-group --subscription --sku-name
az datadog monitor wait --ids --monitor-name --name --resource-group --subscription --created --
custom --deleted --exists --interval --timeout --updated
az datadog sso-config create --configuration-name --monitor-name --resource-group --no-wait
az datadog sso-config list --monitor-name --resource-group
az datadog sso-config show --configuration-name --ids --monitor-name --resource-group --
subscription
az datadog sso-config update --no-wait --add --force-string --remove --set --configuration-name --ids
--monitor-name --resource-group --subscription
az datadog sso-config wait --configuration-name --ids --monitor-name --resource-group --
subscription --created --custom --deleted --exists --interval --timeout --updated
az datadog tag-rule create --monitor-name --resource-group --rule-set-name --log-rules-filtering-tags
--send-aad-logs --send-resource-logs --send-subscription-logs --filtering-tags
az datadog tag-rule list --monitor-name --resource-group
az datadog tag-rule show --ids --monitor-name --resource-group --rule-set-name --subscription
az datadog tag-rule update --add --force-string --remove --set --log-rules-filtering-tags --send-aad-
logs --send-resource-logs --send-subscription-logs --filtering-tags --ids --monitor-name --resource-
group --rule-set-name --subscription
az datadog terms create --properties

```



```

az datadog terms list
az datadog terms update --properties
az datafactory configure-factory-repo --factory-resource-id --factory-git-hub-configuration --github-
config --factory-vsts-configuration --vsts-config --ids --location --subscription
az datafactory create --factory-name --resource-group --global-parameters --if-match --location --
tags --factory-git-hub-configuration --github-config --factory-vsts-configuration --vsts-config
az datafactory delete --yes --factory-name --name --ids --resource-group --subscription
az datafactory get-data-plane-access --access-resource-path --expire-time --permissions --profile-
name --start-time --factory-name --name --ids --resource-group --subscription
az datafactory get-git-hub-access-token --git-hub-access-code --git-hub-access-token-base-url --git-
hub-client-id --factory-name --name --ids --resource-group --subscription
az datafactory list --resource-group
az datafactory show --if-none-match --factory-name --name --ids --resource-group --subscription
az datafactory update --tags --factory-name --name --ids --resource-group --subscription
az datafactory activity-run query-by-pipeline-run --last-updated-after --last-updated-before --
continuation-token --filters --order-by --factory-name --ids --resource-group --run-id --subscription
az datafactory dataset create --dataset-name --factory-name --properties --resource-group --if-
match
az datafactory dataset delete --yes --dataset-name --name --factory-name --ids --resource-group --
subscription
az datafactory dataset list --factory-name --resource-group
az datafactory dataset show --if-none-match --dataset-name --name --factory-name --ids --resource-
group --subscription
az datafactory dataset update
az datafactory integration-runtime delete --yes --factory-name --ids --integration-runtime-name --
name --resource-group --subscription
az datafactory integration-runtime get-connection-info --factory-name --ids --integration-runtime-
name --name --resource-group --subscription
az datafactory integration-runtime get-monitoring-data --factory-name --ids --integration-runtime-
name --name --resource-group --subscription
az datafactory integration-runtime get-status --factory-name --ids --integration-runtime-name --
name --resource-group --subscription
az datafactory integration-runtime list --factory-name --resource-group
az datafactory integration-runtime list-auth-key --factory-name --integration-runtime-name --
resource-group
az datafactory integration-runtime regenerate-auth-key --key-name --factory-name --ids --
integration-runtime-name --name --resource-group --subscription
az datafactory integration-runtime remove-link --linked-factory-name --factory-name --ids --
integration-runtime-name --name --resource-group --subscription
az datafactory integration-runtime show --if-none-match --factory-name --ids --integration-runtime-
name --name --resource-group --subscription
az datafactory integration-runtime start --no-wait --factory-name --ids --integration-runtime-name --
name --resource-group --subscription
az datafactory integration-runtime stop --no-wait --factory-name --ids --integration-runtime-name --
name --resource-group --subscription
az datafactory integration-runtime sync-credentials --factory-name --ids --integration-runtime-name
--name --resource-group --subscription

```

```

az datafactory integration-runtime update --auto-update --update-delay-offset --factory-name --ids -
-integration-runtime-name --name --resource-group --subscription
az datafactory integration-runtime upgrade --factory-name --ids --integration-runtime-name --name
--resource-group --subscription
az datafactory integration-runtime wait --if-none-match --factory-name --ids --integration-runtime-
name --name --resource-group --subscription --created --custom --deleted --exists --interval --
timeout --updated
az datafactory integration-runtime linked-integration-runtime create --factory-name --integration-
runtime-name --resource-group --data-factory-name --location --name --subscription-id
az datafactory integration-runtime managed create --factory-name --integration-runtime-name --
resource-group --description --if-match --compute-properties --ssis-properties
az datafactory integration-runtime self-hosted create --factory-name --integration-runtime-name --
resource-group --description --if-match --linked-info
az datafactory integration-runtime-node delete --yes --factory-name --ids --integration-runtime-
name --node-name --resource-group --subscription
az datafactory integration-runtime-node get-ip-address --factory-name --ids --integration-runtime-
name --node-name --resource-group --subscription
az datafactory integration-runtime-node show --factory-name --ids --integration-runtime-name --
node-name --resource-group --subscription
az datafactory integration-runtime-node update --concurrent-jobs-limit --factory-name --ids --
integration-runtime-name --node-name --resource-group --subscription
az datafactory linked-service create --factory-name --linked-service-name --properties --resource-
group --if-match
az datafactory linked-service delete --yes --factory-name --ids --linked-service-name --name --
resource-group --subscription
az datafactory linked-service list --factory-name --resource-group
az datafactory linked-service show --if-none-match --factory-name --ids --linked-service-name --
name --resource-group --subscription
az datafactory linked-service update
az datamigration get-assessment --config-file-path --connection-string --output-folder --overwrite
az datamigration get-sku-recommendation --config-file-path --database-allow-list --database-deny-
list --display-result --elastic-strategy --end-time --output-folder --overwrite --scaling-factor --start-
time --target-percentile --target-platform --target-sql-instance
az datamigration performance-data-collection --config-file-path --connection-string --number-of-
iteration --output-folder --perf-query-interval --static-query-interval --time
az datamigration register-integration-runtime --auth-key --installed-ir-path --ir-path
az datamigration sql-db cancel --migration-operation-id --no-wait --ids --resource-group --sqlldb-
instance-name --subscription --target-db-name
az datamigration sql-db create --resource-group --sqlldb-instance-name --target-db-name --
migration-service --no-wait --scope --source-database-name --source-sql-connection --table-list --
target-db-collation --target-sql-connection
az datamigration sql-db delete --force --no-wait --yes --ids --resource-group --sqlldb-instance-name --
subscription --target-db-name
az datamigration sql-db show --expand --migration-operation-id --ids --resource-group --sqlldb-
instance-name --subscription --target-db-name
az datamigration sql-db wait --expand --migration-operation-id --ids --resource-group --sqlldb-
instance-name --subscription --target-db-name --created --custom --deleted --exists --interval --
timeout --updated

```

```

az datamigration sql-managed-instance cancel --migration-operation-id --no-wait --ids --managed-
instance-name --resource-group --subscription --target-db-name
az datamigration sql-managed-instance create --managed-instance-name --resource-group --target-
db-name --migration-service --no-wait --offline-configuration --scope --source-database-name --
source-sql-connection --target-db-collation --source-location --target-location
az datamigration sql-managed-instance cutover --migration-operation-id --no-wait --ids --managed-
instance-name --resource-group --subscription --target-db-name
az datamigration sql-managed-instance show --expand --migration-operation-id --ids --managed-
instance-name --resource-group --subscription --target-db-name
az datamigration sql-managed-instance wait --expand --migration-operation-id --ids --managed-
instance-name --resource-group --subscription --target-db-name --created --custom --deleted --
exists --interval --timeout --updated
az datamigration sql-service create --name --resource-group --location --no-wait --tags
az datamigration sql-service delete --no-wait --yes --ids --name --sql-migration-service-name --
resource-group --subscription
az datamigration sql-service delete-node --ir-name --node-name --ids --name --sql-migration-service-
name --resource-group --subscription
az datamigration sql-service list --resource-group
az datamigration sql-service list-auth-key --name --resource-group
az datamigration sql-service list-integration-runtime-metric --name --resource-group
az datamigration sql-service list-migration --name --resource-group
az datamigration sql-service regenerate-auth-key --auth-key1 --auth-key2 --key-name --ids --name --
sql-migration-service-name --resource-group --subscription
az datamigration sql-service show --ids --name --sql-migration-service-name --resource-group --
subscription
az datamigration sql-service update --no-wait --tags --ids --name --sql-migration-service-name --
resource-group --subscription
az datamigration sql-service wait --ids --name --sql-migration-service-name --resource-group --
subscription --created --custom --deleted --exists --interval --timeout --updated
az datamigration sql-vm cancel --migration-operation-id --no-wait --ids --resource-group --sql-vm-
name --subscription --target-db-name
az datamigration sql-vm create --resource-group --sql-vm-name --target-db-name --migration-
service --no-wait --offline-configuration --scope --source-database-name --source-sql-connection --
target-db-collation --source-location --target-location
az datamigration sql-vm cutover --migration-operation-id --no-wait --ids --resource-group --sql-vm-
name --subscription --target-db-name
az datamigration sql-vm show --expand --migration-operation-id --ids --resource-group --sql-vm-
name --subscription --target-db-name
az datamigration sql-vm wait --expand --migration-operation-id --ids --resource-group --sql-vm-name
--subscription --target-db-name --created --custom --deleted --exists --interval --timeout --updated
az dataprotection backup-instance adhoc-backup --no-wait --rule-name --retention-tag-override --
backup-instance-name --name --ids --resource-group --subscription --vault-name
az dataprotection backup-instance create --backup-instance --resource-group --vault-name --no-wait
az dataprotection backup-instance delete --no-wait --yes --backup-instance-name --name --ids --
resource-group --subscription --vault-name
az dataprotection backup-instance initialize --datasource-id --datasource-location --datasource-type
--policy-id --secret-store-type --secret-store-uri --snapshot-resource-group-name --snapshot-rg
az dataprotection backup-instance list --resource-group --vault-name

```

```

az dataprotection backup-instance list-from-resourcegraph --datasource-type --datasource-id --
protection-status --resource-groups --subscriptions --vaults
az dataprotection backup-instance resume-protection --no-wait --backup-instance-name --name --
ids --resource-group --subscription --vault-name
az dataprotection backup-instance show --backup-instance-name --name --ids --resource-group --
subscription --vault-name
az dataprotection backup-instance stop-protection --no-wait --backup-instance-name --name --ids --
resource-group --subscription --vault-name
az dataprotection backup-instance suspend-backup --no-wait --backup-instance-name --name --ids --
resource-group --subscription --vault-name
az dataprotection backup-instance update-msi-permissions --datasource-type --operation --
permissions-scope --resource-group --vault-name --backup-instance --keyvault-id --yes
az dataprotection backup-instance update-policy --backup-instance-name --policy-id --resource-
group --vault-name --no-wait
az dataprotection backup-instance validate-for-backup --backup-instance --no-wait --ids --resource-
group --subscription --vault-name
az dataprotection backup-instance validate-for-restore --restore-request-object --no-wait --backup-
instance-name --name --ids --resource-group --subscription --vault-name
az dataprotection backup-instance wait --backup-instance-name --name --ids --resource-group --
subscription --vault-name --created --custom --deleted --exists --interval --timeout --updated
az dataprotection backup-instance restore initialize-for-data-recovery --datasource-type --restore-
location --source-datastore --target-resource-id --point-in-time --recovery-point-id --rehydration-
duration --rehydration-priority --secret-store-type --secret-store-uri
az dataprotection backup-instance restore initialize-for-data-recovery-as-files --datasource-type --
restore-location --source-datastore --target-blob-container-url --target-file-name --point-in-time --
recovery-point-id --rehydration-duration --rehydration-priority
az dataprotection backup-instance restore initialize-for-item-recovery --backup-instance-id --
datasource-type --restore-location --source-datastore --container-list --from-prefix-pattern --point-
in-time --recovery-point-id --to-prefix-pattern
az dataprotection backup-instance restore trigger --restore-request-object --no-wait --backup-
instance-name --name --ids --resource-group --subscription --vault-name
az dataprotection backup-policy create --backup-policy-name --policy --resource-group --vault-name
az dataprotection backup-policy delete --yes --backup-policy-name --name --ids --resource-group --
subscription --vault-name
az dataprotection backup-policy get-default-policy-template --datasource-type
az dataprotection backup-policy list --resource-group --vault-name
az dataprotection backup-policy show --backup-policy-name --name --ids --resource-group --
subscription --vault-name
az dataprotection backup-policy retention-rule create-lifecycle --count --retention-duration-type --
source-datastore --copy-option --target-datastore
az dataprotection backup-policy retention-rule remove --name --policy
az dataprotection backup-policy retention-rule set --lifecycles --name --policy
az dataprotection backup-policy tag create-absolute-criteria --absolute-criteria
az dataprotection backup-policy tag create-generic-criteria --days-of-month --days-of-week --
months-of-year --weeks-of-month
az dataprotection backup-policy tag remove --name --policy
az dataprotection backup-policy tag set --criteria --name --policy

```

```

az dataprotection backup-policy trigger create-schedule --interval-count --interval-type --schedule-
days
az dataprotection backup-policy trigger set --policy --schedule
az dataprotection backup-vault create --resource-group --storage-settings --vault-name --e-tag --
location --no-wait --tags --type --azure-monitor-alerts-for-job-failures
az dataprotection backup-vault delete --yes --ids --resource-group --subscription --vault-name
az dataprotection backup-vault list --resource-group
az dataprotection backup-vault show --ids --resource-group --subscription --vault-name
az dataprotection backup-vault update --no-wait --tags --type --azure-monitor-alerts-for-job-failures
--ids --resource-group --subscription --vault-name
az dataprotection backup-vault wait --ids --resource-group --subscription --vault-name --created --
custom --deleted --exists --interval --timeout --updated
az dataprotection job list --resource-group --vault-name
az dataprotection job list-from-resourcegraph --datasource-type --datasource-id --end-time --
operation --resource-groups --start-time --status --subscriptions --vaults
az dataprotection job show --ids --job-id --resource-group --subscription --vault-name
az dataprotection recovery-point list --backup-instance-name --resource-group --vault-name --end-
time --start-time
az dataprotection recovery-point show --backup-instance-name --ids --recovery-point-id --resource-
group --subscription --vault-name
az dataprotection resource-guard create --name --resource-group --e-tag --location --tags --type
az dataprotection resource-guard delete --yes --ids --name --resource-guard-name --resource-group
--subscription
az dataprotection resource-guard list --resource-group
az dataprotection resource-guard list-protected-operations --resource-type --ids --name --resource-
guard-name --resource-group --subscription
az dataprotection resource-guard show --ids --name --resource-guard-name --resource-group --
subscription
az dataprotection resource-guard update --critical-operation-exclusion-list --resource-type --tags --
type --ids --name --resource-guard-name --resource-group --subscription
az dataprotection restorable-time-range find --source-data-store-type --end-time --start-time --
backup-instance-name --ids --resource-group --subscription --vault-name
az datashare create --account-name --name --resource-group --description --share-kind --terms
az datashare delete --no-wait --yes --account-name --ids --name --share-name --resource-group --
subscription
az datashare list --account-name --resource-group --filter --orderby --skip-token
az datashare list-synchronization --account-name --name --resource-group --filter --orderby --skip-
token
az datashare list-synchronization-detail --account-name --name --resource-group --consumer-email -
-consumer-name --consumer-tenant-name --duration-ms --end-time --filter --message --orderby --
skip-token --start-time --status --synchronization-id
az datashare show --account-name --ids --name --share-name --resource-group --subscription
az datashare wait --account-name --ids --name --share-name --resource-group --subscription --
created --custom --deleted --exists --interval --timeout --updated
az datashare account create --account-name --resource-group --location --no-wait --tags
az datashare account delete --no-wait --yes --account-name --name --ids --resource-group --
subscription
az datashare account list --resource-group --skip-token

```

```

az datashare account show --account-name --name --ids --resource-group --subscription
az datashare account update --tags --account-name --name --ids --resource-group --subscription
az datashare account wait --account-name --name --ids --resource-group --subscription --created --
custom --deleted --exists --interval --timeout --updated
az datashare consumer-invitation list-invitation --skip-token
az datashare consumer-invitation reject-invitation --invitation-id --location
az datashare consumer-invitation show --invitation-id --location
az datashare consumer-source-data-set list --account-name --resource-group --share-subscription-
name --skip-token
az datashare data-set create --account-name --data-set --data-set-name --resource-group --share-
name
az datashare data-set delete --no-wait --yes --account-name --data-set-name --name --ids --resource-
group --share-name --subscription
az datashare data-set list --account-name --resource-group --share-name --filter --orderby --skip-
token
az datashare data-set show --account-name --data-set-name --name --ids --resource-group --share-
name --subscription
az datashare data-set wait --account-name --data-set-name --name --ids --resource-group --share-
name --subscription --created --custom --deleted --exists --interval --timeout --updated
az datashare data-set-mapping create --account-name --data-set-mapping-name --resource-group --
share-subscription-name --adls-gen2-file-data-set-mapping --adls-gen2-file-system-data-set-mapping
--adls-gen2-folder-data-set-mapping --blob-container-data-set-mapping --blob-data-set-mapping --
blob-folder-data-set-mapping --kusto-cluster-data-set-mapping --kusto-database-data-set-mapping -
-kusto-table-data-set-mapping --sqlldb-table-data-set-mapping --sqldw-table-data-set-mapping --
synapse-workspace-sql-pool-table-data-set-mapping
az datashare data-set-mapping delete --yes --account-name --data-set-mapping-name --name --ids --
resource-group --share-subscription-name --subscription
az datashare data-set-mapping list --account-name --resource-group --share-subscription-name --
filter --orderby --skip-token
az datashare data-set-mapping show --account-name --data-set-mapping-name --name --ids --
resource-group --share-subscription-name --subscription
az datashare email-registration activate-email --location --activation-code
az datashare email-registration register-email --location
az datashare invitation create --account-name --invitation-name --resource-group --share-name --
expiration-date --target-active-directory-id --target-email --target-object-id
az datashare invitation delete --yes --account-name --ids --invitation-name --name --resource-group -
-share-name --subscription
az datashare invitation list --account-name --resource-group --share-name --filter --orderby --skip-
token
az datashare invitation show --account-name --ids --invitation-name --name --resource-group --
share-name --subscription
az datashare provider-share-subscription adjust --expiration-date --account-name --ids --provider-
share-subscription-id --resource-group --share-name --subscription
az datashare provider-share-subscription list --account-name --resource-group --share-name --skip-
token
az datashare provider-share-subscription reinstate --expiration-date --account-name --ids --provider-
share-subscription-id --resource-group --share-name --subscription

```

```

az datashare provider-share-subscription revoke --no-wait --account-name --ids --provider-share-
subscription-id --resource-group --share-name --subscription
az datashare provider-share-subscription show --account-name --ids --provider-share-subscription-id
--resource-group --share-name --subscription
az datashare provider-share-subscription wait --account-name --ids --provider-share-subscription-id
--resource-group --share-name --subscription --created --custom --deleted --exists --interval --
timeout --updated
az datashare share-subscription cancel-synchronization --synchronization-id --no-wait --account-
name --ids --name --share-subscription-name --resource-group --subscription
az datashare share-subscription create --account-name --invitation-id --name --resource-group --
source-share-location --expiration-date
az datashare share-subscription delete --no-wait --yes --account-name --ids --name --share-
subscription-name --resource-group --subscription
az datashare share-subscription list --account-name --resource-group --filter --orderby --skip-token
az datashare share-subscription list-source-share-synchronization-setting --account-name --name --
resource-group --skip-token
az datashare share-subscription list-synchronization --account-name --name --resource-group --filter
--orderby --skip-token
az datashare share-subscription list-synchronization-detail --account-name --name --resource-group
--synchronization-id --filter --orderby --skip-token
az datashare share-subscription show --account-name --ids --name --share-subscription-name --
resource-group --subscription
az datashare share-subscription synchronize --no-wait --synchronization-mode --account-name --ids
--name --share-subscription-name --resource-group --subscription
az datashare share-subscription wait --account-name --ids --name --share-subscription-name --
resource-group --subscription --created --custom --deleted --exists --interval --timeout --updated
az datashare synchronization-setting create --account-name --name --resource-group --share-name -
-scheduled-synchronization-setting
az datashare synchronization-setting delete --no-wait --yes --account-name --ids --name --
synchronization-setting-name --resource-group --share-name --subscription
az datashare synchronization-setting list --account-name --resource-group --share-name --skip-token
az datashare synchronization-setting show --account-name --ids --name --synchronization-setting-
name --resource-group --share-name --subscription
az datashare synchronization-setting wait --account-name --ids --name --synchronization-setting-
name --resource-group --share-name --subscription --created --custom --deleted --exists --interval --
timeout --updated
az datashare trigger create --account-name --name --resource-group --share-subscription-name --no-
wait --scheduled-trigger
az datashare trigger delete --no-wait --yes --account-name --ids --name --trigger-name --resource-
group --share-subscription-name --subscription
az datashare trigger list --account-name --resource-group --share-subscription-name --skip-token
az datashare trigger show --account-name --ids --name --trigger-name --resource-group --share-
subscription-name --subscription
az datashare trigger wait --account-name --ids --name --trigger-name --resource-group --share-
subscription-name --subscription --created --custom --deleted --exists --interval --timeout --updated
az dedicated-hsm create --name --resource-group --location --no-wait --stamp-id --tags --zones --
mgmt-network-interfaces --mgmt-network-subnet --network-interfaces --subnet --sku
az dedicated-hsm delete --no-wait --yes --ids --name --resource-group --subscription

```

```

az dedicated-hsm list --resource-group --top
az dedicated-hsm list-outbound-network-dependency-endpoint --name --resource-group
az dedicated-hsm show --ids --name --resource-group --subscription
az dedicated-hsm update --no-wait --tags --ids --name --resource-group --subscription
az dedicated-hsm wait --ids --name --resource-group --subscription --created --custom --deleted --exists --interval --timeout --updated
az deployment group cancel --name --resource-group
az deployment group create --resource-group --aux-subscriptions --aux-tenants --confirm-with-what-if --handle-extended-json-format --mode --name --no-prompt --no-wait --parameters --proceed-if-no-change --query-string --rollback-on-error --template-file --template-spec --template-uri --what-if --what-if-exclude-change-types --what-if-result-format
az deployment group delete --name --resource-group --no-wait
az deployment group export --name --resource-group
az deployment group list --resource-group --filter
az deployment group show --name --resource-group
az deployment group validate --resource-group --handle-extended-json-format --mode --name --no-prompt --parameters --query-string --rollback-on-error --template-file --template-spec --template-uri
az deployment group wait --name --resource-group --created --custom --deleted --exists --interval --timeout --updated
az deployment group what-if --resource-group --aux-tenants --exclude-change-types --mode --name --no-pretty-print --no-prompt --parameters --query-string --result-format --template-file --template-spec --template-uri
az deployment mg cancel --management-group-id --name
az deployment mg create --location --management-group-id --confirm-with-what-if --handle-extended-json-format --name --no-prompt --no-wait --parameters --proceed-if-no-change --query-string --template-file --template-spec --template-uri --what-if --what-if-exclude-change-types --what-if-result-format
az deployment mg delete --management-group-id --name --no-wait
az deployment mg export --management-group-id --name
az deployment mg list --management-group-id --filter
az deployment mg show --management-group-id --name
az deployment mg validate --location --management-group-id --handle-extended-json-format --name --no-prompt --parameters --query-string --template-file --template-spec --template-uri
az deployment mg wait --management-group-id --name --created --custom --deleted --exists --interval --timeout --updated
az deployment mg what-if --location --management-group-id --exclude-change-types --name --no-pretty-print --no-prompt --parameters --query-string --result-format --template-file --template-spec --template-uri
az deployment operation group list --name --resource-group
az deployment operation group show --name --operation-ids --resource-group
az deployment operation mg list --management-group-id --name
az deployment operation mg show --management-group-id --name --operation-ids
az deployment operation sub list --name
az deployment operation sub show --name --operation-ids
az deployment operation tenant list --name
az deployment operation tenant show --name --operation-ids
az deployment sub cancel --name

```



```

az deployment sub create --location --confirm-with-what-if --handle-extended-json-format --name --
no-prompt --no-wait --parameters --proceed-if-no-change --query-string --template-file --template-
spec --template-uri --what-if --what-if-exclude-change-types --what-if-result-format
az deployment sub delete --name --no-wait
az deployment sub export --name
az deployment sub list --filter
az deployment sub show --name
az deployment sub validate --location --handle-extended-json-format --name --no-prompt --
parameters --query-string --template-file --template-spec --template-uri
az deployment sub wait --name --created --custom --deleted --exists --interval --timeout --updated
az deployment sub what-if --location --exclude-change-types --name --no-pretty-print --no-prompt --
parameters --query-string --result-format --template-file --template-spec --template-uri
az deployment tenant cancel --name
az deployment tenant create --location --confirm-with-what-if --handle-extended-json-format --
name --no-prompt --no-wait --parameters --proceed-if-no-change --query-string --template-file --
template-spec --template-uri --what-if --what-if-exclude-change-types --what-if-result-format
az deployment tenant delete --name --no-wait
az deployment tenant export --name
az deployment tenant list --filter
az deployment tenant show --name
az deployment tenant validate --location --handle-extended-json-format --name --no-prompt --
parameters --query-string --template-file --template-spec --template-uri
az deployment tenant wait --name --created --custom --deleted --exists --interval --timeout --
updated
az deployment tenant what-if --location --exclude-change-types --name --no-pretty-print --no-
prompt --parameters --query-string --result-format --template-file --template-spec --template-uri
az deployment-scripts delete --name --resource-group --yes
az deployment-scripts list --resource-group
az deployment-scripts show --name --resource-group
az deployment-scripts show-log --name --resource-group
az deploymentmanager artifact-source create --artifact-source-name --location --resource-group --
sas-uri --artifact-root --tags
az deploymentmanager artifact-source delete --artifact-source-name --resource-group --yes
az deploymentmanager artifact-source list --resource-group
az deploymentmanager artifact-source show --artifact-source-name --resource-group
az deploymentmanager artifact-source update --artifact-source-name --resource-group --artifact-
root --sas-uri --tags --add --force-string --remove --set
az deploymentmanager rollout delete --name --resource-group
az deploymentmanager rollout list --resource-group
az deploymentmanager rollout restart --name --resource-group --skip-succeeded --yes
az deploymentmanager rollout show --name --resource-group --retry-attempt
az deploymentmanager rollout stop --name --resource-group --yes
az deploymentmanager service create --location --name --resource-group --service-topology-name --
target-location --target-subscription-id --tags
az deploymentmanager service delete --name --resource-group --service-topology-name
az deploymentmanager service list --resource-group --service-topology-name
az deploymentmanager service show --name --resource-group --service-topology-name

```

```

az deploymentmanager service update --name --resource-group --service-topology-name --tags --
target-location --target-subscription-id --add --force-string --remove --set
az deploymentmanager service-topology create --location --name --resource-group --artifact-source
--tags
az deploymentmanager service-topology delete --name --resource-group
az deploymentmanager service-topology list --resource-group
az deploymentmanager service-topology show --name --resource-group
az deploymentmanager service-topology update --name --resource-group --artifact-source --tags --
add --force-string --remove --set
az deploymentmanager service-unit create --parameters-path --resource-group --template-path --
location --deployment-mode --name --service-name --service-topology-name --target-resource-
group --tags
az deploymentmanager service-unit delete --name --resource-group --service-name --service-
topology-name
az deploymentmanager service-unit list --resource-group --service-name --service-topology-name
az deploymentmanager service-unit show --name --resource-group --service-name --service-
topology-name
az deploymentmanager service-unit update --name --resource-group --service-name --service-
topology-name --deployment-mode --parameters-path --tags --target-resource-group --template-
path --add --force-string --remove --set
az deploymentmanager step create --resource-group --duration --location --name --step-name --step
--tags
az deploymentmanager step delete --name --resource-group
az deploymentmanager step list --resource-group
az deploymentmanager step show --name --resource-group
az deploymentmanager step update --name --resource-group --duration --step --tags --add --force-
string --remove --set
az desktopvirtualization applicationgroup create --application-group-type --host-pool-arm-path --
name --resource-group --description --friendly-name --location --tags
az desktopvirtualization applicationgroup delete --ids --name --resource-group --subscription
az desktopvirtualization applicationgroup list --filter --resource-group
az desktopvirtualization applicationgroup show --ids --name --resource-group --subscription
az desktopvirtualization applicationgroup update --description --friendly-name --tags --ids --name --
resource-group --subscription
az desktopvirtualization hostpool create --host-pool-type --load-balancer-type --name --preferred-
app-group-type --resource-group --custom-rdp-property --description --friendly-name --location --
max-session-limit --personal-desktop-assignment-type --registration-info --ring --sso-client-id --sso-
client-secret-key-vault-path --sso-secret-type --ssoadfs-authority --start-vm-on-connect --tags --
validation-environment --vm-template
az desktopvirtualization hostpool delete --force --ids --name --resource-group --subscription
az desktopvirtualization hostpool list --resource-group
az desktopvirtualization hostpool retrieve-registration-token --ids --name --resource-group --
subscription
az desktopvirtualization hostpool show --ids --name --resource-group --subscription
az desktopvirtualization hostpool update --custom-rdp-property --description --friendly-name --load-
balancer-type --max-session-limit --personal-desktop-assignment-type --preferred-app-group-type --
registration-info --ring --sso-client-id --sso-client-secret-key-vault-path --sso-secret-type --ssoadfs-

```

authority --start-vm-on-connect --tags --validation-environment --vm-template --ids --name --  
 resource-group --subscription  
 az desktopvirtualization workspace create --name --resource-group --application-group-references --  
 description --friendly-name --location --tags  
 az desktopvirtualization workspace delete --ids --name --resource-group --subscription  
 az desktopvirtualization workspace list --resource-group  
 az desktopvirtualization workspace show --ids --name --resource-group --subscription  
 az desktopvirtualization workspace update --application-group-references --description --friendly-  
 name --tags --ids --name --resource-group --subscription  
 az devops configure --defaults --list --use-git-aliases  
 az devops invoke --accept-media-type --api-version --area --detect --encoding --http-method --in-file  
 --media-type --org --organization --out-file --query-parameters --resource --route-parameters  
 az devops login --org --organization  
 az devops logout --org --organization  
 az devops admin banner add --message --detect --expiration --id --org --organization --type  
 az devops admin banner list --detect --org --organization  
 az devops admin banner remove --id --detect --org --organization  
 az devops admin banner show --id --detect --org --organization  
 az devops admin banner update --id --detect --expiration --message --org --organization --type  
 az devops extension disable --extension-id --publisher-id --detect --org --organization  
 az devops extension enable --extension-id --publisher-id --detect --org --organization  
 az devops extension install --extension-id --publisher-id --detect --org --organization  
 az devops extension list --detect --include-built-in --include-disabled --org --organization  
 az devops extension search --search-query  
 az devops extension show --extension-id --publisher-id --detect --org --organization  
 az devops extension uninstall --extension-id --publisher-id --detect --org --organization --yes  
 az devops project create --name --description --detect --open --org --organization --process --source-  
 control --visibility  
 az devops project delete --id --detect --org --organization --yes  
 az devops project list --continuation-token --detect --get-default-team-image-url --org --organization  
 --skip --state-filter --top  
 az devops project show --project --detect --open --org --organization  
 az devops security group create --description --detect --email-id --groups --name --org --organization  
 --origin-id --project --scope  
 az devops security group delete --id --detect --org --organization --yes  
 az devops security group list --continuation-token --detect --org --organization --project --scope --  
 subject-types  
 az devops security group show --id --detect --org --organization  
 az devops security group update --id --description --detect --name --org --organization  
 az devops security group membership add --group-id --member-id --detect --org --organization  
 az devops security group membership list --id --detect --org --organization --relationship  
 az devops security group membership remove --group-id --member-id --detect --org --organization --  
 yes  
 az devops security permission list --id --subject --detect --org --organization --recurse --token  
 az devops security permission reset --id --permission-bit --subject --token --detect --org --  
 organization  
 az devops security permission reset-all --id --subject --token --detect --org --organization --yes  
 az devops security permission show --id --subject --token --detect --org --organization

az devops security permission update --id --subject --token --allow-bit --deny-bit --detect --merge --org --organization  
 az devops security permission namespace list --detect --local-only --org --organization  
 az devops security permission namespace show --id --detect --org --organization  
 az devops service-endpoint create --service-endpoint-configuration --detect --encoding --org --organization --project  
 az devops service-endpoint delete --id --deep --detect --org --organization --project --yes  
 az devops service-endpoint list --detect --org --organization --project  
 az devops service-endpoint show --id --detect --org --organization --project  
 az devops service-endpoint update --id --detect --enable-for-all --org --organization --project  
 az devops service-endpoint azurerm create --azure-rm-service-principal-id --azure-rm-subscription-id --azure-rm-subscription-name --azure-rm-tenant-id --name --azure-rm-service-principal-certificate-path --detect --org --organization --project  
 az devops service-endpoint github create --github-url --name --detect --org --organization --project  
 az devops team create --name --description --detect --org --organization --project  
 az devops team delete --id --detect --org --organization --project --yes  
 az devops team list --detect --org --organization --project --skip --top  
 az devops team list-member --team --detect --org --organization --project --skip --top  
 az devops team show --team --detect --org --organization --project  
 az devops team update --team --description --detect --name --org --organization --project  
 az devops user add --email-id --license-type --detect --org --organization --send-email-invite  
 az devops user list --detect --org --organization --skip --top  
 az devops user remove --user --detect --org --organization --yes  
 az devops user show --user --detect --org --organization  
 az devops user update --license-type --user --detect --org --organization  
 az devops wiki create --detect --mapped-path --name --org --organization --project --repository --type --wiki-type --version  
 az devops wiki delete --wiki --detect --org --organization --project --yes  
 az devops wiki list --detect --org --organization --project --scope  
 az devops wiki show --wiki --detect --open --org --organization --project  
 az devops wiki page create --path --wiki --comment --content --detect --encoding --file-path --org --organization --project  
 az devops wiki page delete --path --wiki --comment --detect --org --organization --project --yes  
 az devops wiki page show --path --wiki --detect --include-content --open --org --organization --project --version  
 az devops wiki page update --path --version --wiki --comment --content --detect --encoding --file-path --org --organization --project  
 az disk create --name --resource-group --accelerated-network --architecture --disk-access --disk-encryption-set --disk-iops-read-only --disk-iops-read-write --disk-mbps-read-only --disk-mbps-read-write --edge-zone --enable-bursting --encryption-type --for-upload --gallery-image-reference --gallery-image-reference-lun --hyper-v-generation --image-reference --image-reference-lun --location --logical-sector-size --max-shares --network-access-policy --no-wait --os-type --public-network-access --security-type --size-gb --sku --source --source-storage-account-id --support-hibernation --tags --tier --upload-size-bytes --zone  
 az disk delete --no-wait --yes --ids --name --resource-group --subscription  
 az disk grant-access --duration-in-seconds --access-level --ids --name --resource-group --subscription  
 az disk list --resource-group  
 az disk revoke-access --ids --name --resource-group --subscription

```

az disk show --ids --name --resource-group --subscription
az disk update --accelerated-network --architecture --disk-access --disk-encryption-set --disk-iops-
read-only --disk-iops-read-write --disk-mbps-read-only --disk-mbps-read-write --enable-bursting --
encryption-type --max-shares --network-access-policy --no-wait --public-network-access --size-gb --
sku --add --force-string --remove --set --ids --name --resource-group --subscription
az disk wait --ids --name --resource-group --subscription --created --custom --deleted --exists --
interval --timeout --updated
az disk-access create --name --resource-group --location --no-wait --tags
az disk-access delete --ids --name --resource-group --subscription
az disk-access list --resource-group
az disk-access show --ids --name --resource-group --subscription
az disk-access update --no-wait --tags --add --force-string --remove --set --ids --name --resource-
group --subscription
az disk-access wait --ids --name --resource-group --subscription --created --custom --deleted --exists -
interval --timeout --updated
az disk-encryption-set create --key-url --name --resource-group --auto-rotation --enable-auto-key-
rotation --encryption-type --location --no-wait --source-vault --tags
az disk-encryption-set delete --ids --name --resource-group --subscription
az disk-encryption-set list --resource-group
az disk-encryption-set list-associated-resources --ids --name --resource-group --subscription
az disk-encryption-set show --ids --name --resource-group --subscription
az disk-encryption-set update --auto-rotation --enable-auto-key-rotation --key-url --source-vault --
add --force-string --remove --set --ids --name --resource-group --subscription
az disk-pool create --disk-pool-name --resource-group --sku --subnet-id --additional-capabilities --
availability-zones --disks --location --managed-by --managed-by-extended --no-wait --tags
az disk-pool delete --no-wait --yes --disk-pool-name --name --ids --resource-group --subscription
az disk-pool list --resource-group
az disk-pool list-outbound-network-dependency-endpoint --disk-pool-name --resource-group
az disk-pool list-skus --location
az disk-pool list-zones --location
az disk-pool redeploy --no-wait --disk-pool-name --name --ids --resource-group --subscription
az disk-pool show --disk-pool-name --name --ids --resource-group --subscription
az disk-pool start --no-wait --disk-pool-name --name --ids --resource-group --subscription
az disk-pool stop --no-wait --disk-pool-name --name --ids --resource-group --subscription
az disk-pool update --disks --managed-by --managed-by-extended --no-wait --sku --tags --disk-pool-
name --name --ids --resource-group --subscription
az disk-pool wait --disk-pool-name --name --ids --resource-group --subscription --created --custom --
deleted --exists --interval --timeout --updated
az disk-pool iscsi-target create --acl-mode --disk-pool-name --iscsi-target-name --resource-group --
luns --managed-by --managed-by-extended --no-wait --static-acls --target-iqn
az disk-pool iscsi-target delete --no-wait --yes --disk-pool-name --ids --iscsi-target-name --name --
resource-group --subscription
az disk-pool iscsi-target list --disk-pool-name --resource-group
az disk-pool iscsi-target show --disk-pool-name --ids --iscsi-target-name --name --resource-group --
subscription
az disk-pool iscsi-target update --luns --managed-by --managed-by-extended --no-wait --static-acls --
disk-pool-name --ids --iscsi-target-name --name --resource-group --subscription

```

```

az disk-pool iscsi-target wait --disk-pool-name --ids --iscsi-target-name --name --resource-group --
subscription --created --custom --deleted --exists --interval --timeout --updated
az dla account create --account --default-data-lake-store --location --max-degree-of-parallelism --
max-job-count --query-store-retention --resource-group --tags --tier
az dla account delete --resource-group --account --ids --subscription
az dla account list --resource-group
az dla account show --resource-group --account --ids --subscription
az dla account update --allow-azure-ips --firewall-state --max-degree-of-parallelism --max-job-count
--query-store-retention --resource-group --tags --tier --account --ids --subscription
az dla account blob-storage add --access-key --storage-account-name --resource-group --suffix --
account --ids --subscription
az dla account blob-storage delete --storage-account-name --resource-group --account --ids --
subscription
az dla account blob-storage list --count --filter --orderby --resource-group --select --skip --top --
account --ids --subscription
az dla account blob-storage show --storage-account-name --resource-group --account --ids --
subscription
az dla account blob-storage update --access-key --storage-account-name --resource-group --suffix --
account --ids --subscription
az dla account compute-policy create --account --compute-policy-name --object-id --object-type --
max-dop-per-job --min-priority-per-job --resource-group
az dla account compute-policy delete --compute-policy-name --resource-group --account --ids --
subscription
az dla account compute-policy list --resource-group --account --ids --subscription
az dla account compute-policy show --compute-policy-name --resource-group --account --ids --
subscription
az dla account compute-policy update --compute-policy-name --max-dop-per-job --min-priority-per-
job --resource-group --account --ids --subscription
az dla account data-lake-store add --data-lake-store-account-name --resource-group --suffix --
account --ids --subscription
az dla account data-lake-store delete --data-lake-store-account-name --resource-group --account --
ids --subscription
az dla account data-lake-store list --count --filter --orderby --resource-group --select --skip --top --
account --ids --subscription
az dla account data-lake-store show --data-lake-store-account-name --resource-group --account --ids
--subscription
az dla account firewall create --account --end-ip-address --firewall-rule-name --start-ip-address --
resource-group
az dla account firewall delete --firewall-rule-name --resource-group --account --ids --subscription
az dla account firewall list --resource-group --account --ids --subscription
az dla account firewall show --firewall-rule-name --resource-group --account --ids --subscription
az dla account firewall update --firewall-rule-name --end-ip-address --resource-group --start-ip-
address --account --ids --subscription
az dla catalog assembly list --database-name --count --filter --orderby --select --skip --top --account --
ids --subscription
az dla catalog assembly show --assembly-name --database-name --account --ids --subscription
az dla catalog credential create --account --credential-name --database-name --uri --user-name --
password

```

```

az dla catalog credential delete --credential-name --database-name --cascade --password --account -
-ids --subscription
az dla catalog credential list --database-name --count --filter --orderby --select --skip --top --account -
-ids --subscription
az dla catalog credential show --credential-name --database-name --account --ids --subscription
az dla catalog credential update --credential-name --database-name --uri --user-name --new-
password --password --account --ids --subscription
az dla catalog database list --count --filter --orderby --select --skip --top --account --ids --subscription
az dla catalog database show --database-name --account --ids --subscription
az dla catalog external-data-source list --database-name --count --filter --orderby --select --skip --top
--account --ids --subscription
az dla catalog external-data-source show --database-name --external-data-source-name --account --
ids --subscription
az dla catalog package list --database-name --schema-name --count --filter --orderby --select --skip --
top --account --ids --subscription
az dla catalog package show --database-name --package-name --schema-name --account --ids --
subscription
az dla catalog procedure list --database-name --schema-name --count --filter --orderby --select --skip
--top --account --ids --subscription
az dla catalog procedure show --database-name --procedure-name --schema-name --account --ids --
subscription
az dla catalog schema list --database-name --count --filter --orderby --select --skip --top --account --
ids --subscription
az dla catalog schema show --database-name --schema-name --account --ids --subscription
az dla catalog table list --database-name --schema-name --account --ids --subscription
az dla catalog table show --database-name --schema-name --table-name --account --ids --
subscription
az dla catalog table-partition list --database-name --schema-name --table-name --count --filter --
orderby --select --skip --top --account --ids --subscription
az dla catalog table-partition show --database-name --partition-name --schema-name --table-name -
-account --ids --subscription
az dla catalog table-stats list --database-name --schema-name --table-name --account --ids --
subscription
az dla catalog table-stats show --database-name --schema-name --statistics-name --table-name --
account --ids --subscription
az dla catalog table-type list --database-name --schema-name --count --filter --orderby --select --skip
--top --account --ids --subscription
az dla catalog table-type show --database-name --schema-name --table-type-name --account --ids --
subscription
az dla catalog tvf list --database-name --schema-name --account --ids --subscription
az dla catalog tvf show --database-name --schema-name --table-valued-function-name --account --
ids --subscription
az dla catalog view list --database-name --schema-name --account --ids --subscription
az dla catalog view show --database-name --schema-name --view-name --account --ids --subscription
az dla job cancel --job-identity --account --ids --subscription
az dla job list --name --pipeline-id --recurrence-id --result --state --submitted-after --submitted-
before --submitter --top --account --ids --subscription
az dla job show --job-identity --account --ids --subscription

```

```

az dla job submit --job-name --script --compile-mode --compile-only --degree-of-parallelism --
pipeline-id --pipeline-name --pipeline-uri --priority --recurrence-id --recurrence-name --run-id --
runtime-version --account --ids --subscription
az dla job wait --job-id --max-wait-time-sec --wait-interval-sec --account --ids --subscription
az dla job pipeline list --end-date-time --start-date-time --account --ids --subscription
az dla job pipeline show --pipeline-identity --end-date-time --start-date-time --account --ids --
subscription
az dla job recurrence list --end-date-time --start-date-time --account --ids --subscription
az dla job recurrence show --recurrence-identity --end-date-time --start-date-time --account --ids --
subscription
az dls account create --account --default-group --disable-encryption --encryption-type --key-name --
key-vault-id --key-version --location --resource-group --tags --tier
az dls account delete --resource-group --account --ids --subscription
az dls account enable-key-vault --resource-group --account --ids --subscription
az dls account list --resource-group
az dls account show --resource-group --account --ids --subscription
az dls account update --allow-azure-ips --default-group --firewall-state --key-version --resource-
group --tags --tier --trusted-id-provider-state --account --ids --subscription
az dls account firewall create --account --end-ip-address --firewall-rule-name --start-ip-address --
resource-group
az dls account firewall delete --firewall-rule-name --resource-group --account --ids --subscription
az dls account firewall list --resource-group --account --ids --subscription
az dls account firewall show --firewall-rule-name --resource-group --account --ids --subscription
az dls account firewall update --firewall-rule-name --end-ip-address --resource-group --start-ip-
address --account --ids --subscription
az dls account network-rule create --account-name --name --subnet --resource-group --vnet-name
az dls account network-rule delete --account-name --ids --name --resource-group --subscription
az dls account network-rule list --account-name --resource-group
az dls account network-rule show --account-name --ids --name --resource-group --subscription
az dls account network-rule update --account-name --subnet --vnet-name --add --force-string --
remove --set --ids --name --resource-group --subscription
az dls account trusted-provider create --account --id-provider --trusted-id-provider-name --resource-
group
az dls account trusted-provider delete --trusted-id-provider-name --resource-group --account --ids --
subscription
az dls account trusted-provider list --resource-group --account --ids --subscription
az dls account trusted-provider show --trusted-id-provider-name --resource-group --account --ids --
subscription
az dls account trusted-provider update --trusted-id-provider-name --id-provider --resource-group --
account --ids --subscription
az dls fs append --content --path --account --ids --subscription
az dls fs create --account --path --content --folder --force
az dls fs delete --path --recurse --account --ids --subscription
az dls fs download --destination-path --source-path --block-size --buffer-size --chunk-size --overwrite
--thread-count --account --ids --subscription
az dls fs join --destination-path --source-paths --force --account --ids --subscription
az dls fs list --path --account --ids --subscription
az dls fs move --destination-path --source-path --force --account --ids --subscription

```



```

az dls fs preview --path --force --length --offset --account --ids --subscription
az dls fs remove-expiry --path --account --ids --subscription
az dls fs set-expiry --expiration-time --path --account --ids --subscription
az dls fs show --path --account --ids --subscription
az dls fs test --path --account --ids --subscription
az dls fs upload --destination-path --source-path --block-size --buffer-size --chunk-size --overwrite --
thread-count --account --ids --subscription
az dls fs access remove-all --path --default-acl --account --ids --subscription
az dls fs access remove-entry --acl-spec --path --account --ids --subscription
az dls fs access set --acl-spec --path --account --ids --subscription
az dls fs access set-entry --acl-spec --path --account --ids --subscription
az dls fs access set-owner --path --group --owner --account --ids --subscription
az dls fs access set-permission --path --permission --account --ids --subscription
az dls fs access show --path --account --ids --subscription
az dms check-name --location --name
az dms check-status --name --resource-group
az dms create --location --name --resource-group --sku-name --subnet --no-wait --tags
az dms delete --name --resource-group --delete-running-tasks --no-wait --yes
az dms list --resource-group
az dms list-skus
az dms show --name --resource-group
az dms start --name --resource-group --no-wait
az dms stop --name --resource-group --no-wait
az dms wait --name --resource-group --created --custom --deleted --exists --interval --timeout --
updated
az dms project check-name --name --resource-group --service-name
az dms project create --location --name --resource-group --service-name --source-platform --target-
platform --tags
az dms project delete --name --resource-group --service-name --delete-running-tasks --yes
az dms project list --resource-group --service-name
az dms project show --name --resource-group --service-name
az dms project task cancel --name --project-name --resource-group --service-name --object-name
az dms project task check-name --name --project-name --resource-group --service-name
az dms project task create --database-options-json --name --project-name --resource-group --
service-name --source-connection-json --target-connection-json --enable-data-integrity-validation --
enable-query-analysis-validation --enable-schema-validation --task-type --validate-only --validated-
task-name
az dms project task cutover --name --object-name --project-name --resource-group --service-name
az dms project task delete --name --project-name --resource-group --service-name --delete-running-
tasks --yes
az dms project task list --project-name --resource-group --service-name --task-type
az dms project task restart --name --project-name --resource-group --service-name --object-name
az dms project task show --name --project-name --resource-group --service-name --expand
az dms project task stop --name --project-name --resource-group --service-name --object-name
az dnc controller create --resource-group --resource-name --location --no-wait --tags
az dnc controller delete --no-wait --yes --ids --resource-group --resource-name --subscription
az dnc controller show --ids --resource-group --resource-name --subscription

```

```

az dnc controller wait --ids --resource-group --resource-name --subscription --created --custom --
deleted --exists --interval --timeout --updated
az dnc delegated-subnet-service create --resource-group --resource-name --location --no-wait --tags
--id --subnet-details-id
az dnc delegated-subnet-service delete --force-delete --no-wait --yes --ids --resource-group --
resource-name --subscription
az dnc delegated-subnet-service show --ids --resource-group --resource-name --subscription
az dnc delegated-subnet-service wait --ids --resource-group --resource-name --subscription --created
--custom --deleted --exists --interval --timeout --updated
az dnc orchestrator-instance-service create --resource-group --resource-name --api-server-endpoint
--cluster-root-ca --location --no-wait --orchestrator-app-id --orchestrator-tenant-id --priv-link-
resource-id --tags --id --type
az dnc orchestrator-instance-service delete --force-delete --no-wait --yes --ids --resource-group --
resource-name --subscription
az dnc orchestrator-instance-service show --ids --resource-group --resource-name --subscription
az dnc orchestrator-instance-service wait --ids --resource-group --resource-name --subscription --
created --custom --deleted --exists --interval --timeout --updated
az dns-resolver create --dns-resolver-name --resource-group --if-match --if-none-match --location --
no-wait --tags --id
az dns-resolver delete --if-match --no-wait --yes --dns-resolver-name --name --ids --resource-group --
subscription
az dns-resolver list --resource-group --top --virtual-network-name
az dns-resolver show --dns-resolver-name --name --ids --resource-group --subscription
az dns-resolver update --if-match --no-wait --tags --dns-resolver-name --name --ids --resource-group
--subscription
az dns-resolver wait --dns-resolver-name --name --ids --resource-group --subscription --created --
custom --deleted --exists --interval --timeout --updated
az dns-resolver forwarding-rule create --forwarding-rule-name --resource-group --ruleset-name --
domain-name --forwarding-rule-state --if-match --if-none-match --metadata --target-dns-servers
az dns-resolver forwarding-rule delete --if-match --yes --forwarding-rule-name --name --ids --
resource-group --ruleset-name --subscription
az dns-resolver forwarding-rule list --resource-group --ruleset-name --top
az dns-resolver forwarding-rule show --forwarding-rule-name --name --ids --resource-group --
ruleset-name --subscription
az dns-resolver forwarding-rule update --forwarding-rule-state --if-match --metadata --target-dns-
servers --forwarding-rule-name --name --ids --resource-group --ruleset-name --subscription
az dns-resolver forwarding-ruleset create --dns-forwarding-ruleset-name --resource-group --if-match
--if-none-match --location --no-wait --outbound-endpoints --tags
az dns-resolver forwarding-ruleset delete --if-match --no-wait --yes --dns-forwarding-ruleset-name --
name --ids --resource-group --subscription
az dns-resolver forwarding-ruleset list --resource-group --top --virtual-network-name
az dns-resolver forwarding-ruleset show --dns-forwarding-ruleset-name --name --ids --resource-
group --subscription
az dns-resolver forwarding-ruleset update --if-match --no-wait --tags --dns-forwarding-ruleset-name
--name --ids --resource-group --subscription
az dns-resolver forwarding-ruleset wait --dns-forwarding-ruleset-name --name --ids --resource-group
--subscription --created --custom --deleted --exists --interval --timeout --updated

```

```

az dns-resolver inbound-endpoint create --dns-resolver-name --inbound-endpoint-name --resource-
group --if-match --if-none-match --ip-configurations --location --no-wait --tags
az dns-resolver inbound-endpoint delete --if-match --no-wait --yes --dns-resolver-name --ids --
inbound-endpoint-name --name --resource-group --subscription
az dns-resolver inbound-endpoint list --dns-resolver-name --resource-group --top
az dns-resolver inbound-endpoint show --dns-resolver-name --ids --inbound-endpoint-name --name
--resource-group --subscription
az dns-resolver inbound-endpoint update --if-match --no-wait --tags --dns-resolver-name --ids --
inbound-endpoint-name --name --resource-group --subscription
az dns-resolver inbound-endpoint wait --dns-resolver-name --ids --inbound-endpoint-name --name --
resource-group --subscription --created --custom --deleted --exists --interval --timeout --updated
az dns-resolver outbound-endpoint create --dns-resolver-name --name --resource-group --if-match --
if-none-match --location --no-wait --tags --id
az dns-resolver outbound-endpoint delete --if-match --no-wait --yes --dns-resolver-name --ids --
name --outbound-endpoint-name --resource-group --subscription
az dns-resolver outbound-endpoint list --dns-resolver-name --resource-group --top
az dns-resolver outbound-endpoint show --dns-resolver-name --ids --name --outbound-endpoint-
name --resource-group --subscription
az dns-resolver outbound-endpoint update --if-match --no-wait --tags --dns-resolver-name --ids --
name --outbound-endpoint-name --resource-group --subscription
az dns-resolver outbound-endpoint wait --dns-resolver-name --ids --name --outbound-endpoint-
name --resource-group --subscription --created --custom --deleted --exists --interval --timeout --
updated
az dns-resolver vnet-link create --name --resource-group --ruleset-name --if-match --if-none-match --
metadata --no-wait --id
az dns-resolver vnet-link delete --if-match --no-wait --yes --ids --name --virtual-network-link-name --
resource-group --ruleset-name --subscription
az dns-resolver vnet-link list --resource-group --ruleset-name --top
az dns-resolver vnet-link show --ids --name --virtual-network-link-name --resource-group --ruleset-
name --subscription
az dns-resolver vnet-link update --if-match --metadata --no-wait --ids --name --virtual-network-link-
name --resource-group --ruleset-name --subscription
az dns-resolver vnet-link wait --ids --name --virtual-network-link-name --resource-group --ruleset-
name --subscription --created --custom --deleted --exists --interval --timeout --updated
az dt create --dt-name --resource-group --location --no-wait --tags --assign-identity --role --scopes --
pna --public-network-access
az dt delete --dt-name --no-wait --resource-group --yes
az dt list --resource-group
az dt reset --dt-name --resource-group --yes
az dt show --dt-name --resource-group
az dt wait --dt-name --resource-group --created --custom --deleted --exists --interval --timeout
az dt data-history connection delete --cn --dt-name --no-wait --resource-group --yes
az dt data-history connection list --dt-name --resource-group
az dt data-history connection show --cn --dt-name --resource-group
az dt data-history connection wait --cn --dt-name --resource-group --created --custom --deleted --
exists --interval --timeout --updated
az dt data-history connection create adx --cn --dt-name --no-wait --resource-group --yes --adx-
cluster-name --adx-database-name --adx-resource-group --adxg --adx-subscription --adx-

```

table-name --adxt --eh --ehn --ehc --eventhub-consumer-group --ehg --eventhub-resource-group --ehs --eventhub-subscription  
 az dt endpoint delete --dt-name --en --no-wait --resource-group --yes  
 az dt endpoint list --dt-name --resource-group  
 az dt endpoint show --dt-name --en --resource-group  
 az dt endpoint wait --dt-name --en --resource-group --created --custom --deleted --exists --interval --timeout  
 az dt endpoint create eventgrid --dt-name --en --auth-type --no-wait --resource-group --deadletter-sas-uri --dsu --deadletter-uri --du --egg --egt --egs --eventgrid-subscription  
 az dt endpoint create eventhub --dt-name --en --auth-type --no-wait --resource-group --deadletter-sas-uri --dsu --deadletter-uri --du --eh --ehg --ehn --ehp --eventhub-policy --ehs --eventhub-subscription  
 az dt endpoint create servicebus --dt-name --en --auth-type --no-wait --resource-group --deadletter-sas-uri --dsu --deadletter-uri --du --sbg --sbn --sbt --sbp --servicebus-policy --sbs --servicebus-subscription  
 az dt job import create --dt-name --resource-group --data-file --ibc --input-storage-account --job-id --obc --output-blob-container --of --output-file --osa --output-storage-account  
 az dt job import delete --dt-name --resource-group --yes --job-id  
 az dt job import list --dt-name --resource-group  
 az dt job import show --dt-name --resource-group --job-id  
 az dt model create --dt-name --resource-group --failure-policy --fp --fd --from-directory --models  
 az dt model delete --dt-name --dtmi --resource-group  
 az dt model delete-all --dt-name --resource-group --yes  
 az dt model list --dt-name --def --definition --dependencies-for --resource-group  
 az dt model show --dt-name --dtmi --def --definition --resource-group  
 az dt model update --dt-name --dtmi --decommission --resource-group  
 az dt network private-endpoint connection delete --dt-name --no-wait --resource-group --yes --cn  
 az dt network private-endpoint connection list --dt-name --resource-group  
 az dt network private-endpoint connection set --dt-name --no-wait --resource-group --cn --status --actions-required --ar --desc --description --group-ids  
 az dt network private-endpoint connection show --dt-name --resource-group --cn  
 az dt network private-endpoint connection wait --dt-name --resource-group --cn --custom --deleted --interval --timeout --updated  
 az dt network private-link list --dt-name --resource-group  
 az dt network private-link show --dt-name --resource-group --link-name  
 az dt role-assignment create --assignee --dt-name --role --resource-group  
 az dt role-assignment delete --dt-name --assignee --resource-group --role  
 az dt role-assignment list --dt-name --include-inherited --resource-group --role  
 az dt route create --dt-name --en --rn --filter --resource-group  
 az dt route delete --dt-name --rn --resource-group  
 az dt route list --dt-name --resource-group  
 az dt route show --dt-name --rn --resource-group  
 az dt twin create --dt-name --dtmi --twin-id --if-none-match --properties --resource-group  
 az dt twin delete --dt-name --twin-id --etag --resource-group  
 az dt twin delete-all --dt-name --resource-group --yes  
 az dt twin query --dt-name --query-command --cost --show-cost --resource-group  
 az dt twin show --dt-name --twin-id --resource-group  
 az dt twin update --dt-name --json-patch --twin-id --etag --resource-group

```

az dt twin component show --component --dt-name --twin-id --resource-group
az dt twin component update --component --dt-name --json-patch --twin-id --etag --resource-group
az dt twin relationship create --dt-name --kind --relationship-id --source --target --if-none-match --
properties --resource-group
az dt twin relationship delete --dt-name --relationship-id --source --etag --resource-group
az dt twin relationship delete-all --dt-name --resource-group --source --twin-id --yes
az dt twin relationship list --dt-name --source --incoming --kind --relationship --resource-group
az dt twin relationship show --dt-name --relationship-id --source --resource-group
az dt twin relationship update --dt-name --json-patch --relationship-id --source --etag --resource-
group
az dt twin telemetry send --dt-name --twin-id --component --dt-id --resource-group --telemetry --
telemetry-source-time --tst
az edgeorder list-config --configuration-filters --skip-token --location-placement-id --quota-id --
registered-features
az edgeorder list-family --filterable-properties --expand --skip-token --location-placement-id --quota-
id --registered-features
az edgeorder list-metadata --skip-token
az edgeorder address create --address-name --contact-details --resource-group --location --no-wait --
shipping-address --tags
az edgeorder address delete --no-wait --yes --address-name --name --ids --resource-group --
subscription
az edgeorder address list --filter --resource-group --skip-token
az edgeorder address show --address-name --name --ids --resource-group --subscription
az edgeorder address update --contact-details --if-match --no-wait --shipping-address --tags --
address-name --name --ids --resource-group --subscription
az edgeorder address wait --address-name --resource-group --created --custom --deleted --exists --
interval --timeout --updated
az edgeorder order list --resource-group --skip-token
az edgeorder order show --ids --location --name --resource-group --subscription
az edgeorder order-item cancel --reason --ids --name --order-item-name --resource-group --
subscription
az edgeorder order-item create --name --order-item-resource --resource-group --no-wait
az edgeorder order-item delete --no-wait --yes --ids --name --order-item-name --resource-group --
subscription
az edgeorder order-item list --expand --filter --resource-group --skip-token
az edgeorder order-item return --return-reason --no-wait --service-tag --shipping-box-required --ids -
-name --order-item-name --resource-group --subscription --contact-details --shipping-address
az edgeorder order-item show --expand --ids --name --order-item-name --resource-group --
subscription
az edgeorder order-item update --if-match --no-wait --notif-email-list --tags --contact-details --
shipping-address --encryption-preferences --mgmt-preferences --notif-preferences --transport-
preferences --ids --name --order-item-name --resource-group --subscription
az edgeorder order-item wait --order-item-name --resource-group --expand --created --custom --
deleted --exists --interval --timeout --updated
az elastic monitor create --monitor-name --resource-group --elastic-properties --identity --location --
monitoring-status --no-wait --provisioning-state --tags --user-info --sku
az elastic monitor delete --no-wait --yes --ids --monitor-name --name --resource-group --subscription
az elastic monitor list --resource-group

```

az elastic monitor list-deployment-info --monitor-name --resource-group  
 az elastic monitor list-resource --monitor-name --resource-group  
 az elastic monitor list-vm-host --monitor-name --resource-group  
 az elastic monitor list-vm-ingestion-detail --monitor-name --resource-group  
 az elastic monitor show --ids --monitor-name --name --resource-group --subscription  
 az elastic monitor update --tags --ids --monitor-name --name --resource-group --subscription  
 az elastic monitor update-vm-collection --operation-name --vm-resource-id --ids --monitor-name --name --resource-group --subscription  
 az elastic monitor wait --ids --monitor-name --name --resource-group --subscription --created --custom --deleted --exists --interval --timeout --updated  
 az elastic monitor tag-rule create --monitor-name --resource-group --rule-set-name --provisioning-state --filtering-tags --send-aad-logs --send-activity-logs --send-subscription-logs  
 az elastic monitor tag-rule delete --no-wait --yes --ids --monitor-name --resource-group --rule-set-name --subscription  
 az elastic monitor tag-rule list --monitor-name --resource-group  
 az elastic monitor tag-rule show --ids --monitor-name --resource-group --rule-set-name --subscription  
 az elastic monitor tag-rule update --provisioning-state --add --force-string --remove --set --filtering-tags --send-aad-logs --send-activity-logs --send-subscription-logs --ids --monitor-name --resource-group --rule-set-name --subscription  
 az elastic monitor tag-rule wait --ids --monitor-name --resource-group --rule-set-name --subscription --created --custom --deleted --exists --interval --timeout --updated  
 az eventgrid domain create --location --name --resource-group --identity --inbound-ip-rules --input-mapping-default-values --input-mapping-fields --input-schema --public-network-access --sku --tags  
 az eventgrid domain delete --ids --name --resource-group --subscription  
 az eventgrid domain list --odata-query --resource-group  
 az eventgrid domain show --ids --name --resource-group --subscription  
 az eventgrid domain update --identity --inbound-ip-rules --public-network-access --sku --tags --ids --name --resource-group --subscription  
 az eventgrid domain key list --name --resource-group  
 az eventgrid domain key regenerate --key-name --name --resource-group  
 az eventgrid domain private-endpoint-connection approve --domain-name --name --resource-group --description  
 az eventgrid domain private-endpoint-connection delete --domain-name --ids --name --resource-group --subscription  
 az eventgrid domain private-endpoint-connection list --name --resource-group  
 az eventgrid domain private-endpoint-connection reject --domain-name --name --resource-group --description  
 az eventgrid domain private-endpoint-connection show --domain-name --ids --name --resource-group --subscription  
 az eventgrid domain private-link-resource list --domain-name --resource-group  
 az eventgrid domain private-link-resource show --domain-name --ids --name --resource-group --subscription  
 az eventgrid domain topic create --domain-name --name --resource-group  
 az eventgrid domain topic delete --domain-name --ids --name --resource-group --subscription  
 az eventgrid domain topic list --domain-name --resource-group --odata-query  
 az eventgrid domain topic show --domain-name --ids --name --resource-group --subscription

```

az eventgrid event-subscription create --name --advanced-filter --azure-active-directory-application-id-or-uri --azure-active-directory-tenant-id --deadletter-endpoint --deadletter-identity --deadletter-identity-endpoint --delivery-identity --delivery-identity-endpoint --delivery-identity-endpoint-type --endpoint --endpoint-type --event-delivery-schema --event-ttl --expiration-date --included-event-types --labels --max-delivery-attempts --max-events-per-batch --preferred-batch-size-in-kilobytes --source-resource-id --subject-begins-with --subject-case-sensitive --subject-ends-with
az eventgrid event-subscription delete --name --source-resource-id
az eventgrid event-subscription list --location --odata-query --resource-group --source-resource-id --topic-type-name
az eventgrid event-subscription show --name --include-full-endpoint-url --source-resource-id
az eventgrid event-subscription update --name --advanced-filter --deadletter-endpoint --deadletter-identity --deadletter-identity-endpoint --delivery-identity --delivery-identity-endpoint --delivery-identity-endpoint-type --endpoint --endpoint-type --included-event-types --labels --source-resource-id --subject-begins-with --subject-ends-with --add --force-string --remove --set
az eventgrid extension-topic show --scope
az eventgrid partner namespace create --location --name --partner-registration-id --resource-group --tags
az eventgrid partner namespace delete --ids --name --resource-group --subscription
az eventgrid partner namespace list --odata-query --resource-group
az eventgrid partner namespace show --ids --name --resource-group --subscription
az eventgrid partner namespace event-channel create --desination-topic-name --destination-resource-group --destination-subscription-id --name --partner-namespace-name --resource-group --source --activation-expiration-date --partner-topic-description --publisher-filter
az eventgrid partner namespace event-channel delete --ids --name --partner-namespace-name --resource-group --subscription
az eventgrid partner namespace event-channel list --partner-namespace-name --resource-group --odata-query
az eventgrid partner namespace event-channel show --ids --name --partner-namespace-name --resource-group --subscription
az eventgrid partner namespace key list --partner-namespace-name --resource-group
az eventgrid partner namespace key regenerate --key-name --partner-namespace-name --resource-group
az eventgrid partner registration create --name --partner-name --resource-group --resource-type-name --authorized-subscription-ids --customer-service-extension --customer-service-number --customer-service-uri --description --display-name --logo-uri --long-description --setup-uri --tags
az eventgrid partner registration delete --ids --name --resource-group --subscription
az eventgrid partner registration list --odata-query --resource-group
az eventgrid partner registration show --ids --name --resource-group --subscription
az eventgrid partner topic activate --ids --name --resource-group --subscription
az eventgrid partner topic deactivate --ids --name --resource-group --subscription
az eventgrid partner topic delete --ids --name --resource-group --subscription
az eventgrid partner topic list --odata-query --resource-group
az eventgrid partner topic show --ids --name --resource-group --subscription
az eventgrid partner topic event-subscription create --name --partner-topic-name --resource-group --advanced-filter --azure-active-directory-application-id-or-uri --azure-active-directory-tenant-id --deadletter-endpoint --endpoint --endpoint-type --event-delivery-schema --event-ttl --expiration-date --included-event-types --labels --max-delivery-attempts --max-events-per-batch --preferred-batch-size-in-kilobytes --subject-begins-with --subject-case-sensitive --subject-ends-with

```

```

az eventgrid partner topic event-subscription delete --name --partner-topic-name --resource-group
az eventgrid partner topic event-subscription list --partner-topic-name --resource-group --odata-
query
az eventgrid partner topic event-subscription show --name --partner-topic-name --resource-group --
include-full-endpoint-url
az eventgrid partner topic event-subscription update --name --partner-topic-name --resource-group
--advanced-filter --deadletter-endpoint --endpoint --endpoint-type --included-event-types --labels --
subject-begins-with --subject-ends-with
az eventgrid system-topic create --location --name --resource-group --source --topic-type --tags
az eventgrid system-topic delete --ids --name --resource-group --subscription
az eventgrid system-topic list --odata-query --resource-group
az eventgrid system-topic show --ids --name --resource-group --subscription
az eventgrid system-topic update --tags --ids --name --resource-group --subscription
az eventgrid system-topic event-subscription create --name --resource-group --system-topic-name --
advanced-filter --azure-active-directory-application-id-or-uri --azure-active-directory-tenant-id --
deadletter-endpoint --endpoint --endpoint-type --event-delivery-schema --event-ttl --expiration-date
--included-event-types --labels --max-delivery-attempts --max-events-per-batch --preferred-batch-
size-in-kilobytes --subject-begins-with --subject-case-sensitive --subject-ends-with
az eventgrid system-topic event-subscription delete --name --resource-group --system-topic-name
az eventgrid system-topic event-subscription list --resource-group --system-topic-name --odata-
query
az eventgrid system-topic event-subscription show --name --resource-group --system-topic-name --
include-full-endpoint-url
az eventgrid system-topic event-subscription update --name --resource-group --system-topic-name --
-advanced-filter --deadletter-endpoint --endpoint --endpoint-type --included-event-types --labels --
subject-begins-with --subject-ends-with
az eventgrid topic create --location --name --resource-group --identity --inbound-ip-rules --input-
mapping-default-values --input-mapping-fields --input-schema --public-network-access --sku --tags
az eventgrid topic delete --ids --name --resource-group --subscription
az eventgrid topic list --odata-query --resource-group
az eventgrid topic show --ids --name --resource-group --subscription
az eventgrid topic update --identity --inbound-ip-rules --public-network-access --sku --tags --ids --
name --resource-group --subscription
az eventgrid topic key list --name --resource-group
az eventgrid topic key regenerate --key-name --name --resource-group
az eventgrid topic private-endpoint-connection approve --name --resource-group --topic-name --
description
az eventgrid topic private-endpoint-connection delete --ids --name --resource-group --subscription --
topic-name
az eventgrid topic private-endpoint-connection list --resource-group --topic-name
az eventgrid topic private-endpoint-connection reject --name --resource-group --topic-name --
description
az eventgrid topic private-endpoint-connection show --ids --name --resource-group --subscription --
topic-name
az eventgrid topic private-link-resource list --resource-group --topic-name
az eventgrid topic private-link-resource show --ids --name --resource-group --subscription --topic-
name
az eventgrid topic-type list

```



```

az eventgrid topic-type list-event-types --name
az eventgrid topic-type show --name
az eventhubs cluster available-region
az eventhubs cluster create --name --resource-group --capacity --location --tags
az eventhubs cluster delete --name --resource-group --no-wait --yes
az eventhubs cluster list --resource-group
az eventhubs cluster show --name --resource-group
az eventhubs cluster update --name --resource-group --tags --add --force-string --remove --set
az eventhubs cluster wait --name --resource-group --created --custom --deleted --exists --interval --
timeout --updated
az eventhubs cluster namespace list --name --resource-group
az eventhubs eventhub create --name --namespace-name --resource-group --enable-capture --
message-retention --partition-count --skip-empty-archives --status --capture-interval --capture-size-
limit --archive-name-format --blob-container --destination-name --storage-account
az eventhubs eventhub delete --ids --name --namespace-name --resource-group --subscription
az eventhubs eventhub list --namespace-name --resource-group --skip --top
az eventhubs eventhub show --ids --name --namespace-name --resource-group --subscription
az eventhubs eventhub update --enable-capture --message-retention --partition-count --skip-empty-
archives --status --capture-interval --capture-size-limit --archive-name-format --blob-container --
destination-name --storage-account --add --force-string --remove --set --ids --name --namespace-
name --resource-group --subscription
az eventhubs eventhub authorization-rule create --eventhub-name --name --namespace-name --
resource-group --rights
az eventhubs eventhub authorization-rule delete --eventhub-name --ids --name --namespace-name -
-resource-group --subscription
az eventhubs eventhub authorization-rule list --eventhub-name --namespace-name --resource-group
az eventhubs eventhub authorization-rule show --eventhub-name --ids --name --namespace-name --
resource-group --subscription
az eventhubs eventhub authorization-rule update --rights --add --force-string --remove --set --
eventhub-name --ids --name --namespace-name --resource-group --subscription
az eventhubs eventhub authorization-rule keys list --eventhub-name --name --namespace-name --
resource-group
az eventhubs eventhub authorization-rule keys renew --key --name --key-value --eventhub-name --
ids --namespace-name --resource-group --subscription
az eventhubs eventhub consumer-group create --eventhub-name --name --namespace-name --
resource-group --user-metadata
az eventhubs eventhub consumer-group delete --eventhub-name --ids --name --namespace-name --
resource-group --subscription
az eventhubs eventhub consumer-group list --eventhub-name --namespace-name --resource-group -
-skip --top
az eventhubs eventhub consumer-group show --eventhub-name --ids --name --namespace-name --
resource-group --subscription
az eventhubs eventhub consumer-group update --user-metadata --add --force-string --remove --set -
-eventhub-name --ids --name --namespace-name --resource-group --subscription
az eventhubs georecovery-alias break-pair --alias --ids --namespace-name --resource-group --
subscription
az eventhubs georecovery-alias delete --alias --ids --namespace-name --resource-group --
subscription

```

```

az eventhubs georecovery-alias exists --alias --namespace-name --resource-group
az eventhubs georecovery-alias fail-over --alias --ids --namespace-name --resource-group --
subscription
az eventhubs georecovery-alias list --namespace-name --resource-group
az eventhubs georecovery-alias set --partner-namespace --alternate-name --alias --ids --namespace-
name --resource-group --subscription
az eventhubs georecovery-alias show --alias --ids --namespace-name --resource-group --subscription
az eventhubs georecovery-alias authorization-rule list --alias --namespace-name --resource-group
az eventhubs georecovery-alias authorization-rule show --alias --ids --name --namespace-name --
resource-group --subscription
az eventhubs georecovery-alias authorization-rule keys list --alias --name --namespace-name --
resource-group
az eventhubs namespace create --name --resource-group --capacity --cluster-arm-id --disable-local-
auth --enable-auto-inflate --enable-kafka --enable-trusted-service-access --encryption-config --
location --maximum-throughput-units --sku --tags --zone-redundant --assign-identity --mi-system-
assigned --mi-user-assigned --default-action
az eventhubs namespace delete --ids --name --resource-group --subscription
az eventhubs namespace exists --name
az eventhubs namespace list --resource-group
az eventhubs namespace show --ids --name --resource-group --subscription
az eventhubs namespace update --capacity --disable-local-auth --enable-auto-inflate --enable-kafka -
-enable-trusted-service-access --maximum-throughput-units --sku --tags --add --force-string --
remove --set --assign-identity --infra-encryption --key-name --key-source --key-vault-uri --key-version
--ids --name --resource-group --subscription --default-action
az eventhubs namespace authorization-rule create --name --namespace-name --resource-group --
rights
az eventhubs namespace authorization-rule delete --ids --name --namespace-name --resource-group
--subscription
az eventhubs namespace authorization-rule list --namespace-name --resource-group
az eventhubs namespace authorization-rule show --ids --name --namespace-name --resource-group -
-subscription
az eventhubs namespace authorization-rule update --rights --add --force-string --remove --set --ids --
name --namespace-name --resource-group --subscription
az eventhubs namespace authorization-rule keys list --name --namespace-name --resource-group
az eventhubs namespace authorization-rule keys renew --key --name --key-value --ids --namespace-
name --resource-group --subscription
az eventhubs namespace encryption add --encryption-config --namespace-name --resource-group
az eventhubs namespace encryption remove --encryption-config --namespace-name --resource-
group
az eventhubs namespace identity assign --namespace-name --resource-group --system-assigned --
user-assigned
az eventhubs namespace identity remove --namespace-name --resource-group --system-assigned --
user-assigned
az eventhubs namespace network-rule add --namespace-name --resource-group --action --ip-
address --ignore-missing-endpoint --subnet --vnet-name
az eventhubs namespace network-rule list --namespace-name --resource-group
az eventhubs namespace network-rule remove --namespace-name --resource-group --ip-address --
subnet --vnet-name

```

```

az eventhubs namespace private-endpoint-connection approve --description --id --name --
namespace-name --resource-group
az eventhubs namespace private-endpoint-connection delete --id --name --namespace-name --
resource-group --yes
az eventhubs namespace private-endpoint-connection list --namespace-name --resource-group
az eventhubs namespace private-endpoint-connection reject --description --id --name --namespace-
name --resource-group
az eventhubs namespace private-endpoint-connection show --id --name --namespace-name --
resource-group
az eventhubs namespace private-link-resource show --namespace-name --resource-group
az extension add --name --source --system --upgrade --version --yes --pip-extra-index-urls --pip-proxy
az extension list
az extension list-available --show-details
az extension list-versions --name
az extension remove --name
az extension show --name
az extension update --name --pip-extra-index-urls --pip-proxy
az feature list --namespace
az feature register --name --namespace
az feature show --name --namespace
az feature unregister --name --namespace
az feature registration create --name --namespace
az feature registration delete --name --namespace --yes
az feature registration list --namespace
az feature registration show --name --provider-namespace
az functionapp create --name --resource-group --app-insights --app-insights-key --assign-identity --
consumption-plan-location --custom-location --deployment-container-image-name --deployment-
local-git --deployment-source-branch --deployment-source-url --disable-app-insights --docker-
registry-server-password --docker-registry-server-user --functions-version --max-worker-count --min-
worker-count --os-type --plan --role --runtime --runtime-version --scope --storage-account --tags
az functionapp delete --slot --ids --name --resource-group --subscription
az functionapp deploy --async --clean --ignore-stack --restart --slot --src-path --src-url --target-path --
timeout --type --ids --name --resource-group --subscription
az functionapp list --resource-group
az functionapp list-consumption-locations
az functionapp list-runtimes --os --os-type
az functionapp restart --slot --ids --name --resource-group --subscription
az functionapp show --slot --ids --name --resource-group --subscription
az functionapp start --slot --ids --name --resource-group --subscription
az functionapp stop --slot --ids --name --resource-group --subscription
az functionapp update --force --plan --slot --add --force-string --remove --set --ids --name --resource-
group --subscription
az functionapp app up --app-name --branch-name --do-not-wait --repository
az functionapp config set --always-on --auto-heal-enabled --ftps-state --generic-configurations --
http20-enabled --java-container --java-container-version --java-version --linux-fx-version --min-tls-
version --net-framework-version --number-of-workers --php-version --prewarmed-instance-count --
python-version --remote-debugging-enabled --slot --startup-file --use-32bit-worker-process --vnet-
route-all-enabled --web-sockets-enabled --ids --name --resource-group --subscription

```

```

az functionapp config show --slot --ids --name --resource-group --subscription
az functionapp config access-restriction add --priority --action --description --http-headers --ignore-missing-endpoint --ip-address --rule-name --scm-site --service-tag --slot --subnet --vnet-name --vnet-resource-group --ids --name --resource-group --subscription
az functionapp config access-restriction remove --action --ip-address --rule-name --scm-site --service-tag --slot --subnet --vnet-name --ids --name --resource-group --subscription
az functionapp config access-restriction set --use-same-restrictions-for-scm-site --slot --ids --name --resource-group --subscription
az functionapp config access-restriction show --slot --ids --name --resource-group --subscription
az functionapp config appsettings delete --setting-names --slot --ids --name --resource-group --subscription
az functionapp config appsettings list --name --resource-group --slot
az functionapp config appsettings set --settings --slot --slot-settings --ids --name --resource-group --subscription
az functionapp config container delete --slot --ids --name --resource-group --subscription
az functionapp config container set --docker-custom-image-name --docker-registry-server-password --docker-registry-server-url --docker-registry-server-user --slot --ids --name --resource-group --subscription
az functionapp config container show --slot --ids --name --resource-group --subscription
az functionapp config hostname add --slot --hostname --ids --name --resource-group --subscription
az functionapp config hostname delete --slot --hostname --ids --name --resource-group --subscription
az functionapp config hostname get-external-ip --ids --name --resource-group --subscription
az functionapp config hostname list --resource-group --webapp-name --slot
az functionapp config ssl bind --certificate-thumbprint --ssl-type --slot --ids --name --resource-group --subscription
az functionapp config ssl create --hostname --name --resource-group --slot
az functionapp config ssl delete --certificate-thumbprint --resource-group
az functionapp config ssl import --key-vault --key-vault-certificate-name --ids --name --resource-group --subscription
az functionapp config ssl list --resource-group
az functionapp config ssl show --certificate-name --resource-group
az functionapp config ssl unbind --certificate-thumbprint --slot --ids --name --resource-group --subscription
az functionapp config ssl upload --certificate-file --certificate-password --slot --ids --name --resource-group --subscription
az functionapp cors add --allowed-origins --slot --ids --name --resource-group --subscription
az functionapp cors remove --allowed-origins --slot --ids --name --resource-group --subscription
az functionapp cors show --slot --ids --name --resource-group --subscription
az functionapp deployment list-publishing-credentials --slot --ids --name --resource-group --subscription
az functionapp deployment list-publishing-profiles --slot --xml --ids --name --resource-group --subscription
az functionapp deployment container config --enable-cd --slot --ids --name --resource-group --subscription
az functionapp deployment container show-cd-url --slot --ids --name --resource-group --subscription
az functionapp deployment slot auto-swap --slot --auto-swap-slot --disable --ids --name --resource-group --subscription

```

```

az functionapp deployment slot create --name --resource-group --slot --configuration-source --
deployment-container-image-name --docker-registry-server-password --docker-registry-server-user
az functionapp deployment slot delete --slot --ids --name --resource-group --subscription
az functionapp deployment slot list --ids --name --resource-group --subscription
az functionapp deployment slot swap --slot --action --preserve-vnet --target-slot --ids --name --
resource-group --subscription
az functionapp deployment source config --repo-url --branch --git-token --github-action --manual-
integration --repository-type --slot --ids --name --resource-group --subscription
az functionapp deployment source config-local-git --slot --ids --name --resource-group --subscription
az functionapp deployment source config-zip --src --build-remote --slot --timeout --ids --name --
resource-group --subscription
az functionapp deployment source delete --slot --ids --name --resource-group --subscription
az functionapp deployment source show --slot --ids --name --resource-group --subscription
az functionapp deployment source sync --slot --ids --name --resource-group --subscription
az functionapp deployment source update-token --git-token
az functionapp deployment user set --user-name --password
az functionapp deployment user show
az functionapp devops-pipeline create --allow-force-push --functionapp-name --github-pat --github-
repository --organization-name --overwrite-yaml --project-name --repository-name
az functionapp function delete --function-name --name --resource-group
az functionapp function show --function-name --name --resource-group
az functionapp function keys delete --key-name --name --resource-group --function-name --slot
az functionapp function keys list --function-name --name --resource-group --slot
az functionapp function keys set --function-name --key-name --name --resource-group --key-value --
slot
az functionapp hybrid-connection add --hybrid-connection --name --namespace --resource-group --
slot
az functionapp hybrid-connection list --name --resource-group --slot
az functionapp hybrid-connection remove --hybrid-connection --name --namespace --resource-
group --slot
az functionapp identity assign --identities --role --scope --slot --ids --name --resource-group --
subscription
az functionapp identity remove --identities --slot --ids --name --resource-group --subscription
az functionapp identity show --slot --ids --name --resource-group --subscription
az functionapp keys delete --key-name --key-type --name --resource-group --slot
az functionapp keys list --name --resource-group --slot
az functionapp keys set --key-name --key-type --name --resource-group --key-value --slot
az functionapp log deployment list --name --resource-group --slot
az functionapp log deployment show --name --resource-group --deployment-id --slot
az functionapp plan create --name --resource-group --sku --is-linux --location --max-burst --min-
instances --number-of-workers --tags --zone-redundant
az functionapp plan delete --yes --ids --name --resource-group --subscription
az functionapp plan list --resource-group
az functionapp plan show --ids --name --resource-group --subscription
az functionapp plan update --max-burst --min-instances --number-of-workers --sku --add --force-
string --remove --set --ids --name --resource-group --subscription
az functionapp vnet-integration add --name --resource-group --subnet --vnet --skip-delegation-check
--slot

```

```

az functionapp vnet-integration list --name --resource-group --slot
az functionapp vnet-integration remove --name --resource-group --slot
az fzf group --filter --no-default
az fzf install --install-dir --version
az fzf location --filter --no-default
az fzf subscription --filter --no-default
az grafana create --name --resource-group --location --principal-ids --skip-role-assignments --skip-system-assigned-identity --tags --zone-redundancy
az grafana delete --name --resource-group --yes
az grafana list --resource-group
az grafana show --name --resource-group
az grafana dashboard create --definition --name --folder --overwrite --resource-group --title
az grafana dashboard delete --dashboard --name --resource-group
az grafana dashboard import --definition --name --folder --overwrite --resource-group
az grafana dashboard list --name --resource-group
az grafana dashboard show --dashboard --name --resource-group
az grafana dashboard update --definition --name --folder --overwrite --resource-group
az grafana data-source create --definition --name --resource-group
az grafana data-source delete --data-source --name --resource-group
az grafana data-source list --name --resource-group
az grafana data-source query --data-source --name --conditions --from --internal-ms --max-data-points --query-format --resource-group --to
az grafana data-source show --data-source --name --resource-group
az grafana data-source update --data-source --definition --name --resource-group
az grafana folder create --name --title --resource-group
az grafana folder delete --folder --name --resource-group
az grafana folder list --name --resource-group
az grafana folder show --folder --name --resource-group
az grafana folder update --folder --name --title --resource-group
az grafana user actual-user --name --resource-group
az grafana user list --name --resource-group
az grafana user show --name --user --resource-group
az graph query --graph-query --allow-partial-scopes --first --management-groups --skip --skip-token --subscriptions
az graph shared-query create --description --graph-query --name --resource-group --tags
az graph shared-query delete --name --resource-group
az graph shared-query list --resource-group
az graph shared-query show --name --resource-group
az group create --location --name --managed-by --tags
az group delete --name --force-deletion-types --no-wait --yes
az group exists --name
az group export --name --include-comments --include-parameter-default-value --resource-ids --skip-all-params --skip-resource-name-params
az group list --tag
az group show --name
az group update --name --tags --add --force-string --remove --set
az group wait --name --created --custom --deleted --exists --interval --timeout --updated
az group lock create --lock-type --name --resource-group --notes

```

```

az group lock delete --ids --name --resource-group
az group lock list --filter-string --resource-group
az group lock show --ids --name --resource-group
az group lock update --ids --lock-type --name --notes --resource-group
az guestconfig guest-configuration-assignment create --guest-configuration-assignment-name --
resource-group --vm-name --context --guest-configuration-configuration-parameter --guest-
configuration-configuration-setting --guest-configuration-name --guest-configuration-version --
latest-assignment-report-assignment --location --name --no-wait
az guestconfig guest-configuration-assignment delete --no-wait --ids --name --resource-group --
subscription --vm-name
az guestconfig guest-configuration-assignment list --resource-group --vm-name
az guestconfig guest-configuration-assignment show --ids --name --resource-group --subscription --
vm-name
az guestconfig guest-configuration-assignment update --context --guest-configuration-configuration-
parameter --guest-configuration-configuration-setting --guest-configuration-name --guest-
configuration-version --latest-assignment-report-assignment --location --name --no-wait --guest-
configuration-assignment-name --ids --resource-group --subscription --vm-name
az guestconfig guest-configuration-assignment wait --ids --name --resource-group --subscription --
vm-name --created --custom --deleted --exists --interval --timeout --updated
az guestconfig guest-configuration-assignment-report list --guest-configuration-assignment-name --
resource-group --vm-name
az guestconfig guest-configuration-assignment-report show --guest-configuration-assignment-name
--ids --report-id --resource-group --subscription --vm-name
az guestconfig guest-configuration-hcrp-assignment create --guest-configuration-assignment-name -
-machine-name --resource-group --context --guest-configuration-configuration-parameter --guest-
configuration-configuration-setting --guest-configuration-name --guest-configuration-version --
latest-assignment-report-assignment --location --name --no-wait
az guestconfig guest-configuration-hcrp-assignment delete --no-wait --guest-configuration-
assignment-name --ids --machine-name --resource-group --subscription
az guestconfig guest-configuration-hcrp-assignment list --machine-name --resource-group
az guestconfig guest-configuration-hcrp-assignment show --guest-configuration-assignment-name --
ids --machine-name --resource-group --subscription
az guestconfig guest-configuration-hcrp-assignment update --context --guest-configuration-
configuration-parameter --guest-configuration-configuration-setting --guest-configuration-name --
guest-configuration-version --latest-assignment-report-assignment --location --name --no-wait --
guest-configuration-assignment-name --ids --machine-name --resource-group --subscription
az guestconfig guest-configuration-hcrp-assignment wait --guest-configuration-assignment-name --
ids --machine-name --resource-group --subscription --created --custom --deleted --exists --interval --
timeout --updated
az guestconfig guest-configuration-hcrp-assignment-report list --guest-configuration-assignment-
name --machine-name --resource-group
az guestconfig guest-configuration-hcrp-assignment-report show --guest-configuration-assignment-
name --ids --machine-name --report-id --resource-group --subscription
az hack create --location --name --runtime --ai --database
az hack show --name
az hanainstance create --instance-name --ip-address --location --os-computer-name --partner-node-
id --resource-group --ssh-public-key
az hanainstance delete --ids --instance-name --resource-group --subscription

```

```

az hanainstance list --resource-group
az hanainstance restart --ids --instance-name --resource-group --subscription
az hanainstance show --ids --instance-name --resource-group --subscription
az hanainstance shutdown --ids --instance-name --resource-group --subscription
az hanainstance start --ids --instance-name --resource-group --subscription
az hanainstance update --no-wait --add --force-string --remove --set --ids --instance-name --
resource-group --subscription
az hdinsight create --name --resource-group --location --no-validation-timeout --no-wait --tags --
autoscale-count --autoscale-workernode-count --autoscale-max-count --autoscale-max-workernode-
count --autoscale-min-count --autoscale-min-workernode-count --autoscale-type --days --time --
timezone --zones --type --cluster-configurations --cluster-tier --component-version --esp --idbroker --
minimal-tls-version --version --compute-isolation --enable-compute-isolation --host-sku --
encryption-algorithm --encryption-key-name --encryption-key-version --encryption-vault-uri --
cluster-admin-account --cluster-admin-password --cluster-users-group-dns --domain --ldaps-urls --
encryption-at-host --encryption-in-transit --http-password --http-user --kafka-client-group-id --kafka-
client-group-name --assign-identity --subnet --vnet-name --edgenode-size --headnode-size --kafka-
management-node-count --kafka-management-node-size --workernode-count --workernode-data-
disk-size --workernode-data-disk-storage-account-type --workernode-data-disks-per-node --
workernode-size --zookeeper-node-size --enable-private-link --private-link-config --private-link-
configurations --resource-provider-connection --rp-connection --ssh-password --ssh-public-key --ssh-
user --storage-account --storage-account-key --storage-account-managed-identity --storage-
container --storage-filesystem
az hdinsight delete --name --resource-group --no-wait --yes
az hdinsight list --resource-group
az hdinsight list-usage --location
az hdinsight resize --name --resource-group --workernode-count --no-wait
az hdinsight rotate-disk-encryption-key --name --resource-group --no-wait --encryption-key-name --
encryption-key-version --encryption-vault-uri
az hdinsight show --name --resource-group
az hdinsight update --name --resource-group --no-wait --tags
az hdinsight wait --name --resource-group --created --custom --deleted --exists --interval --timeout --
updated
az hdinsight application create --cluster-name --name --resource-group --marketplace-id --no-
validation-timeout --tags --type --access-mode --destination-port --disable-gateway-auth --sub-
domain-suffix --subnet --vnet-name --edgenode-size --ssh-password --ssh-public-key --ssh-user --
script-action-name --script-uri --script-parameters
az hdinsight application delete --cluster-name --name --resource-group --no-wait --yes
az hdinsight application list --cluster-name --resource-group
az hdinsight application show --cluster-name --name --resource-group
az hdinsight application wait --cluster-name --name --resource-group --created --custom --deleted --
exists --interval --timeout --updated
az hdinsight autoscale create --cluster-name --resource-group --type --no-wait --yes --max-
workernode-count --min-workernode-count --days --time --timezone --workernode-count
az hdinsight autoscale delete --cluster-name --resource-group --no-wait --yes
az hdinsight autoscale list-timezones
az hdinsight autoscale show --cluster-name --resource-group
az hdinsight autoscale update --cluster-name --resource-group --no-wait --max-workernode-count --
min-workernode-count --timezone

```



```

az hdinsight autoscale wait --name --resource-group --created --custom --deleted --exists --interval --
timeout --updated
az hdinsight autoscale condition create --cluster-name --days --resource-group --time --workernode-
count --no-wait
az hdinsight autoscale condition delete --cluster-name --index --resource-group --no-wait --yes
az hdinsight autoscale condition list --cluster-name --resource-group
az hdinsight autoscale condition update --cluster-name --index --resource-group --days --no-wait --
time --workernode-count
az hdinsight autoscale condition wait --name --resource-group --created --custom --deleted --exists --
interval --timeout --updated
az hdinsight azure-monitor disable --name --resource-group
az hdinsight azure-monitor enable --name --resource-group --workspace --no-validation-timeout --
primary-key
az hdinsight azure-monitor show --name --resource-group
az hdinsight host list --cluster-name --resource-group
az hdinsight host restart --cluster-name --host-names --resource-group --yes
az hdinsight monitor disable --name --resource-group
az hdinsight monitor enable --name --resource-group --workspace --no-validation-timeout --primary-
key
az hdinsight monitor show --name --resource-group
az hdinsight script-action delete --cluster-name --name --resource-group
az hdinsight script-action execute --cluster-name --name --resource-group --roles --script-uri --
persist-on-success --script-parameters
az hdinsight script-action list --cluster-name --resource-group
az hdinsight script-action list-execution-history --cluster-name --resource-group
az hdinsight script-action promote --cluster-name --execution-id --resource-group
az hdinsight script-action show-execution-details --cluster-name --execution-id --resource-group
az healthbot create --bot-name --resource-group --location --no-wait --tags --sku
az healthbot delete --no-wait --yes --bot-name --name --ids --resource-group --subscription
az healthbot list --resource-group
az healthbot show --bot-name --name --ids --resource-group --subscription
az healthbot update --tags --bot-name --name --ids --resource-group --subscription --sku
az healthbot wait --bot-name --name --ids --resource-group --subscription --created --custom --
deleted --exists --interval --timeout --updated
az healthcareapis acr add --login-servers --ids --resource-group --resource-name --subscription
az healthcareapis acr list --resource-group --resource-name
az healthcareapis acr remove --login-servers --ids --resource-group --resource-name --subscription
az healthcareapis acr reset --login-servers --ids --resource-group --resource-name --subscription
az healthcareapis operation-result show --ids --location-name --operation-result-id --subscription
az healthcareapis private-endpoint-connection create --name --resource-group --resource-name --
no-wait --private-link-service-connection-state --private-link-service-connection-state-actions-
required --private-link-service-connection-state-description --private-link-service-connection-state-
status
az healthcareapis private-endpoint-connection delete --no-wait --yes --ids --name --private-
endpoint-connection-name --resource-group --resource-name --subscription
az healthcareapis private-endpoint-connection list --resource-group --resource-name
az healthcareapis private-endpoint-connection show --ids --name --private-endpoint-connection-
name --resource-group --resource-name --subscription

```

```

az healthcareapis private-endpoint-connection update --no-wait --private-link-service-connection-
state --private-link-service-connection-state-actions-required --private-link-service-connection-state-
description --private-link-service-connection-state-status --ids --name --private-endpoint-
connection-name --resource-group --resource-name --subscription
az healthcareapis private-endpoint-connection wait --ids --name --private-endpoint-connection-
name --resource-group --resource-name --subscription --created --custom --deleted --exists --interval
--timeout --updated
az healthcareapis private-link-resource list --resource-group --resource-name
az healthcareapis private-link-resource show --group-name --ids --resource-group --resource-name --
subscription
az healthcareapis service create --kind --location --resource-group --resource-name --access-policies
--authentication-configuration --cors-configuration --cosmos-db-configuration --etag --export-
configuration-storage-account-name --identity-type --no-wait --private-endpoint-connections --
public-network-access --tags --login-servers --oci-artifacts
az healthcareapis service delete --no-wait --yes --ids --resource-group --resource-name --subscription
az healthcareapis service list --resource-group
az healthcareapis service show --ids --resource-group --resource-name --subscription
az healthcareapis service update --no-wait --public-network-access --tags --ids --resource-group --
resource-name --subscription
az healthcareapis service wait --ids --resource-group --resource-name --subscription --created --
custom --deleted --exists --interval --timeout --updated
az healthcareapis workspace create --name --resource-group --etag --location --no-wait --public-
network-access --tags
az healthcareapis workspace delete --no-wait --yes --ids --name --workspace-name --resource-group
--subscription
az healthcareapis workspace list --resource-group
az healthcareapis workspace show --ids --name --workspace-name --resource-group --subscription
az healthcareapis workspace update --no-wait --tags --ids --name --workspace-name --resource-
group --subscription
az healthcareapis workspace wait --ids --name --workspace-name --resource-group --subscription --
created --custom --deleted --exists --interval --timeout --updated
az healthcareapis workspace dicom-service create --dicom-service-name --resource-group --
workspace-name --etag --location --no-wait --public-network-access --tags --identity-type --user-
assigned-identities
az healthcareapis workspace dicom-service delete --no-wait --yes --dicom-service-name --name --ids
--resource-group --subscription --workspace-name
az healthcareapis workspace dicom-service list --resource-group --workspace-name
az healthcareapis workspace dicom-service show --dicom-service-name --name --ids --resource-
group --subscription --workspace-name
az healthcareapis workspace dicom-service update --no-wait --tags --identity-type --user-assigned-
identities --dicom-service-name --name --ids --resource-group --subscription --workspace-name
az healthcareapis workspace dicom-service wait --dicom-service-name --name --ids --resource-group
--subscription --workspace-name --created --custom --deleted --exists --interval --timeout --updated
az healthcareapis workspace fhir-service create --fhir-service-name --resource-group --workspace-
name --access-policies --authentication-configuration --cors-configuration --etag --kind --location --
no-wait --public-network-access --tags --login-servers --oci-artifacts --export-configuration-storage-
account-name --identity-type --user-assigned-identities --default --resource-type-overrides

```

```

az healthcareapis workspace fhir-service delete --no-wait --yes --fhir-service-name --name --ids --
resource-group --subscription --workspace-name
az healthcareapis workspace fhir-service list --resource-group --workspace-name
az healthcareapis workspace fhir-service show --fhir-service-name --name --ids --resource-group --
subscription --workspace-name
az healthcareapis workspace fhir-service update --no-wait --tags --identity-type --user-assigned-
identities --fhir-service-name --name --ids --resource-group --subscription --workspace-name
az healthcareapis workspace fhir-service wait --fhir-service-name --name --ids --resource-group --
subscription --workspace-name --created --custom --deleted --exists --interval --timeout --updated
az healthcareapis workspace iot-connector create --iot-connector-name --resource-group --
workspace-name --etag --ingestion-endpoint-configuration --location --no-wait --tags --content --
identity-type --user-assigned-identities
az healthcareapis workspace iot-connector delete --no-wait --yes --ids --iot-connector-name --name -
-resource-group --subscription --workspace-name
az healthcareapis workspace iot-connector list --resource-group --workspace-name
az healthcareapis workspace iot-connector show --ids --iot-connector-name --name --resource-group
--subscription --workspace-name
az healthcareapis workspace iot-connector update --no-wait --tags --identity-type --user-assigned-
identities --ids --iot-connector-name --name --resource-group --subscription --workspace-name
az healthcareapis workspace iot-connector wait --ids --iot-connector-name --name --resource-group
--subscription --workspace-name --created --custom --deleted --exists --interval --timeout --updated
az healthcareapis workspace iot-connector fhir-destination create --fhir-destination-name --fhir-
service-resource-id --iot-connector-name --resource-group --resource-identity-resolution-type --
workspace-name --etag --location --no-wait --content
az healthcareapis workspace iot-connector fhir-destination delete --no-wait --yes --fhir-destination-
name --ids --iot-connector-name --resource-group --subscription --workspace-name
az healthcareapis workspace iot-connector fhir-destination list --iot-connector-name --resource-
group --workspace-name
az healthcareapis workspace iot-connector fhir-destination show --fhir-destination-name --ids --iot-
connector-name --resource-group --subscription --workspace-name
az healthcareapis workspace iot-connector fhir-destination update --fhir-service-resource-id --
resource-identity-resolution-type --etag --location --no-wait --content --add --force-string --remove --
set --fhir-destination-name --ids --iot-connector-name --resource-group --subscription --workspace-
name
az healthcareapis workspace iot-connector fhir-destination wait --fhir-destination-name --ids --iot-
connector-name --resource-group --subscription --workspace-name --created --custom --deleted --
exists --interval --timeout --updated
az healthcareapis workspace private-endpoint-connection create --name --resource-group --
workspace-name --no-wait --private-link-service-connection-state
az healthcareapis workspace private-endpoint-connection delete --no-wait --yes --ids --name --
private-endpoint-connection-name --resource-group --subscription --workspace-name
az healthcareapis workspace private-endpoint-connection list --resource-group --workspace-name
az healthcareapis workspace private-endpoint-connection show --ids --name --private-endpoint-
connection-name --resource-group --subscription --workspace-name
az healthcareapis workspace private-endpoint-connection update --no-wait --private-link-service-
connection-state --add --force-string --remove --set --ids --name --private-endpoint-connection-
name --resource-group --subscription --workspace-name

```

```

az healthcareapis workspace private-endpoint-connection wait --ids --name --private-endpoint-connection-name --resource-group --subscription --workspace-name --created --custom --deleted --exists --interval --timeout --updated
az healthcareapis workspace private-link-resource list --resource-group --workspace-name
az healthcareapis workspace private-link-resource show --group-name --ids --resource-group --subscription --workspace-name
az hpc-cache create --cache-size-gb --location --name --resource-group --sku-name --subnet --no-wait --tags
az hpc-cache delete --name --resource-group --no-wait
az hpc-cache flush --name --resource-group
az hpc-cache list --resource-group
az hpc-cache show --name --resource-group
az hpc-cache start --name --resource-group --no-wait
az hpc-cache stop --name --resource-group --no-wait
az hpc-cache update --name --resource-group --tags
az hpc-cache upgrade-firmware --name --resource-group
az hpc-cache wait --name --resource-group --created --custom --deleted --exists --interval --timeout --updated
az hpc-cache blob-storage-target add --cache-name --container-name --name --resource-group --storage-account --virtual-namespace-path
az hpc-cache blob-storage-target update --cache-name --name --resource-group --container-name --storage-account --virtual-namespace-path
az hpc-cache nfs-storage-target add --cache-name --junction --name --nfs3-target --nfs3-usage-model --resource-group
az hpc-cache nfs-storage-target update --cache-name --name --resource-group --junction --nfs3-target --nfs3-usage-model
az hpc-cache skus list
az hpc-cache storage-target list --cache-name --resource-group
az hpc-cache storage-target remove --cache-name --name --resource-group
az hpc-cache storage-target show --cache-name --name --resource-group
az hpc-cache usage-model list
az identity create --name --resource-group --location --tags
az identity delete --ids --name --resource-group --subscription
az identity list --resource-group
az identity list-operations
az identity show --ids --name --resource-group --subscription
az image copy --source-object-name --source-resource-group --target-location --target-resource-group --cleanup --export-as-snapshot --parallel-degree --source-type --tags --target-name --target-subscription --temporary-resource-group-name --temporary_resource_group_name --timeout
az image create --name --resource-group --source --data-disk-caching --data-disk-sources --edge-zone --hyper-v-generation --location --os-disk-caching --os-type --storage-sku --tags --zone-resilient
az image delete --ids --name --resource-group --subscription
az image list --resource-group
az image show --expand --ids --name --resource-group --subscription
az image update --tags --add --force-string --remove --set --ids --name --resource-group --subscription
az image builder cancel --ids --name --resource-group --subscription

```

```

az image builder create --name --resource-group --build-timeout --build-vm-identities --defer --
identity --image-template --location --no-wait --os-disk-size --proxy-vm-size --subnet --tags --vm-size
--vnet --scripts --checksum --image-source --managed-image-destinations --shared-image-
destinations
az image builder delete --ids --name --resource-group --subscription
az image builder list --resource-group
az image builder run --no-wait --ids --name --resource-group --subscription
az image builder show --ids --name --resource-group --subscription
az image builder show-runs --output-name --ids --name --resource-group --subscription
az image builder update --defer --add --force-string --remove --set --ids --name --resource-group --
subscription
az image builder wait --ids --name --resource-group --subscription --created --custom --deleted --
exists --interval --timeout --updated
az image builder customizer add --customizer-name --type --defer --dest-path --file-source --exit-
codes --ids --name --resource-group --subscription --inline-script --script-url --restart-check-
command --restart-command --restart-timeout --filters --search-criteria --update-limit
az image builder customizer clear --defer --ids --name --resource-group --subscription
az image builder customizer remove --customizer-name --defer --ids --name --resource-group --
subscription
az image builder output add --artifact-tags --defer --output-name --managed-image --managed-
image-location --ids --name --resource-group --subscription --gallery-image-definition --gallery-name
--gallery-replication-regions --is-vhd
az image builder output clear --defer --ids --name --resource-group --subscription
az image builder output remove --output-name --defer --ids --name --resource-group --subscription
az import-export create --name --resource-group --backup-drive-manifest --cancel-requested --
client-tenant-id --delivery-package --diagnostics-path --drive-list --export --incomplete-blob-list-uri --
location --log-level --percent-complete --return-address --return-package --return-shipping --
shipping-information --state --storage-account --tags --type
az import-export delete --name --resource-group
az import-export list --resource-group
az import-export show --name --resource-group
az import-export update --name --resource-group --backup-drive-manifest --cancel-requested --
delivery-package --drive-list --log-level --return-address --return-shipping --state --tags
az import-export bit-locker-key list --job-name --resource-group
az import-export location list
az import-export location show --location
az internet-analyzer show-scorecard --aggregation-interval --profile-name --resource-group --test-
name --country --end-date-time-utc
az internet-analyzer show-timeseries --aggregation-interval --end-date-time-utc --endpoint --profile-
name --resource-group --start-date-time-utc --test-name --timeseries-type --country
az internet-analyzer preconfigured-endpoint list --profile-name --resource-group
az internet-analyzer profile create --name --resource-group --enabled-state --location --tags
az internet-analyzer profile delete --name --resource-group
az internet-analyzer profile list --resource-group
az internet-analyzer profile show --name --resource-group
az internet-analyzer profile update --name --resource-group --enabled-state --location --tags
az internet-analyzer test create --name --profile-name --resource-group --description --enabled-state
--endpoint-a-endpoint --endpoint-a-name --endpoint-b-endpoint --endpoint-b-name --location --tags

```

```

az internet-analyzer test delete --name --profile-name --resource-group
az internet-analyzer test list --profile-name --resource-group
az internet-analyzer test show --name --profile-name --resource-group
az internet-analyzer test update --name --profile-name --resource-group --description --enabled-
state --endpoint-a-endpoint --endpoint-a-name --endpoint-b-endpoint --endpoint-b-name --location
--tags
az iot central query --app-id --qs --api-version --av --central-api-uri --central-dns-suffix --token
az iot central api-token create --app-id --role --tkid --api-version --av --central-api-uri --central-dns-
suffix --org-id --organization-id --token
az iot central api-token delete --app-id --tkid --api-version --av --central-api-uri --central-dns-suffix --
token
az iot central api-token list --app-id --api-version --av --central-api-uri --central-dns-suffix --token
az iot central api-token show --app-id --tkid --api-version --av --central-api-uri --central-dns-suffix --
token
az iot central app create --name --resource-group --subdomain --display-name --location --mi-
system-assigned --no-wait --sku --template
az iot central app delete --name --resource-group --no-wait --yes
az iot central app list --resource-group
az iot central app show --name --resource-group
az iot central app update --name --resource-group --add --force-string --remove --set
az iot central app identity assign --name --resource-group --system-assigned
az iot central app identity remove --name --resource-group --system-assigned
az iot central app identity show --name --resource-group
az iot central device compute-device-key --device-id --pk
az iot central device create --app-id --device-id --api-version --av --central-api-uri --central-dns-suffix
--device-name --organizations --orgs --simulated --template --token
az iot central device delete --app-id --device-id --api-version --av --central-api-uri --central-dns-suffix
--token
az iot central device list --app-id --api-version --av --central-api-uri --central-dns-suffix --edge-only --
token
az iot central device list-components --app-id --device-id --api-version --av --central-api-uri --central-
dns-suffix --mn --module-name --token
az iot central device list-modules --app-id --device-id --api-version --av --central-api-uri --central-dns-
suffix --token
az iot central device manual-failback --app-id --device-id --api-version --av --central-api-uri --central-
dns-suffix --token
az iot central device manual-failover --app-id --device-id --api-version --av --central-api-uri --central-
dns-suffix --token --ttl --ttl-minutes
az iot central device registration-info --app-id --device-id --api-version --av --central-api-uri --central-
dns-suffix --token
az iot central device show --app-id --device-id --api-version --av --central-api-uri --central-dns-suffix --
token
az iot central device show-credentials --app-id --device-id --api-version --av --central-api-uri --central-
dns-suffix --token
az iot central device update --app-id --device-id --api-version --av --central-api-uri --central-dns-suffix
--device-name --enable --organizations --orgs --simulated --template --token
az iot central device attestation create --app-id --content --device-id --api-version --av --central-api-
uri --central-dns-suffix --token

```

az iot central device attestation delete --app-id --device-id --api-version --av --central-api-uri --central-dns-suffix --token  
 az iot central device attestation show --app-id --device-id --api-version --av --central-api-uri --central-dns-suffix --token  
 az iot central device attestation update --app-id --content --device-id --api-version --av --central-api-uri --central-dns-suffix --token  
 az iot central device c2d-message purge --app-id --device-id --central-api-uri --central-dns-suffix --token  
 az iot central device command history --app-id --cn --device-id --api-version --av --central-api-uri --central-dns-suffix --co --component-name --interface-id --mn --module-name --token  
 az iot central device command run --app-id --cn --content --device-id --api-version --av --central-api-uri --central-dns-suffix --co --component-name --interface-id --mn --module-name --token  
 There are more entries  
 az iot central device telemetry show --app-id --device-id --telemetry-name--tn --api-version --av --central-api-uri --central-dns-suffix --co --component-name --mn --module-name --token  
 az iot central device twin replace --app-id --content --device-id --api-version --av --central-api-uri --central-dns-suffix --co --component-name --mn --module-name --token  
 az iot central device twin show --app-id --device-id --api-version --av --central-api-uri --central-dns-suffix --co --component-name --mn --module-name --token  
 az iot central device twin update --app-id --content --device-id --api-version --av --central-api-uri --central-dns-suffix --co --component-name --mn --module-name --token  
 az iot central device-group create --app-id --device-group-id --display-name --filter --api-version --av --central-api-uri --central-dns-suffix --description --organizations --token  
 az iot central device-group delete --app-id --device-group-id --api-version --av --central-api-uri --central-dns-suffix --token  
 az iot central device-group list --app-id --api-version --av --central-api-uri --central-dns-suffix --token  
 az iot central device-group show --app-id --device-group-id --api-version --av --central-api-uri --central-dns-suffix --token  
 az iot central device-group update --app-id --device-group-id --api-version --av --central-api-uri --central-dns-suffix --description --display-name --filter --organizations --token  
 az iot central device-template create --app-id --content --device-template-id --api-version --av --central-api-uri --central-dns-suffix --token  
 az iot central device-template delete --app-id --device-template-id --api-version --av --central-api-uri --central-dns-suffix --token  
 az iot central device-template list --app-id --api-version --av --central-api-uri --central-dns-suffix --compact --token  
 az iot central device-template show --app-id --device-template-id --api-version --av --central-api-uri --central-dns-suffix --token  
 az iot central device-template update --app-id --content --device-template-id --api-version --av --central-api-uri --central-dns-suffix --token  
 az iot central diagnostics monitor-events --app-id --central-api-uri --central-dns-suffix --cg --consumer-group --device-id --enqueued-time --et --module-id --properties --props --repair --timeout --to --token --yes  
 az iot central diagnostics monitor-properties --app-id --device-id --central-api-uri --central-dns-suffix --token  
 az iot central diagnostics registration-summary --app-id --api-version --av --central-api-uri --central-dns-suffix --token

az iot central diagnostics validate-messages --app-id --central-api-uri --central-dns-suffix --cg --  
 consumer-group --device-id --dr --duration --enqueued-time --et --max-messages --mm --minimum-  
 severity --module-id --properties --props --repair --style --timeout --to --token --yes  
 az iot central diagnostics validate-properties --app-id --device-id --central-api-uri --central-dns-suffix -  
 -minimum-severity --token  
 az iot central export create --app-id --destinations --display-name --export-id --source --api-version --  
 av --central-api-uri --central-dns-suffix --en --enrichments --enabled --filter --token  
 az iot central export delete --app-id --export-id --api-version --av --central-api-uri --central-dns-suffix  
 --token  
 az iot central export list --app-id --api-version --av --central-api-uri --central-dns-suffix --token  
 az iot central export show --app-id --export-id --api-version --av --central-api-uri --central-dns-suffix -  
 -token  
 az iot central export update --app-id --content --export-id --api-version --av --central-api-uri --central-  
 dns-suffix --token  
 az iot central export destination create --app-id --dest-id --display-name --type --api-version --av --au  
 --authorization --central-api-uri --central-dns-suffix --cluster-url --cu --database --header --table --  
 token --url  
 az iot central export destination delete --app-id --dest-id --api-version --av --central-api-uri --central-  
 dns-suffix --token  
 az iot central export destination list --app-id --api-version --av --central-api-uri --central-dns-suffix --  
 token  
 az iot central export destination show --app-id --dest-id --api-version --av --central-api-uri --central-  
 dns-suffix --token  
 az iot central export destination update --app-id --content --dest-id --api-version --av --central-api-uri  
 --central-dns-suffix --token  
 az iot central file-upload-config create --app-id --connection-string --container --account --api-version  
 --av --central-api-uri --central-dns-suffix --sas-ttl --token  
 az iot central file-upload-config delete --app-id --api-version --av --central-api-uri --central-dns-suffix  
 --token  
 az iot central file-upload-config show --app-id --api-version --av --central-api-uri --central-dns-suffix --  
 token  
 az iot central file-upload-config update --app-id --account --api-version --av --central-api-uri --central-  
 dns-suffix --connection-string --container --sas-ttl --token  
 az iot central job create --app-id --content --group-id --job-id --api-version --av --batch --batch-type --  
 bt --cancellation-threshold --cth --cancellation-threshold-batch --ctb --cancellation-threshold-type --  
 ctt --central-api-uri --central-dns-suffix --desc --description --job-name --token  
 az iot central job get-devices --app-id --job-id --api-version --av --central-api-uri --central-dns-suffix --  
 token  
 az iot central job list --app-id --api-version --av --central-api-uri --central-dns-suffix --token  
 az iot central job rerun --app-id --job-id --rerun-id --api-version --av --central-api-uri --central-dns-  
 suffix --token  
 az iot central job resume --app-id --job-id --api-version --av --central-api-uri --central-dns-suffix --  
 token  
 az iot central job show --app-id --job-id --api-version --av --central-api-uri --central-dns-suffix --token  
 az iot central job stop --app-id --job-id --api-version --av --central-api-uri --central-dns-suffix --token  
 az iot central organization create --app-id --org-id --api-version --av --central-api-uri --central-dns-  
 suffix --org-name --parent-id --token



az iot central organization delete --app-id --org-id --api-version --av --central-api-uri --central-dns-suffix --token  
 az iot central organization list --app-id --api-version --av --central-api-uri --central-dns-suffix --token  
 az iot central organization show --app-id --org-id --api-version --av --central-api-uri --central-dns-suffix --token  
 az iot central organization update --app-id --org-id --api-version --av --central-api-uri --central-dns-suffix --org-name --parent-id --token  
 az iot central role list --app-id --api-version --av --central-api-uri --central-dns-suffix --token  
 az iot central role show --app-id --role-id --api-version --av --central-api-uri --central-dns-suffix --token  
 az iot central user create --app-id --assignee --role --api-version --av --central-api-uri --central-dns-suffix --email --object-id --oid --org-id --organization-id --tenant-id --tnid --token  
 az iot central user delete --app-id --assignee --api-version --av --central-api-uri --central-dns-suffix --token  
 az iot central user list --app-id --api-version --av --central-api-uri --central-dns-suffix --token  
 az iot central user show --app-id --assignee --api-version --av --central-api-uri --central-dns-suffix --token  
 az iot central user update --app-id --assignee --api-version --av --central-api-uri --central-dns-suffix --email --object-id --oid --roles --tenant-id --tnid --token  
 az iot device send-d2c-message --device-id --da --data --mc --msg-count --properties --props --resource-group --certificate-file-path --cp --key --symmetric-key --key-file-path --kp --pass --passphrase --dtmi --model-id --hub-name --login  
 az iot device simulate --device-id --da --data --init-reported-properties --irp --mc --msg-count --method-response-code --mrc --method-response-payload --mrp --mi --msg-interval --properties --props --proto --protocol --receive-settle --rs --resource-group --certificate-file-path --cp --key --symmetric-key --key-file-path --kp --pass --passphrase --dtmi --model-id --hub-name --login  
 az iot device upload-file --content-type --device-id --file-path --resource-group --hub-name --login  
 az iot device c2d-message abandon --device-id --etag --resource-group --hub-name --login  
 az iot device c2d-message complete --device-id --etag --resource-group --hub-name --login  
 az iot device c2d-message purge --device-id --resource-group --hub-name --login  
 az iot device c2d-message receive --device-id --lock-timeout --lt --resource-group --hub-name --login --abandon --complete --reject  
 az iot device c2d-message reject --device-id --etag --resource-group --hub-name --login  
 az iot device c2d-message send --device-id --ack --ce --content-encoding --cid --correlation-id --content-type --ct --da --data --expiry --expiry-time-utc --message-id --mid --properties --props --repair --resource-group --uid --user-id --wait --yes --auth-type --hub-name --login  
 az iot device registration create --registration-id --enrollment-group-id --gid --group-id --host --provisioning-host --payload --resource-group --auth-type --dps-name --id-scope --scope --login --ck --compute-key --key --symmetric-key --certificate-file-path --cp --key-file-path --kp --pass --passphrase  
 az iot device-update account create --location --no-wait --sku --tags --account --resource-group --assign-identity --role --scopes --pna --public-network-access  
 az iot device-update account delete --no-wait --yes --account --resource-group  
 az iot device-update account list --resource-group  
 az iot device-update account show --account --resource-group  
 az iot device-update account update --no-wait --account --resource-group --add --force-string --remove --set  
 az iot device-update account wait --account --resource-group --created --custom --deleted --exists --interval --timeout --updated

```

az iot device-update account private-endpoint-connection delete --cn --yes --account --resource-
group
az iot device-update account private-endpoint-connection list --account --resource-group
az iot device-update account private-endpoint-connection set --cn --status --desc --account --
resource-group
az iot device-update account private-endpoint-connection show --cn --account --resource-group
az iot device-update account private-link-resource list --account --resource-group
az iot device-update device import --import-type --it --account --instance --resource-group
az iot device-update device list --filter --account --instance --resource-group
az iot device-update device show --device-id --account --instance --resource-group
az iot device-update device class delete --cid --gid --group-id --yes --account --instance --resource-
group
az iot device-update device class list --filter --gid --group-id --account --instance --resource-group
az iot device-update device class show --cid --gid --group-id --account --instance --resource-group --
best-update --installable-updates --update-compliance
az iot device-update device class update --cid --friendly-name --account --instance --resource-group
az iot device-update device compliance show --account --instance --resource-group
az iot device-update device deployment cancel --cid --deployment-id --gid --account --instance --
resource-group
az iot device-update device deployment create --deployment-id --gid --start-time --account --
instance --resource-group --un --up --update-version --failed-count --fc --failed-percentage --fp --
rbun --rollback-update-name --rbup --rollback-update-provider --rbuv --rollback-update-version
az iot device-update device deployment delete --deployment-id --gid --cid --class-id --yes --account --
instance --resource-group
az iot device-update device deployment list --gid --cid --class-id --order-by --account --instance --
resource-group
az iot device-update device deployment list-devices --cid --deployment-id --gid --filter --account --
instance --resource-group
az iot device-update device deployment retry --cid --deployment-id --gid --account --instance --
resource-group
az iot device-update device deployment show --deployment-id --gid --cid --class-id --status --account
--instance --resource-group
az iot device-update device group delete --gid --yes --account --instance --resource-group
az iot device-update device group list --order-by --account --instance --resource-group
az iot device-update device group show --gid --account --instance --resource-group --best-updates --
update-compliance
az iot device-update device health list --filter --account --instance --resource-group
az iot device-update device log collect --agent-id --lcid --description --account --instance --resource-
group
az iot device-update device log list --account --instance --resource-group
az iot device-update device log show --lcid --detailed --account --instance --resource-group
az iot device-update device module show --device-id --module-id --account --instance --resource-
group
az iot device-update instance create --enable-diagnostics --no-wait --tags --account --instance --
resource-group --iothub-ids --diagnostics-storage-id
az iot device-update instance delete --no-wait --yes --account --instance --resource-group
az iot device-update instance list --account --resource-group
az iot device-update instance show --account --instance --resource-group

```

az iot device-update instance update --no-wait --account --instance --resource-group --add --force-string --remove --set  
 az iot device-update instance wait --account --instance --resource-group --created --custom --deleted --exists --interval --timeout --updated  
 az iot device-update update delete --un --up --update-version --no-wait --yes --account --instance --resource-group  
 az iot device-update update import --url --defer --file --friendly-name --hashes --no-wait --size --account --instance --resource-group  
 az iot device-update update list --by-provider --un --update-name --up --update-provider --account --instance --resource-group --filter --search  
 az iot device-update update show --un --up --update-version --account --instance --resource-group  
 az iot device-update update file list --un --up --update-version --account --instance --resource-group  
 az iot device-update update file show --ufid --un --up --update-version --account --instance --resource-group  
 az iot dps create --name --resource-group --edr --enforce-data-residency --location --sku --tags --unit  
 az iot dps delete --ids --name --resource-group --subscription  
 az iot dps list --resource-group  
 az iot dps show --ids --name --resource-group --subscription  
 az iot dps update --tags --add --force-string --remove --set --ids --name --resource-group --subscription  
 az iot dps certificate create --certificate-name --dps-name --path --resource-group --verified  
 az iot dps certificate delete --certificate-name --dps-name --etag --resource-group  
 az iot dps certificate generate-verification-code --certificate-name --dps-name --etag --resource-group  
 az iot dps certificate list --dps-name --resource-group  
 az iot dps certificate show --certificate-name --dps-name --resource-group  
 az iot dps certificate update --certificate-name --dps-name --etag --path --resource-group --verified  
 az iot dps certificate verify --certificate-name --dps-name --etag --path --resource-group  
 az iot dps connection-string show --all --show-all --key-type --kt --pn --policy-name --resource-group --dps-name  
 az iot dps enrollment create --eid --device-id --device-information --info --edge-enabled --ee --initial-twin-properties --props --initial-twin-tags --tags --provisioning-status --ps --reprovision-policy --rp --resource-group --auth-type --allocation-policy --ap --api-version --av --ih --iot-hubs --webhook-url --wh --at --certificate-path --cp --ek --endorsement-key --pk --primary-key --scp --secondary-certificate-path --secondary-key --sk --dps-name --login  
 az iot dps enrollment delete --eid --etag --resource-group --auth-type --dps-name --login  
 az iot dps enrollment list --resource-group --top --auth-type --dps-name --login  
 az iot dps enrollment show --eid --keys --show-keys --resource-group --auth-type --dps-name --login  
 az iot dps enrollment update --eid --device-id --device-information --info --edge-enabled --ee --ek --endorsement-key --etag --initial-twin-properties --props --initial-twin-tags --tags --provisioning-status --ps --reprovision-policy --rp --resource-group --auth-type --allocation-policy --ap --api-version --av --ih --iot-hubs --webhook-url --wh --certificate-path --cp --pk --primary-key --rc --remove-certificate --remove-secondary-certificate --rsc --scp --secondary-certificate-path --secondary-key --sk --dps-name --login  
 az iot dps enrollment registration delete --eid --etag --resource-group --auth-type --dps-name --login  
 az iot dps enrollment registration show --eid --resource-group --auth-type --dps-name --login  
 az iot dps enrollment-group compute-device-key --registration-id --eid --enrollment-id --gid --group-id --key --symmetric-key --resource-group --auth-type --dps-name --login

```

az iot dps enrollment-group create --eid --edge-enabled --ee --initial-twin-properties --props --initial-
twin-tags --tags --provisioning-status --ps --reprovision-policy --rp --resource-group --auth-type --
allocation-policy --ap --api-version --av --ih --iot-hubs --webhook-url --wh --ca-name --cn --root-ca-
name --certificate-path --cp --pk --primary-key --scn --secondary-ca-name --secondary-root-ca-name
--scp --secondary-certificate-path --secondary-key --sk --dps-name --login
az iot dps enrollment-group delete --eid --etag --resource-group --auth-type --dps-name --login
az iot dps enrollment-group list --resource-group --top --auth-type --dps-name --login
az iot dps enrollment-group show --eid --keys --show-keys --resource-group --auth-type --dps-name -
-login
az iot dps enrollment-group update --eid --edge-enabled --ee --etag --initial-twin-properties --props -
-initial-twin-tags --tags --provisioning-status --ps --reprovision-policy --rp --resource-group --auth-
type --allocation-policy --ap --api-version --av --ih --iot-hubs --webhook-url --wh --ca-name --cn --
root-ca-name --certificate-path --cp --pk --primary-key --rc --remove-certificate --remove-secondary-
certificate --rsc --scn --secondary-ca-name --secondary-root-ca-name --scp --secondary-certificate-
path --secondary-key --sk --dps-name --login
az iot dps enrollment-group registration delete --registration-id --etag --resource-group --auth-type -
-dps-name --login
az iot dps enrollment-group registration list --eid --resource-group --auth-type --dps-name --login
az iot dps enrollment-group registration show --registration-id --resource-group --auth-type --dps-
name --login
az iot dps linked-hub create --dps-name --allocation-weight --apply-allocation-policy --no-wait --
resource-group --connection-string --hn --hub-name --hr --hub-resource-group
az iot dps linked-hub delete --dps-name --linked-hub --no-wait --resource-group
az iot dps linked-hub list --dps-name --resource-group
az iot dps linked-hub show --dps-name --linked-hub --resource-group
az iot dps linked-hub update --dps-name --linked-hub --allocation-weight --apply-allocation-policy --
no-wait --resource-group
az iot dps policy create --dps-name --pn --rights --no-wait --primary-key --resource-group --
secondary-key
az iot dps policy delete --dps-name --pn --no-wait --resource-group
az iot dps policy list --dps-name --resource-group
az iot dps policy show --dps-name --pn --resource-group
az iot dps policy update --dps-name --pn --no-wait --primary-key --resource-group --rights --
secondary-key
az iot edge set-modules --content --device-id --resource-group --auth-type --hub-name --login
az iot edge deployment create --content --deployment-id --lab --labels --layered --metrics --no-
validation --pri --priority --resource-group --target-condition --tc --auth-type --hub-name --login
az iot edge deployment delete --deployment-id --etag --resource-group --auth-type --hub-name --
login
az iot edge deployment list --resource-group --top --auth-type --hub-name --login
az iot edge deployment show --deployment-id --resource-group --auth-type --hub-name --login
az iot edge deployment show-metric --deployment-id --metric-id --metric-type --mt --resource-group
--auth-type --hub-name --login
az iot edge deployment update --deployment-id --etag --resource-group --auth-type --add --force-
string --remove --set --hub-name --login
az iot hub create --name --resource-group --c2d-max-delivery-count --cdd --c2d-ttl --ct --dds --
disable-device-sas --disable-local-auth --dla --disable-module-sas --dms --edr --enforce-data-
residency --fc --fileupload-storage-container-name --fcs --fileupload-storage-connectionstring --fd --

```

feedback-max-delivery-count --feedback-lock-duration --fld --feedback-ttl --ft --fileupload-  
 notification-lock-duration --fnld --fileupload-notification-max-delivery-count --fnd --fileupload-  
 notification-ttl --fnt --fileupload-notifications --fn --fileupload-sas-ttl --fst --fileupload-storage-auth-  
 type --fsa --fileupload-storage-identity --fsi --location --mi-system-assigned --mi-user-assigned --min-  
 tls-version --mintls --partition-count --rd --retention-day --role --scopes --sku --tags --unit  
 az iot hub delete --ids --name --resource-group --subscription  
 az iot hub generate-sas-token --connection-string --cs --device-id --du --duration --key-type --kt --  
 module-id --pn --policy-name --resource-group --auth-type --hub-name --login  
 az iot hub invoke-device-method --device-id --method-name --method-payload --mp --resource-  
 group --timeout --to --auth-type --hub-name --login  
 az iot hub invoke-module-method --device-id --method-name --module-id --method-payload --mp --  
 resource-group --timeout --to --auth-type --hub-name --login  
 az iot hub list --resource-group  
 az iot hub list-skus --ids --name --resource-group --subscription  
 az iot hub manual-failover --no-wait --ids --name --resource-group --subscription  
 az iot hub monitor-events --cg --consumer-group --content-type --ct --device-id --device-query --  
 enqueued-time --et --interface --mc --message-count --module-id --properties --props --repair --  
 resource-group --timeout --to --yes --hub-name --login  
 az iot hub monitor-feedback --device-id --repair --resource-group --wait-on-msg --yes --auth-type --  
 hub-name --login  
 az iot hub query --query-command --resource-group --top --auth-type --hub-name --login  
 az iot hub show --ids --name --resource-group --subscription  
 az iot hub show-connection-string --all --key --policy-name --hub-name --name --ids --resource-group  
 --subscription  
 az iot hub show-quota-metrics --ids --name --resource-group --subscription  
 az iot hub show-stats --ids --name --resource-group --subscription  
 az iot hub update --c2d-max-delivery-count --cdd --c2d-ttl --ct --dds --disable-device-sas --disable-  
 local-auth --dla --disable-module-sas --dms --fc --fileupload-storage-container-name --fcs --  
 fileupload-storage-connectionstring --fd --feedback-max-delivery-count --feedback-lock-duration --  
 fld --feedback-ttl --ft --fileupload-notification-lock-duration --fnld --fileupload-notification-max-  
 delivery-count --fnd --fileupload-notification-ttl --fnt --fileupload-notifications --fn --fileupload-sas-ttl  
 --fst --fileupload-storage-auth-type --fsa --fileupload-storage-identity --fsi --rd --retention-day --sku --  
 tags --unit --add --force-string --remove --set --ids --name --resource-group --subscription  
 az iot hub certificate create --hub-name --name --path --resource-group --verified  
 az iot hub certificate delete --etag --name --hub-name --ids --resource-group --subscription  
 az iot hub certificate generate-verification-code --etag --name --hub-name --ids --resource-group --  
 subscription  
 az iot hub certificate list --hub-name --ids --resource-group --subscription  
 az iot hub certificate show --name --hub-name --ids --resource-group --subscription  
 az iot hub certificate update --etag --name --path --verified --hub-name --ids --resource-group --  
 subscription  
 az iot hub certificate verify --etag --name --path --hub-name --ids --resource-group --subscription  
 az iot hub configuration create --config-id --content --lab --labels --metrics --pri --priority --resource-  
 group --target-condition --tc --auth-type --hub-name --login  
 az iot hub configuration delete --config-id --etag --resource-group --auth-type --hub-name --login  
 az iot hub configuration list --resource-group --top --auth-type --hub-name --login  
 az iot hub configuration show --config-id --resource-group --auth-type --hub-name --login

```

az iot hub configuration show-metric --config-id --metric-id --metric-type --mt --resource-group --
auth-type --hub-name --login
az iot hub configuration update --config-id --etag --resource-group --auth-type --add --force-string --
remove --set --hub-name --login
az iot hub connection-string show --all --show-all --default-eventhub --eh --key-type --kt --pn --policy-
name --resource-group --hub-name
az iot hub consumer-group create --hub-name --name --event-hub-name --resource-group
az iot hub consumer-group delete --event-hub-name --hub-name --ids --name --resource-group --
subscription
az iot hub consumer-group list --event-hub-name --hub-name --ids --resource-group --subscription
az iot hub consumer-group show --event-hub-name --hub-name --ids --name --resource-group --
subscription
az iot hub device-identity create --device-id --am --auth-method --edge-enabled --ee --resource-
group --sta --status --star --status-reason --auth-type --device-scope --hub-name --login --pk --
primary-key --secondary-key --sk --od --output-dir --primary-thumbprint --ptp --secondary-
thumbprint --stp --valid-days --vd
az iot hub device-identity delete --device-id --etag --resource-group --auth-type --hub-name --login
az iot hub device-identity export --bcu --auth-type --storage-authentication-type --identity --ik --
include-keys --resource-group --hub-name
az iot hub device-identity import --ibcu --obcu --auth-type --storage-authentication-type --identity --
resource-group --hub-name
az iot hub device-identity list --edge-enabled --ee --resource-group --top --auth-type --hub-name --
login
az iot hub device-identity renew-key --device-id --key-type --etag --resource-group --auth-type --hub-
name --login
az iot hub device-identity show --device-id --resource-group --auth-type --hub-name --login
az iot hub device-identity update --device-id --am --auth-method --edge-enabled --ee --etag --
resource-group --sta --status --star --status-reason --auth-type --add --force-string --remove --set --
hub-name --login --pk --primary-key --secondary-key --sk --primary-thumbprint --ptp --secondary-
thumbprint --stp
az iot hub device-identity children add --child-list --device-id --force --resource-group --auth-type --
hub-name --login
az iot hub device-identity children list --device-id --resource-group --auth-type --hub-name --login
az iot hub device-identity children remove --device-id --child-list --cl --remove-all --resource-group --
auth-type --hub-name --login
az iot hub device-identity connection-string show --device-id --key-type --kt --resource-group --auth-
type --hub-name --login
az iot hub device-identity parent set --device-id --parent-device-id --force --resource-group --auth-
type --hub-name --login
az iot hub device-identity parent show --device-id --resource-group --auth-type --hub-name --login
az iot hub device-twin replace --device-id --json --etag --resource-group --auth-type --hub-name --
login
az iot hub device-twin show --device-id --resource-group --auth-type --hub-name --login
az iot hub device-twin update --device-id --etag --resource-group --auth-type --add --force-string --
remove --set --hub-name --login --desired --tags
az iot hub devicestream show --ids --name --resource-group --subscription
az iot hub digital-twin invoke-command --cn --device-id --component-path --payload --resource-
group --hub-name --login --connect-timeout --cto --response-timeout --rto

```

```

az iot hub digital-twin show --device-id --resource-group --hub-name --login
az iot hub digital-twin update --device-id --json-patch --etag --resource-group --hub-name --login
az iot hub distributed-tracing show --device-id --resource-group --auth-type --hub-name
az iot hub distributed-tracing update --device-id --sampling-mode --sampling-rate --resource-group --auth-type --hub-name
az iot hub identity assign --role --scopes --system --system-assigned --user --user-assigned --ids --name --resource-group --subscription
az iot hub identity remove --system --system-assigned --user --user-assigned --ids --name --resource-group --subscription
az iot hub identity show --ids --name --resource-group --subscription
az iot hub job cancel --job-id --resource-group --auth-type --hub-name --login
az iot hub job create --job-id --job-type --duration --poll-duration --wait --interval --poll-interval --mct --method-connect-timeout --method-name --mn --method-payload --mp --method-response-timeout --mrt --patch --twin-patch --query-condition --resource-group --start --start-time --ttl --wait --poll-interval. --auth-type --hub-name --login
az iot hub job list --job-status --js --job-type --jt --resource-group --top --auth-type --hub-name --login
az iot hub job show --job-id --resource-group --auth-type --hub-name --login
az iot hub message-enrichment create --endpoints --key --name --value --resource-group
az iot hub message-enrichment delete --key --ids --name --resource-group --subscription
az iot hub message-enrichment list --ids --name --resource-group --subscription
az iot hub message-enrichment update --endpoints --key --value --ids --name --resource-group --subscription
az iot hub module-identity create --device-id --module-id --am --auth-method --resource-group --auth-type --hub-name --login --pk --primary-key --secondary-key --sk --od --output-dir --primary-thumbprint --ptp --secondary-thumbprint --stp --valid-days --vd
az iot hub module-identity delete --device-id --module-id --etag --resource-group --auth-type --hub-name --login
az iot hub module-identity list --device-id --resource-group --top --auth-type --hub-name --login
az iot hub module-identity renew-key --device-id --key-type --module-id --etag --resource-group --auth-type --hub-name --login
az iot hub module-identity show --device-id --module-id --resource-group --auth-type --hub-name --login
az iot hub module-identity update --device-id --module-id --etag --resource-group --auth-type --add --force-string --remove --set --hub-name --login
az iot hub module-identity connection-string show --device-id --module-id --key-type --kt --resource-group --auth-type --hub-name --login
az iot hub module-twin replace --device-id --json --module-id --etag --resource-group --auth-type --hub-name --login
az iot hub module-twin show --device-id --module-id --resource-group --auth-type --hub-name --login
az iot hub module-twin update --device-id --module-id --etag --resource-group --auth-type --add --force-string --remove --set --hub-name --login --desired --tags
az iot hub policy create --hub-name --name --permissions --resource-group
az iot hub policy delete --hub-name --ids --name --resource-group --subscription
az iot hub policy list --hub-name --ids --resource-group --subscription
az iot hub policy renew-key --renew-key --no-wait --hub-name --ids --name --resource-group --subscription
az iot hub policy show --hub-name --ids --name --resource-group --subscription

```

```

az iot hub route create --en --hub-name --name --source --condition --enabled --resource-group
az iot hub route delete --name --route-name --source --source-type --type --hub-name --ids --
resource-group --subscription
az iot hub route list --source --source-type --type --hub-name --ids --resource-group --subscription
az iot hub route show --name --hub-name --ids --resource-group --subscription
az iot hub route test --ap --app-properties --body --name --route-name --source --source-type --type
--sp --system-properties --hub-name --ids --resource-group --subscription
az iot hub route update --name --condition --en --endpoint --endpoint-name --enabled --source --
source-type --type --hub-name --ids --resource-group --subscription
az iot hub routing-endpoint create --endpoint-name --endpoint-resource-group --endpoint-
subscription-id --endpoint-type --hub-name --auth-type --batch-frequency --chunk-size --connection-
string --container --container-name --encoding --endpoint-uri --entity-path --ff --file-name-format --
identity --resource-group
az iot hub routing-endpoint delete --endpoint-name --name --endpoint-type --type --hub-name --ids
--resource-group --subscription
az iot hub routing-endpoint list --endpoint-type --type --hub-name --ids --resource-group --
subscription
az iot hub routing-endpoint show --endpoint-name --hub-name --ids --resource-group --subscription
az iot product requirement list --base-url --badge-type --bt
az iot product test create --base-url --badge-type --bt --cf --configuration-file --skip-provisioning --sp -
-at --attestation-type --certificate-path --cp --connection-string --cs --ek --endorsement-key --device-
type --dt --models --product-id --validation-type --vt
az iot product test search --base-url --certificate-name --cn --product-id --registration-id
az iot product test show --base-url --test-id
az iot product test update --base-url --test-id --badge-type --bt --cf --configuration-file --at --
attestation-type --certificate-path --cp --connection-string --cs --ek --endorsement-key --models
az iot product test case list --base-url --test-id
az iot product test case update --base-url --cf --test-id
az iot product test run show --base-url --test-id --interval --poll-interval --run-id --wait
az iot product test run submit --base-url --run-id --test-id
az iot product test task create --base-url --test-id --interval --poll-interval --type --wait
az iot product test task delete --base-url --task-id --test-id
az iot product test task show --base-url --test-id --running --task-id
az k8s-configuration create --cluster-name --cluster-type --name --repository-url --resource-group --
scope --https-key --https-user --ssh-known-hosts --ssh-known-hosts-file --ssh-private-key --ssh-
private-key-file --enable-helm-operator --enable-hop --helm-operator-chart-version --hop-chart-
version --helm-operator-params --hop-params --operator-instance-name --operator-namespace --
operator-params --operator-type
az k8s-configuration delete --cluster-name --cluster-type --name --resource-group --yes
az k8s-configuration list --cluster-name --cluster-type --resource-group
az k8s-configuration show --cluster-name --cluster-type --name --resource-group
az k8s-configuration flux create --cluster-name --cluster-type --name --resource-group --url --bucket-
insecure --bucket-name --cluster-resource-provider --cluster-rp --interval --sync-interval --kind --
kustomization --namespace --ns --no-wait --scope --suspend --timeout --local-auth-ref --local-ref --
bucket-access-key --bucket-secret-key --https-ca-cert --https-ca-cert-file --https-key --https-user --
known-hosts --known-hosts-file --ssh-private-key --ssh-private-key-file --branch --commit --semver --
tag

```



```

az k8s-configuration flux delete --cluster-name --cluster-type --name --resource-group --cluster-
resource-provider --cluster-rp --force --no-wait --yes
az k8s-configuration flux list --cluster-name --cluster-type --resource-group --cluster-resource-
provider --cluster-rp
az k8s-configuration flux show --cluster-name --cluster-type --name --resource-group --cluster-
resource-provider --cluster-rp
az k8s-configuration flux update --cluster-name --cluster-type --name --resource-group --bucket-
insecure --bucket-name --cluster-resource-provider --cluster-rp --interval --sync-interval --kind --
kustomization --no-wait --suspend --timeout --url --yes --local-auth-ref --local-ref --bucket-access-key
--bucket-secret-key --https-ca-cert --https-ca-cert-file --https-key --https-user --known-hosts --
known-hosts-file --ssh-private-key --ssh-private-key-file --branch --commit --semver --tag
az k8s-configuration flux deployed-object list --cluster-name --cluster-type --name --resource-group -
-cluster-resource-provider --cluster-rp
az k8s-configuration flux deployed-object show --cluster-name --cluster-type --name --object-kind --
object-name --object-namespace --resource-group --cluster-resource-provider --cluster-rp
az k8s-configuration flux kustomization create --cluster-name --cluster-type --kustomization-name --
name --resource-group --cluster-resource-provider --cluster-rp --dependencies --depends --depends-
on --force --interval --sync-interval --no-wait --path --prune --retry-interval --timeout
az k8s-configuration flux kustomization delete --cluster-name --cluster-type --kustomization-name --
name --resource-group --cluster-resource-provider --cluster-rp --no-wait --yes
az k8s-configuration flux kustomization list --cluster-name --cluster-type --name --resource-group --
cluster-resource-provider --cluster-rp
az k8s-configuration flux kustomization show --cluster-name --cluster-type --kustomization-name --
name --resource-group --cluster-resource-provider --cluster-rp
az k8s-configuration flux kustomization update --cluster-name --cluster-type --kustomization-name --
name --resource-group --cluster-resource-provider --cluster-rp --dependencies --depends --depends-
on --force --interval --sync-interval --no-wait --path --prune --retry-interval --timeout
az k8s-extension create
az k8s-extension delete --cluster-name --cluster-type --name --resource-group --cluster-resource-
provider --cluster-rp --force --no-wait --yes
az k8s-extension list --cluster-name --cluster-type --resource-group --cluster-resource-provider --
cluster-rp
az k8s-extension show --cluster-name --cluster-type --name --resource-group --cluster-resource-
provider --cluster-rp
az k8s-extension update
az k8s-extension extension-types list --cluster-name --cluster-type --resource-group
az k8s-extension extension-types list-by-location --location
az k8s-extension extension-types list-versions --extension-type --location
az k8s-extension extension-types show --cluster-name --cluster-type --extension-type --resource-
group
az keyvault create --resource-group --administrators --enable-purge-protection --enable-rbac-
authorization --enable-soft-delete --enabled-for-deployment --enabled-for-disk-encryption --
enabled-for-template-deployment --hsm-name --location --name --no-self-perms --no-wait --public-
network-access --retention-days --sku --tags --bypass --default-action --network-acls --network-acls-
ips --network-acls-vnets
az keyvault delete --hsm-name --name --no-wait --resource-group
az keyvault delete-policy --name --application-id --no-wait --object-id --resource-group --spn --upn
az keyvault list --resource-group --resource-type

```

```

az keyvault list-deleted --resource-type
az keyvault purge --hsm-name --location --name --no-wait
az keyvault recover --hsm-name --location --name --no-wait --resource-group
az keyvault set-policy --name --application-id --no-wait --object-id --resource-group --spn --upn --
certificate-permissions --key-permissions --secret-permissions --storage-permissions
az keyvault show --hsm-name --name --resource-group
az keyvault show-deleted --hsm-name --location --name
az keyvault update --name --enable-purge-protection --enable-rbac-authorization --enable-soft-
delete --enabled-for-deployment --enabled-for-disk-encryption --enabled-for-template-deployment -
-no-wait --public-network-access --resource-group --retention-days --add --force-string --remove --
set --bypass --default-action
az keyvault update-hsm --hsm-name --enable-purge-protection --no-wait --resource-group --
secondary-locations --add --force-string --remove --set --bypass --default-action
az keyvault wait --name --resource-group --created --custom --deleted --exists --interval --timeout --
updated
az keyvault wait-hsm --hsm-name --resource-group --created --custom --deleted --exists --interval --
timeout --updated
az keyvault backup start --storage-container-SAS-token --hsm-name --id --blob-container-name --
storage-account-name --storage-resource-uri
az keyvault certificate backup --file --id --name --vault-name
az keyvault certificate create --policy --disabled --tags --validity --name --vault-name
az keyvault certificate delete --id --name --vault-name
az keyvault certificate download --file --encoding --id --name --vault-name --version
az keyvault certificate get-default-policy --scaffold
az keyvault certificate import --file --disabled --password --policy --tags --name --vault-name
az keyvault certificate list --include-pending --maxresults --id --vault-name
az keyvault certificate list-deleted --include-pending --maxresults --vault-name --id
az keyvault certificate list-versions --maxresults --id --name --vault-name
az keyvault certificate purge --id --name --vault-name
az keyvault certificate recover --id --name --vault-name
az keyvault certificate restore --file --vault-name
az keyvault certificate set-attributes --enabled --policy --tags --id --name --vault-name --version
az keyvault certificate show --id --name --vault-name --version
az keyvault certificate show-deleted --id --name --vault-name
az keyvault certificate contact add --email --name --phone --vault-name
az keyvault certificate contact delete --email --vault-name
az keyvault certificate contact list --vault-name
az keyvault certificate issuer create --issuer-name --provider-name --disabled --vault-name --
account-id --password --organization-id
az keyvault certificate issuer delete --issuer-name --vault-name
az keyvault certificate issuer list --maxresults --vault-name
az keyvault certificate issuer show --issuer-name --vault-name
az keyvault certificate issuer update --issuer-name --enabled --provider-name --vault-name --
account-id --password --organization-id
az keyvault certificate issuer admin add --email --issuer-name --first-name --last-name --phone --
vault-name
az keyvault certificate issuer admin delete --email --issuer-name --vault-name
az keyvault certificate issuer admin list --issuer-name --vault-name

```

az keyvault certificate pending delete --name --vault-name  
 az keyvault certificate pending merge --file --disabled --expires --not-before --tags --name --vault-name  
 az keyvault certificate pending show --name --vault-name  
 az keyvault key backup --file --hsm-name --id --name --vault-name  
 az keyvault key create --curve --default-cvm-policy --disabled --expires --exportable --immutable --key --not-before --ops --policy --protection --size --tags --hsm-name --id --name --vault-name  
 az keyvault key decrypt --algorithm --value --aad --data-type --iv --tag --hsm-name --id --name --vault-name --version  
 az keyvault key delete --hsm-name --id --name --vault-name  
 az keyvault key download --file --encoding --hsm-name --id --name --vault-name --version  
 az keyvault key encrypt --algorithm --value --aad --data-type --iv --hsm-name --id --name --vault-name --version  
 az keyvault key get-policy-template  
 az keyvault key import --curve --default-cvm-policy --disabled --expires --exportable --immutable --key --not-before --ops --policy --protection --tags --hsm-name --id --name --vault-name --byok-file --byok-string --pem-file --pem-password --pem-string  
 az keyvault key list --include-managed --maxresults --hsm-name --id --vault-name  
 az keyvault key list-deleted --maxresults --hsm-name --id --vault-name  
 az keyvault key list-versions --maxresults --hsm-name --id --name --vault-name  
 az keyvault key purge --hsm-name --id --name --vault-name  
 az keyvault key random --count --hsm-name --id  
 az keyvault key recover --hsm-name --id --name --vault-name  
 az keyvault key restore --file --no-wait --hsm-name --id --vault-name --backup-folder --name --storage-container-SAS-token --blob-container-name --storage-account-name --storage-resource-uri  
 az keyvault key rotate --hsm-name --id --name --vault-name  
 az keyvault key set-attributes --enabled --expires --immutable --not-before --ops --policy --tags --hsm-name --id --name --vault-name --version  
 az keyvault key show --hsm-name --id --name --vault-name --version  
 az keyvault key show-deleted --hsm-name --id --name --vault-name  
 az keyvault key rotation-policy show --name --hsm-name --id --vault-name  
 az keyvault key rotation-policy update --value --name --hsm-name --id --vault-name  
 az keyvault network-rule add --name --ip-address --no-wait --resource-group --subnet --vnet-name  
 az keyvault network-rule list --name --resource-group  
 az keyvault network-rule remove --name --ip-address --no-wait --resource-group --subnet --vnet-name  
 az keyvault network-rule wait --name --resource-group --created --custom --deleted --exists --interval --timeout --updated  
 az keyvault private-endpoint-connection approve --description --hsm-name --id --name --no-wait --resource-group --vault-name  
 az keyvault private-endpoint-connection delete --hsm-name --id --name --no-wait --resource-group --vault-name  
 az keyvault private-endpoint-connection list --hsm-name --resource-group  
 az keyvault private-endpoint-connection reject --description --hsm-name --id --name --no-wait --resource-group --vault-name  
 az keyvault private-endpoint-connection show --hsm-name --id --name --resource-group --vault-name

```

az keyvault private-endpoint-connection wait --hsm-name --id --name --resource-group --vault-name
--created --custom --deleted --exists --interval --timeout --updated
az keyvault private-link-resource list --hsm-name --resource-group --vault-name
az keyvault restore start --backup-folder --storage-container-SAS-token --hsm-name --id --blob-
container-name --storage-account-name --storage-resource-uri
az keyvault role assignment create --role --scope --assignee --assignee-object-id --assignee-principal-
type --name --hsm-name --id
az keyvault role assignment delete --assignee --assignee-object-id --ids --name --role --scope --hsm-
name --id
az keyvault role assignment list --assignee --assignee-object-id --role --scope --hsm-name --id
az keyvault role definition create --role-definition --hsm-name
az keyvault role definition delete --name --role-id --hsm-name
az keyvault role definition list --custom-role-only --scope --hsm-name
az keyvault role definition show --name --role-id --hsm-name
az keyvault role definition update --role-definition --hsm-name
az keyvault secret backup --file --id --name --vault-name
az keyvault secret delete --id --name --vault-name
az keyvault secret download --file --encoding --id --name --vault-name --version
az keyvault secret list --include-managed --maxresults --id --vault-name
az keyvault secret list-deleted --maxresults --vault-name --id
az keyvault secret list-versions --maxresults --id --name --vault-name
az keyvault secret purge --id --name --vault-name
az keyvault secret recover --id --name --vault-name
az keyvault secret restore --file --vault-name
az keyvault secret set --description --disabled --expires --not-before --tags --encoding --file --value --
name --vault-name
az keyvault secret set-attributes --content-type --enabled --expires --not-before --tags --id --name --
vault-name --version
az keyvault secret show --id --name --vault-name --version
az keyvault secret show-deleted --id --name --vault-name
az keyvault security-domain download --sd-quorum --sd-wrapping-keys --security-domain-file --no-
wait --hsm-name --id
az keyvault security-domain init-recovery --sd-exchange-key --hsm-name --id
az keyvault security-domain upload --sd-exchange-key --sd-file --sd-wrapping-keys --no-wait --
passwords --hsm-name --id
az keyvault security-domain wait --hsm-name --id --target-operation
az keyvault storage add --active-key-name --resource-id --auto-regenerate-key --disabled --
regeneration-period --tags --name --vault-name
az keyvault storage backup --file --id --name --vault-name
az keyvault storage list --maxresults --vault-name
az keyvault storage list-deleted --maxresults --vault-name
az keyvault storage purge --name --vault-name
az keyvault storage recover --name --vault-name
az keyvault storage regenerate-key --key-name --id --name --vault-name
az keyvault storage remove --id --name --vault-name
az keyvault storage restore --file --vault-name
az keyvault storage show --id --name --vault-name
az keyvault storage show-deleted --name --vault-name

```

```

az keyvault storage update --active-key-name --auto-regenerate-key --disabled --regeneration-
period --tags --id --name --vault-name
az keyvault storage sas-definition create --sas-type --template-uri --validity-period --disabled --tags --
account-name --name --vault-name
az keyvault storage sas-definition delete --account-name --id --name --vault-name
az keyvault storage sas-definition list --maxresults --account-name --vault-name
az keyvault storage sas-definition list-deleted --maxresults --account-name --vault-name
az keyvault storage sas-definition recover --account-name --name --vault-name
az keyvault storage sas-definition show --account-name --id --name --vault-name
az keyvault storage sas-definition show-deleted --account-name --name --vault-name
az keyvault storage sas-definition update --disabled --sas-type --tags --template-uri --validity-period -
account-name --id --name --vault-name
az kusto attached-database-configuration create --attached-database-configuration-name --cluster-
name --resource-group --cluster-resource-id --database-name --default-principals-modification-kind
--location --no-wait --table-level --table-level-sharing-properties
az kusto attached-database-configuration delete --no-wait --yes --attached-database-configuration-
name --name --cluster-name --ids --resource-group --subscription
az kusto attached-database-configuration list --cluster-name --resource-group
az kusto attached-database-configuration show --attached-database-configuration-name --name --
cluster-name --ids --resource-group --subscription
az kusto attached-database-configuration update --cluster-resource-id --database-name --default-
principals-modification-kind --location --no-wait --table-level --table-level-sharing-properties --add --
force-string --remove --set --attached-database-configuration-name --name --cluster-name --ids --
resource-group --subscription
az kusto attached-database-configuration wait --attached-database-configuration-name --name --
cluster-name --ids --resource-group --subscription --created --custom --deleted --exists --interval --
timeout --updated
az kusto cluster add-language-extension --no-wait --value --cluster-name --name --ids --resource-
group --subscription
az kusto cluster create --cluster-name --resource-group --sku --accepted-audiences --allowed-fqdn-
list --allowed-ip-range-list --enable-auto-stop --enable-disk-encryption --enable-double-encryption --
enable-purge --enable-streaming-ingest --engine-type --if-match --if-none-match --key-vault-
properties --location --no-wait --optimized-autoscale --outbound-net-access --restrict-outbound-
network-access --public-ip-type --public-network-access --tags --trusted-external-tenants --vcluster-
graduation --virtual-cluster-graduation-properties --virtual-network-configuration --zones --type --
user-assigned --user-assigned-identities
az kusto cluster delete --no-wait --yes --cluster-name --name --ids --resource-group --subscription
az kusto cluster detach-follower-database --attached-database-configuration-name --cluster-
resource-id --no-wait --cluster-name --name --ids --resource-group --subscription
az kusto cluster diagnose-virtual-network --no-wait --cluster-name --name --ids --resource-group --
subscription
az kusto cluster list --resource-group
az kusto cluster list-follower-database --cluster-name --resource-group
az kusto cluster list-language-extension --cluster-name --resource-group
az kusto cluster list-outbound-network-dependency-endpoint --cluster-name --resource-group
az kusto cluster list-sku --cluster-name --name --resource-group
az kusto cluster remove-language-extension --no-wait --value --cluster-name --name --ids --resource-
group --subscription

```

```

az kusto cluster show --cluster-name --name --ids --resource-group --subscription
az kusto cluster start --no-wait --cluster-name --name --ids --resource-group --subscription
az kusto cluster stop --no-wait --cluster-name --name --ids --resource-group --subscription
az kusto cluster update --accepted-audiences --allowed-fqdn-list --allowed-ip-range-list --enable-
auto-stop --enable-disk-encryption --enable-double-encryption --enable-purge --enable-streaming-
ingest --engine-type --if-match --key-vault-properties --location --no-wait --optimized-autoscale --
outbound-net-access --restrict-outbound-network-access --public-ip-type --public-network-access --
sku --tags --trusted-external-tenants --vcluster-graduation --virtual-cluster-graduation-properties --
virtual-network-configuration --type --user-assigned --user-assigned-identities --cluster-name --name
--ids --resource-group --subscription
az kusto cluster wait --cluster-name --name --ids --resource-group --subscription --created --custom -
-deleted --exists --interval --timeout --updated
az kusto cluster-principal-assignment create --cluster-name --principal-assignment-name --resource-
group --no-wait --principal-id --principal-type --role --tenant-id
az kusto cluster-principal-assignment delete --no-wait --yes --cluster-name --ids --principal-
assignment-name --resource-group --subscription
az kusto cluster-principal-assignment list --cluster-name --resource-group
az kusto cluster-principal-assignment show --cluster-name --ids --principal-assignment-name --
resource-group --subscription
az kusto cluster-principal-assignment update --no-wait --principal-id --principal-type --role --tenant-
id --add --force-string --remove --set --cluster-name --ids --principal-assignment-name --resource-
group --subscription
az kusto cluster-principal-assignment wait --cluster-name --ids --principal-assignment-name --
resource-group --subscription --created --custom --deleted --exists --interval --timeout --updated
az kusto data-connection delete --no-wait --yes --cluster-name --data-connection-name --name --
database-name --ids --resource-group --subscription
az kusto data-connection list --cluster-name --database-name --resource-group
az kusto data-connection show --cluster-name --data-connection-name --name --database-name --
ids --resource-group --subscription
az kusto data-connection wait --cluster-name --data-connection-name --name --database-name --ids
--resource-group --subscription --created --custom --deleted --exists --interval --timeout --updated
az kusto data-connection event-grid create --cluster-name --data-connection-name --database-name
--resource-group --blob-storage-event-type --consumer-group --data-format --database-routing --
event-grid-resource-id --event-hub-resource-id --ignore-first-record --location --managed-identity --
managed-identity-resource-id --mapping-rule-name --no-wait --storage-account-resource-id --table-
name
az kusto data-connection event-grid data-connection-validation --blob-storage-event-type --
consumer-group --data-connection-name --name --data-format --database-routing --event-grid-
resource-id --event-hub-resource-id --ignore-first-record --location --managed-identity --managed-
identity-resource-id --mapping-rule-name --no-wait --storage-account-resource-id --table-name --
cluster-name --database-name --ids --resource-group --subscription
az kusto data-connection event-grid update --blob-storage-event-type --consumer-group --data-
format --database-routing --event-grid-resource-id --event-hub-resource-id --ignore-first-record --
location --managed-identity --managed-identity-resource-id --mapping-rule-name --no-wait --
storage-account-resource-id --table-name --cluster-name --data-connection-name --name --
database-name --ids --resource-group --subscription
az kusto data-connection event-hub create --cluster-name --data-connection-name --database-name
--resource-group --compression --consumer-group --data-format --database-routing --event-hub-

```

```

resource-id --event-system-properties --location --managed-identity --managed-identity-resource-id
--mapping-rule-name --no-wait --table-name
az kusto data-connection event-hub data-connection-validation --compression --consumer-group --
data-connection-name --name --data-format --database-routing --event-hub-resource-id --event-
system-properties --location --managed-identity --managed-identity-resource-id --mapping-rule-
name --no-wait --table-name --cluster-name --database-name --ids --resource-group --subscription
az kusto data-connection event-hub update --compression --consumer-group --data-format --
database-routing --event-hub-resource-id --event-system-properties --location --managed-identity --
managed-identity-resource-id --mapping-rule-name --no-wait --table-name --cluster-name --data-
connection-name --name --database-name --ids --resource-group --subscription
az kusto data-connection iot-hub create --cluster-name --data-connection-name --database-name --
resource-group --consumer-group --data-format --database-routing --event-system-properties --iot-
hub-resource-id --location --mapping-rule-name --no-wait --shared-access-policy-name --table-name
az kusto data-connection iot-hub data-connection-validation --consumer-group --data-connection-
name --name --data-format --database-routing --event-system-properties --iot-hub-resource-id --
location --mapping-rule-name --no-wait --shared-access-policy-name --table-name --cluster-name --
database-name --ids --resource-group --subscription
az kusto data-connection iot-hub update --consumer-group --data-format --database-routing --
event-system-properties --iot-hub-resource-id --location --mapping-rule-name --no-wait --shared-
access-policy-name --table-name --cluster-name --data-connection-name --name --database-name --
ids --resource-group --subscription
az kusto database add-principal --value --cluster-name --database-name --ids --resource-group --
subscription
az kusto database create --cluster-name --database-name --resource-group --no-wait --read-only-
following-database --read-write-database
az kusto database delete --no-wait --yes --cluster-name --database-name --ids --resource-group --
subscription
az kusto database list --cluster-name --resource-group
az kusto database list-principal --cluster-name --database-name --resource-group
az kusto database remove-principal --value --cluster-name --database-name --ids --resource-group --
subscription
az kusto database show --cluster-name --database-name --ids --resource-group --subscription
az kusto database update --no-wait --read-only-following-database --read-write-database --cluster-
name --database-name --ids --resource-group --subscription
az kusto database wait --cluster-name --database-name --ids --resource-group --subscription --
created --custom --deleted --exists --interval --timeout --updated
az kusto database-principal-assignment create --cluster-name --database-name --principal-
assignment-name --resource-group --no-wait --principal-id --principal-type --role --tenant-id
az kusto database-principal-assignment delete --no-wait --yes --cluster-name --database-name --ids --
principal-assignment-name --resource-group --subscription
az kusto database-principal-assignment list --cluster-name --database-name --resource-group
az kusto database-principal-assignment show --cluster-name --database-name --ids --principal-
assignment-name --resource-group --subscription
az kusto database-principal-assignment update --no-wait --principal-id --principal-type --role --
tenant-id --add --force-string --remove --set --cluster-name --database-name --ids --principal-
assignment-name --resource-group --subscription

```

```

az kusto database-principal-assignment wait --cluster-name --database-name --ids --principal-assignment-name --resource-group --subscription --created --custom --deleted --exists --interval --timeout --updated
az kusto managed-private-endpoint create --cluster-name --managed-private-endpoint-name --resource-group --group-id --no-wait --private-link --private-link-resource-id --private-link-region --private-link-resource-region --request-message
az kusto managed-private-endpoint delete --no-wait --yes --cluster-name --ids --managed-private-endpoint-name --name --resource-group --subscription
az kusto managed-private-endpoint list --cluster-name --resource-group
az kusto managed-private-endpoint show --cluster-name --ids --managed-private-endpoint-name --name --resource-group --subscription
az kusto managed-private-endpoint update --group-id --no-wait --private-link --private-link-resource-id --private-link-region --private-link-resource-region --request-message --cluster-name --ids --managed-private-endpoint-name --name --resource-group --subscription
az kusto managed-private-endpoint wait --cluster-name --ids --managed-private-endpoint-name --name --resource-group --subscription --created --custom --deleted --exists --interval --timeout --updated
az kusto operation-result show --ids --location --operation-id --subscription
az kusto operation-result-location show --ids --location --operation-id --subscription
az kusto private-endpoint-connection create --cluster-name --name --resource-group --connection-state --private-link-service-connection-state --no-wait
az kusto private-endpoint-connection delete --no-wait --yes --cluster-name --ids --name --private-endpoint-connection-name --resource-group --subscription
az kusto private-endpoint-connection list --cluster-name --resource-group
az kusto private-endpoint-connection show --cluster-name --ids --name --private-endpoint-connection-name --resource-group --subscription
az kusto private-endpoint-connection update --connection-state --private-link-service-connection-state --no-wait --add --force-string --remove --set --cluster-name --ids --name --private-endpoint-connection-name --resource-group --subscription
az kusto private-endpoint-connection wait --cluster-name --ids --name --private-endpoint-connection-name --resource-group --subscription --created --custom --deleted --exists --interval --timeout --updated
az kusto private-link-resource list --cluster-name --resource-group
az kusto private-link-resource show --cluster-name --ids --name --private-link-resource-name --resource-group --subscription
az kusto script create --cluster-name --database-name --name --resource-group --continue-on-errors --force-update-tag --no-wait --script-content --script-url --script-url-sas-token
az kusto script delete --no-wait --yes --cluster-name --database-name --ids --name --script-name --resource-group --subscription
az kusto script list --cluster-name --database-name --resource-group
az kusto script show --cluster-name --database-name --ids --name --script-name --resource-group --subscription
az kusto script update --continue-on-errors --force-update-tag --no-wait --script-content --script-url --script-url-sas-token --cluster-name --database-name --ids --name --script-name --resource-group --subscription
az kusto script wait --cluster-name --database-name --ids --name --script-name --resource-group --subscription --created --custom --deleted --exists --interval --timeout --updated
az lab delete --name --resource-group

```



```

az lab get --name --resource-group --expand
az lab arm-template list --artifact-source-name --lab-name --resource-group --expand --filter --
orderby --top
az lab arm-template show --artifact-source-name --lab-name --name --resource-group --export-
parameters
az lab artifact list --artifact-source-name --lab-name --resource-group --expand --filter --orderby --top
az lab artifact-source list --lab-name --resource-group --expand --filter --orderby --top
az lab artifact-source show --lab-name --name --resource-group --expand
az lab custom-image create --lab-name --name --os-state --os-type --resource-group --source-vm-id -
-author --description
az lab custom-image delete --lab-name --name --resource-group
az lab custom-image list --lab-name --resource-group --expand --filter --orderby --top
az lab custom-image show --lab-name --name --resource-group --expand
az lab environment create --arm-template --lab-name --name --resource-group --artifact-source-
name --parameters --tags
az lab environment delete --lab-name --name --resource-group
az lab environment list --lab-name --resource-group --expand --filter --orderby --top
az lab environment show --lab-name --name --resource-group --expand
az lab formula delete --lab-name --name --resource-group
az lab formula export-artifacts --lab-name --name --resource-group
az lab formula list --lab-name --resource-group --expand --filter --orderby --top
az lab formula show --lab-name --name --resource-group --expand
az lab gallery-image list --lab-name --resource-group --expand --filter --orderby --top
az lab secret delete --lab-name --name --resource-group
az lab secret list --lab-name --resource-group --expand --filter --orderby --top
az lab secret set --lab-name --name --resource-group --value
az lab secret show --lab-name --name --resource-group --expand
az lab vm apply-artifacts --lab-name --name --resource-group --artifacts
az lab vm claim --ids --lab-name --name --resource-group --subscription
az lab vm create --lab-name --name --resource-group --allow-claim --artifacts --disk-type --expiration-
date --formula --generate-ssh-keys --image --image-type --notes --size --tags --admin-password --
admin-username --authentication-type --saved-secret --ssh-key --ip-configuration --subnet --vnet-
name
az lab vm delete --lab-name --name --resource-group
az lab vm list --lab-name --resource-group --all --claimable --expand --object-id --order-by --top --
environment --filters
az lab vm show --lab-name --name --resource-group --expand
az lab vm start --lab-name --name --resource-group
az lab vm stop --lab-name --name --resource-group
az lab vnet get --lab-name --name --resource-group --expand
az lab vnet list --lab-name --resource-group --expand --filter --orderby --top
az local-context delete --all --name --purge --recursive --yes
az local-context off
az local-context on
az local-context show --name
az lock create --lock-type --name --namespace --notes --parent --resource --resource-name --
resource-group --resource-type

```

```

az lock delete --ids --name --namespace --parent --resource --resource-name --resource-group --
resource-type
az lock list --filter-string --namespace --parent --resource --resource-name --resource-group --
resource-type
az lock show --ids --name --namespace --parent --resource --resource-name --resource-group --
resource-type
az lock update --ids --lock-type --name --namespace --notes --parent --resource --resource-name --
resource-group --resource-type
az logic integration-account create --name --resource-group --integration-service-environment --
location --sku --state --tags
az logic integration-account delete --name --resource-group --yes
az logic integration-account import --input-path --name --resource-group --location --sku --tags
az logic integration-account list --resource-group --top
az logic integration-account show --name --resource-group
az logic integration-account update --name --resource-group --integration-service-environment --sku
--state --tags
az logic workflow create --definition --location --name --resource-group --access-control --endpoints-
configuration --integration-account --integration-service-environment --state --tags
az logic workflow delete --name --resource-group --yes
az logic workflow list --filter --resource-group --top
az logic workflow show --name --resource-group
az logic workflow update --name --resource-group --definition --state --tags
az logicapp create --name --resource-group --storage-account --app-insights --app-insights-key --
consumption-plan-location --deployment-container-image-name --deployment-local-git --
deployment-source-branch --deployment-source-url --disable-app-insights --docker-registry-server-
password --docker-registry-server-user --os-type --plan --tags
az logicapp delete --slot --yes --ids --name --resource-group --subscription
az logicapp list --resource-group
az logicapp restart --slot --ids --name --resource-group --subscription
az logicapp show --ids --name --resource-group --subscription
az logicapp start --slot --ids --name --resource-group --subscription
az logicapp stop --slot --ids --name --resource-group --subscription
az logz monitor create --monitor-name --resource-group --location --monitoring-status --no-wait --
subscription-status --tags --type
az logz monitor delete --no-wait --yes --ids --monitor-name --name --resource-group --subscription
az logz monitor list --resource-group
az logz monitor list-payload --monitor-name --resource-group
az logz monitor list-resource --monitor-name --resource-group
az logz monitor list-role --monitor-name --resource-group --email-address
az logz monitor list-vm --monitor-name --resource-group
az logz monitor show --ids --monitor-name --name --resource-group --subscription
az logz monitor update --monitoring-status --tags --ids --monitor-name --name --resource-group --
subscription
az logz monitor update-vm --state --vm-resource-ids --ids --monitor-name --name --resource-group --
subscription
az logz monitor wait --ids --monitor-name --name --resource-group --subscription --created --custom
--deleted --exists --interval --timeout --updated

```

```

az logz rule create --monitor-name --resource-group --rule-set-name --filtering-tags --send-aad-logs -
--send-activity-logs --send-subscription-logs
az logz rule delete --yes --ids --monitor-name --resource-group --rule-set-name --subscription
az logz rule list --monitor-name --resource-group
az logz rule show --ids --monitor-name --resource-group --rule-set-name --subscription
az logz rule update --add --force-string --remove --set --filtering-tags --send-aad-logs --send-activity-
logs --send-subscription-logs --ids --monitor-name --resource-group --rule-set-name --subscription
az logz sso create --configuration-name --monitor-name --resource-group --no-wait
az logz sso list --monitor-name --resource-group
az logz sso show --configuration-name --ids --monitor-name --resource-group --subscription
az logz sso update --no-wait --add --force-string --remove --set --configuration-name --ids --monitor-
name --resource-group --subscription
az logz sso wait --configuration-name --ids --monitor-name --resource-group --subscription --created
--custom --deleted --exists --interval --timeout --updated
az logz sub-account create --monitor-name --name --resource-group --location --monitoring-status --
no-wait --subscription-status --tags --type
az logz sub-account delete --no-wait --yes --ids --monitor-name --name --sub-account-name --
resource-group --subscription
az logz sub-account list --monitor-name --resource-group
az logz sub-account list-payload --monitor-name --name --resource-group
az logz sub-account list-resource --monitor-name --name --resource-group
az logz sub-account list-vm --monitor-name --name --resource-group
az logz sub-account show --ids --monitor-name --name --sub-account-name --resource-group --
subscription
az logz sub-account update --monitoring-status --tags --ids --monitor-name --name --sub-account-
name --resource-group --subscription
az logz sub-account update-vm --state --vm-resource-ids --ids --monitor-name --name --sub-account-
name --resource-group --subscription
az logz sub-account wait --ids --monitor-name --name --sub-account-name --resource-group --
subscription --created --custom --deleted --exists --interval --timeout --updated
az logz sub-rule create --monitor-name --resource-group --rule-set-name --sub-account-name --
filtering-tags --send-aad-logs --send-activity-logs --send-subscription-logs
az logz sub-rule delete --yes --ids --monitor-name --resource-group --rule-set-name --sub-account-
name --subscription
az logz sub-rule list --monitor-name --resource-group --sub-account-name
az logz sub-rule show --ids --monitor-name --resource-group --rule-set-name --sub-account-name --
subscription
az logz sub-rule update --add --force-string --remove --set --filtering-tags --send-aad-logs --send-
activity-logs --send-subscription-logs --ids --monitor-name --resource-group --rule-set-name --sub-
account-name --subscription
az maintenance applyupdate create --provider-name --resource-group --resource-name --resource-
type
az maintenance applyupdate create-or-update-parent --provider-name --resource-group --resource-
name --resource-parent-name --resource-parent-type --resource-type
az maintenance applyupdate get-parent --apply-update-name --provider-name --resource-group --
resource-name --resource-parent-name --resource-parent-type --resource-type
az maintenance applyupdate list

```

```

az maintenance applyupdate show --apply-update-name --provider-name --resource-group --
resource-name --resource-type
az maintenance applyupdate show-parent --apply-update-name --provider-name --resource-group --
resource-name --resource-parent-name --resource-parent-type --resource-type
az maintenance applyupdate update --provider-name --resource-group --resource-name --resource-
type
az maintenance assignment create --configuration-assignment-name --provider-name --resource-
group --resource-name --resource-type --config-id --maintenance-configuration-id --location --
resource-id
az maintenance assignment create-or-update-parent --configuration-assignment-name --provider-
name --resource-group --resource-name --resource-parent-name --resource-parent-type --resource-
type --location --maintenance-configuration-id --resource-id
az maintenance assignment delete --configuration-assignment-name --provider-name --resource-
group --resource-name --resource-type --yes
az maintenance assignment delete-parent --configuration-assignment-name --provider-name --
resource-group --resource-name --resource-parent-name --resource-parent-type --resource-type
az maintenance assignment list --provider-name --resource-group --resource-name --resource-type
az maintenance assignment list-parent --provider-name --resource-group --resource-name --
resource-parent-name --resource-parent-type --resource-type
az maintenance assignment show --configuration-assignment-name --provider-name --resource-
group --resource-name --resource-type
az maintenance assignment show-parent --configuration-assignment-name --provider-name --
resource-group --resource-name --resource-parent-name --resource-parent-type --resource-type
az maintenance assignment update --configuration-assignment-name --provider-name --resource-
group --resource-name --resource-type --config-id --maintenance-configuration-id --location --
resource-id
az maintenance configuration create --resource-group --resource-name --extension-properties --
location --maintenance-scope --namespace --tags --visibility --install-patches-linux-parameters --
linux-parameters --install-patches-windows-parameters --windows-parameters --reboot-setting --
install-patches-post-tasks --post-tasks --install-patches-pre-tasks --pre-tasks --duration --
maintenance-window-duration --expiration-date-time --maintenance-window-expiration-date-time -
-maintenance-window-recur-every --recur-every --maintenance-window-start-date-time --start-
date-time --maintenance-window-time-zone --time-zone
az maintenance configuration delete --resource-group --resource-name --yes
az maintenance configuration list
az maintenance configuration show --resource-group --resource-name
az maintenance configuration update --resource-group --resource-name --extension-properties --
location --maintenance-scope --namespace --tags --visibility --install-patches-linux-parameters --
linux-parameters --install-patches-windows-parameters --windows-parameters --reboot-setting --
install-patches-post-tasks --post-tasks --install-patches-pre-tasks --pre-tasks --duration --
maintenance-window-duration --expiration-date-time --maintenance-window-expiration-date-time -
-maintenance-window-recur-every --recur-every --maintenance-window-start-date-time --start-
date-time --maintenance-window-time-zone --time-zone
az maintenance public-configuration list
az maintenance public-configuration show --ids --resource-name --subscription
az maintenance update list --provider-name --resource-group --resource-name --resource-type
az maintenance update list-parent --provider-name --resource-group --resource-name --resource-
parent-name --resource-parent-type --resource-type

```

```

az managed-cassandra cluster create --cluster-name --delegated-management-subnet-id --location --
resource-group --authentication-method --cassandra-version --client-certificates --cluster-name-
override --external-gossip-certificates --external-seed-nodes --hours-between-backups --identity-
type --initial-cassandra-admin-password --no-wait --repair-enabled --restore-from-backup-id --tags
az managed-cassandra cluster deallocate --cluster-name --resource-group --no-wait
az managed-cassandra cluster delete --cluster-name --resource-group --no-wait --yes
az managed-cassandra cluster invoke-command --cluster-name --command-name --host --resource-
group --arguments --cassandra-stop-start --no-wait --readwrite
az managed-cassandra cluster list --resource-group
az managed-cassandra cluster show --cluster-name --resource-group
az managed-cassandra cluster start --cluster-name --resource-group --no-wait
az managed-cassandra cluster status --cluster-name --resource-group
az managed-cassandra cluster update --cluster-name --resource-group --authentication-method --
cassandra-version --client-certificates --external-gossip-certificates --external-seed-nodes --hours-
between-backups --identity-type --no-wait --repair-enabled --tags
az managed-cassandra cluster backup list --cluster-name --resource-group
az managed-cassandra cluster backup show --backup-id --cluster-name --resource-group
az managed-cassandra datacenter create --cluster-name --data-center-location --data-center-name -
-delegated-subnet-id --node-count --resource-group --availability-zone --backup-storage-customer-
key-uri --base64-encoded-cassandra-yaml-fragment --disk-capacity --disk-sku --ldap-search-base-dn -
ldap-search-filter --ldap-server-certs --ldap-server-hostname --ldap-server-port --ldap-service-user-
dn --ldap-svc-user-pwd --managed-disk-customer-key-uri --no-wait --sku
az managed-cassandra datacenter delete --cluster-name --data-center-name --resource-group --no-
wait --yes
az managed-cassandra datacenter list --cluster-name --resource-group
az managed-cassandra datacenter show --cluster-name --data-center-name --resource-group
az managed-cassandra datacenter update --cluster-name --data-center-name --resource-group --
backup-storage-customer-key-uri --base64-encoded-cassandra-yaml-fragment --ldap-search-base-dn
--ldap-search-filter --ldap-server-certs --ldap-server-hostname --ldap-server-port --ldap-service-user-
dn --ldap-svc-user-pwd --managed-disk-customer-key-uri --no-wait --node-count
az managedapp create --kind --managed-rg-id --name --resource-group --location --managedapp-
definition-id --parameters --plan-name --plan-product --plan-publisher --plan-version --tags
az managedapp delete --ids --name --resource-group --subscription
az managedapp list --resource-group
az managedapp show --ids --name --resource-group --subscription
az managedapp definition create --authorizations --description --display-name --lock-level --name --
resource-group --create-ui-definition --location --main-template --package-file-uri --tags
az managedapp definition delete --ids --name --resource-group --subscription
az managedapp definition list --resource-group
az managedapp definition show --ids --name --resource-group --subscription
az managedapp definition update --authorizations --description --display-name --lock-level --create-
ui-definition --location --main-template --package-file-uri --tags --ids --name --resource-group --
subscription
az managedservices assignment create --definition --assignment-id --resource-group
az managedservices assignment delete --assignment --resource-group
az managedservices assignment list --include-definition --resource-group
az managedservices assignment show --assignment --include-definition --resource-group

```

```

az managedservices definition create --name --principal-id --role-definition-id --tenant-id --
definition-id --description --plan-name --plan-product --plan-publisher --plan-version
az managedservices definition delete --definition
az managedservices definition list
az managedservices definition show --definition
az managementpartner create --partner-id
az managementpartner delete --partner-id
az managementpartner show --partner-id
az managementpartner update --partner-id
az maps account create --account-name --resource-group --accept-tos --disable-local-auth --kind --
linked-resources --tags --type --user-identities --sku
az maps account delete --account-name --name --ids --resource-group --subscription
az maps account list --resource-group
az maps account show --account-name --name --ids --resource-group --subscription
az maps account update --disable-local-auth --kind --linked-resources --tags --type --user-identities --
account-name --name --ids --resource-group --subscription --sku
az maps account keys list --account-name --resource-group
az maps account keys renew --account-name --key --resource-group
az maps creator create --account-name --creator-name --resource-group --storage-units --location --
tags
az maps creator delete --yes --account-name --name --creator-name --ids --resource-group --
subscription
az maps creator list --account-name --resource-group
az maps creator show --account-name --name --creator-name --ids --resource-group --subscription
az maps creator update --storage-units --tags --account-name --name --creator-name --ids --
resource-group --subscription
az maps map list-operation
az mariadb db create --name --resource-group --server-name --charset --collation
az mariadb db delete --name --yes --ids --resource-group --server-name --subscription
az mariadb db list --resource-group --server-name
az mariadb db show --name --ids --resource-group --server-name --subscription
az mariadb server create --assign-identity --auto-grow --backup-retention --geo-redundant-backup --
infrastructure-encryption --location --name --public --public-network-access --resource-group --sku-
name --ssl-enforcement --storage-size --tags --version --admin-password --admin-user
az mariadb server delete --yes --ids --name --resource-group --subscription
az mariadb server georestore --location --source-server --backup-retention --geo-redundant-backup -
-no-wait --sku-name --ids --name --resource-group --subscription
az mariadb server list --resource-group
az mariadb server list-skus --location
az mariadb server restart --ids --name --resource-group --subscription
az mariadb server restore --pitr-time --source-server --no-wait --ids --name --resource-group --
subscription
az mariadb server show --ids --name --resource-group --subscription
az mariadb server show-connection-string --admin-password --admin-user --database-name --ids --
server-name --subscription
az mariadb server start --ids --name --resource-group --subscription
az mariadb server stop --ids --name --resource-group --subscription

```

```

az mariadb server update --admin-password --assign-identity --auto-grow --backup-retention --public
--public-network-access --sku-name --ssl-enforcement --storage-size --tags --add --force-string --
remove --set --ids --name --resource-group --subscription
az mariadb server wait --ids --name --resource-group --subscription --custom --exists --interval --
timeout
az mariadb server configuration list --ids --resource-group --server-name --subscription
az mariadb server configuration set --value --ids --name --resource-group --server-name --
subscription
az mariadb server configuration show --ids --name --resource-group --server-name --subscription
az mariadb server firewall-rule create --end-ip-address --name --resource-group --server-name --
start-ip-address
az mariadb server firewall-rule delete --yes --ids --name --resource-group --server-name --
subscription
az mariadb server firewall-rule list --ids --resource-group --server-name --subscription
az mariadb server firewall-rule show --ids --name --resource-group --server-name --subscription
az mariadb server firewall-rule update --end-ip-address --start-ip-address --add --force-string --
remove --set --ids --name --resource-group --server-name --subscription
az mariadb server private-endpoint-connection approve --description --id --name --ids --resource-
group --server-name --subscription
az mariadb server private-endpoint-connection delete --id --name --ids --resource-group --server-
name --subscription
az mariadb server private-endpoint-connection reject --description --id --name --ids --resource-group
--server-name --subscription
az mariadb server private-endpoint-connection show --id --name --ids --resource-group --server-
name --subscription
az mariadb server private-link-resource list --ids --resource-group --server-name --subscription
az mariadb server replica create --name --resource-group --source-server --location --no-wait --sku-
name
az mariadb server replica list --ids --resource-group --server-name --subscription
az mariadb server replica stop --yes --ids --name --resource-group --subscription
az mariadb server vnet-rule create --name --resource-group --server-name --subnet --ignore-missing-
endpoint --vnet-name
az mariadb server vnet-rule delete --ids --name --resource-group --server-name --subscription
az mariadb server vnet-rule list --ids --resource-group --server-name --subscription
az mariadb server vnet-rule show --ids --name --resource-group --server-name --subscription
az mariadb server vnet-rule update --subnet --ignore-missing-endpoint --vnet-name --add --force-
string --remove --set --ids --name --resource-group --server-name --subscription
az mariadb server-logs download --name --ids --resource-group --server-name --subscription
az mariadb server-logs list --resource-group --server-name --file-last-written --filename-contains --
max-file-size
az mesh app delete --yes --ids --name --resource-group --subscription
az mesh app list --resource-group
az mesh app show --ids --name --resource-group --subscription
az mesh code-package-log get --app-name --code-package-name --replica-name --resource-group --
service-name --tail
az mesh deployment create --resource-group --input-yaml-files --mode --name --no-wait --
parameters --template-file --template-uri
az mesh gateway delete --name --resource-group --yes

```

```

az mesh gateway list --resource-group
az mesh gateway show --name --resource-group
az mesh generate armtemplate --input-yaml-files --parameters
az mesh network delete --name --resource-group --yes
az mesh network list --resource-group
az mesh network show --name --resource-group
az mesh secret delete --name --resource-group --yes
az mesh secret list --resource-group
az mesh secret show --name --resource-group
az mesh secretvalue delete --resource-group --secret-resource-name --version --yes
az mesh secretvalue list --resource-group --secret-name
az mesh secretvalue show --resource-group --secret-name --version --show-value
az mesh service list --app-name --resource-group
az mesh service show --app-name --name --resource-group
az mesh service-replica list --app-name --resource-group --service-name
az mesh service-replica show --app-name --name --resource-group --service-name
az mesh volume create --location --name --resource-group --template-file --template-uri
az mesh volume delete --yes --ids --name --resource-group --subscription
az mesh volume list --resource-group
az mesh volume show --ids --name --resource-group --subscription
az ml computetarget delete --name --path --resource-group --subscription-id --workspace-name
az ml computetarget detach --name --path --resource-group --subscription-id --workspace-name
az ml computetarget get-credentials --name --path --resource-group --subscription-id --workspace-name
az ml computetarget list --path --resource-group --subscription-id --workspace-name
az ml computetarget show --name --path --resource-group --subscription-id --workspace-name
az ml computetarget amlcompute identity assign --identities --name --path --resource-group --subscription-id --workspace-name
az ml computetarget amlcompute identity remove --identities --name --path --resource-group --subscription-id --workspace-name
az ml computetarget amlcompute identity show --name --path --resource-group --subscription-id --workspace-name
az ml computetarget attach aks --compute-resource-id --name --resource-group --workspace-name
az ml computetarget attach kubernetes --compute-resource-id --name --namespace --resource-group --workspace-name
az ml computetarget attach remote --address --name --ssh-port --username --password --private-key-file --private-key-passphrase --resource-group --workspace-name
az ml computetarget computeinstance restart --name --no-wait --path --resource-group --subscription-id --workspace-name
az ml computetarget computeinstance start --name --no-wait --path --resource-group --subscription-id --workspace-name
az ml computetarget computeinstance stop --name --no-wait --path --resource-group --subscription-id --workspace-name
az ml computetarget create aks --name --agent-count --cluster-purpose --dns-service-ip --docker-bridge-cidr --load-balancer-subnet --load-balancer-type --location --no-wait --path --resource-group --service-cidr --ssl-cert-file --ssl-cname --ssl-key-file --ssl-leaf-domain-label --ssl-overwrite-domain --subnet-name --subscription-id --vm-size --vnet-name --vnet-resourcegroup-name --workspace-name

```



```

az ml computetarget create amlcompute --max-nodes --name --vm-size --admin-user-password --
admin-user-ssh-key --admin-username --assign-identity --description --enable-node-public-ip --idle-
seconds-before-scaledown --location --min-nodes --no-wait --path --remote-login-port-public-access
--resource-group --subnet-name --subscription-id --tag --vm-priority --vnet-name --vnet-
resourcegroup-name --workspace-name
az ml computetarget create computeinstance --name --vm-size --admin-user-ssh-public-key --
description --no-wait --path --resource-group --ssh-public-access --subnet-name --subscription-id --
tag --user-object-id --user-tenant-id --vnet-name --vnet-resourcegroup-name --workspace-name
az ml computetarget create datafactory --name --location --no-wait --path --resource-group --
subscription-id --workspace-name
az ml computetarget update aks --name --load-balancer-subnet --load-balancer-type --no-wait --path
--resource-group --ssl-cert-file --ssl-cname --ssl-disable --ssl-key-file --ssl-leaf-domain-label --ssl-
overwrite-domain --ssl-renew --subscription-id --workspace-name
az ml computetarget update amlcompute --name --idle-seconds-before-scaledown --max-nodes --
min-nodes --path --resource-group --subscription-id --workspace-name
az ml dataset archive --id --name --output-metadata-file --path --resource-group --subscription-id --
workspace-name
az ml dataset deprecate --deprecate-by-id --id --name --output-metadata-file --path --resource-group
--subscription-id --workspace-name
az ml dataset list --output-metadata-file --path --resource-group --subscription-id --workspace-name
az ml dataset reactivate --id --name --output-metadata-file --path --resource-group --subscription-id
--workspace-name
az ml dataset register --file --output-metadata-file --path --resource-group --show-template --skip-
validation --subscription-id --workspace-name
az ml dataset show --id --name --output-metadata-file --path --resource-group --subscription-id --
version --workspace-name
az ml dataset unregister --name --output-metadata-file --path --resource-group --subscription-id --
workspace-name
az ml datastore attach-adls --client-id --client-secret --name --store-name --tenant-id --adls-resource-
group --adls-subscription-id --authority-url --grant-workspace-msi-access --include-secret --output-
metadata-file --path --resource-group --resource-url --subscription-id --workspace-name
az ml datastore attach-adls-gen2 --account-name --client-id --client-secret --file-system --name --
tenant-id --adls-gen2-account-resource-group --adls-gen2-account-subscription-id --authority-url --
endpoint --grant-workspace-msi-access --include-secret --output-metadata-file --path --protocol --
resource-group --resource-url --subscription-id --workspace-name
az ml datastore attach-blob --account-name --container-name --name --account-key --endpoint --
grant-workspace-msi-access --include-secret --output-metadata-file --path --protocol --resource-
group --sas-token --storage-account-resource-group --storage-account-subscription-id --
subscription-id --workspace-name
az ml datastore attach-dbfs --name --output-metadata-file --path --resource-group --subscription-id --
workspace-name
az ml datastore attach-file --account-name --name --share-name --account-key --endpoint --include-
secret --output-metadata-file --path --protocol --resource-group --sas-token --subscription-id --
workspace-name
az ml datastore attach-mysqldb --database-name --name --password --server-name --user-id --
endpoint --include-secret --output-metadata-file --path --port --resource-group --subscription-id --
workspace-name

```

```

az ml datastore attach-psqlldb --database-name --name --password --server-name --user-id --
endpoint --enforce-ssl --include-secret --output-metadata-file --path --port --resource-group --
subscription-id --workspace-name
az ml datastore attach-sqlldb --database-name --name --server-name --authority-url --client-id --
client-secret --endpoint --grant-workspace-msi-access --include-secret --output-metadata-file --
password --path --resource-group --resource-url --sql-resource-group --sql-subscription-id --
subscription-id --tenant-id --username --workspace-name
az ml datastore detach --name --output-metadata-file --path --resource-group --subscription-id --
workspace-name
az ml datastore download --name --target-path --hide-progress --output-metadata-file --overwrite --
path --prefix --resource-group --subscription-id --workspace-name
az ml datastore list --include-secret --output-metadata-file --path --resource-group --subscription-id -
workspace-name
az ml datastore set-default --name --output-metadata-file --path --resource-group --subscription-id --
workspace-name
az ml datastore show --name --include-secret --output-metadata-file --path --resource-group --
subscription-id --workspace-name
az ml datastore show-default --include-secret --output-metadata-file --path --resource-group --
subscription-id --workspace-name
az ml datastore upload --name --src-path --hide-progress --output-metadata-file --overwrite --path --
resource-group --subscription-id --target-path --workspace-name
az ml endpoint realtime create-version --name --version-name --add-property --add-tag --ar --
autoscale-refresh-seconds --as --autoscale-enabled --at --autoscale-target-utilization --autoscale-
max-replicas --ma --autoscale-min-replicas --mi --cc --cpu-cores --ccl --cpu-cores-limit --cf --conda-file
--collect-model-data --md --cvt --is-control-version-type --dc --deploy-config-file --description --ed --
environment-directory --entry-script --es --environment-name --environment-version --ev --failure-
threshold --ft --gb --memory-gb --gbl --memory-gb-limit --gc --gpu-cores --ic --inference-config-file --
id --initial-delay-seconds --is-default --max-request-wait-time --mr --model --model-metadata-file --
no-wait --nr --num-replicas --path --period-seconds --ps --replica-max-concurrent-requests --rm --
resource-group --scoring-timeout-ms --tm --sd --source-directory --st --success-threshold --
subscription-id --timeout-seconds --ts --tp --traffic-percentile --workspace-name
az ml endpoint realtime delete --name --path --resource-group --subscription-id --workspace-name
az ml endpoint realtime delete-version --name --version-name --no-wait --path --resource-group --
subscription-id --workspace-name
az ml endpoint realtime get-access-token --name --path --resource-group --subscription-id --
workspace-name
az ml endpoint realtime get-keys --name --path --resource-group --subscription-id --workspace-name
az ml endpoint realtime get-logs --name --init --num_lines --path --resource-group --subscription-id --
workspace-name
az ml endpoint realtime list --compute-type --model-id --model-name --path --property --resource-
group --subscription-id --tag --workspace-name
az ml endpoint realtime regen-key --key --name --path --resource-group --set-key --subscription-id --
workspace-name
az ml endpoint realtime run --name --input-data --path --resource-group --subscription-id --
workspace-name
az ml endpoint realtime show --name --path --resource-group --subscription-id --workspace-name

```

az ml endpoint realtime update --name --add-property --add-tag --ae --auth-enabled --ai --enable-app-insights --description --no-wait --path --remove-tag --resource-group --subscription-id --token-auth-enabled --workspace-name  
 az ml endpoint realtime update-version --name --version-name --add-property --add-tag --ar --autoscale-refresh-seconds --as --autoscale-enabled --at --autoscale-target-utilization --autoscale-max-replicas --ma --autoscale-min-replicas --mi --cc --cpu-cores --ccl --cpu-cores-limit --cf --conda-file --collect-model-data --md --cvt --is-control-version-type --dc --deploy-config-file --description --ed --environment-directory --entry-script --es --environment-name --environment-version --ev --failure-threshold --ft --gb --memory-gb --gbl --memory-gb-limit --gc --gpu-cores --ic --inference-config-file --id --initial-delay-seconds --is-default --max-request-wait-time --mr --model --model-metadata-file --no-wait --nr --num-replicas --path --period-seconds --ps --replica-max-concurrent-requests --rm --resource-group --scoring-timeout-ms --tm --sd --source-directory --st --success-threshold --subscription-id --timeout-seconds --ts --tp --traffic-percentile --workspace-name  
 az ml environment download --directory --name --output-metadata-file --overwrite --path --resource-group --subscription-id --version --workspace-name  
 az ml environment list --output-metadata-file --path --resource-group --subscription-id --workspace-name  
 az ml environment register --directory --output-metadata-file --path --resource-group --subscription-id --workspace-name  
 az ml environment scaffold --directory --name --output-metadata-file --path --resource-group --subscription-id --workspace-name  
 az ml environment show --name --output-metadata-file --path --resource-group --subscription-id --version --workspace-name  
 az ml experiment list --output-metadata-file --path --resource-group --subscription-id --workspace-name  
 az ml folder attach --experiment-name --output-metadata-file --path --resource-group --subscription-id --workspace-name  
 az ml model delete --model-id --path --resource-group --subscription-id --workspace-name  
 az ml model deploy --name --ae --auth-enabled --ai --enable-app-insights --ar --autoscale-refresh-seconds --as --autoscale-enabled --at --autoscale-target-utilization --autoscale-max-replicas --ma --autoscale-min-replicas --mi --base-image --bi --base-image-registry --ir --cc --cpu-cores --ccl --cpu-cores-limit --cf --conda-file --collect-model-data --md --compute-target --ct --compute-type --cp --cuda-version --cv --dc --deploy-config-file --description --dn --dns-name-label --ds --extra-docker-file-steps --ed --environment-directory --eg --enable-gpu --entry-script --es --environment-name --environment-version --ev --failure-threshold --ft --gb --memory-gb --gbl --memory-gb-limit --gc --gpu-cores --ic --inference-config-file --id --initial-delay-seconds --key-name --key-version --kp --primary-key --ks --secondary-key --lo --location --max-request-wait-time --mr --model --model-metadata-file --namespace --no-wait --nr --num-replicas --overwrite --path --period-seconds --ps --pi --profile-input --po --port --property --replica-max-concurrent-requests --rm --resource-group --rt --runtime --sc --ssl-cname --scoring-timeout-ms --tm --sd --source-directory --se --ssl-enabled --sk --ssl-key-pem-file --sp --ssl-cert-pem-file --st --success-threshold --subnet-name --subscription-id --tag --timeout-seconds --ts --token-auth-enabled --tp --traffic-percentile --vault-base-url --version-name --vn --vnet-name --workspace-name  
 az ml model download --model-id --target-dir --overwrite --path --resource-group --subscription-id --workspace-name  
 az ml model list --dataset-id --latest --model-name --path --property --resource-group --run-id --subscription-id --tag --workspace-name

```

az ml model package --cf --conda-file --ed --environment-directory --entry-script --es --environment-
name --environment-version --ev --ic --inference-config-file --il --image-label --image-name --in --
model --model-metadata-file --no-wait --output-path --path --resource-group --rt --runtime --sd --
source-directory --subscription-id --workspace-name
az ml model profile --name --base-image --bi --base-image-registry --ir --cc --cpu-cores --cf --conda-
file --description --ed --environment-directory --entry-script --es --environment-name --environment-
version --ev --gb --memory-in-gb --ic --inference-config-file --idi --input-dataset-id --model --model-
metadata-file --output-metadata-file --resource-group --sd --source-directory --subscription-id --
workspace-name
az ml model register --name --asset-path --cc --cpu-cores --description --experiment-name --gb --
memory-gb --gc --gpu-cores --model-framework --model-framework-version --model-path --output-
metadata-file --path --property --resource-group --run-id --run-metadata-file --sample-input-dataset-
id --sample-output-dataset-id --subscription-id --tag --workspace-name
az ml model show --model-id --model-name --path --resource-group --run-id --subscription-id --
version --workspace-name
az ml model update --model-id --add-property --add-tag --cc --cpu-cores --description --gb --memory-
gb --gc --gpu-cores --path --remove-tag --resource-group --sample-input-dataset-id --sample-output-
dataset-id --subscription-id --workspace-name
az ml pipeline clone --path --pipeline-run-id --output-file --resource-group --workspace-name
az ml pipeline clone-draft --experiment-name --pipeline-draft-id --pipeline-id --pipeline-run-id --
resource-group --workspace-name
az ml pipeline create --name --pipeline-yaml --continue --description --output-file --resource-group --
version --workspace-name
az ml pipeline create-draft --experiment_name --name --pipeline-yaml --continue --description --
parameters --properties --resource-group --tags --workspace-name
az ml pipeline create-schedule --experiment-name --name --pipeline-id --resource-group --schedule-
yaml --workspace-name
az ml pipeline delete-draft --pipeline-draft-id --resource-group --workspace-name
az ml pipeline disable --pipeline-id --output-file --resource-group --workspace-name
az ml pipeline disable-schedule --schedule-id --resource-group --workspace-name
az ml pipeline enable --pipeline-id --output-file --resource-group --workspace-name
az ml pipeline enable-schedule --schedule-id --resource-group --workspace-name
az ml pipeline get --path --pipeline-draft-id --pipeline-id --resource-group --workspace-name
az ml pipeline last-pipeline-run --schedule-id --resource-group --workspace-name
az ml pipeline list --output-file --resource-group --workspace-name
az ml pipeline list-drafts --resource-group --tags --workspace-name
az ml pipeline list-steps --run --output-file --resource-group --workspace-name
az ml pipeline pipeline-runs-list --schedule-id --resource-group --workspace-name
az ml pipeline publish-draft --pipeline-draft-id --resource-group --workspace-name
az ml pipeline show --pipeline-id --output-file --resource-group --workspace-name
az ml pipeline show-draft --pipeline-draft-id --resource-group --workspace-name
az ml pipeline show-schedule --schedule-id --resource-group --workspace-name
az ml pipeline submit-draft --pipeline-draft-id --resource-group --workspace-name
az ml pipeline update-draft --continue --description --experiment_name --name --parameters --
pipeline-draft-id --pipeline-yaml --resource-group --tags --workspace-name
az ml pipeline update-schedule --schedule-id --name --resource-group --schedule-yaml --status --
workspace-name

```

```

az ml run cancel --run --experiment-name --output-metadata-file --path --resource-group --
subscription-id --workspace-name
az ml run download-logs --output-dir --run --experiment-name --output-metadata-file --path --
resource-group --subscription-id --workspace-name
az ml run list --compute-target-name --experiment-name --last --minimal --output-metadata-file --
parent-run-id --path --pipeline-run-id --resource-group --status --subscription-id --tags --workspace-
name
az ml run monitor-logs --run --experiment-name --output-metadata-file --path --resource-group --
subscription-id --workspace-name
az ml run monitor-tensorboard --run --experiment-name --local-directory --output-metadata-file --
path --resource-group --subscription-id --workspace-name
az ml run show --run --experiment-name --output-metadata-file --path --resource-group --
subscription-id --workspace-name
az ml run submit-hyperdrive --hyperdrive-configuration-name --async --conda-dependencies --ct --
target --experiment-name --output-metadata-file --path --resource-group --run-configuration-name -
-source-directory --subscription-id --workspace-name
az ml run submit-pipeline --datapaths --experiment-name --output-metadata-file --output_file --
parameters --path --pipeline-id --pipeline-yaml --resource-group --subscription-id --workspace-name
az ml run submit-script --async --conda-dependencies --ct --target --experiment-name --output-
metadata-file --path --resource-group --run-configuration-name --source-directory --subscription-id -
workspace-name
az ml run update --run --add-tag --experiment-name --output-metadata-file --path --resource-group -
subscription-id --workspace-name
az ml service delete --name --path --resource-group --subscription-id --workspace-name
az ml service get-access-token --name --path --resource-group --subscription-id --workspace-name
az ml service get-keys --name --path --resource-group --subscription-id --workspace-name
az ml service get-logs --name --init --num_lines --path --resource-group --subscription-id --
workspace-name
az ml service list --compute-type --image-digest --model-id --model-name --path --property --
resource-group --subscription-id --tag --workspace-name
az ml service regen-key --key --name --path --resource-group --set-key --subscription-id --workspace-
name
az ml service run --name --input-data --path --resource-group --subscription-id --workspace-name
az ml service show --name --path --resource-group --subscription-id --workspace-name
az ml service update --name --add-property --add-tag --ae --auth-enabled --ai --enable-app-insights --
ar --autoscale-refresh-seconds --as --autoscale-enabled --at --autoscale-target-utilization --autoscale-
max-replicas --ma --autoscale-min-replicas --mi --base-image --bi --base-image-registry --ir --cc --cpu-
cores --ccl --cpu-cores-limit --cf --conda-file --collect-model-data --md --compute-target --cuda-
version --cv --dc --deploy-config-file --description --dn --dns-name-label --ds --extra-docker-file-steps
--ed --environment-directory --eg --enable-gpu --entry-script --es --environment-name --
environment-version --ev --failure-threshold --ft --gb --memory-gb --gbl --memory-gb-limit --gc --gpu-
cores --ic --inference-config-file --id --initial-delay-seconds --is-migration --kp --primary-key --ks --
secondary-key --lo --location --max-request-wait-time --mr --model --model-metadata-file --no-wait -
nr --num-replicas --path --period-seconds --ps --po --port --remove-tag --replica-max-concurrent-
requests --rm --resource-group --rt --runtime --sc --ssl-cname --scoring-timeout-ms --tm --sd --
source-directory --se --ssl-enabled --sk --ssl-key-pem-file --sp --ssl-cert-pem-file --st --success-
threshold --subscription-id --timeout-seconds --ts --token-auth-enabled --workspace-name

```

```

az ml workspace create --workspace-name --adb-workspace --application-insights --cmk-keyvault --
container-registry --exist-ok --friendly-name --hbi-workspace --keyvault --location --pe-auto-approval
--pe-name --pe-resource-group --pe-subnet-name --pe-subscription-id --pe-vnet-name --primary-
user-assigned-identity --resource-cmk-uri --resource-group --sku --storage-account --
system_datastores_auth_mode --tags --user-assigned-identity-for-cmk-encryption --v1-legacy-mode
--yes
az ml workspace delete --all-resources --no-wait --output-metadata-file --path --resource-group --
subscription-id --workspace-name
az ml workspace diagnose --output-metadata-file --path --resource-group --subscription-id --
workspace-name
az ml workspace list --resource-group
az ml workspace list-keys --output-metadata-file --path --resource-group --subscription-id --
workspace-name
az ml workspace share --role --user --output-metadata-file --path --resource-group --subscription-id -
workspace-name
az ml workspace show --output-metadata-file --path --resource-group --subscription-id --workspace-
name
az ml workspace sync-keys --output-metadata-file --path --resource-group --subscription-id --
workspace-name
az ml workspace update --allow-public-access --description --friendly-name --image-build-compute --
output-metadata-file --path --primary-user-assigned-identity --resource-group --subscription-id --
tags --v1-legacy-mode --workspace-name
az ml workspace update-dependencies --acr --force --output-metadata-file --path --resource-group --
subscription-id --workspace-name
az ml workspace private-endpoint add --output-metadata-file --path --pe-auto-approval --pe-
location --pe-name --pe-resource-group --pe-subnet-name --pe-subscription-id --pe-vnet-name --
resource-group --subscription-id --tags --workspace-name
az ml workspace private-endpoint delete --output-metadata-file --pe-connection-name --resource-
group --subscription-id --workspace-name
az ml workspace private-endpoint list --output-metadata-file --path --resource-group --subscription-
id --workspace-name
az monitor clone --source-resource --target-resource --always-clone --types
az monitor action-group create --name --resource-group --short-name --tags --action
az monitor action-group delete --ids --name --resource-group --subscription
az monitor action-group enable-receiver --name --action-group --ids --resource-group --subscription
az monitor action-group list --resource-group
az monitor action-group show --ids --name --resource-group --subscription
az monitor action-group update --short-name --tags --add-action --remove-action --add --force-string
--remove --set --ids --name --resource-group --subscription
az monitor activity-log list --max-events --select --caller --correlation-id --namespace --resource-
group --resource-id --status --end-time --offset --start-time
az monitor activity-log list-categories
az monitor activity-log alert create --name --resource-group --action-group --condition --description -
-disable --scope --tags --webhook-properties
az monitor activity-log alert delete --ids --name --resource-group --subscription
az monitor activity-log alert list --resource-group
az monitor activity-log alert show --ids --name --resource-group --subscription

```

```

az monitor activity-log alert update --condition --description --enabled --tags --add --force-string --
remove --set --ids --name --resource-group --subscription
az monitor activity-log alert action-group add --action-group --reset --strict --webhook-properties --
ids --name --resource-group --subscription
az monitor activity-log alert action-group remove --action-group --ids --name --resource-group --
subscription
az monitor activity-log alert scope add --scope --reset --ids --name --resource-group --subscription
az monitor activity-log alert scope remove --scope --ids --name --resource-group --subscription
az monitor alert-processing-rule create --name --resource-group --rule-type --scopes --action-groups
--description --enabled --tags --filter-alert-context --filter-alert-rule-description --filter-alert-rule-id --
filter-alert-rule-name --filter-monitor-condition --filter-monitor-service --filter-resource-group --
filter-resource-type --filter-severity --filter-signal-type --filter-target-resource --schedule-end-
datetime --schedule-start-datetime --schedule-time-zone --schedule-recurrence --schedule-
recurrence --schedule-recurrence-end-time --schedule-recurrence-start-time --schedule-recurrence-
type --schedule-recurrence-2 --schedule-recurrence-2 --schedule-recurrence-2-end-time --schedule-
recurrence-2-start-time --schedule-recurrence-2-type
az monitor alert-processing-rule delete --yes --ids --name --resource-group --subscription
az monitor alert-processing-rule list --resource-group
az monitor alert-processing-rule show --ids --name --resource-group --subscription
az monitor alert-processing-rule update --enabled --tags --add --force-string --remove --set --ids --
name --resource-group --subscription
az monitor app-insights query --analytics-query --end-time --offset --start-time --apps --ids --
resource-group --subscription
az monitor app-insights api-key create --api-key --app --resource-group --read-properties --write-
properties
az monitor app-insights api-key delete --api-key --app --ids --resource-group --subscription
az monitor app-insights api-key show --api-key --app --ids --resource-group --subscription
az monitor app-insights component connect-function --function --app --ids --resource-group --
subscription
az monitor app-insights component connect-webapp --web-app --enable-debugger --enable-
snapshot-debugger --enable-profiler --app --ids --resource-group --subscription
az monitor app-insights component create --app --location --resource-group --application-type --
ingestion-access --kind --query-access --retention-time --tags --workspace
az monitor app-insights component delete --app --ids --resource-group --subscription
az monitor app-insights component show --app --ids --resource-group --subscription
az monitor app-insights component update --ingestion-access --kind --query-access --retention-time
--workspace --app --ids --resource-group --subscription
az monitor app-insights component update-tags --tags --app --ids --resource-group --subscription
az monitor app-insights component billing show --app --ids --resource-group --subscription
az monitor app-insights component billing update --cap --stop --app --ids --resource-group --
subscription
az monitor app-insights component continues-export create --app --record-types --resource-group --
is-enabled --dest-account --dest-container --dest-sas --dest-sub-id --dest-type
az monitor app-insights component continues-export delete --id --yes --app --ids --resource-group --
subscription
az monitor app-insights component continues-export list --app --resource-group
az monitor app-insights component continues-export show --id --app --ids --resource-group --
subscription

```

az monitor app-insights component continues-export update --id --is-enabled --record-types --dest-account --dest-container --dest-sas --dest-sub-id --dest-type --app --ids --resource-group --subscription  
 az monitor app-insights component linked-storage link --storage-account --app --ids --resource-group --subscription  
 az monitor app-insights component linked-storage show --app --ids --resource-group --subscription  
 az monitor app-insights component linked-storage unlink --app --ids --resource-group --subscription  
 az monitor app-insights component linked-storage update --storage-account --app --ids --resource-group --subscription  
 az monitor app-insights events show --type --end-time --event --offset --start-time --app --ids --resource-group --subscription  
 az monitor app-insights metrics get-metadata --app --ids --resource-group --subscription  
 az monitor app-insights metrics show --metrics --aggregation --end-time --filter --offset --orderby --segment --start-time --top --app --ids --resource-group --subscription --interval  
 az monitor app-insights web-test create --name --resource-group --defined-web-test-name --description --enabled --frequency --kind --location --locations --retry-enabled --synthetic-monitor-id --tags --timeout --web-test-kind --web-test --follow-redirects --headers --http-verb --parse-requests --request-body --request-url --content-validation --expected-status-code --ignore-status-code --ssl-check --ssl-lifetime-check  
 az monitor app-insights web-test delete --name --resource-group --yes  
 az monitor app-insights web-test list --component-name --resource-group  
 az monitor app-insights web-test show --name --resource-group  
 az monitor app-insights web-test update --name --resource-group --defined-web-test-name --description --enabled --frequency --kind --location --locations --retry-enabled --synthetic-monitor-id --tags --timeout --web-test-kind --web-test --add --force-string --remove --set --follow-redirects --headers --http-verb --parse-requests --request-body --request-url --content-validation --expected-status-code --ignore-status-code --ssl-check --ssl-lifetime-check  
 az monitor autoscale create --disabled --location --name --tags --count --max-count --min-count --action --email-administrator --email-coadministrators --resource --resource-group --resource-namespace --resource-parent --resource-type  
 az monitor autoscale delete --ids --name --resource-group --subscription  
 az monitor autoscale list --resource-group  
 az monitor autoscale show --ids --name --resource-group --subscription  
 az monitor autoscale update --enabled --tags --add --force-string --remove --set --count --max-count --min-count --add-action --email-administrator --email-coadministrators --remove-action --ids --name --resource-group --subscription  
 az monitor autoscale profile create --autoscale-name --name --resource-group --copy-rules --count --max-count --min-count --timezone --end --recurrence --start  
 az monitor autoscale profile delete --autoscale-name --name --resource-group  
 az monitor autoscale profile list --autoscale-name --resource-group  
 az monitor autoscale profile list-timezones --offset --search-query  
 az monitor autoscale profile show --autoscale-name --name --resource-group  
 az monitor autoscale rule copy --autoscale-name --dest-schedule --index --resource-group --source-schedule  
 az monitor autoscale rule create --autoscale-name --condition --scale --cooldown --profile-name --timegrain --resource --resource-group --resource-namespace --resource-parent --resource-type  
 az monitor autoscale rule delete --autoscale-name --index --resource-group --profile-name  
 az monitor autoscale rule list --autoscale-name --resource-group --profile-name



```

az monitor data-collection endpoint create --name --resource-group --description --kind --location --
tags --public-network-access
az monitor data-collection endpoint delete --yes --ids --name --resource-group --subscription
az monitor data-collection endpoint list --resource-group
az monitor data-collection endpoint show --ids --name --resource-group --subscription
az monitor data-collection endpoint update --description --kind --tags --public-network-access --ids --
name --resource-group --subscription
az monitor data-collection rule create --name --resource-group --rule-file --description --location --
tags
az monitor data-collection rule delete --yes --ids --name --resource-group --subscription
az monitor data-collection rule list --resource-group
az monitor data-collection rule show --ids --name --resource-group --subscription
az monitor data-collection rule update --description --tags --data-flows --extensions --performance-
counters --syslog --windows-event-logs --log-analytics --monitor-metrics --ids --name --resource-
group --subscription
az monitor data-collection rule association create --name --resource --description --rule-id
az monitor data-collection rule association delete --name --resource --yes
az monitor data-collection rule association list --endpoint-name --resource --resource-group --rule-
name
az monitor data-collection rule association show --name --resource
az monitor data-collection rule association update --name --resource --description --rule-id
az monitor data-collection rule data-flow add --destinations --streams --ids --resource-group --rule-
name --subscription
az monitor data-collection rule data-flow list --resource-group --rule-name
az monitor data-collection rule log-analytics add --name --resource-id --ids --resource-group --rule-
name --subscription
az monitor data-collection rule log-analytics delete --name --ids --resource-group --rule-name --
subscription
az monitor data-collection rule log-analytics list --resource-group --rule-name
az monitor data-collection rule log-analytics show --name --ids --resource-group --rule-name --
subscription
az monitor data-collection rule log-analytics update --name --resource-id --ids --resource-group --
rule-name --subscription
az monitor data-collection rule performance-counter add --counter-specifiers --name --sampling-
frequency --streams --ids --resource-group --rule-name --subscription
az monitor data-collection rule performance-counter delete --name --ids --resource-group --rule-
name --subscription
az monitor data-collection rule performance-counter list --resource-group --rule-name
az monitor data-collection rule performance-counter show --name --ids --resource-group --rule-
name --subscription
az monitor data-collection rule performance-counter update --name --counter-specifiers --sampling-
frequency --streams --ids --resource-group --rule-name --subscription
az monitor data-collection rule syslog add --facility-names --name --streams --log-levels --ids --
resource-group --rule-name --subscription
az monitor data-collection rule syslog delete --name --ids --resource-group --rule-name --
subscription
az monitor data-collection rule syslog list --resource-group --rule-name
az monitor data-collection rule syslog show --name --ids --resource-group --rule-name --subscription

```

```

az monitor data-collection rule syslog update --name --facility-names --log-levels --streams --ids --
resource-group --rule-name --subscription
az monitor data-collection rule windows-event-log add --name --streams --x-path-queries --ids --
resource-group --rule-name --subscription
az monitor data-collection rule windows-event-log delete --name --ids --resource-group --rule-name
--subscription
az monitor data-collection rule windows-event-log list --resource-group --rule-name
az monitor data-collection rule windows-event-log show --name --ids --resource-group --rule-name --
subscription
az monitor data-collection rule windows-event-log update --name --streams --x-path-queries --ids --
resource-group --rule-name --subscription
az monitor diagnostic-settings create --name --event-hub --event-hub-rule --export-to-resource-
specific --workspace --logs --metrics --storage-account --workspace --resource --resource-group --
resource-namespace --resource-parent --resource-type
az monitor diagnostic-settings delete --name --resource --resource-group --resource-namespace --
resource-parent --resource-type
az monitor diagnostic-settings list --resource --resource-group --resource-namespace --resource-
parent --resource-type
az monitor diagnostic-settings show --name --resource --resource-group --resource-namespace --
resource-parent --resource-type
az monitor diagnostic-settings update --name --add --force-string --remove --set --resource --
resource-group --resource-namespace --resource-parent --resource-type
az monitor diagnostic-settings categories list --resource --resource-group --resource-namespace --
resource-parent --resource-type
az monitor diagnostic-settings categories show --name --resource --resource-group --resource-
namespace --resource-parent --resource-type
az monitor diagnostic-settings subscription create --location --logs --name --event-hub-auth-rule --
event-hub-name --service-bus-rule --storage-account --workspace
az monitor diagnostic-settings subscription delete --name --yes
az monitor diagnostic-settings subscription list
az monitor diagnostic-settings subscription show --name
az monitor diagnostic-settings subscription update --name --event-hub-auth-rule --event-hub-name -
--logs --service-bus-rule --storage-account --workspace --add --force-string --remove --set
az monitor log-analytics query --analytics-query --workspace --timespan --workspaces
az monitor log-analytics cluster create --name --resource-group --sku-capacity --identity-type --
location --no-wait --sku-name --tags
az monitor log-analytics cluster delete --name --resource-group --no-wait --yes
az monitor log-analytics cluster list --resource-group
az monitor log-analytics cluster show --name --resource-group
az monitor log-analytics cluster update --name --resource-group --key-name --key-vault-uri --key-
version --no-wait --sku-capacity --tags
az monitor log-analytics cluster wait --name --resource-group --created --custom --deleted --exists --
interval --timeout --updated
az monitor log-analytics solution create --resource-group --solution-type --workspace --no-wait --
tags
az monitor log-analytics solution delete --name --resource-group --no-wait --yes
az monitor log-analytics solution list --resource-group
az monitor log-analytics solution show --name --resource-group

```

```

az monitor log-analytics solution update --name --resource-group --no-wait --tags
az monitor log-analytics workspace create --resource-group --workspace-name --capacity-
reservation-level --level --ingestion-access --location --no-wait --query-access --quota --retention-
time --sku --tags
az monitor log-analytics workspace delete --resource-group --workspace-name --force --yes
az monitor log-analytics workspace get-schema --resource-group --workspace-name
az monitor log-analytics workspace get-shared-keys --resource-group --workspace-name
az monitor log-analytics workspace list --resource-group
az monitor log-analytics workspace list-deleted-workspaces --resource-group
az monitor log-analytics workspace list-management-groups --resource-group --workspace-name
az monitor log-analytics workspace list-usages --resource-group --workspace-name
az monitor log-analytics workspace recover --workspace-name --no-wait --resource-group
az monitor log-analytics workspace show --resource-group --workspace-name
az monitor log-analytics workspace update --resource-group --workspace-name --capacity-
reservation-level --level --data-collection-rule --ingestion-access --query-access --quota --retention-
time --tags --add --force-string --remove --set
az monitor log-analytics workspace data-export create --destination --name --resource-group --
tables --workspace-name --enable
az monitor log-analytics workspace data-export delete --name --resource-group --workspace-name --
yes
az monitor log-analytics workspace data-export list --resource-group --workspace-name
az monitor log-analytics workspace data-export show --name --resource-group --workspace-name
az monitor log-analytics workspace data-export update --name --resource-group --tables --
workspace-name --destination --enable --add --force-string --remove --set
az monitor log-analytics workspace linked-service create --name --resource-group --workspace-name
--no-wait --resource-id --write-access-resource-id
az monitor log-analytics workspace linked-service delete --name --resource-group --workspace-name
--no-wait --yes
az monitor log-analytics workspace linked-service list --resource-group --workspace-name
az monitor log-analytics workspace linked-service show --name --resource-group --workspace-name
az monitor log-analytics workspace linked-service update --name --resource-group --workspace-
name --no-wait --resource-id --write-access-resource-id --add --force-string --remove --set
az monitor log-analytics workspace linked-service wait --name --resource-group --workspace-name --
created --custom --deleted --exists --interval --timeout --updated
az monitor log-analytics workspace linked-storage add --resource-group --storage-accounts --type --
workspace-name
az monitor log-analytics workspace linked-storage create --resource-group --storage-accounts --type
--workspace-name
az monitor log-analytics workspace linked-storage delete --resource-group --type --workspace-name
--yes
az monitor log-analytics workspace linked-storage list --resource-group --workspace-name
az monitor log-analytics workspace linked-storage remove --resource-group --storage-accounts --
type --workspace-name
az monitor log-analytics workspace linked-storage show --resource-group --type --workspace-name
az monitor log-analytics workspace pack disable --name --resource-group --workspace-name
az monitor log-analytics workspace pack enable --name --resource-group --workspace-name
az monitor log-analytics workspace pack list --resource-group --workspace-name

```

```

az monitor log-analytics workspace saved-search create --category --display-name --name --
resource-group --saved-query --workspace-name --fa --func-alias --fp --func-param --tags
az monitor log-analytics workspace saved-search delete --name --resource-group --workspace-name
--yes
az monitor log-analytics workspace saved-search list --resource-group --workspace-name
az monitor log-analytics workspace saved-search show --name --resource-group --workspace-name
az monitor log-analytics workspace saved-search update --name --resource-group --workspace-name
--category --display-name --fa --func-alias --fp --func-param --saved-query --tags --add --force-string -
-remove --set
az monitor log-analytics workspace table create --name --resource-group --workspace-name --
columns --description --no-wait --plan --retention-time --total-retention-time
az monitor log-analytics workspace table delete --name --resource-group --workspace-name --no-
wait --yes
az monitor log-analytics workspace table list --resource-group --workspace-name
az monitor log-analytics workspace table migrate --name --resource-group --workspace-name
az monitor log-analytics workspace table show --name --resource-group --workspace-name
az monitor log-analytics workspace table update --name --resource-group --workspace-name --
columns --description --no-wait --plan --retention-time --total-retention-time
az monitor log-analytics workspace table wait --name --resource-group --workspace-name --created
--custom --deleted --exists --interval --timeout --updated
There are more entries
az monitor log-profiles create --categories --location --locations --name --service-bus-rule-id --
storage-account-id --tags --days --enabled
az monitor log-profiles delete --name
az monitor log-profiles list
az monitor log-profiles show --name
az monitor log-profiles update --name --add --force-string --remove --set
az monitor metrics list --aggregation --dimension --filter --metadata --metrics --namespace --orderby
--top --resource --resource-group --resource-namespace --resource-parent --resource-type --end-
time --interval --offset --start-time
az monitor metrics list-definitions --namespace --resource --resource-group --resource-namespace --
resource-parent --resource-type
az monitor metrics list-namespaces --resource-uri --start-time
az monitor metrics alert create --condition --name --resource-group --scopes --action --auto-mitigate
--description --disabled --evaluation-frequency --region --target-resource-region --severity --tags --
target-resource-type --type --window-size
az monitor metrics alert delete --ids --name --resource-group --subscription
az monitor metrics alert list --resource-group
az monitor metrics alert show --ids --name --resource-group --subscription
az monitor metrics alert update --auto-mitigate --description --enabled --evaluation-frequency --
scopes --severity --tags --window-size --add-action --remove-actions --add-condition --remove-
conditions --add --force-string --remove --set --ids --name --resource-group --subscription
az monitor metrics alert condition create --aggregation --metric --op --type --dimension --namespace
--num-periods --num-violations --sensitivity --since --skip-metric-validation --threshold
az monitor metrics alert dimension create --name --value --op --operator
az monitor private-link-scope create --name --resource-group --tags
az monitor private-link-scope delete --name --resource-group --yes
az monitor private-link-scope list --resource-group

```

```

az monitor private-link-scope show --name --resource-group
az monitor private-link-scope update --name --resource-group --tags
az monitor private-link-scope private-endpoint-connection approve --description --id --name --
resource-group --scope-name
az monitor private-link-scope private-endpoint-connection delete --id --name --resource-group --
scope-name --yes
az monitor private-link-scope private-endpoint-connection list --resource-group --scope-name
az monitor private-link-scope private-endpoint-connection reject --description --id --name --
resource-group --scope-name
az monitor private-link-scope private-endpoint-connection show --id --name --resource-group --
scope-name
az monitor private-link-scope private-link-resource list --resource-group --scope-name
az monitor private-link-scope private-link-resource show --name --resource-group --scope-name
az monitor private-link-scope scoped-resource create --linked-resource --name --resource-group --
scope-name
az monitor private-link-scope scoped-resource delete --name --resource-group --scope-name --yes
az monitor private-link-scope scoped-resource list --resource-group --scope-name
az monitor private-link-scope scoped-resource show --name --resource-group --scope-name
az monitor scheduled-query create --condition --name --resource-group --scopes --action-groups --
auto-mitigate --check-ws-alerts-storage --cwas --condition-query --custom-properties --description --
disabled --evaluation-frequency --location --mad --mute-actions-duration --severity --skip-query-
validation --tags --target-resource-type --type --window-size
az monitor scheduled-query delete --yes --ids --name --resource-group --subscription
az monitor scheduled-query list --resource-group
az monitor scheduled-query show --ids --name --resource-group --subscription
az monitor scheduled-query update --action-groups --auto-mitigate --check-ws-alerts-storage --cwas
--condition --condition-query --custom-properties --description --disabled --evaluation-frequency --
mad --mute-actions-duration --severity --skip-query-validation --tags --target-resource-type --type --
window-size --add --force-string --remove --set --ids --name --resource-group --subscription
az mysql down --delete-group --no-wait --resource-group --server-name --yes
az mysql show-connection-string --admin-password --admin-user --database-name --server-name
az mysql up --backup-retention --database-name --geo-redundant-backup --location --resource-
group --server-name --sku-name --ssl-enforcement --storage-size --tags --version --admin-password -
-admin-user --generate-password
az mysql db create --name --resource-group --server-name --charset --collation
az mysql db delete --name --yes --ids --resource-group --server-name --subscription
az mysql db list --resource-group --server-name
az mysql db show --name --ids --resource-group --server-name --subscription
az mysql flexible-server connect --name --database-name --interactive --querytext --admin-user --
admin-password
az mysql flexible-server create --address-prefixes --backup-retention --database-name --geo-
redundant-backup --high-availability --iops --location --name --private-dns-zone --public-access --
resource-group --sku-name --standby-zone --storage-auto-grow --storage-size --subnet --subnet-
prefixes --tags --tier --version --vnet --yes --zone --admin-password --admin-user
az mysql flexible-server delete --yes --ids --name --resource-group --subscription
az mysql flexible-server execute --name --database-name --file-path --querytext --admin-password --
admin-user

```

```

az mysql flexible-server geo-restore --location --source-server --address-prefixes --no-wait --private-
dns-zone --public-access --subnet --subnet-prefixes --vnet --yes --zone --ids --name --resource-group
--subscription
az mysql flexible-server list --resource-group
az mysql flexible-server list-skus --location
az mysql flexible-server restart --failover --ids --name --resource-group --subscription
az mysql flexible-server restore --source-server --address-prefixes --no-wait --private-dns-zone --
public-access --restore-time --subnet --subnet-prefixes --vnet --yes --zone --ids --name --resource-
group --subscription
az mysql flexible-server show --ids --name --resource-group --subscription
az mysql flexible-server show-connection-string --admin-password --admin-user --database-name --
ids --server-name --subscription
az mysql flexible-server start --ids --name --resource-group --subscription
az mysql flexible-server stop --ids --name --resource-group --subscription
az mysql flexible-server update --backup-retention --high-availability --iops --maintenance-window --
replication-role --sku-name --standby-zone --storage-auto-grow --storage-size --tags --tier --admin-
password --add --force-string --remove --set --ids --name --resource-group --subscription
az mysql flexible-server wait --ids --name --resource-group --subscription --created --custom --
deleted --exists --interval --timeout --updated
az mysql flexible-server db create --resource-group --server-name --charset --collation --database-
name
az mysql flexible-server db delete --yes --database-name --ids --resource-group --server-name --
subscription
az mysql flexible-server db list --resource-group --server-name
az mysql flexible-server db show --database-name --ids --resource-group --server-name --
subscription
az mysql flexible-server deploy run --action-name --branch
az mysql flexible-server deploy setup --repo --sql-file --action-name --allow-push --branch --admin-
password --admin-user --database-name --ids --resource-group --server-name --subscription
az mysql flexible-server firewall-rule create --name --resource-group --end-ip-address --rule-name --
start-ip-address
az mysql flexible-server firewall-rule delete --yes --ids --name --resource-group --rule-name --
subscription
az mysql flexible-server firewall-rule list --name --resource-group
az mysql flexible-server firewall-rule show --ids --name --resource-group --rule-name --subscription
az mysql flexible-server firewall-rule update --end-ip-address --start-ip-address --add --force-string --
remove --set --ids --name --resource-group --rule-name --subscription
az mysql flexible-server parameter list --resource-group --server-name
az mysql flexible-server parameter set --source --value --ids --name --resource-group --server-name -
-subscription
az mysql flexible-server parameter show --ids --name --resource-group --server-name --subscription
az mysql flexible-server replica create --replica-name --resource-group --source-server --no-wait --
zone
az mysql flexible-server replica list --name --resource-group
az mysql flexible-server replica stop-replication --yes --ids --name --resource-group --subscription
az mysql server create --assign-identity --auto-grow --backup-retention --geo-redundant-backup --
infrastructure-encryption --location --minimal-tls-version --name --public --public-network-access --

```

```

resource-group --sku-name --ssl-enforcement --storage-size --tags --version --admin-password --
admin-user
az mysql server delete --yes --ids --name --resource-group --subscription
az mysql server georestore --location --source-server --backup-retention --geo-redundant-backup --
no-wait --sku-name --ids --name --resource-group --subscription
az mysql server list --resource-group
az mysql server list-skus --location
az mysql server restart --ids --name --resource-group --subscription
az mysql server restore --pitr-time --source-server --no-wait --ids --name --resource-group --
subscription
az mysql server show --ids --name --resource-group --subscription
az mysql server show-connection-string --admin-password --admin-user --database-name --ids --
server-name --subscription
az mysql server start --ids --name --resource-group --subscription
az mysql server stop --ids --name --resource-group --subscription
az mysql server update --admin-password --assign-identity --auto-grow --backup-retention --
minimal-tls-version --public --public-network-access --sku-name --ssl-enforcement --storage-size --
tags --add --force-string --remove --set --ids --name --resource-group --subscription
az mysql server upgrade --target-server-version --ids --name --resource-group --subscription
az mysql server wait --ids --name --resource-group --subscription --custom --exists --interval --
timeout
az mysql server ad-admin create --resource-group --server-name --display-name --no-wait --object-id
az mysql server ad-admin delete --yes --ids --resource-group --server-name --subscription
az mysql server ad-admin list --ids --resource-group --server-name --subscription
az mysql server ad-admin show --ids --resource-group --server-name --subscription
az mysql server ad-admin wait --ids --resource-group --server-name --subscription --created --custom
--deleted --exists --interval --timeout --updated
az mysql server configuration list --ids --resource-group --server-name --subscription
az mysql server configuration set --value --ids --name --resource-group --server-name --subscription
az mysql server configuration show --ids --name --resource-group --server-name --subscription
az mysql server firewall-rule create --end-ip-address --name --resource-group --server-name --start-
ip-address
az mysql server firewall-rule delete --yes --ids --name --resource-group --server-name --subscription
az mysql server firewall-rule list --ids --resource-group --server-name --subscription
az mysql server firewall-rule show --ids --name --resource-group --server-name --subscription
az mysql server firewall-rule update --end-ip-address --start-ip-address --add --force-string --remove
--set --ids --name --resource-group --server-name --subscription
az mysql server key create --kid --name --resource-group
az mysql server key delete --kid --yes --ids --name --resource-group --subscription
az mysql server key list --ids --name --resource-group --subscription
az mysql server key show --kid --ids --name --resource-group --subscription
az mysql server private-endpoint-connection approve --description --id --name --ids --resource-group
--server-name --subscription
az mysql server private-endpoint-connection delete --id --name --ids --resource-group --server-name
--subscription
az mysql server private-endpoint-connection reject --description --id --name --ids --resource-group --
server-name --subscription

```

```

az mysql server private-endpoint-connection show --id --name --ids --resource-group --server-name -
-subscription
az mysql server private-link-resource list --ids --resource-group --server-name --subscription
az mysql server replica create --name --resource-group --source-server --location --no-wait --sku-
name
az mysql server replica list --ids --resource-group --server-name --subscription
az mysql server replica stop --yes --ids --name --resource-group --subscription
az mysql server vnet-rule create --name --resource-group --server-name --subnet --ignore-missing-
endpoint --vnet-name
az mysql server vnet-rule delete --ids --name --resource-group --server-name --subscription
az mysql server vnet-rule list --ids --resource-group --server-name --subscription
az mysql server vnet-rule show --ids --name --resource-group --server-name --subscription
az mysql server vnet-rule update --subnet --ignore-missing-endpoint --vnet-name --add --force-string
--remove --set --ids --name --resource-group --server-name --subscription
az mysql server-logs download --name --ids --resource-group --server-name --subscription
az mysql server-logs list --resource-group --server-name --file-last-written --filename-contains --max-
file-size
az netappfiles account create --account-name --location --resource-group --active-directories --tags
az netappfiles account delete --account-name --ids --resource-group --subscription
az netappfiles account list --resource-group
az netappfiles account set --location --active-directories --tags --account-name --ids --resource-group
--subscription
az netappfiles account show --account-name --ids --resource-group --subscription
az netappfiles account update --location --active-directories --tags --add --force-string --remove --set
--account-name --ids --resource-group --subscription
az netappfiles account ad add --dns --domain --password --smb-server-name --username --ad-name -
-administrators --aes-encryption --allow-local-ldap-users --backup-operators --encrypt-dc-conn --
group-dn --group-filter --kdc-ip --ldap-over-tls --ldap-signing --organizational-unit --security-
operators --server-root-ca-cert --user-dn --add --force-string --remove --set --account-name --name -
-ids --resource-group --subscription
az netappfiles account ad list --account-name --resource-group
az netappfiles account ad remove --active-directory --account-name --name --ids --resource-group --
subscription
az netappfiles account ad update --active-directory-id --dns --domain --password --smb-server-name
--username --ad-name --administrators --aes-encryption --allow-local-ldap-users --backup-operators
--encrypt-dc-conn --group-dn --group-filter --kdc-ip --ldap-over-tls --ldap-signing --organizational-unit
--security-operators --server-root-ca-cert --user-dn --add --force-string --remove --set --account-
name --name --ids --resource-group --subscription
az netappfiles account backup delete --account-name --backup-name --resource-group --yes
az netappfiles account backup list --account-name --resource-group
az netappfiles account backup show --account-name --backup-name --resource-group
az netappfiles account backup-policy create --account-name --backup-policy-name --resource-group
--daily-backups --enabled --location --monthly-backups --tags --weekly-backups
az netappfiles account backup-policy delete --account-name --backup-policy-name --ids --resource-
group --subscription
az netappfiles account backup-policy list --account-name --resource-group
az netappfiles account backup-policy show --account-name --backup-policy-name --ids --resource-
group --subscription

```



```

az netappfiles account backup-policy update --daily-backups --enabled --location --monthly-backups
--tags --weekly-backups --account-name --backup-policy-name --ids --resource-group --subscription
az netappfiles mount-target list --account-name --pool-name --resource-group --volume-name
az netappfiles pool create --account-name --location --pool-name --resource-group --service-level --
size --tags
az netappfiles pool delete --account-name --ids --pool-name --resource-group --subscription
az netappfiles pool list --account-name --resource-group
az netappfiles pool show --account-name --ids --pool-name --resource-group --subscription
az netappfiles pool update --location --service-level --size --tags --add --force-string --remove --set --
account-name --ids --pool-name --resource-group --subscription
az netappfiles snapshot create --account-name --location --pool-name --resource-group --snapshot-
name --volume-name --file-system-id
az netappfiles snapshot delete --account-name --ids --pool-name --resource-group --snapshot-name
--subscription --volume-name
az netappfiles snapshot list --account-name --pool-name --resource-group --volume-name
az netappfiles snapshot restore-files --file-paths --destination-path --account-name --ids --name --
snapshot-name --pool-name --resource-group --subscription --volume-name
az netappfiles snapshot show --account-name --ids --pool-name --resource-group --snapshot-name --
subscription --volume-name
az netappfiles snapshot update --body --account-name --ids --name --snapshot-name --pool-name --
resource-group --subscription --volume-name
az netappfiles snapshot policy create --account-name --resource-group --snapshot-policy-name --
daily-hour --daily-minute --daily-snapshots --enabled --hourly-minute --hourly-snapshots --location --
monthly-days --monthly-hour --monthly-minute --monthly-snapshots --tags --weekly-day --weekly-
hour --weekly-minute --weekly-snapshots
az netappfiles snapshot policy delete --account-name --ids --resource-group --snapshot-policy-name
--subscription
az netappfiles snapshot policy list --account-name --resource-group
az netappfiles snapshot policy show --account-name --ids --resource-group --snapshot-policy-name --
subscription
az netappfiles snapshot policy update --daily-hour --daily-minute --daily-snapshots --enabled --
hourly-minute --hourly-snapshots --location --monthly-days --monthly-hour --monthly-minute --
monthly-snapshots --weekly-day --weekly-hour --weekly-minute --weekly-snapshots --account-name
--ids --resource-group --snapshot-policy-name --subscription
az netappfiles snapshot policy volumes --account-name --ids --resource-group --snapshot-policy-
name --subscription
az netappfiles subvolume create --account-name --pool-name --resource-group --subvolume-name --
volume-name --parent-path --path --size
az netappfiles subvolume delete --yes --account-name --ids --pool-name --resource-group --
subscription --subvolume-name --volume-name
az netappfiles subvolume list --account-name --pool-name --resource-group --volume-name
az netappfiles subvolume show --account-name --ids --pool-name --resource-group --subscription --
subvolume-name --volume-name
az netappfiles subvolume update --path --size --account-name --ids --pool-name --resource-group --
subscription --subvolume-name --volume-name
az netappfiles subvolume metadata show --account-name --ids --pool-name --resource-group --
subscription --subvolume-name --volume-name
az netappfiles vault list --account-name --resource-group

```

```

az netappfiles volume create --account-name --creation-token --location --pool-name --resource-
group --service-level --subnet-id --usage-threshold --volume-name --export-policy --tags
az netappfiles volume delete --account-name --ids --pool-name --resource-group --subscription --
volume-name
az netappfiles volume list --account-name --pool-name --resource-group
az netappfiles volume pool-change --new-pool-resource-id --account-name --ids --name --volume-
name --pool-name --resource-group --subscription
az netappfiles volume revert --account-name --name --pool-name --resource-group --snapshot-id
az netappfiles volume show --account-name --ids --pool-name --resource-group --subscription --
volume-name
az netappfiles volume update --export-policy --service-level --tags --usage-threshold --add --force-
string --remove --set --account-name --ids --pool-name --resource-group --subscription --volume-
name
az netappfiles volume backup create --account-name --backup-name --name --pool-name --resource-
group --location --use-existing-snapshot
az netappfiles volume backup delete --account-name --backup-name --ids --name --volume-name --
pool-name --resource-group --subscription
az netappfiles volume backup list --account-name --name --pool-name --resource-group
az netappfiles volume backup restore-status --account-name --ids --name --volume-name --pool-
name --resource-group --subscription
az netappfiles volume backup show --account-name --backup-name --ids --name --volume-name --
pool-name --resource-group --subscription
az netappfiles volume backup status --account-name --ids --name --volume-name --pool-name --
resource-group --subscription
az netappfiles volume backup update --label --tags --use-existing-snapshot --account-name --backup-
name --ids --name --volume-name --pool-name --resource-group --subscription
az netappfiles volume export-policy add --allowed-clients --cifs --nfsv3 --nfsv41 --rule-index --unix-
read-only --unix-read-write --chown-mode --has-root-access --kerberos5-r --kerberos5-rw --
kerberos5i-r --kerberos5i-rw --kerberos5p-r --kerberos5p-rw --add --force-string --remove --set --
account-name --ids --name --volume-name --pool-name --resource-group --subscription
az netappfiles volume export-policy list --account-name --name --pool-name --resource-group
az netappfiles volume export-policy remove --rule-index --add --force-string --remove --set --
account-name --ids --name --volume-name --pool-name --resource-group --subscription
az netappfiles volume replication approve --account-name --name --pool-name --resource-group --
remote-volume-resource-id
az netappfiles volume replication re-initialize --account-name --ids --name --volume-name --pool-
name --resource-group --subscription
az netappfiles volume replication remove --account-name --ids --name --volume-name --pool-name -
-resource-group --subscription
az netappfiles volume replication resume --account-name --ids --name --volume-name --pool-name -
-resource-group --subscription
az netappfiles volume replication status --account-name --ids --name --volume-name --pool-name --
resource-group --subscription
az netappfiles volume replication suspend --force --force-break-replication --account-name --ids --
name --volume-name --pool-name --resource-group --subscription
az netappfiles volume-group create --account-name --group-name --pool-name --ppg --resource-
group --sap-sid --vnet --add-snapshot-capacity --backup-nfsv3 --data-backup-repl-skd --data-backup-
size --data-backup-src-id --data-backup-throughput --data-repl-skd --data-size --data-src-id --data-

```

```

throughput --global-placement-rules] --gp-rules --location --log-backup-repl-skd --log-backup-size --
log-backup-src-id --log-backup-throughput --log-size --log-throughput --memory --no-wait --number-
of-hots --prefix --shared-repl-skd --shared-size --shared-src-id --shared-throughput --start-host-id --
subnet --system-role --tags
az netappfiles volume-group delete --account-name --group-name --resource-group --yes
az netappfiles volume-group list --account-name --resource-group
az netappfiles volume-group show --account-name --group-name --resource-group
az netappfiles volume-group wait --account-name --group-name --resource-group --created --custom
--deleted --exists --interval --timeout --updated
az network list-service-aliases --location --resource-group
az network list-service-tags --location
az network list-usages --location
az network application-gateway create --name --resource-group --custom-error-pages --location --
max-capacity --min-capacity --no-wait --tags --validate --waf-policy --zones --capacity --cert-file --
cert-password --connection-draining-timeout --frontend-port --http-settings-cookie-based-affinity --
http-settings-port --http-settings-protocol --http2 --key-vault-secret-id --routing-rule-type --servers --
sku --ssl-certificate-name --ssl-profile-id --identity --trusted-client-cert --private-ip-address --public-
ip-address --public-ip-address-allocation --subnet --subnet-address-prefix --vnet-address-prefix --
vnet-name --enable-private-link --private-link-ip-address --private-link-primary --private-link-subnet --
private-link-subnet-prefix --ssl-profile
az network application-gateway delete --no-wait --ids --name --resource-group --subscription
az network application-gateway list --resource-group
az network application-gateway show --ids --name --resource-group --subscription
az network application-gateway show-backend-health --expand --address-pool --host --host-name-
from-http-settings --http-settings --match-body --match-status-codes --path --protocol --timeout --
ids --name --resource-group --subscription
az network application-gateway start --ids --name --resource-group --subscription
az network application-gateway stop --ids --name --resource-group --subscription
az network application-gateway update --capacity --custom-error-pages --http2 --max-capacity --
min-capacity --no-wait --sku --tags --add --force-string --remove --set --ids --name --resource-group --
subscription
az network application-gateway wait --ids --name --resource-group --subscription --created --custom
--deleted --exists --interval --timeout --updated
az network application-gateway address-pool create --gateway-name --name --resource-group --no-
wait --servers
az network application-gateway address-pool delete --no-wait --gateway-name --ids --name --
resource-group --subscription
az network application-gateway address-pool list --gateway-name --resource-group
az network application-gateway address-pool show --gateway-name --ids --name --resource-group --
subscription
az network application-gateway address-pool update --no-wait --servers --add --force-string --
remove --set --gateway-name --ids --name --resource-group --subscription
az network application-gateway auth-cert create --cert-file --gateway-name --name --resource-group
--no-wait
az network application-gateway auth-cert delete --no-wait --gateway-name --ids --name --resource-
group --subscription
az network application-gateway auth-cert list --gateway-name --resource-group

```

```

az network application-gateway auth-cert show --gateway-name --ids --name --resource-group --
subscription
az network application-gateway auth-cert update --cert-file --no-wait --add --force-string --remove --
set --gateway-name --ids --name --resource-group --subscription
az network application-gateway client-cert add --data --gateway-name --name --resource-group
az network application-gateway client-cert list --gateway-name --resource-group
az network application-gateway client-cert remove --gateway-name --name --resource-group
az network application-gateway client-cert show --gateway-name --name --resource-group
az network application-gateway client-cert update --data --gateway-name --name --resource-group
az network application-gateway frontend-ip create --gateway-name --name --resource-group --no-
wait --private-ip-address --public-ip-address --subnet --vnet-name
az network application-gateway frontend-ip delete --no-wait --gateway-name --ids --name --
resource-group --subscription
az network application-gateway frontend-ip list --gateway-name --resource-group
az network application-gateway frontend-ip show --gateway-name --ids --name --resource-group --
subscription
az network application-gateway frontend-ip update --no-wait --private-ip-address --subnet --vnet-
name --add --force-string --remove --set --gateway-name --ids --name --resource-group --
subscription
az network application-gateway frontend-port create --gateway-name --name --port --resource-
group --no-wait
az network application-gateway frontend-port delete --no-wait --gateway-name --ids --name --
resource-group --subscription
az network application-gateway frontend-port list --gateway-name --resource-group
az network application-gateway frontend-port show --gateway-name --ids --name --resource-group -
-subscription
az network application-gateway frontend-port update --no-wait --port --add --force-string --remove -
set --gateway-name --ids --name --resource-group --subscription
az network application-gateway http-listener create --frontend-port --gateway-name --name --
resource-group --frontend-ip --host-name --host-names --no-wait --ssl-cert --waf-policy --ssl-profile-
id
az network application-gateway http-listener delete --no-wait --gateway-name --ids --name --
resource-group --subscription
az network application-gateway http-listener list --gateway-name --resource-group
az network application-gateway http-listener show --gateway-name --ids --name --resource-group --
subscription
az network application-gateway http-listener update --frontend-ip --frontend-port --host-name --
host-names --no-wait --ssl-cert --waf-policy --ssl-profile-id --add --force-string --remove --set --
gateway-name --ids --name --resource-group --subscription
az network application-gateway http-settings create --gateway-name --name --port --resource-group
--affinity-cookie-name --auth-certs --connection-draining-timeout --cookie-based-affinity --enable-
probe --host-name --host-name-from-backend-pool --no-wait --path --probe --protocol --root-certs --
timeout
az network application-gateway http-settings delete --no-wait --gateway-name --ids --name --
resource-group --subscription
az network application-gateway http-settings list --gateway-name --resource-group
az network application-gateway http-settings show --gateway-name --ids --name --resource-group --
subscription

```

```

az network application-gateway http-settings update --affinity-cookie-name --auth-certs --
connection-draining-timeout --cookie-based-affinity --enable-probe --host-name --host-name-from-
backend-pool --no-wait --path --port --probe --protocol --root-certs --timeout --add --force-string --
remove --set --gateway-name --ids --name --resource-group --subscription
az network application-gateway identity assign --no-wait --identity --gateway-name --ids --resource-
group --subscription
az network application-gateway identity remove --no-wait --gateway-name --ids --resource-group --
subscription
az network application-gateway identity show --gateway-name --ids --resource-group --subscription
az network application-gateway private-link add --frontend-ip --name --subnet --ip-address --no-wait
--primary --subnet-prefix --gateway-name --ids --resource-group --subscription
az network application-gateway private-link list --gateway-name --resource-group
az network application-gateway private-link remove --name --no-wait --yes --gateway-name --ids --
resource-group --subscription
az network application-gateway private-link show --name --gateway-name --ids --resource-group --
subscription
az network application-gateway private-link wait --gateway-name --ids --resource-group --
subscription --created --custom --deleted --exists --interval --timeout --updated
az network application-gateway private-link ip-config add --name --private-link --ip-address --no-wait
--primary --gateway-name --ids --resource-group --subscription
az network application-gateway private-link ip-config list --gateway-name --private-link --resource-
group
az network application-gateway private-link ip-config remove --name --private-link --no-wait --yes --
gateway-name --ids --resource-group --subscription
az network application-gateway private-link ip-config show --name --private-link --gateway-name --
ids --resource-group --subscription
az network application-gateway private-link ip-config wait --gateway-name --ids --resource-group --
subscription --created --custom --deleted --exists --interval --timeout --updated
az network application-gateway probe create --gateway-name --name --path --protocol --resource-
group --host --host-name-from-http-settings --interval --match-body --match-status-codes --min-
servers --no-wait --port --threshold --timeout
az network application-gateway probe delete --no-wait --gateway-name --ids --name --resource-
group --subscription
az network application-gateway probe list --gateway-name --resource-group
az network application-gateway probe show --gateway-name --ids --name --resource-group --
subscription
az network application-gateway probe update --host --host-name-from-http-settings --interval --
match-body --match-status-codes --min-servers --no-wait --path --port --protocol --threshold --
timeout --add --force-string --remove --set --gateway-name --ids --name --resource-group --
subscription
az network application-gateway redirect-config create --gateway-name --name --resource-group --
type --include-path --include-query-string --no-wait --target-listener --target-url
az network application-gateway redirect-config delete --no-wait --gateway-name --ids --name --
resource-group --subscription
az network application-gateway redirect-config list --gateway-name --resource-group
az network application-gateway redirect-config show --gateway-name --ids --name --resource-group
--subscription

```

```

az network application-gateway redirect-config update --include-path --include-query-string --no-wait --target-listener --target-url --type --add --force-string --remove --set --gateway-name --ids --name --resource-group --subscription
az network application-gateway rewrite-rule create --gateway-name --name --resource-group --rule-set-name --no-wait --request-headers --response-headers --sequence --enable-reroute --modified-path --modified-query-string
az network application-gateway rewrite-rule delete --no-wait --gateway-name --ids --name --resource-group --rule-set-name --subscription
az network application-gateway rewrite-rule list --gateway-name --resource-group --rule-set-name
az network application-gateway rewrite-rule list-request-headers
az network application-gateway rewrite-rule list-response-headers
az network application-gateway rewrite-rule show --gateway-name --ids --name --resource-group --rule-set-name --subscription
az network application-gateway rewrite-rule update --no-wait --request-headers --response-headers --sequence --add --force-string --remove --set --gateway-name --ids --name --resource-group --rule-set-name --subscription --enable-reroute --modified-path --modified-query-string
az network application-gateway rewrite-rule condition create --gateway-name --resource-group --rule-name --rule-set-name --variable --ignore-case --negate --no-wait --pattern
az network application-gateway rewrite-rule condition delete --variable --no-wait --gateway-name --ids --resource-group --rule-name --rule-set-name --subscription
az network application-gateway rewrite-rule condition list --gateway-name --resource-group --rule-name --rule-set-name
az network application-gateway rewrite-rule condition list-server-variables
az network application-gateway rewrite-rule condition show --variable --gateway-name --ids --resource-group --rule-name --rule-set-name --subscription
az network application-gateway rewrite-rule condition update --variable --ignore-case --negate --no-wait --pattern --add --force-string --remove --set --gateway-name --ids --resource-group --rule-name --rule-set-name --subscription
az network application-gateway rewrite-rule set create --gateway-name --name --resource-group --no-wait
az network application-gateway rewrite-rule set delete --no-wait --gateway-name --ids --name --resource-group --subscription
az network application-gateway rewrite-rule set list --gateway-name --resource-group
az network application-gateway rewrite-rule set show --gateway-name --ids --name --resource-group --subscription
az network application-gateway rewrite-rule set update --no-wait --add --force-string --remove --set --gateway-name --ids --name --resource-group --subscription
az network application-gateway root-cert create --gateway-name --name --resource-group --cert-file --keyvault-secret --no-wait
az network application-gateway root-cert delete --no-wait --gateway-name --ids --name --resource-group --subscription
az network application-gateway root-cert list --gateway-name --resource-group
az network application-gateway root-cert show --gateway-name --ids --name --resource-group --subscription
az network application-gateway root-cert update --cert-file --keyvault-secret --no-wait --add --force-string --remove --set --gateway-name --ids --name --resource-group --subscription

```

```

az network application-gateway rule create --gateway-name --name --resource-group --address-pool
--http-listener --http-settings --no-wait --priority --redirect-config --rewrite-rule-set --rule-type --url-
path-map
az network application-gateway rule delete --no-wait --gateway-name --ids --name --resource-group
--subscription
az network application-gateway rule list --gateway-name --resource-group
az network application-gateway rule show --gateway-name --ids --name --resource-group --
subscription
az network application-gateway rule update --address-pool --http-listener --http-settings --no-wait --
priority --redirect-config --rewrite-rule-set --rule-type --url-path-map --add --force-string --remove --
set --gateway-name --ids --name --resource-group --subscription
az network application-gateway ssl-cert create --gateway-name --name --resource-group --cert-file --
cert-password --key-vault-secret-id --no-wait
az network application-gateway ssl-cert delete --no-wait --gateway-name --ids --name --resource-
group --subscription
az network application-gateway ssl-cert list --gateway-name --resource-group
az network application-gateway ssl-cert show --gateway-name --ids --name --resource-group --
subscription
az network application-gateway ssl-cert update --cert-file --cert-password --key-vault-secret-id --no-
wait --add --force-string --remove --set --gateway-name --ids --name --resource-group --subscription
az network application-gateway ssl-policy list-options
az network application-gateway ssl-policy set --cipher-suites --disabled-ssl-protocols --min-protocol-
version --name --no-wait --policy-type --gateway-name --ids --resource-group --subscription
az network application-gateway ssl-policy show --gateway-name --ids --resource-group --
subscription
az network application-gateway ssl-policy predefined list
az network application-gateway ssl-policy predefined show --name
az network application-gateway ssl-profile add --gateway-name --name --resource-group --cipher-
suites --client-auth-config --client-auth-configuration --disabled-protocols --disabled-ssl-protocols --
min-protocol-version --policy-name --policy-type --trusted-client-cert --trusted-client-certificates
az network application-gateway ssl-profile list --gateway-name --resource-group
az network application-gateway ssl-profile remove --gateway-name --name --resource-group
az network application-gateway ssl-profile show --gateway-name --name --resource-group
az network application-gateway ssl-profile update --gateway-name --name --resource-group --
cipher-suites --client-auth-config --client-auth-configuration --disabled-protocols --disabled-ssl-
protocols --min-protocol-version --policy-name --policy-type --trusted-client-cert --trusted-client-
certificates
az network application-gateway url-path-map create --gateway-name --name --resource-group --
default-address-pool --default-http-settings --default-redirect-config --default-rewrite-rule-set --no-
wait --paths --address-pool --http-settings --redirect-config --rewrite-rule-set --rule-name --waf-
policy
az network application-gateway url-path-map delete --no-wait --gateway-name --ids --name --
resource-group --subscription
az network application-gateway url-path-map list --gateway-name --resource-group
az network application-gateway url-path-map show --gateway-name --ids --name --resource-group --
subscription

```

```

az network application-gateway url-path-map update --default-address-pool --default-http-settings -
--default-redirect-config --default-rewrite-rule-set --no-wait --add --force-string --remove --set --
gateway-name --ids --name --resource-group --subscription
az network application-gateway url-path-map rule create --gateway-name --name --path-map-name
--paths --resource-group --address-pool --http-settings --no-wait --redirect-config --rewrite-rule-set --
waf-policy
az network application-gateway url-path-map rule delete --no-wait --gateway-name --ids --name --
path-map-name --resource-group --subscription
az network application-gateway waf-config list-rule-sets --group --type --version
az network application-gateway waf-config set --enabled --disabled-rule-groups `--disabled-rules`. --
disabled-rules --exclusion --file-upload-limit --firewall-mode --max-request-body-size --no-wait --
request-body-check --rule-set-type --rule-set-version --gateway-name --ids --resource-group --
subscription
az network application-gateway waf-config show --gateway-name --ids --resource-group --
subscription
az network application-gateway waf-policy create --name --resource-group --location --tags --type --
version
az network application-gateway waf-policy delete --ids --name --resource-group --subscription
az network application-gateway waf-policy list --resource-group
az network application-gateway waf-policy show --ids --name --resource-group --subscription
az network application-gateway waf-policy update --tags --add --force-string --remove --set --ids --
name --resource-group --subscription
az network application-gateway waf-policy wait --ids --name --resource-group --subscription --
created --custom --deleted --exists --interval --timeout --updated
az network application-gateway waf-policy custom-rule create --action --name --policy-name --
priority --resource-group --rule-type
az network application-gateway waf-policy custom-rule delete --ids --name --policy-name --resource-
group --subscription
az network application-gateway waf-policy custom-rule list --policy-name --resource-group
az network application-gateway waf-policy custom-rule show --ids --name --policy-name --resource-
group --subscription
az network application-gateway waf-policy custom-rule update --action --priority --rule-type --add --
force-string --remove --set --ids --name --policy-name --resource-group --subscription
There are more entries
There are more entries
az network application-gateway waf-policy policy-setting list --policy-name --resource-group
az network application-gateway waf-policy policy-setting update --policy-name --resource-group --
file-upload-limit-in-mb --max-request-body-size-in-kb --mode --request-body-check --state --add --
force-string --remove --set
az network asg create --name --resource-group --location --tags
az network asg delete --ids --name --resource-group --subscription
az network asg list
az network asg show --ids --name --resource-group --subscription
az network asg update --tags --add --force-string --remove --set --ids --name --resource-group --
subscription
az network bastion create --name --public-ip-address --resource-group --vnet-name --location --
scale-units --sku --tags
az network bastion delete --ids --name --resource-group --subscription

```



```

az network bastion list --resource-group
az network bastion rdp --target-resource-id --resource-port --ids --name --resource-group --
subscription
az network bastion show --ids --name --resource-group --subscription
az network bastion ssh --auth-type --target-resource-id --resource-port --ssh-key --username --ids --
name --resource-group --subscription
az network bastion tunnel --port --resource-port --target-resource-id --timeout --ids --name --
resource-group --subscription
az network cross-connection list --resource-group
az network cross-connection list-arp-tables --path --peering-name --ids --name --resource-group --
subscription
az network cross-connection list-route-tables --path --peering-name --ids --name --resource-group --
subscription
az network cross-connection show --ids --name --resource-group --subscription
az network cross-connection summarize-route-table --path --peering-name --ids --name --resource-
group --subscription
az network cross-connection update --no-wait --notes --provisioning-state --add --force-string --
remove --set --ids --name --resource-group --subscription
az network cross-connection wait --ids --name --resource-group --subscription --created --custom --
deleted --exists --interval --timeout --updated
az network cross-connection peering create --cross-connection-name --peer-asn --peering-type --
primary-peer-subnet --resource-group --secondary-peer-subnet --vlan-id --shared-key --advertised-
public-prefixes --customer-asn --routing-registry-name
az network cross-connection peering delete --cross-connection-name --ids --name --resource-group --
subscription
az network cross-connection peering list --cross-connection-name --resource-group
az network cross-connection peering show --cross-connection-name --ids --name --resource-group --
subscription
az network cross-connection peering update --peer-asn --primary-peer-subnet --secondary-peer-
subnet --shared-key --vlan-id --add --force-string --remove --set --advertised-public-prefixes --
customer-asn --ip-version --routing-registry-name --cross-connection-name --ids --name --resource-
group --subscription
az network cross-region-lb create --name --resource-group --backend-pool-name --frontend-ip-name
--frontend-ip-zone --location --no-wait --tags --validate --address-allocation --public-ip-address-
allocation --public-ip-address --public-ip-dns-name --public-ip-zone
az network cross-region-lb delete --ids --name --resource-group --subscription
az network cross-region-lb list --resource-group
az network cross-region-lb show --expand --ids --name --resource-group --subscription
az network cross-region-lb update --add --force-string --remove --set --ids --name --resource-group --
subscription
az network cross-region-lb wait --expand --ids --name --resource-group --subscription --created --
custom --deleted --exists --interval --timeout --updated
az network cross-region-lb address-pool create --lb-name --name --resource-group --backend-
address --backend-addresses-config-file --config-file
az network cross-region-lb address-pool delete --lb-name --name --resource-group
az network cross-region-lb address-pool list --lb-name --resource-group
az network cross-region-lb address-pool show --lb-name --name --resource-group

```

```

az network cross-region-lb address-pool address add --frontend-ip-address --lb-name --name --pool-name --resource-group
az network cross-region-lb address-pool address list --lb-name --pool-name --resource-group
az network cross-region-lb address-pool address remove --lb-name --name --pool-name --resource-group
az network cross-region-lb frontend-ip create --lb-name --name --resource-group --public-ip-address --public-ip-prefix --zone
az network cross-region-lb frontend-ip delete --lb-name --name --resource-group
az network cross-region-lb frontend-ip list --lb-name --resource-group
az network cross-region-lb frontend-ip show --lb-name --name --resource-group
az network cross-region-lb frontend-ip update --public-ip-address --public-ip-prefix --add --force-string --remove --set --ids --lb-name --name --resource-group --subscription
az network cross-region-lb probe create --lb-name --name --port --protocol --resource-group --interval --path --threshold
az network cross-region-lb probe delete --lb-name --name --resource-group
az network cross-region-lb probe list --lb-name --resource-group
az network cross-region-lb probe show --lb-name --name --resource-group
az network cross-region-lb probe update --interval --path --port --protocol --threshold --add --force-string --remove --set --ids --lb-name --name --resource-group --subscription
az network cross-region-lb rule create --backend-port --frontend-port --lb-name --name --protocol --resource-group --backend-pool-name --backend-pools-name --enable-tcp-reset --floating-ip --frontend-ip-name --idle-timeout --load-distribution --probe-name
az network cross-region-lb rule delete --lb-name --name --resource-group
az network cross-region-lb rule list --lb-name --resource-group
az network cross-region-lb rule show --lb-name --name --resource-group
az network cross-region-lb rule update --backend-pool-name --backend-pools-name --backend-port --enable-tcp-reset --floating-ip --frontend-ip-name --frontend-port --idle-timeout --load-distribution --probe-name --protocol --add --force-string --remove --set --ids --lb-name --name --resource-group --subscription
az network custom-ip prefix create --name --resource-group --authorization-message --cidr --cip-prefix-parent --location --no-wait --signed-message --tags --zone
az network custom-ip prefix delete --ids --name --resource-group --subscription
az network custom-ip prefix list --resource-group
az network custom-ip prefix show --expand --ids --name --resource-group --subscription
az network custom-ip prefix update --authorization-message --no-wait --signed-message --state --tags --add --force-string --remove --set --ids --name --resource-group --subscription
az network custom-ip prefix wait --expand --ids --name --resource-group --subscription --created --custom --deleted --exists --interval --timeout --updated
az network ddos-protection create --name --resource-group --location --tags --vnets
az network ddos-protection delete --ids --name --resource-group --subscription
az network ddos-protection list --resource-group
az network ddos-protection show --ids --name --resource-group --subscription
az network ddos-protection update --tags --vnets --add --force-string --remove --set --ids --name --resource-group --subscription
az network dns list-references --parameters
az network dns record-set list --resource-group --zone-name
az network dns record-set a add-record --ipv4-address --record-set-name --resource-group --zone-name --if-none-match --ttl

```

```

az network dns record-set a create --name --resource-group --zone-name --if-match --if-none-match
--metadata --target-resource --ttl
az network dns record-set a delete --name --resource-group --zone-name --if-match --yes
az network dns record-set a list --resource-group --zone-name
az network dns record-set a remove-record --ipv4-address --record-set-name --resource-group --
zone-name --keep-empty-record-set
az network dns record-set a show --name --resource-group --zone-name
az network dns record-set a update --name --resource-group --zone-name --if-match --if-none-match
--metadata --target-resource --add --force-string --remove --set
az network dns record-set aaaa add-record --ipv6-address --record-set-name --resource-group --
zone-name --if-none-match --ttl
az network dns record-set aaaa create --name --resource-group --zone-name --if-match --if-none-
match --metadata --target-resource --ttl
az network dns record-set aaaa delete --name --resource-group --zone-name --if-match --yes
az network dns record-set aaaa list --resource-group --zone-name
az network dns record-set aaaa remove-record --ipv6-address --record-set-name --resource-group --
zone-name --keep-empty-record-set
az network dns record-set aaaa show --name --resource-group --zone-name
az network dns record-set aaaa update --name --resource-group --zone-name --if-match --if-none-
match --metadata --target-resource --add --force-string --remove --set
az network dns record-set caa add-record --flags --record-set-name --resource-group --tag --value --
zone-name --if-none-match --ttl
az network dns record-set caa create --name --resource-group --zone-name --if-match --if-none-
match --metadata --target-resource --ttl
az network dns record-set caa delete --name --resource-group --zone-name --if-match --yes
az network dns record-set caa list --resource-group --zone-name
az network dns record-set caa remove-record --flags --record-set-name --resource-group --tag --
value --zone-name --keep-empty-record-set
az network dns record-set caa show --name --resource-group --zone-name
az network dns record-set caa update --name --resource-group --zone-name --if-match --if-none-
match --metadata --target-resource --add --force-string --remove --set
az network dns record-set cname create --name --resource-group --zone-name --if-match --if-none-
match --metadata --target-resource --ttl
az network dns record-set cname delete --name --resource-group --zone-name --if-match --yes
az network dns record-set cname list --resource-group --zone-name
az network dns record-set cname remove-record --cname --record-set-name --resource-group --
zone-name --keep-empty-record-set
az network dns record-set cname set-record --cname --record-set-name --resource-group --zone-
name --if-none-match --ttl
az network dns record-set cname show --name --resource-group --zone-name
az network dns record-set mx add-record --exchange --preference --record-set-name --resource-
group --zone-name --if-none-match --ttl
az network dns record-set mx create --name --resource-group --zone-name --if-match --if-none-
match --metadata --target-resource --ttl
az network dns record-set mx delete --name --resource-group --zone-name --if-match --yes
az network dns record-set mx list --resource-group --zone-name
az network dns record-set mx remove-record --exchange --preference --record-set-name --resource-
group --zone-name --keep-empty-record-set

```

```

az network dns record-set mx show --name --resource-group --zone-name
az network dns record-set mx update --name --resource-group --zone-name --if-match --if-none-match --metadata --target-resource --add --force-string --remove --set
az network dns record-set ns add-record --nsdname --record-set-name --resource-group --zone-name --if-none-match --subscriptionid --ttl
az network dns record-set ns create --name --resource-group --zone-name --if-match --if-none-match --metadata --target-resource --ttl
az network dns record-set ns delete --name --resource-group --zone-name --if-match --yes
az network dns record-set ns list --resource-group --zone-name
az network dns record-set ns remove-record --nsdname --record-set-name --resource-group --zone-name --keep-empty-record-set
az network dns record-set ns show --name --resource-group --zone-name
az network dns record-set ns update --name --resource-group --zone-name --if-match --if-none-match --metadata --target-resource --add --force-string --remove --set
az network dns record-set ptr add-record --ptrdname --record-set-name --resource-group --zone-name --if-none-match --ttl
az network dns record-set ptr create --name --resource-group --zone-name --if-match --if-none-match --metadata --target-resource --ttl
az network dns record-set ptr delete --name --resource-group --zone-name --if-match --yes
az network dns record-set ptr list --resource-group --zone-name
az network dns record-set ptr remove-record --ptrdname --record-set-name --resource-group --zone-name --keep-empty-record-set
az network dns record-set ptr show --name --resource-group --zone-name
az network dns record-set ptr update --name --resource-group --zone-name --if-match --if-none-match --metadata --target-resource --add --force-string --remove --set
az network dns record-set soa show --resource-group --zone-name
az network dns record-set soa update --resource-group --zone-name --email --expire-time --host --if-none-match --minimum-ttl --refresh-time --retry-time --serial-number
az network dns record-set srv add-record --port --priority --record-set-name --resource-group --target --weight --zone-name --if-none-match
az network dns record-set srv create --name --resource-group --zone-name --if-match --if-none-match --metadata --target-resource --ttl
az network dns record-set srv delete --name --resource-group --zone-name --if-match --yes
az network dns record-set srv list --resource-group --zone-name
az network dns record-set srv remove-record --port --priority --record-set-name --resource-group --target --weight --zone-name --keep-empty-record-set
az network dns record-set srv show --name --resource-group --zone-name
az network dns record-set srv update --name --resource-group --zone-name --if-match --if-none-match --metadata --target-resource --add --force-string --remove --set
az network dns record-set txt add-record --record-set-name --resource-group --value --zone-name --if-none-match
az network dns record-set txt create --name --resource-group --zone-name --if-match --if-none-match --metadata --target-resource --ttl
az network dns record-set txt delete --name --resource-group --zone-name --if-match --yes
az network dns record-set txt list --resource-group --zone-name
az network dns record-set txt remove-record --record-set-name --resource-group --value --zone-name --keep-empty-record-set
az network dns record-set txt show --name --resource-group --zone-name

```

```

az network dns record-set txt update --name --resource-group --zone-name --if-match --if-none-match --metadata --target-resource --add --force-string --remove --set
az network dns zone create --name --resource-group --if-none-match --parent-name --tags --zone-type --registration-vnets --resolution-vnets
az network dns zone delete --name --resource-group --if-match --yes
az network dns zone export --name --resource-group --file-name
az network dns zone import --file-name --name --resource-group
az network dns zone list --resource-group
az network dns zone show --name --resource-group
az network dns zone update --name --resource-group --if-match --tags --zone-type --add --force-string --remove --set --registration-vnets --resolution-vnets
az network express-route create --bandwidth --name --peering-location --provider --resource-group -allow-classic-operations --allow-global-reach --express-route-port --location --no-wait --sku-family --sku-tier --tags
az network express-route delete --no-wait --ids --name --resource-group --subscription
az network express-route get-stats --ids --name --resource-group --subscription
az network express-route list --resource-group
az network express-route list-arp-tables --path --peering-name --ids --name --resource-group --subscription
az network express-route list-route-tables --path --peering-name --ids --name --resource-group --subscription
az network express-route list-route-tables-summary --path --peering-name --ids --name --resource-group --subscription
az network express-route list-service-providers
az network express-route show --ids --name --resource-group --subscription
az network express-route update --allow-classic-operations --allow-global-reach --bandwidth --express-route-port --no-wait --peering-location --provider --sku-family --sku-tier --tags --add --force-string --remove --set --ids --name --resource-group --subscription
az network express-route wait --ids --name --resource-group --subscription --created --custom --deleted --exists --interval --timeout --updated
az network express-route auth create --circuit-name --name --resource-group
az network express-route auth delete --circuit-name --ids --name --resource-group --subscription
az network express-route auth list --circuit-name --resource-group
az network express-route auth show --circuit-name --ids --name --resource-group --subscription
az network express-route gateway create --name --resource-group --location --tags --virtual-hub --max-val --min-val
az network express-route gateway delete --ids --name --resource-group --subscription
az network express-route gateway list --resource-group
az network express-route gateway show --ids --name --resource-group --subscription
az network express-route gateway update --tags --max-val --min-val --add --force-string --remove --set --ids --name --resource-group --subscription
az network express-route gateway connection create --gateway-name --name --resource-group --authorization-key --internet-security --routing-weight --peering --circuit-name --associated --associated-route-table --labels --propagated --propagated-route-tables
az network express-route gateway connection delete --gateway-name --ids --name --resource-group --subscription
az network express-route gateway connection list --gateway-name --resource-group

```

```

az network express-route gateway connection show --gateway-name --ids --name --resource-group -
-subscription
az network express-route gateway connection update --authorization-key --internet-security --
routing-weight --add --force-string --remove --set --circuit-name --peering --gateway-name --ids --
name --resource-group --subscription --associated --associated-route-table --labels --propagated --
propagated-route-tables
az network express-route peering create --circuit-name --peer-asn --peering-type --primary-peer-
subnet --resource-group --secondary-peer-subnet --vlan-id --shared-key --advertised-public-prefixes
--customer-asn --ip-version --legacy-mode --route-filter --routing-registry-name
az network express-route peering delete --circuit-name --ids --name --resource-group --subscription
az network express-route peering get-stats --circuit-name --ids --name --resource-group --
subscription
az network express-route peering list --circuit-name --resource-group
az network express-route peering show --circuit-name --ids --name --resource-group --subscription
az network express-route peering update --peer-asn --primary-peer-subnet --secondary-peer-subnet
--shared-key --vlan-id --add --force-string --remove --set --advertised-public-prefixes --customer-asn -
-ip-version --legacy-mode --route-filter --routing-registry-name --circuit-name --ids --name --
resource-group --subscription
az network express-route peering connection create --address-prefix --circuit-name --name --peer-
circuit --peering-name --resource-group --authorization-key
az network express-route peering connection delete --circuit-name --ids --name --peering-name --
resource-group --subscription
az network express-route peering connection list --circuit-name --peering-name --resource-group
az network express-route peering connection show --circuit-name --ids --name --peering-name --
resource-group --subscription
There are more entries
az network express-route peering peer-connection list --circuit-name --peering-name --resource-
group
az network express-route peering peer-connection show --circuit-name --name --peering-name --
resource-group
az network express-route port create --name --resource-group --bandwidth --encapsulation --
location --peering-location --tags
az network express-route port delete --ids --name --resource-group --subscription
az network express-route port generate-loa --customer-name --file --ids --name --resource-group --
subscription
az network express-route port list --resource-group
az network express-route port show --ids --name --resource-group --subscription
az network express-route port update --tags --add --force-string --remove --set --ids --name --
resource-group --subscription
az network express-route port identity assign --no-wait --identity --ids --name --resource-group --
subscription
az network express-route port identity remove --no-wait --ids --name --resource-group --subscription
az network express-route port identity show --ids --name --resource-group --subscription
az network express-route port link list --port-name --resource-group
az network express-route port link show --ids --name --port-name --resource-group --subscription
az network express-route port link update --admin-state --no-wait --add --force-string --remove --set
--macsec-cak-secret-identifier --macsec-cipher --macsec-ckn-secret-identifier --macsec-sci-state --ids
--name --port-name --resource-group --subscription

```

```

az network express-route port location list
az network express-route port location show --location
az network firewall create --name --resource-group --allow-active-ftp --fat-flow-logging --firewall-policy --policy --location --private-ranges --sku --tags --threat-intel-mode --tier --sku --vhub --virtual-hub --zones --dns-servers --enable-dns-proxy --conf-name --public-ip --vnet-name --m-conf-name --m-public-ip --count --public-ip-count
az network firewall delete --ids --name --resource-group --subscription
az network firewall list --resource-group
az network firewall list-fqdn-tags
az network firewall show --ids --name --resource-group --subscription
az network firewall update --allow-active-ftp --fat-flow-logging --firewall-policy --policy --private-ranges --tags --threat-intel-mode --vhub --virtual-hub --zones --dns-servers --enable-dns-proxy --add --force-string --remove --set --ids --name --resource-group --subscription --count --public-ip-count --public-ips
az network firewall application-rule create --firewall-name --name --protocols --resource-group --description --fqdn-tags --source-addresses --source-ip-groups --target-fqdns --collection-name --action --priority
az network firewall application-rule delete --collection-name --firewall-name --ids --name --resource-group --subscription
az network firewall application-rule list --collection-name --firewall-name --resource-group
az network firewall application-rule show --collection-name --firewall-name --ids --name --resource-group --subscription
az network firewall application-rule collection delete --collection-name --firewall-name --ids --resource-group --subscription
az network firewall application-rule collection list --firewall-name --resource-group
az network firewall application-rule collection show --collection-name --firewall-name --ids --resource-group --subscription
az network firewall ip-config create --firewall-name --name --public-ip-address --resource-group --vnet-name --m-name --m-public-ip-address --m-vnet-name
az network firewall ip-config delete --firewall-name --ids --name --resource-group --subscription
az network firewall ip-config list --firewall-name --resource-group
az network firewall ip-config show --firewall-name --ids --name --resource-group --subscription
az network firewall management-ip-config show --firewall-name --ids --resource-group --subscription
az network firewall management-ip-config update --public-ip-address --vnet-name --add --force-string --remove --set --firewall-name --ids --resource-group --subscription
az network firewall nat-rule create --dest-addr --destination-ports --firewall-name --name --protocols --resource-group --translated-port --description --source-addresses --source-ip-groups --translated-address --translated-fqdn --collection-name --action --priority
az network firewall nat-rule delete --collection-name --firewall-name --ids --name --resource-group --subscription
az network firewall nat-rule list --collection-name --firewall-name --resource-group
az network firewall nat-rule show --collection-name --firewall-name --ids --name --resource-group --subscription
az network firewall nat-rule collection delete --collection-name --firewall-name --ids --resource-group --subscription
az network firewall nat-rule collection list --firewall-name --resource-group
az network firewall nat-rule collection show --collection-name --firewall-name --ids --resource-group --subscription

```

```

az network firewall network-rule create --destination-ports --firewall-name --name --protocols --
resource-group --description --dest-addr --destination-addresses --destination-fqdns --destination-
ip-groups --source-addresses --source-ip-groups --collection-name --action --priority
az network firewall network-rule delete --collection-name --firewall-name --ids --name --resource-
group --subscription
az network firewall network-rule list --collection-name --firewall-name --resource-group
az network firewall network-rule show --collection-name --firewall-name --ids --name --resource-
group --subscription
az network firewall network-rule collection delete --collection-name --firewall-name --ids --resource-
group --subscription
az network firewall network-rule collection list --firewall-name --resource-group
az network firewall network-rule collection show --collection-name --firewall-name --ids --resource-
group --subscription
az network firewall policy create --name --resource-group --base-policy --identity --location --sku --
sql --tags --threat-intel-mode --dns-servers --enable-dns-proxy --idps-mode --cert-name --key-vault-
secret-id --fqdns --ip-addresses
az network firewall policy delete --name --resource-group
az network firewall policy list --resource-group
az network firewall policy show --name --resource-group --expand
az network firewall policy update --name --resource-group --identity --sku --sql --tags --threat-intel-
mode --dns-servers --enable-dns-proxy --add --force-string --remove --set --idps-mode --cert-name --
key-vault-secret-id --fqdns --ip-addresses
az network firewall policy intrusion-detection add --policy-name --resource-group --rule-description -
-rule-dest-addresses --rule-dest-ip-groups --rule-dest-ports --rule-name --rule-protocol --rule-src-
addresses --rule-src-ip-groups --private-ranges --mode --signature-id
az network firewall policy intrusion-detection list --policy-name --resource-group
az network firewall policy intrusion-detection remove --policy-name --resource-group --rule-name --
signature-id
az network firewall policy rule-collection-group create --name --policy-name --priority --resource-
group
az network firewall policy rule-collection-group delete --name --policy-name --resource-group
az network firewall policy rule-collection-group list --policy-name --resource-group
az network firewall policy rule-collection-group show --name --policy-name --resource-group
az network firewall policy rule-collection-group update --name --policy-name --resource-group --
priority --tags --add --force-string --remove --set
There are more entries
az network firewall threat-intel-allowlist create --name --resource-group --fqdns --ip-addresses
az network firewall threat-intel-allowlist delete --ids --name --resource-group --subscription
az network firewall threat-intel-allowlist show --ids --name --resource-group --subscription
az network firewall threat-intel-allowlist update --fqdns --ip-addresses --add --force-string --remove -
-set --ids --name --resource-group --subscription
az network front-door check-custom-domain --host-name --ids --name --resource-group --
subscription
az network front-door check-name-availability --name --resource-type
az network front-door create --name --resource-group --disabled --friendly-name --no-wait --tags --
backend-address --backend-host-header --enforce-certificate-name-check --send-recv-timeout --
frontend-host-name --interval --path --probeMethod --protocol --accepted-protocols --forwarding-
protocol --patterns

```



```

az network front-door delete --no-wait --ids --name --resource-group --subscription
az network front-door list --resource-group
az network front-door purge-endpoint --content-paths --ids --name --resource-group --subscription
az network front-door show --ids --name --resource-group --subscription
az network front-door update --tags --enforce-certificate-name-check --send-recv-timeout --add --
force-string --remove --set --ids --name --resource-group --subscription
az network front-door wait --ids --name --resource-group --subscription --created --custom --deleted
--exists --interval --timeout --updated
az network front-door backend-pool create --front-door-name --load-balancing --name --probe --
resource-group --disabled --address --backend-host-header --http-port --https-port --priority --
weight
az network front-door backend-pool delete --front-door-name --name --resource-group
az network front-door backend-pool list --front-door-name --resource-group
az network front-door backend-pool show --front-door-name --name --resource-group
az network front-door backend-pool backend add --address --front-door-name --pool-name --
resource-group --approval-message --private-link-approval-message --backend-host-header --
disabled --http-port --https-port --priority --private-link-alias --private-link-location --private-link-
resource-id --resource-id --weight
az network front-door backend-pool backend list --front-door-name --pool-name --resource-group
az network front-door backend-pool backend remove --front-door-name --index --pool-name --
resource-group
az network front-door backend-pool backend update --front-door-name --index --pool-name --
resource-group --address --approval-message --private-link-approval-message --backend-host-
header --disabled --http-port --https-port --priority --private-link-alias --private-link-location --
private-link-resource-id --resource-id --weight
az network front-door frontend-endpoint create --front-door-name --host-name --name --resource-
group --session-affinity-enabled --session-affinity-ttl --waf-policy
az network front-door frontend-endpoint delete --front-door-name --name --resource-group
az network front-door frontend-endpoint disable-https --front-door-name --name --resource-group
az network front-door frontend-endpoint enable-https --front-door-name --name --resource-group --
certificate-source --minimum-tls-version --secret-name --secret-version --vault-id
az network front-door frontend-endpoint list --front-door-name --resource-group
az network front-door frontend-endpoint show --front-door-name --name --resource-group
az network front-door frontend-endpoint wait --front-door-name --name --resource-group --created
--custom --deleted --exists --interval --timeout --updated
az network front-door load-balancing create --front-door-name --name --resource-group --sample-
size --successful-samples-required --additional-latency
az network front-door load-balancing delete --front-door-name --name --resource-group
az network front-door load-balancing list --front-door-name --resource-group
az network front-door load-balancing show --front-door-name --name --resource-group
az network front-door load-balancing update --front-door-name --name --resource-group --
additional-latency --sample-size --successful-samples-required --add --force-string --remove --set
az network front-door probe create --front-door-name --name --resource-group --protocol --interval
--path --enabled --probeMethod
az network front-door probe delete --front-door-name --name --resource-group
az network front-door probe list --front-door-name --resource-group
az network front-door probe show --front-door-name --name --resource-group

```

```

az network front-door probe update --front-door-name --name --resource-group --enabled --interval
--path --probeMethod --protocol
az network front-door routing-rule create --front-door-name --frontend-endpoints --name --
resource-group --accepted-protocols --disabled --patterns --rules-engine --backend-pool --cache-
duration --caching --custom-forwarding-path --dynamic-compression --forwarding-protocol --query-
parameter-strip-directive --query-parameters --custom-fragment --custom-host --custom-path --
custom-query-string --redirect-protocol --redirect-type --route-type
az network front-door routing-rule delete --front-door-name --name --resource-group
az network front-door routing-rule list --front-door-name --resource-group
az network front-door routing-rule show --front-door-name --name --resource-group
az network front-door routing-rule update --front-door-name --name --resource-group --accepted-
protocols --frontend-endpoints --patterns --rules-engine --backend-pool --cache-duration --caching --
custom-forwarding-path --dynamic-compression --forwarding-protocol --query-parameter-strip-
directive --query-parameters --add --force-string --remove --set --enabled --custom-fragment --
custom-host --custom-path --custom-query-string --redirect-protocol --redirect-type
az network front-door rules-engine delete --front-door-name --name --resource-group
az network front-door rules-engine list --front-door-name --resource-group
az network front-door rules-engine show --front-door-name --name --resource-group
az network front-door rules-engine rule create --front-door-name --name --priority --resource-group
--rules-engine-name --match-processing-behavior --action-type --header-action --header-name --
header-value --match-values --match-variable --negate-condition --operator --selector --transforms
az network front-door rules-engine rule delete --front-door-name --name --resource-group --rules-
engine-name
az network front-door rules-engine rule list --front-door-name --name --resource-group
az network front-door rules-engine rule show --front-door-name --name --resource-group --rules-
engine-name
az network front-door rules-engine rule update --front-door-name --name --resource-group --rules-
engine-name --match-processing-behavior --priority
There are more entries
az network front-door waf-policy create --name --resource-group --custom-block-response-body --
custom-block-response-status-code --disabled --mode --redirect-url --request-body-check --sku --
tags
az network front-door waf-policy delete --ids --name --resource-group --subscription
az network front-door waf-policy list --resource-group
az network front-door waf-policy show --ids --name --resource-group --subscription
az network front-door waf-policy update --custom-block-response-body --custom-block-response-
status-code --disabled --mode --redirect-url --request-body-check --sku --tags --add --force-string --
remove --set --ids --name --resource-group --subscription
az network front-door waf-policy managed-rule-definition list
az network front-door waf-policy managed-rules add --type --version --ids --policy-name --resource-
group --subscription
az network front-door waf-policy managed-rules list --policy-name --resource-group
az network front-door waf-policy managed-rules remove --type --ids --policy-name --resource-group
--subscription
There are more entries
az network front-door waf-policy rule create --action --name --policy-name --priority --resource-
group --rule-type --defer --disabled --rate-limit-duration --rate-limit-threshold

```

```

az network front-door waf-policy rule delete --defer --ids --name --policy-name --resource-group --
subscription
az network front-door waf-policy rule list --policy-name --resource-group --defer
az network front-door waf-policy rule show --defer --ids --name --policy-name --resource-group --
subscription
az network front-door waf-policy rule update --action --defer --disabled --priority --rate-limit-
duration --rate-limit-threshold --ids --name --policy-name --resource-group --subscription
There are more entries
az network ip-group create --ip-addresses --name --resource-group --location --tags
az network ip-group delete --name --resource-group
az network ip-group list --resource-group
az network ip-group show --name --resource-group --expand
az network ip-group update --name --resource-group --ip-addresses --tags --add --force-string --
remove --set
az network lb create --name --resource-group --backend-pool-name --edge-zone --frontend-ip-name
--frontend-ip-zone --location --no-wait --private-ip-address --private-ip-address-version --sku --tags --
validate --public-ip-address --public-ip-address-allocation --public-ip-dns-name --public-ip-zone --
subnet --subnet-address-prefix --vnet-address-prefix --vnet-name
az network lb delete --ids --name --resource-group --subscription
az network lb list --resource-group
az network lb list-mapping --backend-pool-name --request --ids --name --resource-group --
subscription
az network lb list-nic --ids --name --resource-group --subscription
az network lb show --expand --ids --name --resource-group --subscription
az network lb update --add --force-string --remove --set --ids --name --resource-group --subscription
az network lb wait --expand --ids --name --resource-group --subscription --created --custom --
deleted --exists --interval --timeout --updated
az network lb address-pool create --lb-name --name --resource-group --backend-address --backend-
addresses-config-file --vnet
az network lb address-pool delete --lb-name --name --resource-group
az network lb address-pool list --lb-name --resource-group
az network lb address-pool show --lb-name --name --resource-group
az network lb address-pool update --lb-name --name --resource-group --backend-address --backend-
addresses-config-file --vnet --add --force-string --remove --set
az network lb address-pool address add --ip-address --lb-name --name --pool-name --resource-group
--subnet --vnet
az network lb address-pool address list --lb-name --pool-name --resource-group
az network lb address-pool address remove --lb-name --name --pool-name --resource-group
az network lb address-pool tunnel-interface add --address-pool --identifier --lb-name --protocol --
resource-group --type --port
az network lb address-pool tunnel-interface list --address-pool --lb-name --resource-group
az network lb address-pool tunnel-interface remove --address-pool --index --lb-name --resource-
group
az network lb address-pool tunnel-interface update --address-pool --index --lb-name --resource-
group --identifier --port --protocol --type
az network lb frontend-ip create --lb-name --name --resource-group --private-ip-address --private-ip-
address-version --public-ip-address --public-ip-prefix --subnet --vnet-name --zone
az network lb frontend-ip delete --lb-name --name --resource-group

```

```

az network lb frontend-ip list --lb-name --resource-group
az network lb frontend-ip show --lb-name --name --resource-group
az network lb frontend-ip update --gateway-lb --private-ip-address --public-ip-address --public-ip-
prefix --subnet --vnet-name --add --force-string --remove --set --ids --lb-name --name --resource-
group --subscription
az network lb inbound-nat-pool create --backend-port --frontend-port-range-end --frontend-port-
range-start --lb-name --name --protocol --resource-group --enable-tcp-reset --floating-ip --frontend-
ip-name --idle-timeout
az network lb inbound-nat-pool delete --lb-name --name --resource-group
az network lb inbound-nat-pool list --lb-name --resource-group
az network lb inbound-nat-pool show --lb-name --name --resource-group
az network lb inbound-nat-pool update --backend-port --enable-tcp-reset --floating-ip --frontend-ip-
name --frontend-port-range-end --frontend-port-range-start --idle-timeout --protocol --add --force-
string --remove --set --ids --lb-name --name --resource-group --subscription
az network lb inbound-nat-rule create --backend-port --lb-name --name --protocol --resource-group -
-backend-pool-name --enable-tcp-reset --floating-ip --frontend-ip-name --frontend-port --frontend-
port-range-end --frontend-port-range-start --idle-timeout
az network lb inbound-nat-rule delete --lb-name --name --resource-group
az network lb inbound-nat-rule list --lb-name --resource-group
az network lb inbound-nat-rule show --lb-name --name --resource-group
az network lb inbound-nat-rule update --backend-port --enable-tcp-reset --floating-ip --frontend-ip-
name --frontend-port --frontend-port-range-end --frontend-port-range-start --idle-timeout --
protocol --add --force-string --remove --set --ids --lb-name --name --resource-group --subscription
az network lb outbound-rule create --address-pool --frontend-ip-configs --lb-name --name --protocol
--resource-group --enable-tcp-reset --idle-timeout --outbound-ports
az network lb outbound-rule delete --lb-name --name --resource-group
az network lb outbound-rule list --lb-name --resource-group
az network lb outbound-rule show --lb-name --name --resource-group
az network lb outbound-rule update --address-pool --enable-tcp-reset --frontend-ip-configs --idle-
timeout --outbound-ports --protocol --add --force-string --remove --set --ids --lb-name --name --
resource-group --subscription
az network lb probe create --lb-name --name --port --protocol --resource-group --interval --path --
threshold
az network lb probe delete --lb-name --name --resource-group
az network lb probe list --lb-name --resource-group
az network lb probe show --lb-name --name --resource-group
az network lb probe update --interval --path --port --protocol --threshold --add --force-string --
remove --set --ids --lb-name --name --resource-group --subscription
az network lb rule create --backend-port --frontend-port --lb-name --name --protocol --resource-
group --backend-pool-name --backend-pools-name --disable-outbound-snat --enable-tcp-reset --
floating-ip --frontend-ip-name --idle-timeout --load-distribution --probe-name
az network lb rule delete --lb-name --name --resource-group
az network lb rule list --lb-name --resource-group
az network lb rule show --lb-name --name --resource-group
az network lb rule update --backend-pool-name --backend-pools-name --backend-port --disable-
outbound-snat --enable-tcp-reset --floating-ip --frontend-ip-name --frontend-port --idle-timeout --
load-distribution --probe-name --protocol --add --force-string --remove --set --ids --lb-name --name -
-resource-group --subscription

```

```

az network local-gateway create --gateway-ip-address --name --resource-group --local-address-
prefixes --location --no-wait --tags --asn --bgp-peering-address --peer-weight
az network local-gateway delete --no-wait --ids --name --resource-group --subscription
az network local-gateway list --resource-group
az network local-gateway show --ids --name --resource-group --subscription
az network local-gateway update --gateway-ip-address --local-address-prefixes --no-wait --tags --asn
--bgp-peering-address --peer-weight --add --force-string --remove --set --ids --name --resource-group
--subscription
az network local-gateway wait --ids --name --resource-group --subscription --created --custom --
deleted --exists --interval --timeout --updated
az network manager create --location --name --network-manager-scopes --resource-group --scope-
accesses --description --display-name --id --tags
az network manager delete --force --yes --ids --name --network-manager-name --resource-group --
subscription
az network manager list --resource-group --skip-token --top
az network manager list-active-connectivity-config --name --resource-group --regions --skip-token
az network manager list-active-security-admin-rule --name --resource-group --regions --skip-token
az network manager list-deploy-status --name --resource-group --deployment-types --regions --skip-
token
az network manager list-effective-connectivity-config --resource-group --virtual-network-name --
skip-token
az network manager list-effective-security-admin-rule --resource-group --virtual-network-name --
skip-token
az network manager post-commit --commit-type --target-locations --configuration-ids --ids --name --
network-manager-name --resource-group --subscription
az network manager show --ids --name --network-manager-name --resource-group --subscription
az network manager update --description --display-name --id --location --network-manager-scopes --
scope-accesses --tags --add --force-string --remove --set --ids --name --network-manager-name --
resource-group --subscription
az network manager connect-config create --applies-to-groups --configuration-name --connectivity-
topology --name --resource-group --delete-existing-peering --description --display-name --hub --is-
global
az network manager connect-config delete --force --yes --configuration-name --ids --name --
network-manager-name --resource-group --subscription
az network manager connect-config list --name --resource-group --skip-token --top
az network manager connect-config show --configuration-name --ids --name --network-manager-
name --resource-group --subscription
az network manager connect-config update --applies-to-groups --delete-existing-peering --
description --display-name --hub --is-global --add --force-string --remove --set --configuration-name -
--ids --name --network-manager-name --resource-group --subscription
az network manager connection management-group create --connection-name --management-
group-id --network-manager --description
az network manager connection management-group delete --management-group-id --yes --
connection-name --name --ids --subscription
az network manager connection management-group list --management-group-id --skip-token --top
az network manager connection management-group show --management-group-id --connection-
name --name --ids --subscription

```

```

az network manager connection management-group update --description --add --force-string --
remove --set --connection-name --name --ids --management-group-id --subscription
az network manager connection subscription create --connection-name --network-manager --
description
az network manager connection subscription delete --yes --connection-name --name --ids --
subscription
az network manager connection subscription list --skip-token --top
az network manager connection subscription show --connection-name --name --ids --subscription
az network manager connection subscription update --description --add --force-string --remove --set
--connection-name --name --ids --subscription
az network manager group create --name --network-manager-name --resource-group --description --
if-match
az network manager group delete --force --yes --ids --name --network-group-name --network-
manager-name --resource-group --subscription
az network manager group list --network-manager-name --resource-group --skip-token --top
az network manager group show --ids --name --network-group-name --network-manager-name --
resource-group --subscription
az network manager group update --description --display-name --if-match --add --force-string --
remove --set --ids --name --network-group-name --network-manager-name --resource-group --
subscription
az network manager group static-member create --name --network-group --network-manager --
resource-group --resource-id
az network manager group static-member delete --name --network-group --network-manager --
resource-group --yes
az network manager group static-member list --network-group --network-manager --resource-group
--skip-token --top
az network manager group static-member show --name --network-group --network-manager --
resource-group
az network manager scope-connection create --connection-name --network-manager --resource-
group --resource-id --tenant-id --description
az network manager scope-connection delete --yes --connection-name --name --ids --network-
manager --network-manager-name --resource-group --subscription
az network manager scope-connection list --network-manager --resource-group --skip-token --top
az network manager scope-connection show --connection-name --name --ids --network-manager --
network-manager-name --resource-group --subscription
az network manager scope-connection update --description --add --force-string --remove --set --
connection-name --name --ids --network-manager --network-manager-name --resource-group --
subscription
az network manager security-admin-config create --configuration-name --name --resource-group --
apply-on --apply-on-network-intent-policy --delete-existing-ns-gs --description --display-name
az network manager security-admin-config delete --force --yes --configuration-name --ids --name --
network-manager-name --resource-group --subscription
az network manager security-admin-config list --name --resource-group --skip-token --top
az network manager security-admin-config show --configuration-name --ids --name --network-
manager-name --resource-group --subscription
az network manager security-admin-config update --apply-on --apply-on-network-intent-policy --
delete-existing-ns-gs --description --display-name --add --force-string --remove --set --configuration-
name --ids --name --network-manager-name --resource-group --subscription

```

```

az network manager security-admin-config rule-collection create --applies-to-groups --configuration-name --name --resource-group --rule-collection-name --description --display-name
az network manager security-admin-config rule-collection delete --rule-collection-name --force --yes --configuration-name --ids --name --network-manager-name --resource-group --subscription
az network manager security-admin-config rule-collection list --configuration-name --name --resource-group --skip-token --top
az network manager security-admin-config rule-collection show --rule-collection-name --configuration-name --ids --name --network-manager-name --resource-group --subscription
az network manager security-admin-config rule-collection update --rule-collection-name --applies-to-groups --description --display-name --add --force-string --remove --set --configuration-name --ids --name --network-manager-name --resource-group --subscription
There are more entries
az network nat gateway create --name --resource-group --idle-timeout --location --no-wait --public-ip-addresses --public-ip-prefixes --zone
az network nat gateway delete --ids --name --resource-group --subscription
az network nat gateway list --resource-group
az network nat gateway show --ids --name --resource-group --subscription
az network nat gateway update --idle-timeout --public-ip-addresses --public-ip-prefixes --add --force-string --remove --set --ids --name --resource-group --subscription
az network nat gateway wait --ids --name --resource-group --subscription --created --custom --deleted --exists --interval --timeout --updated
az network nic create --name --resource-group --subnet --accelerated-networking --application-security-groups --edge-zone --ip-forwarding --location --network-security-group --no-wait --private-ip-address --private-ip-address-version --public-ip-address --tags --vnet-name --app-gateway-address-pools --gateway-name --dns-servers --internal-dns-name --lb-address-pools --lb-inbound-nat-rules --lb-name
az network nic delete --no-wait --ids --name --resource-group --subscription
az network nic list --resource-group
az network nic list-effective-nsg --ids --name --resource-group --subscription
az network nic show --expand --ids --name --resource-group --subscription
az network nic show-effective-route-table --ids --name --resource-group --subscription
az network nic update --accelerated-networking --ip-forwarding --network-security-group --no-wait --dns-servers --internal-dns-name --add --force-string --remove --set --ids --name --resource-group --subscription
az network nic wait --expand --ids --name --resource-group --subscription --created --custom --deleted --exists --interval --timeout --updated
az network nic ip-config create --name --nic-name --resource-group --application-security-groups --make-primary --private-ip-address --private-ip-address-version --public-ip-address --subnet --vnet-name --app-gateway-address-pools --gateway-name --lb-address-pools --lb-inbound-nat-rules --lb-name
az network nic ip-config delete --ids --name --nic-name --resource-group --subscription
az network nic ip-config list --nic-name --resource-group
az network nic ip-config show --ids --name --nic-name --resource-group --subscription
az network nic ip-config update --application-security-groups --gateway-lb --make-primary --private-ip-address --private-ip-address-version --public-ip-address --subnet --vnet-name --app-gateway-address-pools --add --force-string --remove --set --lb-address-pools --lb-inbound-nat-rules --lb-name --gateway-name --ids --name --nic-name --resource-group --subscription

```

```

az network nic ip-config address-pool add --address-pool --ip-config-name --nic-name --resource-
group --gateway-name --lb-name
az network nic ip-config address-pool remove --address-pool --ip-config-name --nic-name --resource-
group --gateway-name --lb-name
az network nic ip-config inbound-nat-rule add --inbound-nat-rule --ip-config-name --nic-name --
resource-group --lb-name
az network nic ip-config inbound-nat-rule remove --inbound-nat-rule --ip-config-name --nic-name --
resource-group --lb-name
az network nic vtap-config create --name --nic-name --resource-group --vnet-tap
az network nic vtap-config delete --ids --name --nic-name --resource-group --subscription
az network nic vtap-config list --nic-name --resource-group
az network nic vtap-config show --ids --name --nic-name --resource-group --subscription
az network nsg create --name --resource-group --location --tags
az network nsg delete --ids --name --resource-group --subscription
az network nsg list --resource-group
az network nsg show --expand --ids --name --resource-group --subscription
az network nsg update --add --force-string --remove --set --ids --name --resource-group --
subscription
az network nsg rule create --name --nsg-name --priority --resource-group --access --description --
direction --protocol --destination-address-prefixes --destination-asgs --destination-port-ranges --
source-address-prefixes --source-asgs --source-port-ranges
az network nsg rule delete --ids --name --nsg-name --resource-group --subscription
az network nsg rule list --nsg-name --resource-group --include-default
az network nsg rule show --ids --name --nsg-name --resource-group --subscription
az network nsg rule update --access --description --direction --priority --protocol --destination-
address-prefixes --destination-asgs --destination-port-ranges --add --force-string --remove --set --ids
--name --nsg-name --resource-group --subscription --source-address-prefixes --source-asgs --source-
port-ranges
az network p2s-vpn-gateway create --name --resource-group --scale-unit --vhub --address-space --
config-name --location --no-wait --tags --vpn-server-config --associated --associated-route-table --
labels --propagated --propagated-route-tables
az network p2s-vpn-gateway delete --name --resource-group --yes
az network p2s-vpn-gateway list --resource-group
az network p2s-vpn-gateway show --name --resource-group
az network p2s-vpn-gateway update --name --resource-group --address-space --config-name --no-
wait --scale-unit --tags --vpn-server-config --add --force-string --remove --set --associated --
associated-route-table --labels --propagated --propagated-route-tables
az network p2s-vpn-gateway wait --name --resource-group --created --custom --deleted --exists --
interval --timeout --updated
az network p2s-vpn-gateway connection list --gateway-name --resource-group
az network p2s-vpn-gateway connection show --gateway-name --ids --name --resource-group --
subscription
az network p2s-vpn-gateway vpn-client generate --name --resource-group --authentication-method
az network private-dns link vnet create --name --registration-enabled --resource-group --virtual-
network --zone-name --no-wait --tags
az network private-dns link vnet delete --name --resource-group --zone-name --if-match --no-wait --
yes
az network private-dns link vnet list --resource-group --zone-name --top

```



```

az network private-dns link vnet show --name --resource-group --zone-name
az network private-dns link vnet update --name --resource-group --zone-name --if-match --no-wait --
registration-enabled --tags --add --force-string --remove --set
az network private-dns link vnet wait --name --resource-group --zone-name --created --custom --
deleted --exists --interval --timeout --updated
az network private-dns record-set list --resource-group --zone-name
az network private-dns record-set a add-record --ipv4-address --record-set-name --resource-group --
zone-name
az network private-dns record-set a create --name --resource-group --zone-name --metadata --ttl
az network private-dns record-set a delete --name --resource-group --zone-name --if-match --yes
az network private-dns record-set a list --resource-group --zone-name
az network private-dns record-set a remove-record --ipv4-address --record-set-name --resource-
group --zone-name --keep-empty-record-set
az network private-dns record-set a show --name --resource-group --zone-name
az network private-dns record-set a update --name --resource-group --zone-name --if-match --
metadata --add --force-string --remove --set
az network private-dns record-set aaaa add-record --ipv6-address --record-set-name --resource-
group --zone-name
az network private-dns record-set aaaa create --name --resource-group --zone-name --metadata --ttl
az network private-dns record-set aaaa delete --name --resource-group --zone-name --if-match --yes
az network private-dns record-set aaaa list --resource-group --zone-name
az network private-dns record-set aaaa remove-record --ipv6-address --record-set-name --resource-
group --zone-name --keep-empty-record-set
az network private-dns record-set aaaa show --name --resource-group --zone-name
az network private-dns record-set aaaa update --name --resource-group --zone-name --if-match --
metadata --add --force-string --remove --set
az network private-dns record-set cname create --name --resource-group --zone-name --metadata --
ttl
az network private-dns record-set cname delete --name --resource-group --zone-name --if-match --
yes
az network private-dns record-set cname list --resource-group --zone-name
az network private-dns record-set cname remove-record --cname --record-set-name --resource-
group --zone-name --keep-empty-record-set
az network private-dns record-set cname set-record --cname --record-set-name --resource-group --
zone-name
az network private-dns record-set cname show --name --resource-group --zone-name
az network private-dns record-set cname update --name --resource-group --zone-name --if-match --
metadata --add --force-string --remove --set
az network private-dns record-set mx add-record --exchange --preference --record-set-name --
resource-group --zone-name
az network private-dns record-set mx create --name --resource-group --zone-name --metadata --ttl
az network private-dns record-set mx delete --name --resource-group --zone-name --if-match --yes
az network private-dns record-set mx list --resource-group --zone-name
az network private-dns record-set mx remove-record --exchange --preference --record-set-name --
resource-group --zone-name --keep-empty-record-set
az network private-dns record-set mx show --name --resource-group --zone-name
az network private-dns record-set mx update --name --resource-group --zone-name --if-match --
metadata --add --force-string --remove --set

```

```

az network private-dns record-set ptr add-record --ptrdname --record-set-name --resource-group --zone-name
az network private-dns record-set ptr create --name --resource-group --zone-name --metadata --ttl
az network private-dns record-set ptr delete --name --resource-group --zone-name --if-match --yes
az network private-dns record-set ptr list --resource-group --zone-name
az network private-dns record-set ptr remove-record --ptrdname --record-set-name --resource-group --zone-name --keep-empty-record-set
az network private-dns record-set ptr show --name --resource-group --zone-name
az network private-dns record-set ptr update --name --resource-group --zone-name --if-match --metadata --add --force-string --remove --set
az network private-dns record-set soa show --resource-group --zone-name
az network private-dns record-set soa update --resource-group --zone-name --email --expire-time --host --minimum-ttl --refresh-time --retry-time --serial-number
az network private-dns record-set srv add-record --port --priority --record-set-name --resource-group --target --weight --zone-name
az network private-dns record-set srv create --name --resource-group --zone-name --metadata --ttl
az network private-dns record-set srv delete --name --resource-group --zone-name --if-match --yes
az network private-dns record-set srv list --resource-group --zone-name
az network private-dns record-set srv remove-record --port --priority --record-set-name --resource-group --target --weight --zone-name --keep-empty-record-set
az network private-dns record-set srv show --name --resource-group --zone-name
az network private-dns record-set srv update --name --resource-group --zone-name --if-match --metadata --add --force-string --remove --set
az network private-dns record-set txt add-record --record-set-name --resource-group --value --zone-name
az network private-dns record-set txt create --name --resource-group --zone-name --metadata --ttl
az network private-dns record-set txt delete --name --resource-group --zone-name --if-match --yes
az network private-dns record-set txt list --resource-group --zone-name
az network private-dns record-set txt remove-record --record-set-name --resource-group --value --zone-name --keep-empty-record-set
az network private-dns record-set txt show --name --resource-group --zone-name
az network private-dns record-set txt update --name --resource-group --zone-name --if-match --metadata --add --force-string --remove --set
az network private-dns zone create --name --resource-group --no-wait --tags
az network private-dns zone delete --name --resource-group --if-match --no-wait --yes
az network private-dns zone export --name --resource-group --file-name
az network private-dns zone import --file-name --name --resource-group
az network private-dns zone list --resource-group
az network private-dns zone show --name --resource-group
az network private-dns zone update --name --resource-group --if-match --no-wait --tags --add --force-string --remove --set
az network private-dns zone wait --name --resource-group --created --custom --deleted --exists --interval --timeout --updated
az network private-endpoint create --connection-name --name --private-connection-resource-id --resource-group --subnet --edge-zone --group-id --group-ids --location --manual-request --nic-name --request-message --tags --vnet-name --asg --ip-config
az network private-endpoint delete --ids --name --resource-group --subscription
az network private-endpoint list --resource-group

```

```

az network private-endpoint list-types --location
az network private-endpoint show --ids --name --resource-group --subscription
az network private-endpoint update --request-message --tags --add --force-string --remove --set --ids
--name --resource-group --subscription
az network private-endpoint asg add --endpoint-name --resource-group --asg-id
az network private-endpoint asg list --endpoint-name --resource-group
az network private-endpoint asg remove --asg-id --endpoint-name --resource-group
az network private-endpoint dns-zone-group add --endpoint-name --name --private-dns-zone --
resource-group --zone-name
az network private-endpoint dns-zone-group create --endpoint-name --name --private-dns-zone --
resource-group --zone-name
az network private-endpoint dns-zone-group delete --endpoint-name --name --resource-group
az network private-endpoint dns-zone-group list --endpoint-name --resource-group
az network private-endpoint dns-zone-group remove --endpoint-name --name --resource-group --
zone-name
az network private-endpoint dns-zone-group show --endpoint-name --name --resource-group
az network private-endpoint ip-config add --endpoint-name --resource-group --group-id --member-
name --name --private-ip-address
az network private-endpoint ip-config list --endpoint-name --resource-group
az network private-endpoint ip-config remove --endpoint-name --name --resource-group
az network private-endpoint-connection approve --description --id --name --resource-group --
resource-name --type
az network private-endpoint-connection delete --id --name --resource-group --resource-name --type
--yes
az network private-endpoint-connection list --id --name --resource-group --type
az network private-endpoint-connection reject --description --id --name --resource-group --resource-
name --type
az network private-endpoint-connection show --id --name --resource-group --resource-name --type
az network private-link-resource list --id --name --resource-group --type
az network private-link-service create --lb-frontend-ip-configs --name --resource-group --auto-
approval --edge-zone --enable-proxy-protocol --fqdns --lb-name --location --tags --visibility --subnet -
-private-ip-address --private-ip-address-version --private-ip-allocation-method --public-ip-address --
vnet-name
az network private-link-service delete --ids --name --resource-group --subscription
az network private-link-service list --resource-group
az network private-link-service show --expand --ids --name --resource-group --subscription
az network private-link-service update --auto-approval --enable-proxy-protocol --fqdns --lb-frontend-
ip-configs --lb-name --tags --visibility --add --force-string --remove --set --ids --name --resource-group
--subscription
az network private-link-service connection delete --name --resource-group --service-name
az network private-link-service connection update --connection-status --name --resource-group --
service-name --action-required --description
az network profile delete --yes --ids --name --resource-group --subscription
az network profile list --resource-group
az network profile show --expand --ids --name --resource-group --subscription
az network public-ip create --name --resource-group --allocation-method --dns-name --edge-zone --
idle-timeout --ip-address --ip-tags --location --public-ip-prefix --reverse-fqdn --sku --tags --tier --
version --zone

```

```

az network public-ip delete --ids --name --resource-group --subscription
az network public-ip list --resource-group
az network public-ip show --expand --ids --name --resource-group --subscription
az network public-ip update --allocation-method --dns-name --idle-timeout --ip-tags --public-ip-
prefix --reverse-fqdn --sku --tags --version --add --force-string --remove --set --ids --name --resource-
group --subscription
az network public-ip prefix create --length --name --resource-group --custom-ip-prefix-name --edge-
zone --location --tags --version --zone
az network public-ip prefix delete --ids --name --resource-group --subscription
az network public-ip prefix list --resource-group
az network public-ip prefix show --expand --ids --name --resource-group --subscription
az network public-ip prefix update --tags --add --force-string --remove --set --ids --name --resource-
group --subscription
az network route-filter create --name --resource-group --location --tags
az network route-filter delete --name --resource-group
az network route-filter list --resource-group
az network route-filter show --name --resource-group --expand
az network route-filter update --name --resource-group --add --force-string --remove --set
az network route-filter rule create --access --communities --filter-name --name --resource-group --
location
az network route-filter rule delete --filter-name --ids --name --resource-group --subscription
az network route-filter rule list --filter-name --resource-group
az network route-filter rule list-service-communities
az network route-filter rule show --filter-name --ids --name --resource-group --subscription
az network route-filter rule update --add --force-string --remove --set --filter-name --ids --name --
resource-group --subscription
az network route-table create --name --resource-group --disable-bgp-route-propagation --location --
tags
az network route-table delete --ids --name --resource-group --subscription
az network route-table list --resource-group
az network route-table show --expand --ids --name --resource-group --subscription
az network route-table update --disable-bgp-route-propagation --tags --add --force-string --remove --
set --ids --name --resource-group --subscription
az network route-table route create --address-prefix --name --next-hop-type --resource-group --
route-table-name --next-hop-ip-address
az network route-table route delete --ids --name --resource-group --route-table-name --subscription
az network route-table route list --resource-group --route-table-name
az network route-table route show --ids --name --resource-group --route-table-name --subscription
az network route-table route update --address-prefix --next-hop-ip-address --next-hop-type --add --
force-string --remove --set --ids --name --resource-group --route-table-name --subscription
az network routeserver create --hosted-subnet --name --public-ip-address --resource-group --
location --tags
az network routeserver delete --no-wait --yes --ids --name --resource-group --subscription
az network routeserver list --resource-group
az network routeserver show --ids --name --resource-group --subscription
az network routeserver update --allow-b2b-traffic --tags --add --force-string --remove --set --ids --
name --resource-group --subscription

```

```

az network routeserver wait --ids --name --resource-group --subscription --created --custom --
deleted --exists --interval --timeout --updated
az network routeserver peering create --name --peer-asn --peer-ip --resource-group --routeserver --
no-wait
az network routeserver peering delete --no-wait --yes --ids --name --resource-group --routeserver --
subscription
az network routeserver peering list --resource-group --routeserver
az network routeserver peering list-advertised-routes --ids --name --resource-group --routeserver --
subscription
az network routeserver peering list-learned-routes --ids --name --resource-group --routeserver --
subscription
az network routeserver peering show --ids --name --resource-group --routeserver --subscription
az network routeserver peering update --peer-asn --peer-ip --add --force-string --remove --set --ids --
name --resource-group --routeserver --subscription
az network routeserver peering wait --ids --name --resource-group --routeserver --subscription --
created --custom --deleted --exists --interval --timeout --updated
az network security-partner-provider create --name --provider --resource-group --vhub --location --
tags
az network security-partner-provider delete --name --resource-group
az network security-partner-provider list --resource-group
az network security-partner-provider show --name --resource-group
az network security-partner-provider update --name --resource-group --provider --tags --vhub --add -
-force-string --remove --set
az network service-endpoint list --location
az network service-endpoint policy create --name --resource-group --location --tags
az network service-endpoint policy delete --ids --name --resource-group --subscription
az network service-endpoint policy list --resource-group
az network service-endpoint policy show --ids --name --resource-group --subscription
az network service-endpoint policy update --tags --add --force-string --remove --set --ids --name --
resource-group --subscription
az network service-endpoint policy-definition create --name --policy-name --resource-group --service
--service-resources --description
az network service-endpoint policy-definition delete --ids --name --policy-name --resource-group --
subscription
az network service-endpoint policy-definition list --policy-name --resource-group
az network service-endpoint policy-definition show --ids --name --policy-name --resource-group --
subscription
az network service-endpoint policy-definition update --description --service --service-resources --add
--force-string --remove --set --ids --name --policy-name --resource-group --subscription
az network traffic-manager endpoint create --name --profile-name --resource-group --type --custom-
headers --endpoint-location --endpoint-monitor-status --endpoint-status --geo-mapping --min-child-
endpoints --min-child-ipv4 --min-child-ipv6 --priority --subnets --target --target-resource-id --weight
az network traffic-manager endpoint delete --ids --name --profile-name --resource-group --
subscription --type
az network traffic-manager endpoint list --profile-name --resource-group --type
az network traffic-manager endpoint show --ids --name --profile-name --resource-group --
subscription --type
az network traffic-manager endpoint show-geographic-hierarchy

```

az network traffic-manager endpoint update --custom-headers --endpoint-location --endpoint-monitor-status --endpoint-status --geo-mapping --min-child-endpoints --min-child-ipv4 --min-child-ipv6 --priority --subnets --target --target-resource-id --weight --add --force-string --remove --set --ids --name --profile-name --resource-group --subscription --type  
 az network traffic-manager profile check-dns --name  
 az network traffic-manager profile create --name --resource-group --routing-method --unique-dns-name --max-return --status --tags --ttl --custom-headers --interval --max-failures --path --port --protocol --status-code-ranges --timeout  
 az network traffic-manager profile delete --ids --name --resource-group --subscription  
 az network traffic-manager profile list --resource-group  
 az network traffic-manager profile show --ids --name --resource-group --subscription  
 az network traffic-manager profile update --max-return --routing-method --status --tags --ttl --add --force-string --remove --set --custom-headers --interval --max-failures --path --port --protocol --status-code-ranges --timeout --ids --name --resource-group --subscription  
 az network vhub create --address-prefix --name --resource-group --vwan --hub-routing-preference --location --no-wait --sku --tags  
 az network vhub delete --ids --name --resource-group --subscription  
 az network vhub get-effective-routes --no-wait --resource-id --resource-type --ids --name --resource-group --subscription  
 az network vhub list --resource-group  
 az network vhub show --ids --name --resource-group --subscription  
 az network vhub update --address-prefix --hub-routing-preference --no-wait --sku --tags --vwan --add --force-string --remove --set --ids --name --resource-group --subscription  
 az network vhub bgpconnection create --name --resource-group --vhub-name --no-wait --peer-asn --peer-ip --vhub-conn  
 az network vhub bgpconnection delete --no-wait --yes --ids --name --resource-group --subscription --vhub-name  
 az network vhub bgpconnection list --resource-group --vhub-name  
 az network vhub bgpconnection show --ids --name --resource-group --subscription --vhub-name  
 az network vhub bgpconnection update --no-wait --peer-asn --peer-ip --vhub-conn --add --force-string --remove --set --ids --name --resource-group --subscription --vhub-name  
 az network vhub bgpconnection wait --ids --name --resource-group --subscription --vhub-name --created --custom --deleted --exists --interval --timeout --updated  
 az network vhub connection create --name --remote-vnet --resource-group --vhub-name --internet-security --no-wait --remote-vnet-transit --use-hub-vnet-gateways --associated --associated-route-table --labels --propagated --propagated-route-tables --address-prefixes --next-hop --route-name  
 az network vhub connection delete --no-wait --yes --ids --name --resource-group --subscription --vhub-name  
 az network vhub connection list --resource-group --vhub-name  
 az network vhub connection show --ids --name --resource-group --subscription --vhub-name  
 az network vhub connection update --no-wait --add --force-string --remove --set --ids --name --resource-group --subscription --vhub-name --associated --associated-route-table --labels --propagated --propagated-route-tables  
 az network vhub connection wait --ids --name --resource-group --subscription --vhub-name --created --custom --deleted --exists --interval --timeout --updated  
 az network vhub route add --address-prefixes --next-hop --resource-group --vhub-name --no-wait  
 az network vhub route list --resource-group --vhub-name  
 az network vhub route remove --index --resource-group --vhub-name --no-wait

```

az network vhub route reset --resource-group --vhub-name --no-wait
az network vhub route-table create --name --resource-group --vhub-name --destination-type --
destinations --next-hop-type --no-wait --connections --next-hops --labels --next-hop --route-name
az network vhub route-table delete --name --resource-group --vhub-name
az network vhub route-table list --resource-group --vhub-name
az network vhub route-table show --name --resource-group --vhub-name
az network vhub route-table update --name --resource-group --vhub-name --no-wait --connections --
labels
az network vhub route-table wait --name --resource-group --vhub-name --created --custom --deleted
--exists --interval --timeout --updated
az network vhub route-table route add --destination-type --destinations --name --next-hop-type --
resource-group --vhub-name --no-wait --next-hops --next-hop --route-name
az network vhub route-table route list --name --resource-group --vhub-name
az network vhub route-table route remove --index --name --resource-group --vhub-name --no-wait
az network virtual-appliance create --name --resource-group --vhub --asn --boot-blobs --boot-strap-
config-blobs --cloud-blobs --cloud-init-config-blobs --cloud-init-config --init-config --location --tags --
scale-unit --vendor --version
az network virtual-appliance delete --name --resource-group --yes
az network virtual-appliance list --resource-group
az network virtual-appliance show --name --resource-group --expand
az network virtual-appliance update --name --resource-group --asn --cloud-init-config --init-config --
add --force-string --remove --set
az network virtual-appliance site create --address-prefix --appliance-name --name --resource-group -
--allow --default --optimize
az network virtual-appliance site delete --appliance-name --name --resource-group --yes
az network virtual-appliance site list --appliance-name --resource-group
az network virtual-appliance site show --appliance-name --name --resource-group
az network virtual-appliance site update --address-prefix --appliance-name --name --resource-group
--allow --default --optimize --add --force-string --remove --set
az network virtual-appliance sku list
az network virtual-appliance sku show --name
az network vnet check-ip-address --ip-address --ids --name --resource-group --subscription
az network vnet create --name --resource-group --address-prefixes --bgp-community --ddos-
protection --ddos-protection-plan --defer --dns-servers --edge-zone --enable-encryption --
encryption-enforcement-policy --encryption-policy --flowtimeout --location --tags --vm-protection --
network-security-group --nsg --subnet-name --subnet-prefixes
az network vnet delete --ids --name --resource-group --subscription
az network vnet list --resource-group
az network vnet list-available-ips --ids --name --resource-group --subscription
az network vnet list-endpoint-services --location
az network vnet show --expand --ids --name --resource-group --subscription
az network vnet update --address-prefixes --bgp-community --ddos-protection --ddos-protection-
plan --defer --dns-servers --enable-encryption --encryption-enforcement-policy --encryption-policy --
flowtimeout --vm-protection --add --force-string --remove --set --ids --name --resource-group --
subscription
az network vnet peering create --name --remote-vnet --resource-group --vnet-name --allow-
forwarded-traffic --allow-gateway-transit --allow-vnet-access --use-remote-gateways
az network vnet peering delete --ids --name --resource-group --subscription --vnet-name

```

```

az network vnet peering list --resource-group --vnet-name
az network vnet peering show --ids --name --resource-group --subscription --vnet-name
az network vnet peering sync --ids --name --resource-group --subscription --vnet-name
az network vnet peering update --add --force-string --remove --set --ids --name --resource-group --
subscription --vnet-name
az network vnet subnet create --address-prefixes --name --resource-group --vnet-name --defer --
delegations --disable-private-endpoint-network-policies --disable-private-link-service-network-
policies --nat-gateway --network-security-group --nsg --route-table --service-endpoint-policy --
service-endpoints
az network vnet subnet delete --ids --name --resource-group --subscription --vnet-name
az network vnet subnet list --resource-group --vnet-name
az network vnet subnet list-available-delegations --location --resource-group
az network vnet subnet show --expand --ids --name --resource-group --subscription --vnet-name
az network vnet subnet update --address-prefixes --delegations --disable-private-endpoint-network-
policies --disable-private-link-service-network-policies --nat-gateway --network-security-group --nsg -
-route-table --service-endpoint-policy --service-endpoints --add --force-string --remove --set --ids --
name --resource-group --subscription --vnet-name
az network vnet tap create --name --resource-group --location --tags --destination --port
az network vnet tap delete --ids --name --resource-group --subscription
az network vnet tap list --resource-group
az network vnet tap show --ids --name --resource-group --subscription
az network vnet tap update --add --force-string --remove --set --ids --name --resource-group --
subscription
az network vnet-gateway create --name --public-ip-addresses --resource-group --vnet --edge-zone --
gateway-default-site --gateway-type --location --no-wait --sku --tags --vpn-auth-type --vpn-gateway-
generation --vpn-type --aad-audience --aad-issuer --aad-tenant --asn --bgp-peering-address --peer-
weight --nat-rule --root-cert-data --root-cert-name --address-prefixes --client-protocol --custom-
routes --radius-secret --radius-server
az network vnet-gateway delete --no-wait --ids --name --resource-group --subscription
az network vnet-gateway disconnect-vpn-connections --vpn-connections --no-wait --ids --name --
resource-group --subscription
az network vnet-gateway list --resource-group
az network vnet-gateway list-advertised-routes --peer --ids --name --resource-group --subscription
az network vnet-gateway list-bgp-peer-status --peer --ids --name --resource-group --subscription
az network vnet-gateway list-learned-routes --ids --name --resource-group --subscription
az network vnet-gateway reset --gateway-vip --ids --name --resource-group --subscription
az network vnet-gateway show --ids --name --resource-group --subscription
az network vnet-gateway show-supported-devices --ids --name --resource-group --subscription
az network vnet-gateway update --gateway-default-site --gateway-type --no-wait --public-ip-
addresses --sku --tags --vnet --vpn-auth-type --vpn-type --aad-audience --aad-issuer --aad-tenant --
asn --bgp-peering-address --enable-bgp --peer-weight --add --force-string --remove --set --ids --name
--resource-group --subscription --root-cert-data --root-cert-name --address-prefixes --client-protocol
--custom-routes --radius-secret --radius-server
az network vnet-gateway wait --ids --name --resource-group --subscription --created --custom --
deleted --exists --interval --timeout --updated
az network vnet-gateway aad assign --gateway-name --resource-group --no-wait --audience --issuer -
tenant
az network vnet-gateway aad remove --gateway-name --resource-group --no-wait

```



```

az network vnet-gateway aad show --gateway-name --resource-group
az network vnet-gateway ipsec-policy add --gateway-name --resource-group --no-wait --dh-group --
ipsec-encryption --ipsec-integrity --ike-encryption --ike-integrity --pfs-group --sa-lifetime --sa-max-
size
az network vnet-gateway ipsec-policy clear --gateway-name --resource-group --no-wait
az network vnet-gateway ipsec-policy list --gateway-name --resource-group
az network vnet-gateway nat-rule add --external-mappings --gateway-name --internal-mappings --
name --resource-group --ip-config-id --mode --no-wait --type
az network vnet-gateway nat-rule list --gateway-name --resource-group
az network vnet-gateway nat-rule remove --gateway-name --name --resource-group --no-wait
az network vnet-gateway nat-rule wait --ids --name --resource-group --subscription --created --
custom --deleted --exists --interval --timeout --updated
az network vnet-gateway packet-capture start --filter --no-wait --ids --name --resource-group --
subscription
az network vnet-gateway packet-capture stop --sas-url --no-wait --ids --name --resource-group --
subscription
az network vnet-gateway packet-capture wait --ids --name --resource-group --subscription --created
--custom --deleted --exists --interval --timeout --updated
az network vnet-gateway revoked-cert create --gateway-name --name --resource-group --
thumbprint
az network vnet-gateway revoked-cert delete --gateway-name --name --resource-group
az network vnet-gateway root-cert create --gateway-name --name --public-cert-data --resource-
group
az network vnet-gateway root-cert delete --gateway-name --name --resource-group
az network vnet-gateway vpn-client generate --authentication-method --client-root-certificates --
processor-architecture --radius-server-auth-certificate --use-legacy --ids --name --resource-group --
subscription
az network vnet-gateway vpn-client show-health --ids --name --resource-group --subscription
az network vnet-gateway vpn-client show-url --ids --name --resource-group --subscription
az network vnet-gateway vpn-client ipsec-policy set --no-wait --dh-group --ipsec-encryption --ipsec-
integrity --ike-encryption --ike-integrity --pfs-group --ids --name --resource-group --subscription --sa-
lifetime --sa-max-size
az network vnet-gateway vpn-client ipsec-policy show --ids --name --resource-group --subscription
az network vnet-gateway vpn-client ipsec-policy wait --ids --name --resource-group --subscription --
created --custom --deleted --exists --interval --timeout --updated
az network vpn-connection create --name --resource-group --vnet-gateway1 --authorization-key --
egress-nat-rule --enable-bgp --express-route-gateway-bypass --ingress-nat-rule --location --routing-
weight --shared-key --tags --use-policy-based-traffic-selectors --validate --express-route-circuit2 --
local-gateway2 --vnet-gateway2
az network vpn-connection delete --ids --name --resource-group --subscription
az network vpn-connection list --resource-group --vnet-gateway
az network vpn-connection list-ike-sas --ids --name --resource-group --subscription
az network vpn-connection show --ids --name --resource-group --subscription
az network vpn-connection show-device-config-script --device-family --firmware-version --vendor --
ids --name --resource-group --subscription
az network vpn-connection update --enable-bgp --express-route-gateway-bypass --routing-weight --
shared-key --tags --use-policy-based-traffic-selectors --add --force-string --remove --set --ids --name --
resource-group --subscription

```

```

az network vpn-connection ipsec-policy add --connection-name --resource-group --no-wait --dh-
group --ipsec-encryption --ipsec-integrity --ike-encryption --ike-integrity --pfs-group --sa-lifetime --sa-
max-size
az network vpn-connection ipsec-policy clear --connection-name --resource-group --no-wait
az network vpn-connection ipsec-policy list --connection-name --resource-group
az network vpn-connection packet-capture start --filter --no-wait --ids --name --resource-group --
subscription
az network vpn-connection packet-capture stop --sas-url --no-wait --ids --name --resource-group --
subscription
az network vpn-connection packet-capture wait --ids --name --resource-group --subscription --
created --custom --deleted --exists --interval --timeout --updated
az network vpn-connection shared-key reset --key-length --connection-name --ids --resource-group -
-subscription
az network vpn-connection shared-key show --connection-name --ids --resource-group --
subscription
az network vpn-connection shared-key update --value --add --force-string --remove --set --
connection-name --ids --resource-group --subscription
az network vpn-gateway create --name --resource-group --vhub --location --no-wait --scale-unit --
tags --asn --bgp-peering-address --peer-weight
az network vpn-gateway delete --ids --name --resource-group --subscription
az network vpn-gateway list --resource-group
az network vpn-gateway show --ids --name --resource-group --subscription
az network vpn-gateway update --no-wait --scale-unit --tags --vhub --asn --bgp-peering-address --
peer-weight --add --force-string --remove --set --ids --name --resource-group --subscription
az network vpn-gateway connection create --gateway-name --name --remote-vpn-site --resource-
group --connection-bandwidth --enable-bgp --internet-security --no-wait --protocol-type --rate-
limiting --routing-weight --shared-key --vpn-site-link --with-link --associated --associated-route-table
--labels --propagated --propagated-route-tables
az network vpn-gateway connection delete --gateway-name --ids --name --resource-group --
subscription
az network vpn-gateway connection list --gateway-name --resource-group
az network vpn-gateway connection show --gateway-name --ids --name --resource-group --
subscription
az network vpn-gateway connection update --no-wait --add --force-string --remove --set --gateway-
name --ids --name --resource-group --subscription --associated --associated-route-table --labels --
propagated --propagated-route-tables
az network vpn-gateway connection wait --gateway-name --ids --name --resource-group --
subscription --created --custom --deleted --exists --interval --timeout --updated
az network vpn-gateway connection ipsec-policy add --connection-name --gateway-name --
resource-group --no-wait --dh-group --ike-encryption --ike-integrity --ipsec-encryption --ipsec-
integrity --pfs-group --sa-data-size --sa-lifetime
az network vpn-gateway connection ipsec-policy list --connection-name --gateway-name --resource-
group
az network vpn-gateway connection ipsec-policy remove --connection-name --gateway-name --index
--resource-group --no-wait
az network vpn-gateway connection vpn-site-link-conn add --vpn-site-link --connection-bandwidth --
enable-bgp --no-wait --rate-limiting --routing-weight --shared-key --use-local-azure-ip-address --use-

```

policy-based-traffic-selectors --vpn-connection-protocol-type --vpn-link-connection-mode --  
 connection-name --gateway-name --ids --name --resource-group --subscription  
 az network vpn-gateway connection vpn-site-link-conn list --connection-name --gateway-name --  
 resource-group  
 az network vpn-gateway connection vpn-site-link-conn remove --index --no-wait --connection-name  
 --gateway-name --ids --resource-group --subscription  
 There are more entries  
 az network vpn-server-config create --name --resource-group --auth-types --location --no-wait --  
 protocols --aad-audience --aad-issuer --aad-tenant --vpn-client-revoked-certs --vpn-client-root-certs  
 --radius-client-root-certs --radius-server-root-certs --radius-servers  
 az network vpn-server-config delete --name --resource-group --yes  
 az network vpn-server-config list --resource-group  
 az network vpn-server-config set --name --resource-group --auth-types --location --no-wait --  
 protocols --aad-audience --aad-issuer --aad-tenant --vpn-client-revoked-certs --vpn-client-root-certs  
 --radius-client-root-certs --radius-server-root-certs --radius-servers  
 az network vpn-server-config show --name --resource-group  
 az network vpn-server-config wait --name --resource-group --created --custom --deleted --exists --  
 interval --timeout --updated  
 az network vpn-server-config ipsec-policy add --name --resource-group --no-wait --dh-group --ike-  
 encryption --ike-integrity --ipsec-encryption --ipsec-integrity --pfs-group --sa-data-size --sa-lifetime  
 az network vpn-server-config ipsec-policy list --name --resource-group  
 az network vpn-server-config ipsec-policy remove --name --resource-group --no-wait --index  
 az network vpn-server-config ipsec-policy wait --name --resource-group --created --custom --deleted  
 --exists --interval --timeout --updated  
 az network vpn-site create --ip-address --name --resource-group --address-prefixes --location --no-  
 wait --security-site --site-key --tags --virtual-wan --with-link --asn --bgp-peering-address --peer-  
 weight --device-model --device-vendor --link-speed  
 az network vpn-site delete --ids --name --resource-group --subscription  
 az network vpn-site download --request --resource-group --vwan-name  
 az network vpn-site list --resource-group  
 az network vpn-site show --ids --name --resource-group --subscription  
 az network vpn-site update --address-prefixes --ip-address --no-wait --security-site --site-key --tags --  
 virtual-wan --asn --bgp-peering-address --peer-weight --device-model --device-vendor --link-speed --  
 add --force-string --remove --set --ids --name --resource-group --subscription  
 az network vpn-site link add --ip-address --name --fqdn --link-provider-name --link-speed-in-mbps --  
 no-wait --asn --bgp-peering-address --ids --resource-group --site-name --subscription  
 az network vpn-site link list --resource-group --site-name  
 az network vpn-site link remove --index --no-wait --ids --resource-group --site-name --subscription  
 az network vwan create --name --resource-group --branch-to-branch-traffic --disable-vpn-encryption  
 --location --office365-category --security-provider-name --tags --type  
 az network vwan delete --ids --name --resource-group --subscription  
 az network vwan list --resource-group  
 az network vwan show --ids --name --resource-group --subscription  
 az network vwan update --branch-to-branch-traffic --disable-vpn-encryption --office365-category --  
 security-provider-name --tags --type --add --force-string --remove --set --ids --name --resource-group  
 --subscription  
 az network watcher configure --locations --enabled --resource-group --tags  
 az network watcher list

az network watcher run-configuration-diagnostic --destination --direction --port --protocol --queries  
 --source --resource --parent --resource-group --resource-type  
 az network watcher show-next-hop --dest-ip --resource-group --source-ip --vm --nic  
 az network watcher show-security-group-view --resource-group --vm  
 az network watcher show-topology --location --resource-group --subnet --vnet  
 az network watcher test-connectivity --source-resource --protocol --resource-group --source-port --  
 dest-address --dest-port --dest-resource --headers --method --valid-status-codes  
 az network watcher test-ip-flow --direction --local --protocol --remote --vm --nic --resource-group  
 az network watcher connection-monitor create --name --location --resource-group --tags --dest-  
 address --dest-port --dest-resource --do-not-start --monitoring-interval --source-port --source-  
 resource --notes --endpoint-dest-address --endpoint-dest-coverage-level --endpoint-dest-name --  
 endpoint-dest-resource-id --endpoint-dest-type --endpoint-source-address --endpoint-source-  
 coverage-level --endpoint-source-name --endpoint-source-resource-id --endpoint-source-type --  
 output-type --workspace-ids --frequency --http-method --http-path --http-port --http-valid-status-  
 codes --https-prefer --icmp-disable-trace-route --preferred-ip-version --protocol --tcp-disable-trace-  
 route --tcp-port --tcp-port-behavior --test-config-name --threshold-failed-percent --threshold-round-  
 trip-time --test-group-disable --test-group-name  
 az network watcher connection-monitor delete --location --name  
 az network watcher connection-monitor list --location  
 az network watcher connection-monitor query --location --name  
 az network watcher connection-monitor show --location --name  
 az network watcher connection-monitor start --location --name  
 az network watcher connection-monitor stop --location --name  
 az network watcher connection-monitor endpoint add --connection-monitor --location --name --  
 address --address-exclude --address-include --coverage-level --filter-item --filter-type --resource-id --  
 type --dest-test-groups --source-test-groups  
 az network watcher connection-monitor endpoint list --connection-monitor --location  
 az network watcher connection-monitor endpoint remove --connection-monitor --location --name --  
 test-groups  
 az network watcher connection-monitor endpoint show --connection-monitor --location --name  
 az network watcher connection-monitor output add --connection-monitor --location --type --  
 workspace-id  
 az network watcher connection-monitor output list --connection-monitor --location  
 az network watcher connection-monitor output remove --connection-monitor --location  
 az network watcher connection-monitor test-configuration add --connection-monitor --location --  
 name --protocol --test-groups --frequency --preferred-ip-version --threshold-failed-percent --  
 threshold-round-trip-time --http-method --http-path --http-port --http-prefer-https --http-request-  
 header --http-valid-status-codes --icmp-disable-trace-route --tcp-disable-trace-route --tcp-port --tcp-  
 port-behavior  
 az network watcher connection-monitor test-configuration list --connection-monitor --location  
 az network watcher connection-monitor test-configuration remove --connection-monitor --location --  
 name --test-groups  
 az network watcher connection-monitor test-configuration show --connection-monitor --location --  
 name  
 az network watcher connection-monitor test-group add --connection-monitor --location --name --  
 disable --endpoint-dest-name --endpoint-source-name --endpoint-dest-address --endpoint-dest-  
 resource-id --endpoint-source-address --endpoint-source-resource-id --test-config-name --frequency  
 --http-method --http-path --http-port --http-valid-status-codes --https-prefer --icmp-disable-trace-

```

route --preferred-ip-version --protocol --tcp-disable-trace-route --tcp-port --threshold-failed-percent
--threshold-round-trip-time
az network watcher connection-monitor test-group list --connection-monitor --location
az network watcher connection-monitor test-group remove --connection-monitor --location --name
az network watcher connection-monitor test-group show --connection-monitor --location --name
az network watcher flow-log configure --nsg --enabled --resource-group --retention --storage-
account --format --log-version --interval --traffic-analytics --workspace
az network watcher flow-log create --location --name --nsg --enabled --resource-group --retention --
storage-account --tags --format --log-version --interval --traffic-analytics --workspace
az network watcher flow-log delete --location --name
az network watcher flow-log list --location
az network watcher flow-log show --location --name --nsg --resource-group
az network watcher flow-log update --location --name --enabled --nsg --resource-group --retention --
storage-account --tags --format --log-version --add --force-string --remove --set --interval --traffic-
analytics --workspace
az network watcher packet-capture create --name --resource-group --vm --capture-limit --capture-
size --filters --time-limit --file-path --storage-account --storage-path
az network watcher packet-capture delete --location --name
az network watcher packet-capture list --location
az network watcher packet-capture show --location --name
az network watcher packet-capture show-status --location --name
az network watcher packet-capture stop --location --name
az network watcher troubleshooting show --resource --resource-group --resource-type
az network watcher troubleshooting start --resource --storage-account --storage-path --no-wait --
resource-group --resource-type
az notification-hub check-availability --name --namespace-name --resource-group
az notification-hub create --location --name --namespace-name --resource-group --registration-ttl --
tags
az notification-hub delete --yes --ids --name --namespace-name --resource-group --subscription
az notification-hub list --namespace-name --resource-group
az notification-hub show --ids --name --namespace-name --resource-group --subscription
az notification-hub test-send --namespace-name --notification-format --notification-hub-name --
resource-group --message --payload --tag --title
az notification-hub update --name --namespace-name --resource-group --tags
az notification-hub authorization-rule create --name --namespace-name --notification-hub-name --
resource-group --rights
az notification-hub authorization-rule delete --ids --name --namespace-name --notification-hub-
name --resource-group --subscription
az notification-hub authorization-rule list --namespace-name --notification-hub-name --resource-
group
az notification-hub authorization-rule list-keys --name --namespace-name --notification-hub-name --
resource-group
az notification-hub authorization-rule regenerate-keys --name --namespace-name --notification-hub-
name --policy-key --resource-group
az notification-hub authorization-rule show --ids --name --namespace-name --notification-hub-name
--resource-group --subscription
az notification-hub credential list --namespace-name --notification-hub-name --resource-group

```

az notification-hub credential adm update --client-id --client-secret --namespace-name --notification-hub-name --resource-group  
 az notification-hub credential apns update --namespace-name --notification-hub-name --resource-group --apns-certificate --app-id --app-name --certificate-key --endpoint --key-id --token  
 az notification-hub credential baidu update --api-key --namespace-name --notification-hub-name --resource-group --secret-key  
 az notification-hub credential gcm update --google-api-key --namespace-name --notification-hub-name --resource-group  
 az notification-hub credential mpns update --certificate-key --mpns-certificate --namespace-name --notification-hub-name --resource-group  
 az notification-hub credential wns update --namespace-name --notification-hub-name --package-sid --resource-group --secret-key  
 az notification-hub namespace check-availability --name  
 az notification-hub namespace create --name --resource-group --sku --location --tags  
 az notification-hub namespace delete --no-wait --yes --ids --name --resource-group --subscription  
 az notification-hub namespace list --resource-group  
 az notification-hub namespace show --ids --name --resource-group --subscription  
 az notification-hub namespace update --name --resource-group --sku --tags  
 az notification-hub namespace wait --name --resource-group --created --custom --deleted --exists --interval --timeout --updated  
 az notification-hub namespace authorization-rule create --name --namespace-name --resource-group --rights  
 az notification-hub namespace authorization-rule delete --yes --ids --name --namespace-name --resource-group --subscription  
 az notification-hub namespace authorization-rule list --namespace-name --resource-group  
 az notification-hub namespace authorization-rule list-keys --name --namespace-name --resource-group  
 az notification-hub namespace authorization-rule regenerate-keys --name --namespace-name --policy-key --resource-group  
 az notification-hub namespace authorization-rule show --ids --name --namespace-name --resource-group --subscription  
 az offazure hyperv cluster list --resource-group --site-name  
 az offazure hyperv cluster show --cluster-name --name --ids --resource-group --site-name --subscription  
 az offazure hyperv host list --resource-group --site-name  
 az offazure hyperv host show --host-name --name --ids --resource-group --site-name --subscription  
 az offazure hyperv machine list --resource-group --site-name  
 az offazure hyperv machine show --ids --machine-name --name --resource-group --site-name --subscription  
 az offazure hyperv run-as-account list --resource-group --site-name  
 az offazure hyperv run-as-account show --account-name --name --ids --resource-group --site-name --subscription  
 az offazure hyperv site create --name --resource-group --agent --appliance-name --identity --location --solution-id --tags  
 az offazure hyperv site delete --yes --ids --name --site-name --resource-group --subscription  
 az offazure hyperv site show --ids --name --site-name --resource-group --subscription  
 az offazure vmware machine list --resource-group --site-name

```

az offazure vmware machine show --ids --machine-name --name --resource-group --site-name --
subscription
az offazure vmware run-as-account list --resource-group --site-name
az offazure vmware run-as-account show --account-name --name --ids --resource-group --site-name
--subscription
az offazure vmware site create --name --resource-group --agent --appliance-name --identity --
location --solution-id --tags
az offazure vmware site delete --yes --ids --name --site-name --resource-group --subscription
az offazure vmware site show --ids --name --site-name --resource-group --subscription
az offazure vmware vcenter list --resource-group --site-name
az offazure vmware vcenter show --ids --name --vcenter-name --resource-group --site-name --
subscription
az peering asn create --peer-asn-name --peer-asn --peer-contact-detail --peer-name --validation-
state
az peering asn delete --peer-asn-name
az peering asn list
az peering asn show --peer-asn-name
az peering legacy list --kind --peering-location --asn
az peering location list --kind --direct-peering-type
az peering peering create --kind --location --peering-name --resource-group --sku --direct --exchange
--peering-location --tags
az peering peering delete --peering-name --resource-group
az peering peering list --resource-group
az peering peering show --peering-name --resource-group
az peering peering update --peering-name --resource-group --tags
az peering received-route list --peering-name --resource-group --as-path --origin-as-validation-state -
-prefix --rpki-validation-state --skip-token
az peering registered-asn create --peering-name --registered-asn-name --resource-group --asn
az peering registered-asn delete --peering-name --registered-asn-name --resource-group
az peering registered-asn list --peering-name --resource-group
az peering registered-asn show --peering-name --registered-asn-name --resource-group
az peering registered-asn update --peering-name --registered-asn-name --resource-group --asn
az peering registered-prefix create --peering-name --registered-prefix-name --resource-group --
prefix
az peering registered-prefix delete --peering-name --registered-prefix-name --resource-group
az peering registered-prefix list --peering-name --resource-group
az peering registered-prefix show --peering-name --registered-prefix-name --resource-group
az peering registered-prefix update --peering-name --registered-prefix-name --resource-group --
prefix
az peering service create --location --peering-service-name --resource-group --peering-service-
location --peering-service-provider --sku --tags
az peering service delete --peering-service-name --resource-group
az peering service list --resource-group
az peering service show --peering-service-name --resource-group
az peering service update --peering-service-name --resource-group --tags
az peering service country list
az peering service location list --country

```

```

az peering service prefix create --peering-service-name --prefix-name --resource-group --peering-
service-prefix-key --prefix
az peering service prefix delete --peering-service-name --prefix-name --resource-group
az peering service prefix list --peering-service-name --resource-group --expand
az peering service prefix show --peering-service-name --prefix-name --resource-group --expand
az peering service prefix update --peering-service-name --prefix-name --resource-group --peering-
service-prefix-key --prefix
az peering service provider list
az pipelines create --name --branch --description --detect --folder-path --org --organization --project -
-queue-id --repository --repository-type --service-connection --skip-first-run --skip-run --yaml-path --
yaml-path
az pipelines delete --id --detect --org --organization --project --yes
az pipelines list --detect --folder-path --name --org --organization --project --query-order --repository
--repository-type --top
az pipelines run --branch --commit-id --detect --folder-path --id --name --open --org --organization --
parameters --project --variables
az pipelines show --detect --folder-path --id --name --open --org --organization --project
az pipelines update --id --branch --description --detect --new-folder-path --new-name --org --
organization --project --queue-id --yaml-path --yaml-path
az pipelines agent list --pool-id --agent-name --demands --detect --include-assigned-request --
include-capabilities --include-last-completed-request --org --organization
az pipelines agent show --agent-id --pool-id --detect --include-assigned-request --include-capabilities
--include-last-completed-request --org --organization
az pipelines build list --branch --definition-ids --detect --org --organization --project --reason --
requested-for --result --status --tags --top
az pipelines build queue --branch --commit-id --definition-id --definition-name --detect --open --org -
-organization --project --queue-id --variables
az pipelines build show --id --detect --open --org --organization --project
az pipelines build definition list --detect --name --org --organization --project --repository --
repository-type --top
az pipelines build definition show --detect --id --name --open --org --organization --project
az pipelines build tag add --build-id --tags --detect --org --organization --project
az pipelines build tag delete --build-id --tag --detect --org --organization --project
az pipelines build tag list --build-id --detect --org --organization --project
az pipelines folder create --path --description --detect --org --organization --project
az pipelines folder delete --path --detect --org --organization --project --yes
az pipelines folder list --detect --org --organization --path --project --query-order
az pipelines folder update --path --detect --new-description --new-path --org --organization --project
az pipelines pool list --action --detect --org --organization --pool-name --pool-type
az pipelines pool show --id --action --detect --org --organization
az pipelines queue list --action --detect --org --organization --project --queue-name
az pipelines queue show --id --action --detect --org --organization --project
az pipelines release create --artifact-metadata-list --definition-id --definition-name --description --
detect --open --org --organization --project
az pipelines release list --definition-id --detect --org --organization --project --source-branch --status -
-top
az pipelines release show --id --detect --open --org --organization --project

```



az pipelines release definition list --artifact-source-id --artifact-type --detect --name --org --organization --project --top  
 az pipelines release definition show --detect --id --name --open --org --organization --project  
 az pipelines runs list --branch --detect --org --organization --pipeline-ids --project --query-order --reason --requested-for --result --status --tags --top  
 az pipelines runs show --id --detect --open --org --organization --project  
 az pipelines runs artifact download --artifact-name --path --run-id --detect --org --organization --project  
 az pipelines runs artifact list --run-id --detect --org --organization --project  
 az pipelines runs artifact upload --artifact-name --path --run-id --detect --org --organization --project  
 az pipelines runs tag add --run-id --tags --detect --org --organization --project  
 az pipelines runs tag delete --run-id --tag --detect --org --organization --project  
 az pipelines runs tag list --run-id --detect --org --organization --project  
 az pipelines variable create --name --allow-override --detect --org --organization --pipeline-id --pipeline-name --project --secret --value  
 az pipelines variable delete --name --detect --org --organization --pipeline-id --pipeline-name --project --yes  
 az pipelines variable list --detect --org --organization --pipeline-id --pipeline-name --project  
 az pipelines variable update --name --allow-override --detect --new-name --org --organization --pipeline-id --pipeline-name --project --prompt-value --secret --value  
 az pipelines variable-group create --name --variables --authorize --description --detect --org --organization --project  
 az pipelines variable-group delete --group-id --detect --org --organization --project --yes  
 az pipelines variable-group list --action --action-filter --continuation-token --detect --group-name --org --organization --project --query-order --top  
 az pipelines variable-group show --group-id --detect --org --organization --project  
 az pipelines variable-group update --group-id --authorize --description --detect --name --org --organization --project  
 az pipelines variable-group variable create --group-id --name --detect --org --organization --project --secret --value  
 az pipelines variable-group variable delete --group-id --name --detect --org --organization --project --yes  
 az pipelines variable-group variable list --group-id --detect --org --organization --project  
 az pipelines variable-group variable update --group-id --name --detect --new-name --org --organization --project --prompt-value --secret --value  
 az policy assignment create --description --display-name --enforcement-mode --location --name --not-scopes --params --policy --policy-set-definition --resource-group --scope --identity-scope --mi-system-assigned --mi-user-assigned --role  
 az policy assignment delete --name --resource-group --scope  
 az policy assignment list --disable-scope-strict-match --resource-group --scope  
 az policy assignment show --name --resource-group --scope  
 az policy assignment update --description --display-name --enforcement-mode --name --not-scopes --params --resource-group --scope  
 az policy assignment identity assign --name --resource-group --scope --identity-scope --role --system-assigned --user-assigned  
 az policy assignment identity remove --name --resource-group --scope  
 az policy assignment identity show --name --resource-group --scope

```

az policy assignment non-compliance-message create --message --name --policy-definition-
reference-id --resource-group --scope
az policy assignment non-compliance-message delete --message --name --policy-definition-
reference-id --resource-group --scope
az policy assignment non-compliance-message list --name --resource-group --scope
az policy definition create --name --description --display-name --management-group --metadata --
mode --params --rules --subscription
az policy definition delete --name --management-group --subscription
az policy definition list --management-group --subscription
az policy definition show --name --management-group --subscription
az policy definition update --name --description --display-name --management-group --metadata --
mode --params --rules --subscription
az policy event list --apply --filter --from --order-by --select --to --top --namespace --parent --resource
--resource-type --management-group --policy-assignment --policy-definition --policy-set-definition --
resource-group
az policy exemption create --name --description --display-name --exemption-category --expires-on --
metadata --policy-assignment --policy-definition-reference-ids --resource-group --scope
az policy exemption delete --name --resource-group --scope
az policy exemption list --disable-scope-strict-match --resource-group --scope
az policy exemption show --name --resource-group --scope
az policy exemption update --name --description --display-name --exemption-category --expires-on --
metadata --policy-definition-reference-ids --resource-group --scope
az policy metadata list --top
az policy metadata show --name
az policy remediation cancel --name --namespace --parent --resource --resource-type --
management-group --resource-group
az policy remediation create --name --policy-assignment --definition-reference-id --location-filters --
resource-discovery-mode --namespace --parent --resource --resource-type --management-group --
resource-group
az policy remediation delete --name --namespace --parent --resource --resource-type --
management-group --resource-group
az policy remediation list --namespace --parent --resource --resource-type --management-group --
resource-group
az policy remediation show --name --namespace --parent --resource --resource-type --management-
group --resource-group
az policy remediation deployment list --name --namespace --parent --resource --resource-type --
management-group --resource-group
az policy set-definition create --definitions --name --definition-groups --description --display-name --
management-group --metadata --params --subscription
az policy set-definition delete --name --management-group --subscription
az policy set-definition list --management-group --subscription
az policy set-definition show --name --management-group --subscription
az policy set-definition update --name --definition-groups --definitions --description --display-name --
management-group --metadata --params --subscription
az policy state list --all --apply --expand --filter --from --order-by --select --to --top --namespace --
parent --resource --resource-type --management-group --policy-assignment --policy-definition --
policy-set-definition --resource-group

```

az policy state summarize --filter --from --to --top --namespace --parent --resource --resource-type --  
 management-group --policy-assignment --policy-definition --policy-set-definition --resource-group  
 az policy state trigger-scan --no-wait --resource-group  
 az portal dashboard create --input-path --name --resource-group --location --tags  
 az portal dashboard delete --name --resource-group --yes  
 az portal dashboard import --input-path --resource-group --name  
 az portal dashboard list --resource-group  
 az portal dashboard show --name --resource-group  
 az portal dashboard update --input-path --name --resource-group  
 az postgres down --delete-group --no-wait --resource-group --server-name --yes  
 az postgres show-connection-string --admin-password --admin-user --database-name --server-name  
 az postgres up --backup-retention --database-name --geo-redundant-backup --location --resource-  
 group --server-name --sku-name --ssl-enforcement --storage-size --tags --version --admin-password --  
 admin-user --generate-password  
 az postgres arc-server create --name --coordinator-settings --cores-limit --cores-request --engine-  
 settings --engine-version --extensions --k8s-namespace --memory-limit --memory-request --no-  
 external-endpoint --no-wait --path --port --storage-class-backups --storage-class-data --storage-class-  
 logs --use-k8s --volume-claim-mounts --volume-size-backups --volume-size-data --volume-size-logs --  
 worker-settings --workers  
 az postgres arc-server delete --name --force --k8s-namespace --use-k8s  
 az postgres arc-server edit --name --admin-password --coordinator-settings --cores-limit --cores-  
 request --engine-settings --extensions --k8s-namespace --memory-limit --memory-request --no-wait  
 --path --port --replace-settings --use-k8s --worker-settings --workers  
 az postgres arc-server list --k8s-namespace --use-k8s  
 az postgres arc-server show --name --k8s-namespace --path --use-k8s  
 az postgres arc-server endpoint list --k8s-namespace --name --use-k8s  
 az postgres db create --name --resource-group --server-name --charset --collation  
 az postgres db delete --name --yes --ids --resource-group --server-name --subscription  
 az postgres db list --resource-group --server-name  
 az postgres db show --name --ids --resource-group --server-name --subscription  
 az postgres flexible-server connect --name --database-name --interactive --querytext --admin-user --  
 admin-password  
 az postgres flexible-server create --address-prefixes --backup-retention --database-name --high-  
 availability --location --name --private-dns-zone --public-access --resource-group --sku-name --  
 standby-zone --storage-size --subnet --subnet-prefixes --tags --tier --version --vnet --yes --zone --  
 admin-password --admin-user  
 az postgres flexible-server delete --yes --ids --name --resource-group --subscription  
 az postgres flexible-server execute --name --database-name --file-path --querytext --admin-password  
 --admin-user  
 az postgres flexible-server list --resource-group  
 az postgres flexible-server list-skus --location  
 az postgres flexible-server restart --failover --ids --name --resource-group --subscription  
 az postgres flexible-server restore --source-server --address-prefixes --no-wait --private-dns-zone --  
 restore-time --subnet --subnet-prefixes --vnet --yes --zone --ids --name --resource-group --  
 subscription  
 az postgres flexible-server show --ids --name --resource-group --subscription  
 az postgres flexible-server show-connection-string --admin-password --admin-user --database-name  
 --ids --server-name --subscription

```

az postgres flexible-server start --ids --name --resource-group --subscription
az postgres flexible-server stop --ids --name --resource-group --subscription
az postgres flexible-server update --backup-retention --high-availability --maintenance-window --
sku-name --standby-zone --storage-size --tags --tier --admin-password --add --force-string --remove -
-set --ids --name --resource-group --subscription
az postgres flexible-server wait --ids --name --resource-group --subscription --created --custom --
deleted --exists --interval --timeout --updated
az postgres flexible-server db create --resource-group --server-name --charset --collation --database-
name
az postgres flexible-server db delete --yes --database-name --ids --resource-group --server-name --
subscription
az postgres flexible-server db list --resource-group --server-name
az postgres flexible-server db show --database-name --ids --resource-group --server-name --
subscription
az postgres flexible-server deploy run --action-name --branch
az postgres flexible-server deploy setup --repo --sql-file --action-name --allow-push --branch --admin-
password --admin-user --database-name --ids --resource-group --server-name --subscription
az postgres flexible-server firewall-rule create --name --resource-group --end-ip-address --rule-name
--start-ip-address
az postgres flexible-server firewall-rule delete --yes --ids --name --resource-group --rule-name --
subscription
az postgres flexible-server firewall-rule list --name --resource-group
az postgres flexible-server firewall-rule show --ids --name --resource-group --rule-name --
subscription
az postgres flexible-server firewall-rule update --end-ip-address --start-ip-address --add --force-string
--remove --set --ids --name --resource-group --rule-name --subscription
az postgres flexible-server migration check-name-availability --migration-name --ids --name --
resource-group --subscription
az postgres flexible-server migration create --name --properties --resource-group --migration-name
az postgres flexible-server migration delete --migration-name --yes --ids --name --resource-group --
subscription
az postgres flexible-server migration list --filter --ids --name --resource-group --subscription
az postgres flexible-server migration show --migration-name --level --ids --name --resource-group --
subscription
az postgres flexible-server migration update --migration-name --db-names --dbs --overwrite-dbs --
setup-replication --start-data-migration --ids --name --resource-group --subscription
az postgres flexible-server parameter list --resource-group --server-name
az postgres flexible-server parameter set --source --value --ids --name --resource-group --server-
name --subscription
az postgres flexible-server parameter show --ids --name --resource-group --server-name --
subscription
az postgres server create --assign-identity --auto-grow --backup-retention --geo-redundant-backup --
infrastructure-encryption --location --minimal-tls-version --name --public --public-network-access --
resource-group --sku-name --ssl-enforcement --storage-size --tags --version --admin-password --
admin-user
az postgres server delete --yes --ids --name --resource-group --subscription
az postgres server georestore --location --source-server --backup-retention --geo-redundant-backup
--no-wait --sku-name --ids --name --resource-group --subscription

```

```

az postgres server list --resource-group
az postgres server list-skus --location
az postgres server restart --ids --name --resource-group --subscription
az postgres server restore --pitr-time --source-server --no-wait --ids --name --resource-group --
subscription
az postgres server show --ids --name --resource-group --subscription
az postgres server show-connection-string --admin-password --admin-user --database-name --ids --
server-name --subscription
az postgres server update --admin-password --assign-identity --auto-grow --backup-retention --
minimal-tls-version --public --public-network-access --sku-name --ssl-enforcement --storage-size --
tags --add --force-string --remove --set --ids --name --resource-group --subscription
az postgres server wait --ids --name --resource-group --subscription --custom --exists --interval --
timeout
az postgres server ad-admin create --resource-group --server-name --display-name --no-wait --
object-id
az postgres server ad-admin delete --yes --ids --resource-group --server-name --subscription
az postgres server ad-admin list --ids --resource-group --server-name --subscription
az postgres server ad-admin show --ids --resource-group --server-name --subscription
az postgres server ad-admin wait --ids --resource-group --server-name --subscription --created --
custom --deleted --exists --interval --timeout --updated
az postgres server configuration list --ids --resource-group --server-name --subscription
az postgres server configuration set --value --ids --name --resource-group --server-name --
subscription
az postgres server configuration show --ids --name --resource-group --server-name --subscription
az postgres server firewall-rule create --end-ip-address --name --resource-group --server-name --
start-ip-address
az postgres server firewall-rule delete --yes --ids --name --resource-group --server-name --
subscription
az postgres server firewall-rule list --ids --resource-group --server-name --subscription
az postgres server firewall-rule show --ids --name --resource-group --server-name --subscription
az postgres server firewall-rule update --end-ip-address --start-ip-address --add --force-string --
remove --set --ids --name --resource-group --server-name --subscription
az postgres server key create --kid --name --resource-group
az postgres server key delete --kid --yes --ids --name --resource-group --subscription
az postgres server key list --ids --name --resource-group --subscription
az postgres server key show --kid --ids --name --resource-group --subscription
az postgres server private-endpoint-connection approve --description --id --name --ids --resource-
group --server-name --subscription
az postgres server private-endpoint-connection delete --id --name --ids --resource-group --server-
name --subscription
az postgres server private-endpoint-connection reject --description --id --name --ids --resource-
group --server-name --subscription
az postgres server private-endpoint-connection show --id --name --ids --resource-group --server-
name --subscription
az postgres server private-link-resource list --ids --resource-group --server-name --subscription
az postgres server replica create --name --resource-group --source-server --location --no-wait --sku-
name
az postgres server replica list --ids --resource-group --server-name --subscription

```

```

az postgres server replica stop --yes --ids --name --resource-group --subscription
az postgres server vnet-rule create --name --resource-group --server-name --subnet --ignore-
missing-endpoint --vnet-name
az postgres server vnet-rule delete --ids --name --resource-group --server-name --subscription
az postgres server vnet-rule list --ids --resource-group --server-name --subscription
az postgres server vnet-rule show --ids --name --resource-group --server-name --subscription
az postgres server vnet-rule update --subnet --ignore-missing-endpoint --vnet-name --add --force-
string --remove --set --ids --name --resource-group --server-name --subscription
az postgres server-logs download --name --ids --resource-group --server-name --subscription
az postgres server-logs list --resource-group --server-name --file-last-written --filename-contains --
max-file-size
az powerbi embedded-capacity create --administration-members --location --name --resource-group
--sku-name --no-wait --sku-tier --tags
az powerbi embedded-capacity delete --name --resource-group --no-wait --yes
az powerbi embedded-capacity list --resource-group
az powerbi embedded-capacity show --name --resource-group
az powerbi embedded-capacity update --name --resource-group --administration-members --no-wait
--sku-name --sku-tier --tags
az powerbi embedded-capacity wait --name --resource-group --created --custom --deleted --exists --
interval --timeout --updated
az ppg create --name --resource-group --location --tags --type
az ppg delete --name --resource-group
az ppg list --resource-group
az ppg show --name --resource-group --include-colocation-status
az ppg update --name --resource-group --include-colocation-status --add --force-string --remove --set
az provider list --expand
az provider register --namespace --consent-to-permissions --management-group-id --wait
az provider show --namespace --expand
az provider unregister --namespace --wait
az provider operation list
az provider operation show --namespace
az provider permission list --namespace
az providerhub custom-rollout create --provider-namespace --rollout-name --canary
az providerhub custom-rollout list --provider-namespace
az providerhub custom-rollout show --ids --provider-namespace --rollout-name --subscription
az providerhub default-rollout create --provider-namespace --rollout-name --canary --no-wait --rest-
of-the-world-group-two --row2
az providerhub default-rollout delete --yes --ids --provider-namespace --rollout-name --subscription
az providerhub default-rollout list --provider-namespace
az providerhub default-rollout show --ids --provider-namespace --rollout-name --subscription
az providerhub default-rollout stop --ids --provider-namespace --rollout-name --subscription
az providerhub manifest checkin --arm-manifest-location --environment --ids --provider-namespace -
-subscription
az providerhub manifest generate --ids --provider-namespace --subscription
az providerhub notification-registration create --name --provider-namespace --included-events --
message-scope --notification-endpoints --notification-mode
az providerhub notification-registration delete --yes --ids --name --notification-registration-name --
provider-namespace --subscription

```

```

az providerhub notification-registration list --provider-namespace
az providerhub notification-registration show --ids --name --notification-registration-name --
provider-namespace --subscription
az providerhub operation create --contents --provider-namespace
az providerhub operation delete --yes --ids --provider-namespace --subscription
az providerhub operation list --provider-namespace
az providerhub provider-registration create --provider-namespace --capabilities --metadata --
namespace --no-wait --provider-authentication --provider-authn --provider-authorizations --
provider-authz --provider-type --provider-version --template-deployment-options --tmplt-deploy-opt
--req-features-policy --required-features-policy --incident-contact-email --incident-routing-service --
incident-service --incident-routing-team --incident-team --manifest-owners --required-features --
resource-access-policy --resource-access-roles --schema-owners --service-tree-infos --metadata-
authn --providerhub-metadata-authentication --metadata-authz --providerhub-metadata-
authorizations --lighthouse-auth --lighthouse-authorizations --managed-by-tenant-id --opt-in-
headers --override-actions --subscription-state-override-actions --soft-delete-ttl
az providerhub provider-registration delete --yes --ids --provider-namespace --subscription
az providerhub provider-registration generate-operation --ids --provider-namespace --subscription
az providerhub provider-registration list
az providerhub provider-registration show --ids --provider-namespace --subscription
az providerhub resource-type-registration create --provider-namespace --resource-type --allowed-
unauthorized-actions --aua --auth-mappings --authorization-action-mappings --check-name-
availability-specifications --checkname-specs --dav --disallowed-action-verbs --default-api-version --
deletion-policy --resource-deletion-policy --enable-async-operation --enable-third-party-s2s --
endpoints --extended-locations --identity-management --is-pure-proxy --linked-access-checks --
logging-rules --marketplace-type --regionality --required-features --resource-move-policy --routing-
type --service-tree-infos --sub-state-rules --subscription-state-rules --swagger-specifications --
template-deployment-options --tmplt-deploy-opt --throttling-rules --creation-begin --resource-
creation-begin --patch-begin --resource-patch-begin --req-features-policy --required-features-policy -
opt-in-headers --override-actions --subscription-state-override-actions --soft-delete-ttl
az providerhub resource-type-registration delete --yes --ids --provider-namespace --resource-type --
subscription
az providerhub resource-type-registration list --provider-namespace
az providerhub resource-type-registration show --ids --provider-namespace --resource-type --
subscription
az providerhub sku create --provider-namespace --resource-type --sku --sku-settings --nested-first --
nested-resource-type-first --nested-resource-type-second --nested-second --nested-resource-type-
third --nested-third
az providerhub sku delete --yes --ids --nested-first --nested-resource-type-first --nested-resource-
type-second --nested-second --nested-resource-type-third --nested-third --provider-namespace --
resource-type --sku --subscription
az providerhub sku list --provider-namespace --resource-type --nested-first --nested-resource-type-
first --nested-resource-type-second --nested-second --nested-resource-type-third --nested-third
az providerhub sku show --ids --provider-namespace --resource-type --sku --subscription
az providerhub sku show-nested-resource-type-first --ids --nested-first --nested-resource-type-first --
provider-namespace --resource-type --sku --subscription
az providerhub sku show-nested-resource-type-second --ids --nested-first --nested-resource-type-
first --nested-resource-type-second --nested-second --provider-namespace --resource-type --sku --
subscription

```

```

az providerhub sku show-nested-resource-type-third --ids --nested-first --nested-resource-type-first -
--nested-resource-type-second --nested-second --nested-resource-type-third --nested-third --
provider-namespace --resource-type --sku --subscription
az purview account add-root-collection-admin --object-id --account-name --name --ids --resource-
group --subscription
az purview account create --account-name --resource-group --location --managed-group-name --no-
wait --public-network-access --tags
az purview account delete --no-wait --yes --account-name --name --ids --resource-group --
subscription
az purview account list --resource-group --skip-token
az purview account list-key --account-name --resource-group
az purview account show --account-name --name --ids --resource-group --subscription
az purview account update --managed-group-name --no-wait --public-network-access --tags --
account-name --name --ids --resource-group --subscription
az purview account wait --account-name --name --ids --resource-group --subscription --created --
custom --deleted --exists --interval --timeout --updated
az purview default-account remove --scope-tenant-id --scope-type --scope
az purview default-account set --scope-tenant-id --subscription-id --account-name --name --
resource-group --scope --scope-type
az purview default-account show --scope-tenant-id --scope-type --scope
az quantum execute --job-name --job-params --location --no-build --project --resource-group --shots
--storage --target-capability --target-id --workspace-name
az quantum run --job-name --job-params --location --no-build --project --resource-group --shots --
storage --target-capability --target-id --workspace-name
az quantum job cancel --job-id --location --resource-group --workspace-name
az quantum job list --location --resource-group --workspace-name
az quantum job output --job-id --location --resource-group --workspace-name
az quantum job show --job-id --location --resource-group --workspace-name
az quantum job submit --job-name --job-params --location --no-build --project --resource-group --
shots --storage --target-capability --target-id --workspace-name
az quantum job wait --job-id --location --max-poll-wait-secs --resource-group --workspace-name
az quantum offerings accept-terms --location --provider-id --sku
az quantum offerings list --autoadd-only --location
az quantum offerings show-terms --location --provider-id --sku
az quantum target clear
az quantum target list --location --resource-group --workspace-name
az quantum target set --target-id
az quantum target show --target-id
az quantum workspace clear
az quantum workspace create --auto-accept --location --provider-sku-list --resource-group --skip-
role-assignment --storage-account --workspace-name
az quantum workspace delete --resource-group --workspace-name
az quantum workspace list --location --resource-group --tag
az quantum workspace quotas --location --resource-group --workspace-name
az quantum workspace set --location --resource-group --workspace-name
az quantum workspace show --resource-group --workspace-name
az quota create --resource-name --scope --no-wait --properties --resource-type --limit-object
az quota list --scope

```



```

az quota show --resource-name --scope
az quota update --resource-name --scope --no-wait --properties --resource-type --limit-object
az quota wait --resource-name --scope --created --custom --deleted --exists --interval --timeout --
updated
az quota operation list
az quota request status list --scope --filter --skip-token --top
az quota request status show --name --scope
az quota usage list --scope
az quota usage show --resource-name --scope
az redis create --location --name --resource-group --sku --vm-size --enable-non-ssl-port --mi-system-
assigned --mi-user-assigned --minimum-tls-version --redis-configuration --redis-version --replicas-
per-master --shard-count --static-ip --subnet-id --tags --tenant-settings --zones
az redis delete --yes --ids --name --resource-group --subscription
az redis export --container --prefix --file-format --ids --name --resource-group --subscription
az redis force-reboot --reboot-type --shard-id --ids --name --resource-group --subscription
az redis import --files --file-format --ids --name --resource-group --subscription
az redis list --resource-group
az redis list-keys --ids --name --resource-group --subscription
az redis regenerate-keys --key-type --ids --name --resource-group --subscription
az redis show --ids --name --resource-group --subscription
az redis update --sku --vm-size --add --force-string --remove --set --ids --name --resource-group --
subscription
az redis firewall-rules create --end-ip --name --resource-group --rule-name --start-ip
az redis firewall-rules delete --rule-name --ids --name --resource-group --subscription
az redis firewall-rules list --name --resource-group
az redis firewall-rules show --rule-name --ids --name --resource-group --subscription
az redis firewall-rules update --end-ip --rule-name --start-ip --ids --name --resource-group --
subscription
az redis identity assign --mi-system-assigned --mi-user-assigned --ids --name --resource-group --
subscription
az redis identity remove --mi-system-assigned --mi-user-assigned --ids --name --resource-group --
subscription
az redis identity show --ids --name --resource-group --subscription
az redis patch-schedule create --name --resource-group --schedule-entries
az redis patch-schedule delete --name --resource-group
az redis patch-schedule show --name --resource-group
az redis patch-schedule update --name --resource-group --schedule-entries
az redis server-link create --name --replication-role --resource-group --server-to-link
az redis server-link delete --linked-server-name --name --resource-group
az redis server-link list --name --resource-group
az redis server-link show --linked-server-name --name --resource-group
az redisenterprise create --cluster-name --resource-group --sku --capacity --client-protocol --
clustering-policy --eviction-policy --location --minimum-tls-version --modules --no-database --no-wait
--persistence --port --tags --zones --group-nickname --linked-databases
az redisenterprise delete --no-wait --yes --cluster-name --name --ids --resource-group --subscription
az redisenterprise list --resource-group
az redisenterprise show --cluster-name --name --ids --resource-group --subscription

```

```

az redisenterprise update --capacity --minimum-tls-version --no-wait --sku --tags --cluster-name --
name --ids --resource-group --subscription
az redisenterprise wait --cluster-name --name --ids --resource-group --subscription --created --
custom --deleted --exists --interval --timeout --updated
az redisenterprise database create --cluster-name --resource-group --client-protocol --clustering-
policy --eviction-policy --modules --no-wait --persistence --port --group-nickname --linked-databases
az redisenterprise database delete --no-wait --yes --cluster-name --name --ids --resource-group --
subscription
az redisenterprise database export --sas-uri --no-wait --cluster-name --name --ids --resource-group --
subscription
az redisenterprise database force-unlink --unlink-ids --no-wait --cluster-name --name --ids --
resource-group --subscription
az redisenterprise database import --sas-uris --no-wait --cluster-name --name --ids --resource-group -
-subscription
az redisenterprise database list --cluster-name --resource-group
az redisenterprise database list-keys --cluster-name --resource-group
az redisenterprise database regenerate-key --key-type --no-wait --cluster-name --name --ids --
resource-group --subscription
az redisenterprise database show --cluster-name --name --ids --resource-group --subscription
az redisenterprise database update --client-protocol --eviction-policy --no-wait --persistence --group-
nickname --linked-databases --cluster-name --name --ids --resource-group --subscription
az redisenterprise database wait --cluster-name --name --ids --resource-group --subscription --
created --custom --deleted --exists --interval --timeout --updated
az redisenterprise operation-status show --ids --location --operation-id --subscription
az relay hyco create --name --namespace-name --resource-group --requires-client-authorization --
user-metadata
az relay hyco delete --ids --name --namespace-name --resource-group --subscription
az relay hyco list --namespace-name --resource-group
az relay hyco show --ids --name --namespace-name --resource-group --subscription
az relay hyco update --requires-client-authorization --status --user-metadata --add --force-string --
remove --set --ids --name --namespace-name --resource-group --subscription
az relay hyco authorization-rule create --hybrid-connection-name --name --namespace-name --
resource-group --rights
az relay hyco authorization-rule delete --hybrid-connection-name --ids --name --namespace-name --
resource-group --subscription
az relay hyco authorization-rule list --hybrid-connection-name --namespace-name --resource-group
az relay hyco authorization-rule show --hybrid-connection-name --ids --name --namespace-name --
resource-group --subscription
az relay hyco authorization-rule update --rights --add --force-string --remove --set --hybrid-
connection-name --ids --name --namespace-name --resource-group --subscription
az relay hyco authorization-rule keys list --hybrid-connection-name --name --namespace-name --
resource-group
az relay hyco authorization-rule keys renew --key --key-value --hybrid-connection-name --ids --name
--namespace-name --resource-group --subscription
az relay namespace create --name --resource-group --location --tags
az relay namespace delete --ids --name --resource-group --subscription
az relay namespace exists --name
az relay namespace list --resource-group

```

```

az relay namespace show --ids --name --resource-group --subscription
az relay namespace update --tags --add --force-string --remove --set --ids --name --resource-group --
subscription
az relay namespace authorization-rule create --name --namespace-name --resource-group --rights
az relay namespace authorization-rule delete --ids --name --namespace-name --resource-group --
subscription
az relay namespace authorization-rule list --namespace-name --resource-group
az relay namespace authorization-rule show --ids --name --namespace-name --resource-group --
subscription
az relay namespace authorization-rule update --rights --add --force-string --remove --set --ids --name
--namespace-name --resource-group --subscription
az relay namespace authorization-rule keys list --name --namespace-name --resource-group
az relay namespace authorization-rule keys renew --key --key-value --ids --name --namespace-name
--resource-group --subscription
az relay wcfrelay create --name --namespace-name --relay-type --resource-group --requires-client-
authorization --requires-transport-security --user-metadata
az relay wcfrelay delete --ids --name --namespace-name --resource-group --subscription
az relay wcfrelay list --namespace-name --resource-group
az relay wcfrelay show --ids --name --namespace-name --resource-group --subscription
az relay wcfrelay update --relay-type --status --user-metadata --add --force-string --remove --set --ids
--name --namespace-name --resource-group --subscription
az relay wcfrelay authorization-rule create --name --namespace-name --relay-name --resource-group
--rights
az relay wcfrelay authorization-rule delete --ids --name --namespace-name --relay-name --resource-
group --subscription
az relay wcfrelay authorization-rule list --namespace-name --relay-name --resource-group
az relay wcfrelay authorization-rule show --ids --name --namespace-name --relay-name --resource-
group --subscription
az relay wcfrelay authorization-rule update --rights --add --force-string --remove --set --ids --name --
namespace-name --relay-name --resource-group --subscription
az relay wcfrelay authorization-rule keys list --name --namespace-name --relay-name --resource-
group
az relay wcfrelay authorization-rule keys renew --key --key-value --ids --name --namespace-name --
relay-name --resource-group --subscription
az remote-rendering-account create --name --resource-group --kind --location --sku --storage-
account-name --tags
az remote-rendering-account delete --ids --name --resource-group --subscription
az remote-rendering-account list --resource-group
az remote-rendering-account show --ids --name --resource-group --subscription
az remote-rendering-account update --kind --location --sku --storage-account-name --tags --ids --
name --resource-group --subscription
az remote-rendering-account key renew --key --ids --name --resource-group --subscription
az remote-rendering-account key show --ids --name --resource-group --subscription
az repos create --name --detect --open --org --organization --project
az repos delete --id --detect --org --organization --project --yes
az repos list --detect --org --organization --project
az repos show --repository --detect --open --org --organization --project
az repos update --repository --default-branch --detect --name --org --organization --project

```

```

az repos import create --git-source-url --detect --git-service-endpoint-id --org --organization --project
--repository --requires-authorization --user-name
az repos policy create --config --detect --org --organization --project
az repos policy delete --id --detect --org --organization --project --yes
az repos policy list --branch --detect --org --organization --project --repository-id
az repos policy show --id --detect --org --organization --project
az repos policy update --config --id --detect --org --organization --project
az repos policy approver-count create --allow-downvotes --blocking --branch --creator-vote-counts --
enabled --minimum-approver-count --repository-id --reset-on-source-push --branch-match-type --
branch --detect --org --organization --project
az repos policy approver-count update --id --allow-downvotes --blocking --branch --branch-match-
type --branch --creator-vote-counts --detect --enabled --minimum-approver-count --org --
organization --project --repository-id --reset-on-source-push
az repos policy build create --blocking --branch --build-definition-id --display-name --enabled --
manual-queue-only --queue-on-source-update-only --repository-id --valid-duration --branch-match-
type --detect --org --organization --path-filter --project
az repos policy build update --id --blocking --branch --branch-match-type --build-definition-id --
detect --display-name --enabled --manual-queue-only --org --organization --path-filter --project --
queue-on-source-update-only --repository-id --valid-duration
az repos policy case-enforcement create --blocking --enabled --repository-id --detect --org --
organization --project
az repos policy case-enforcement update --id --blocking --detect --enabled --org --organization --
project --repository-id
az repos policy comment-required create --blocking --branch --enabled --repository-id --branch-
match-type --branch --detect --org --organization --project
az repos policy comment-required update --id --blocking --branch --branch-match-type --branch --
detect --enabled --org --organization --project --repository-id
az repos policy file-size create --blocking --enabled --maximum-git-blob-size --repository-id --use-
uncompressed-size --detect --org --organization --project
az repos policy file-size update --id --blocking --detect --enabled --maximum-git-blob-size --org --
organization --project --repository-id --use-uncompressed-size
az repos policy merge-strategy create --blocking --branch --enabled --repository-id --allow-no-fast-
forward --allow-rebase --allow-rebase-merge --allow-squash --branch-match-type --branch --detect -
--org --organization --project
az repos policy merge-strategy update --id --allow-no-fast-forward --allow-rebase --allow-rebase-
merge --allow-squash --blocking --branch --branch-match-type --branch --detect --enabled --org --
organization --project --repository-id
az repos policy required-reviewer create --blocking --branch --enabled --message --repository-id --
required-reviewer-ids --branch-match-type --branch --detect --org --organization --path-filter --
project
az repos policy required-reviewer update --id --blocking --branch --branch-match-type --branch --
detect --enabled --message --org --organization --path-filter --project --repository-id --required-
reviewer-ids
az repos policy work-item-linking create --blocking --branch --enabled --repository-id --branch-
match-type --branch --detect --org --organization --project
az repos policy work-item-linking update --id --blocking --branch --branch-match-type --branch --
detect --enabled --org --organization --project --repository-id
az repos pr checkout --id --remote-name

```

```

az repos pr create --auto-complete --bypass-policy --bypass-policy-reason --delete-source-branch --
description --detect --draft --merge-commit-message --open --org --organization --project --
repository --reviewers --source-branch --squash --target-branch --title --transition-work-items --
work-items
az repos pr list --creator --detect --include-links --org --organization --project --repository --reviewer -
-skip --source-branch --status --target-branch --top
az repos pr set-vote --id --vote --detect --org --organization
az repos pr show --id --detect --open --org --organization
az repos pr update --id --auto-complete --bypass-policy --bypass-policy-reason --delete-source-
branch --description --detect --draft --merge-commit-message --org --organization --squash --status -
-title --transition-work-items
az repos pr policy list --id --detect --org --organization --skip --top
az repos pr policy queue --evaluation-id --id --detect --org --organization
az repos pr reviewer add --id --reviewers --detect --org --organization
az repos pr reviewer list --id --detect --org --organization
az repos pr reviewer remove --id --reviewers --detect --org --organization
az repos pr work-item add --id --work-items --detect --org --organization
az repos pr work-item list --id --detect --org --organization
az repos pr work-item remove --id --work-items --detect --org --organization
az repos ref create --name --object-id --detect --org --organization --project --repository
az repos ref delete --name --detect --object-id --org --organization --project --repository
az repos ref list --detect --filter --org --organization --project --repository
az repos ref lock --name --detect --org --organization --project --repository
az repos ref unlock --name --detect --org --organization --project --repository
az reservations catalog show --reserved-resource-type --subscription-id --location
az reservations reservation list --reservation-order-id
az reservations reservation list-history --reservation-id --reservation-order-id
az reservations reservation merge --reservation-id-1 --reservation-id-2 --reservation-order-id
az reservations reservation show --reservation-id --reservation-order-id --expand
az reservations reservation split --quantity-1 --quantity-2 --reservation-id --reservation-order-id
az reservations reservation update --applied-scope-type --reservation-id --reservation-order-id --
applied-scopes --instance-flexibility
az reservations reservation-order calculate --applied-scope-type --billing-scope --display-name --
quantity --reserved-resource-type --sku --term --applied-scope --billing-plan --instance-flexibility --
location --renew
az reservations reservation-order list
az reservations reservation-order purchase --applied-scope-type --billing-scope --display-name --
quantity --reservation-order-id --reserved-resource-type --sku --term --applied-scope --billing-plan --
instance-flexibility --location --renew
az reservations reservation-order show --reservation-order-id --expand
az reservations reservation-order-id list --subscription-id
az resource create --properties --id --is-full-object --location --api-version --latest-include-preview --
name --namespace --parent --resource-group --resource-type
az resource delete --api-version --ids --latest-include-preview --name --namespace --parent --
resource-group --resource-type
az resource invoke-action --action --request-body --api-version --ids --latest-include-preview --name -
-namespace --parent --resource-group --resource-type
az resource list --location --name --tag --namespace --resource-group --resource-type

```

```

az resource move --destination-group --ids --destination-subscription-id
az resource show --include-response-body --api-version --ids --latest-include-preview --name --
namespace --parent --resource-group --resource-type
az resource tag --tags --is-incremental --api-version --ids --latest-include-preview --name --
namespace --parent --resource-group --resource-type
az resource update --include-response-body --add --force-string --remove --set --api-version --ids --
latest-include-preview --name --namespace --parent --resource-group --resource-type
az resource wait --include-response-body --api-version --ids --name --namespace --parent --resource-
group --resource-type --created --custom --deleted --exists --interval --timeout --updated
az resource link create --link --target --notes
az resource link delete --link
az resource link list --filter --scope
az resource link show --link
az resource link update --link --notes --target
az resource lock create --lock-type --name --notes --resource-group --namespace --parent --resource
--resource-name --resource-type
az resource lock delete --ids --name --resource-group --namespace --parent --resource --resource-
name --resource-type
az resource lock list --filter-string --resource-group --namespace --parent --resource --resource-name
--resource-type
az resource lock show --ids --name --resource-group --namespace --parent --resource --resource-
name --resource-type
az resource lock update --ids --lock-type --name --notes --resource-group --namespace --parent --
resource --resource-name --resource-type
az resource-mover move-collection bulk-remove --input-type --move-resources --no-wait --validate-
only --ids --move-collection-name --name --resource-group --subscription
az resource-mover move-collection commit --move-resources --input-type --no-wait --validate-only -
ids --move-collection-name --name --resource-group --subscription
az resource-mover move-collection create --move-collection-name --resource-group --identity --
location --source-region --tags --target-region
az resource-mover move-collection delete --no-wait --yes --ids --move-collection-name --name --
resource-group --subscription
az resource-mover move-collection discard --move-resources --input-type --no-wait --validate-only --
ids --move-collection-name --name --resource-group --subscription
az resource-mover move-collection initiate-move --move-resources --input-type --no-wait --validate-
only --ids --move-collection-name --name --resource-group --subscription
az resource-mover move-collection list --resource-group
az resource-mover move-collection list-required-for --move-collection-name --resource-group --
source-id
az resource-mover move-collection list-unresolved-dependency --move-collection-name --resource-
group --dependency-level
az resource-mover move-collection prepare --move-resources --input-type --no-wait --validate-only -
ids --move-collection-name --name --resource-group --subscription
az resource-mover move-collection resolve-dependency --no-wait --ids --move-collection-name --
name --resource-group --subscription
az resource-mover move-collection show --ids --move-collection-name --name --resource-group --
subscription

```

```

az resource-mover move-collection update --identity --tags --ids --move-collection-name --name --
resource-group --subscription
az resource-mover move-collection wait --ids --move-collection-name --name --resource-group --
subscription --created --custom --deleted --exists --interval --timeout --updated
az resource-mover move-resource add --move-collection-name --move-resource-name --resource-
group --depends-on-overrides --existing-target-id --no-wait --resource-settings --source-id
az resource-mover move-resource delete --no-wait --yes --ids --move-collection-name --move-
resource-name --name --resource-group --subscription
az resource-mover move-resource list --move-collection-name --resource-group
az resource-mover move-resource show --ids --move-collection-name --move-resource-name --name
--resource-group --subscription
az resource-mover move-resource wait --ids --move-collection-name --move-resource-name --name
--resource-group --subscription --created --custom --deleted --exists --interval --timeout --updated
az restore-point create --collection-name --name --resource-group --exclude-disks --no-wait --source-
restore-point
az restore-point delete --collection-name --name --resource-group --no-wait --yes
az restore-point show --collection-name --name --resource-group --instance-view
az restore-point wait --collection-name --name --resource-group --expand --created --custom --
deleted --exists --interval --timeout --updated
az restore-point collection create --collection-name --resource-group --location --tags --source-id
az restore-point collection delete --collection-name --resource-group --no-wait --yes
az restore-point collection list --resource-group
az restore-point collection list-all
az restore-point collection show --collection-name --resource-group --restore-points
az restore-point collection update --collection-name --resource-group --tags
az restore-point collection wait --collection-name --resource-group --expand --created --custom --
deleted --exists --interval --timeout --updated
az role assignment create --role --assignee --assignee-object-id --assignee-principal-type --condition -
-condition-version --description --resource-group --scope
az role assignment delete --assignee --ids --include-inherited --resource-group --role --scope --yes
az role assignment list --all --assignee --include-classic-administrators --include-groups --include-
inherited --resource-group --role --scope
az role assignment list-changelogs --end-time --start-time
az role assignment update --role-assignment
az role definition create --role-definition
az role definition delete --name --custom-role-only --resource-group --scope
az role definition list --custom-role-only --name --resource-group --scope
az role definition update --role-definition
az sapmonitor create --hana-subnet --monitor-name --region --resource-group --dca --
disable_customer_analytics --lawsid --log-analytics-workspace-arm-id --tags
az sapmonitor delete --monitor-name --resource-group
az sapmonitor list
az sapmonitor show --monitor-name --resource-group
az sapmonitor update --monitor-name --resource-group --no-wait --add --force-string --remove --set
az sapmonitor provider-instance create --monitor-name --provider-instance-name --provider-
instance-properties --provider-instance-type --resource-group --provider-instance-metadata
az sapmonitor provider-instance delete --monitor-name --provider-instance-name --resource-group
az sapmonitor provider-instance list --monitor-name --resource-group

```

```

az sapmonitor provider-instance show --monitor-name --provider-instance-name --resource-group
az scvmm avset create --avset-name --custom-location --location --name --resource-group --
vmmserver --no-wait --tags
az scvmm avset delete --force --no-wait --yes --ids --name --resource-group --subscription
az scvmm avset list --resource-group
az scvmm avset show --ids --name --resource-group --subscription
az scvmm avset update --no-wait --tags --ids --name --resource-group --subscription
az scvmm avset wait --availability-set-name --resource-group --created --custom --deleted --exists --
interval --timeout --updated
az scvmm cloud create --custom-location --location --name --resource-group --inventory-item --no-
wait --tags --uuid --vmmserver
az scvmm cloud delete --force --no-wait --yes --ids --name --resource-group --subscription
az scvmm cloud list --resource-group
az scvmm cloud show --ids --name --resource-group --subscription
az scvmm cloud update --no-wait --tags --ids --name --resource-group --subscription
az scvmm cloud wait --cloud-name --resource-group --created --custom --deleted --exists --interval --
timeout --updated
az scvmm virtual-network create --custom-location --location --name --resource-group --inventory-
item --no-wait --tags --uuid --vmmserver
az scvmm virtual-network delete --force --no-wait --yes --ids --name --resource-group --subscription
az scvmm virtual-network list --resource-group
az scvmm virtual-network show --ids --name --resource-group --subscription
az scvmm virtual-network update --no-wait --tags --ids --name --resource-group --subscription
az scvmm virtual-network wait --resource-group --virtual-network-name --created --custom --
deleted --exists --interval --timeout --updated
az scvmm vm create --custom-location --location --name --resource-group --admin-password --
availability-sets --cloud --cpu-count --disk --dynamic-memory-enabled --dynamic-memory-max --
dynamic-memory-min --inventory-item --memory-size --nic --no-wait --tags --vm-template --
vmmserver
az scvmm vm delete --force --no-wait --retain --yes --ids --name --resource-group --subscription
az scvmm vm list --resource-group
az scvmm vm restart --no-wait --ids --name --resource-group --subscription
az scvmm vm show --ids --name --resource-group --subscription
az scvmm vm start --no-wait --ids --name --resource-group --subscription
az scvmm vm stop --no-wait --skip-shutdown --ids --name --resource-group --subscription
az scvmm vm update --availability-sets --cpu-count --dynamic-memory-enabled --dynamic-memory-
max --dynamic-memory-min --memory-size --no-wait --tags --ids --name --resource-group --
subscription
az scvmm vm wait --resource-group --virtual-machine-name --created --custom --deleted --exists --
interval --timeout --updated
az scvmm vm disk add --bus --disk-size --name --resource-group --vm-name --bus-type --lun --no-wait
--qos-id --qos-name --vhd-type
az scvmm vm disk delete --disks --resource-group --vm-name --no-wait --yes
az scvmm vm disk list --resource-group --vm-name
az scvmm vm disk show --name --resource-group --vm-name
az scvmm vm disk update --resource-group --vm-name --bus --bus-type --disk-id --disk-size --lun --
name --no-wait --qos-id --qos-name --vhd-type

```



```

az scvmm vm disk wait --resource-group --virtual-machine-name --created --custom --deleted --exists
--interval --timeout --updated
az scvmm vm nic add --name --resource-group --vm-name --ipv4-address-type --ipv6-address-type --
mac-address --mac-address-type --network --no-wait
az scvmm vm nic delete --nics --resource-group --vm-name --no-wait --yes
az scvmm vm nic list --resource-group --vm-name
az scvmm vm nic show --name --resource-group --vm-name
az scvmm vm nic update --resource-group --vm-name --disconnect --ipv4-address-type --ipv6-
address-type --mac-address-type --name --network --nic-id --no-wait
az scvmm vm nic wait --resource-group --virtual-machine-name --created --custom --deleted --exists
--interval --timeout --updated
az scvmm vm-template create --custom-location --location --name --resource-group --inventory-item
--no-wait --tags --uuid --vmmserver
az scvmm vm-template delete --force --no-wait --yes --ids --name --resource-group --subscription
az scvmm vm-template list --resource-group
az scvmm vm-template show --ids --name --resource-group --subscription
az scvmm vm-template update --no-wait --tags --ids --name --resource-group --subscription
az scvmm vm-template wait --resource-group --vm-template-name --created --custom --deleted --
exists --interval --timeout --updated
az scvmm vmmserver connect --custom-location --location --fqdn --no-wait --password --port --tags -
-username --ids --name --resource-group --subscription
az scvmm vmmserver delete --force --no-wait --ids --name --resource-group --subscription
az scvmm vmmserver list --resource-group
az scvmm vmmserver show --ids --name --resource-group --subscription
az scvmm vmmserver update --no-wait --tags --ids --name --resource-group --subscription
az scvmm vmmserver wait --resource-group --vmm-server-name --created --custom --deleted --
exists --interval --timeout --updated
az scvmm vmmserver inventory-item list --resource-group --vmmserver
az scvmm vmmserver inventory-item show --inventory-item --resource-group --vmmserver
az search admin-key renew --key-kind --resource-group --service-name
az search admin-key show --resource-group --service-name
az search private-endpoint-connection delete --name --resource-group --service-name --yes
az search private-endpoint-connection list --resource-group --service-name
az search private-endpoint-connection show --name --resource-group --service-name
az search private-endpoint-connection update --actions-required --description --name --resource-
group --service-name --status
az search private-link-resource list --resource-group --service-name
az search query-key create --name --resource-group --service-name
az search query-key delete --key-value --resource-group --service-name
az search query-key list --resource-group --service-name
az search service create --name --resource-group --sku --identity-type --ip-rules --location --no-wait --
partition-count --public-access --public-network-access --replica-count
az search service delete --name --resource-group --yes
az search service list --resource-group
az search service show --name --resource-group
az search service update --name --resource-group --identity-type --ip-rules --no-wait --partition-
count --public-access --public-network-access --replica-count --add --force-string --remove --set

```

```

az search service wait --name --resource-group --created --custom --deleted --exists --interval --
timeout --updated
az search shared-private-link-resource create --group-id --name --resource-group --resource-id --
service-name --no-wait --request-message
az search shared-private-link-resource delete --name --resource-group --service-name --yes
az search shared-private-link-resource list --resource-group --service-name
az search shared-private-link-resource show --name --resource-group --service-name
az search shared-private-link-resource update --group-id --name --request-message --resource-group
--resource-id --service-name --no-wait
az search shared-private-link-resource wait --name --resource-group --service-name --created --
custom --deleted --exists --interval --timeout --updated
az security adaptive-application-controls list
az security adaptive-application-controls show --group-name
az security adaptive_network_hardenings list --resource-group --resource-name --resource-
namespace --resource-type
az security adaptive_network_hardenings show --adaptive-network-hardenings-resource-name --
resource-group --resource-name --resource-namespace --resource-type
az security alert list --location --resource-group
az security alert show --location --name --resource-group
az security alert update --location --name --status --resource-group
az security allowed_connections list
az security allowed_connections show --name --resource-group
az security assessment create --name --status-code --additional-data --assessed-resource-id --status-
cause --status-description
az security assessment delete --name --assessed-resource-id
az security assessment list
az security assessment show --name --assessed-resource-id
az security assessment-metadata create --description --display-name --name --severity --
remediation-description
az security assessment-metadata delete --name
az security assessment-metadata list
az security assessment-metadata show --name
az security atp storage show --resource-group --storage-account
az security atp storage update --is-enabled --resource-group --storage-account
az security auto-provisioning-setting list
az security auto-provisioning-setting show --name
az security auto-provisioning-setting update --auto-provision --name
az security automation create_or_update --actions --name --resource-group --scopes --sources --
description --etag --isEnabled --location --tags
az security automation delete --name --resource-group
az security automation list --resource-group
az security automation show --name --resource-group
az security automation validate --actions --name --resource-group --scopes --sources --description --
etag --isEnabled --location --tags
az security automation-action-event-hub create --connection-string --event-hub-resource-id --sas-
policy-name
az security automation-action-logic-app create --logic-app-resource-id --uri
az security automation-action-workspace create --workspace-resource-id

```

az security automation-rule create --expected-value --operator --property-j-path --property-type  
 az security automation-rule-set create --rules  
 az security automation-scope create --description --scope-path  
 az security automation-source create --event-source --rule-sets  
 az security contact create --email --name --alert-notifications --alerts-admins --phone  
 az security contact delete --name  
 az security contact list  
 az security contact show --name  
 az security discovered-security-solution list  
 az security discovered-security-solution show --name --resource-group  
 az security external-security-solution list  
 az security external-security-solution show --name --resource-group  
 az security iot-alerts delete --name --resource-group --solution-name  
 az security iot-alerts list --resource-group --solution-name  
 az security iot-alerts show --name --resource-group --solution-name  
 az security iot-analytics list --resource-group --solution-name  
 az security iot-analytics show --resource-group --solution-name  
 az security iot-recommendations list --resource-group --solution-name  
 az security iot-recommendations show --name --resource-group --solution-name  
 az security iot-solution create --display-name --iot-hubs --location --resource-group --solution-name  
 az security iot-solution delete --resource-group --solution-name  
 az security iot-solution list --resource-group  
 az security iot-solution show --resource-group --solution-name  
 az security iot-solution update --resource-group --solution-name --display-name --iot-hubs  
 az security jit-policy list --location --resource-group  
 az security jit-policy show --location --name --resource-group  
 az security location list  
 az security location show --name  
 az security pricing create --name --tier  
 az security pricing list  
 az security pricing show --name  
 az security regulatory-compliance-assessments list --control-name --standard-name  
 az security regulatory-compliance-assessments show --control-name --name --standard-name  
 az security regulatory-compliance-controls list --standard-name  
 az security regulatory-compliance-controls show --name --standard-name  
 az security regulatory-compliance-standards list  
 az security regulatory-compliance-standards show --name  
 az security secure-score-control-definitions list  
 az security secure-score-controls list  
 az security secure-score-controls list\_by\_score --name  
 az security secure-scores list  
 az security secure-scores show --name  
 az security setting list  
 az security setting show --name  
 az security setting update --enabled --name  
 az security sub-assessment list --assessed-resource-id --assessment-name  
 az security sub-assessment show --assessment-name --name --assessed-resource-id  
 az security task list --resource-group

```

az security task show --name --resource-group
az security topology list
az security topology show --name --resource-group
az security va sql baseline delete --database-name --rule-id --server-name --vm-resource-id --
workspace-id --agent-id --vm-name --vm-uuid
az security va sql baseline list --database-name --server-name --vm-resource-id --workspace-id --
agent-id --vm-name --vm-uuid
az security va sql baseline set --database-name --server-name --vm-resource-id --workspace-id --
agent-id --baseline --latest --vm-name --vm-uuid
az security va sql baseline show --database-name --rule-id --server-name --vm-resource-id --
workspace-id --agent-id --vm-name --vm-uuid
az security va sql baseline update --database-name --rule-id --server-name --vm-resource-id --
workspace-id --agent-id --baseline --latest --vm-name --vm-uuid
az security va sql results list --database-name --scan-id --server-name --vm-resource-id --workspace-
id --agent-id --vm-name --vm-uuid
az security va sql results show --database-name --rule-id --scan-id --server-name --vm-resource-id --
workspace-id --agent-id --vm-name --vm-uuid
az security va sql scans list --database-name --server-name --vm-resource-id --workspace-id --agent-
id --vm-name --vm-uuid
az security va sql scans show --database-name --scan-id --server-name --vm-resource-id --
workspace-id --agent-id --vm-name --vm-uuid
az security workspace-setting create --name --target-workspace
az security workspace-setting delete --name
az security workspace-setting list
az security workspace-setting show --name
az sentinel action list --resource-group --rule-id --workspace-name
az sentinel alert-rule create --resource-group --rule-id --workspace-name --action-id --etag --logic-
app-resource-id --trigger-uri --fusion-alert-rule --microsoft-security-incident-creation-alert-rule --
scheduled-alert-rule
az sentinel alert-rule delete --yes --action-id --ids --resource-group --rule-id --subscription --
workspace-name
az sentinel alert-rule get-action --action-id --ids --resource-group --rule-id --subscription --
workspace-name
az sentinel alert-rule list --resource-group --workspace-name
az sentinel alert-rule show --ids --resource-group --rule-id --subscription --workspace-name
az sentinel alert-rule update --fusion-alert-rule --microsoft-security-incident-creation-alert-rule --
scheduled-alert-rule --add --force-string --remove --set --ids --resource-group --rule-id --subscription
--workspace-name
az sentinel alert-rule-template list --resource-group --workspace-name
az sentinel alert-rule-template show --alert-rule-template-id --ids --resource-group --subscription --
workspace-name
az sentinel bookmark create --bookmark-id --resource-group --workspace-name --created --display-
name --etag --incident-info --labels --notes --query-result --updated --updated-by-object-id
az sentinel bookmark delete --yes --bookmark-id --ids --resource-group --subscription --workspace-
name
az sentinel bookmark list --resource-group --workspace-name
az sentinel bookmark show --bookmark-id --ids --resource-group --subscription --workspace-name

```

az sentinel bookmark update --created --display-name --etag --incident-info --labels --notes --query-result --updated --updated-by-object-id --bookmark-id --ids --resource-group --subscription --workspace-name  
 az sentinel data-connector create --data-connector-id --resource-group --workspace-name --aad-data-connector --aatp-data-connector --asc-data-connector --aws-cloud-trail-data-connector --mcas-data-connector --mdatp-data-connector --office-data-connector --ti-data-connector  
 az sentinel data-connector delete --yes --data-connector-id --ids --resource-group --subscription --workspace-name  
 az sentinel data-connector list --resource-group --workspace-name  
 az sentinel data-connector show --data-connector-id --ids --resource-group --subscription --workspace-name  
 az sentinel data-connector update --aad-data-connector --aatp-data-connector --asc-data-connector --aws-cloud-trail-data-connector --mcas-data-connector --mdatp-data-connector --office-data-connector --ti-data-connector --add --force-string --remove --set --data-connector-id --ids --resource-group --subscription --workspace-name  
 az sentinel incident create --incident-id --resource-group --workspace-name --classification --classification-comment --classification-reason --description --etag --first-activity-time-utc --labels --last-activity-time-utc --owner --severity --status --title  
 az sentinel incident delete --yes --ids --incident-id --resource-group --subscription --workspace-name  
 az sentinel incident list --resource-group --workspace-name --filter --orderby --skip-token --top  
 az sentinel incident show --ids --incident-id --resource-group --subscription --workspace-name  
 az sentinel incident update --classification --classification-comment --classification-reason --description --etag --first-activity-time-utc --labels --last-activity-time-utc --owner --severity --status --title --ids --incident-id --resource-group --subscription --workspace-name  
 az sentinel incident-comment create --incident-comment-id --incident-id --resource-group --workspace-name --message  
 az sentinel incident-comment list --incident-id --resource-group --workspace-name --filter --orderby --skip-token --top  
 az sentinel incident-comment show --ids --incident-comment-id --incident-id --resource-group --subscription --workspace-name  
 az serial-console connect --name --resource-group --instance-id  
 az serial-console disable  
 az serial-console enable  
 az serial-console send nmi --name --resource-group --instance-id  
 az serial-console send reset --name --resource-group --instance-id  
 az serial-console send sysrq --input --name --resource-group --instance-id  
 az servicebus georecovery-alias break-pair --alias --ids --namespace-name --resource-group --subscription  
 az servicebus georecovery-alias delete --alias --ids --namespace-name --resource-group --subscription  
 az servicebus georecovery-alias exists --alias --ids --namespace-name --resource-group --subscription  
 az servicebus georecovery-alias fail-over --parameters --alias --ids --namespace-name --resource-group --subscription  
 az servicebus georecovery-alias list --namespace-name --resource-group  
 az servicebus georecovery-alias set --partner-namespace --alternate-name --alias --ids --namespace-name --resource-group --subscription  
 az servicebus georecovery-alias show --alias --ids --namespace-name --resource-group --subscription  
 az servicebus georecovery-alias authorization-rule list --alias --namespace-name --resource-group

```

az servicebus georecovery-alias authorization-rule show --alias --ids --name --namespace-name --
resource-group --subscription
az servicebus georecovery-alias authorization-rule keys list --alias --name --namespace-name --
resource-group
az servicebus migration abort --ids --name --resource-group --subscription
az servicebus migration complete --ids --name --resource-group --subscription
az servicebus migration show --ids --name --resource-group --subscription
az servicebus migration start --post-migration-name --target-namespace --ids --name --resource-
group --subscription
az servicebus namespace create --name --resource-group --capacity --default-action --encryption-
config --location --sku --tags --zone-redundant --mi-system-assigned --mi-user-assigned
az servicebus namespace delete --ids --name --resource-group --subscription
az servicebus namespace exists --name
az servicebus namespace list --resource-group
az servicebus namespace show --ids --name --resource-group --subscription
az servicebus namespace update --capacity --default-action --sku --tags --add --force-string --remove
--set --ids --name --resource-group --subscription
az servicebus namespace authorization-rule create --name --namespace-name --resource-group --
rights
az servicebus namespace authorization-rule delete --ids --name --namespace-name --resource-group
--subscription
az servicebus namespace authorization-rule list --namespace-name --resource-group
az servicebus namespace authorization-rule show --ids --name --namespace-name --resource-group -
-subscription
az servicebus namespace authorization-rule update --rights --add --force-string --remove --set --ids --
name --namespace-name --resource-group --subscription
az servicebus namespace authorization-rule keys list --name --namespace-name --resource-group
az servicebus namespace authorization-rule keys renew --key --name --key-value --ids --namespace-
name --resource-group --subscription
az servicebus namespace encryption add --encryption-config --namespace-name --resource-group
az servicebus namespace encryption remove --encryption-config --namespace-name --resource-
group
az servicebus namespace identity assign --namespace-name --resource-group --system-assigned --
user-assigned
az servicebus namespace identity remove --namespace-name --resource-group --system-assigned --
user-assigned
az servicebus namespace network-rule add --namespace-name --resource-group --action --ip-
address --ignore-missing-endpoint --subnet --vnet-name
az servicebus namespace network-rule list --namespace-name --resource-group
az servicebus namespace network-rule remove --namespace-name --resource-group --ip-address --
subnet --vnet-name
az servicebus queue create --name --namespace-name --resource-group --auto-delete-on-idle --
default-message-time-to-live --duplicate-detection-history-time-window --enable-batched-
operations --enable-dead-lettering-on-message-expiration --enable-duplicate-detection --enable-
express --enable-partitioning --enable-session --forward-dead-lettered-messages-to --forward-to --
lock-duration --max-delivery-count --max-size --status
az servicebus queue delete --ids --name --namespace-name --resource-group --subscription
az servicebus queue list --namespace-name --resource-group --skip --top

```

```

az servicebus queue show --ids --name --namespace-name --resource-group --subscription
az servicebus queue update --auto-delete-on-idle --default-message-time-to-live --duplicate-
detection-history-time-window --enable-batched-operations --enable-dead-lettering-on-message-
expiration --enable-duplicate-detection --enable-express --enable-partitioning --enable-session --
forward-dead-lettered-messages-to --forward-to --lock-duration --max-delivery-count --max-size --
status --add --force-string --remove --set --ids --name --namespace-name --resource-group --
subscription
az servicebus queue authorization-rule create --name --namespace-name --queue-name --resource-
group --rights
az servicebus queue authorization-rule delete --ids --name --namespace-name --queue-name --
resource-group --subscription
az servicebus queue authorization-rule list --namespace-name --queue-name --resource-group
az servicebus queue authorization-rule show --ids --name --namespace-name --queue-name --
resource-group --subscription
az servicebus queue authorization-rule update --rights --add --force-string --remove --set --ids --
name --namespace-name --queue-name --resource-group --subscription
az servicebus queue authorization-rule keys list --name --namespace-name --queue-name --
resource-group
az servicebus queue authorization-rule keys renew --name --key --key-value --ids --namespace-name
--queue-name --resource-group --subscription
az servicebus topic create --name --namespace-name --resource-group --auto-delete-on-idle --
default-message-time-to-live --duplicate-detection-history-time-window --enable-batched-
operations --enable-duplicate-detection --enable-express --enable-ordering --enable-partitioning --
max-size --status
az servicebus topic delete --ids --name --namespace-name --resource-group --subscription
az servicebus topic list --namespace-name --resource-group --skip --top
az servicebus topic show --ids --name --namespace-name --resource-group --subscription
az servicebus topic update --auto-delete-on-idle --default-message-time-to-live --duplicate-
detection-history-time-window --enable-batched-operations --enable-duplicate-detection --enable-
express --enable-ordering --enable-partitioning --max-size --status --add --force-string --remove --set
--ids --name --namespace-name --resource-group --subscription
az servicebus topic authorization-rule create --name --namespace-name --resource-group --topic-
name --rights
az servicebus topic authorization-rule delete --ids --name --namespace-name --resource-group --
subscription --topic-name
az servicebus topic authorization-rule list --namespace-name --resource-group --topic-name
az servicebus topic authorization-rule show --ids --name --namespace-name --resource-group --
subscription --topic-name
az servicebus topic authorization-rule update --rights --add --force-string --remove --set --ids --name
--namespace-name --resource-group --subscription --topic-name
az servicebus topic authorization-rule keys list --name --namespace-name --resource-group --topic-
name
az servicebus topic authorization-rule keys renew --name --key --key-value --ids --namespace-name -
-resource-group --subscription --topic-name
az servicebus topic subscription create --name --namespace-name --resource-group --topic-name --
auto-delete-on-idle --dead-letter-on-filter-exceptions --default-message-time-to-live --enable-
batched-operations --enable-dead-lettering-on-message-expiration --enable-session --forward-dead-
lettered-messages-to --forward-to --lock-duration --max-delivery-count --status

```

```

az servicebus topic subscription delete --ids --name --namespace-name --resource-group --
subscription --topic-name
az servicebus topic subscription list --namespace-name --resource-group --topic-name --skip --top
az servicebus topic subscription show --ids --name --namespace-name --resource-group --
subscription --topic-name
az servicebus topic subscription update --auto-delete-on-idle --dead-letter-on-filter-exceptions --
default-message-time-to-live --enable-batched-operations --enable-dead-lettering-on-message-
expiration --enable-session --forward-dead-lettered-messages-to --forward-to --lock-duration --max-
delivery-count --status --add --force-string --remove --set --ids --name --namespace-name --resource-
group --subscription --topic-name
az servicebus topic subscription rule create --name --namespace-name --resource-group --
subscription-name --topic-name --action-compatibility-level --action-sql-expression --enable-action-
preprocessing --filter-type --content-type --correlation-id --enable-correlation-preprocessing --label -
message-id --reply-to --reply-to-session-id --session-id --to --enable-sql-preprocessing --filter-sql-
expression
az servicebus topic subscription rule delete --ids --name --namespace-name --resource-group --
subscription --subscription-name --topic-name
az servicebus topic subscription rule list --namespace-name --resource-group --subscription-name --
topic-name --skip --top
az servicebus topic subscription rule show --ids --name --namespace-name --resource-group --
subscription --subscription-name --topic-name
az servicebus topic subscription rule update --action-compatibility-level --action-sql-expression --
enable-action-preprocessing --content-type --correlation-id --enable-correlation-preprocessing --
label --message-id --reply-to --reply-to-session-id --session-id --to --add --force-string --remove --set -
ids --name --namespace-name --resource-group --subscription --subscription-name --topic-name --
enable-sql-preprocessing --filter-sql-expression
az sf application create --application-name --application-type-name --application-type-version --
cluster-name --resource-group --application-parameters --parameters --max-nodes --maximum-
nodes --min-nodes --minimum-nodes --package-url
az sf application delete --application-name --cluster-name --resource-group
az sf application list --cluster-name --resource-group
az sf application show --application-name --cluster-name --resource-group
az sf application update --application-name --cluster-name --resource-group --application-
parameters --parameters --application-type-version --version --force-restart --max-nodes --
maximum-nodes --min-nodes --minimum-nodes --service-type-health-policy-map --service-type-
policy --consider-warning-as-error --warning-as-error --failure-action --hc-retry-timeout --health-
check-retry-timeout --hc-stable-duration --health-check-stable-duration --hc-wait-duration --health-
check-wait-duration --max-porcent-unhealthy-apps --max-unhealthy-apps --max-porcent-unhealthy-
partitions --max-unhealthy-parts --max-porcent-unhealthy-replicas --max-unhealthy-reps --max-
porcent-unhealthy-services --max-unhealthy-servs --rep-check-timeout --replica-check-timeout --
upgrade-replica-set-check-timeout --ud-timeout --upgrade-domain-timeout --upgrade-timeout
az sf application certificate add --cluster-name --resource-group --cert-out-folder --certificate-
output-folder --cert-subject-name --certificate-subject-name --certificate-file --certificate-password -
secret-identifier --vault-name --vault-rg
az sf application-type create --application-type-name --cluster-name --resource-group
az sf application-type delete --application-type-name --cluster-name --resource-group
az sf application-type list --cluster-name --resource-group
az sf application-type show --application-type-name --cluster-name --resource-group

```



```

az sf application-type version create --application-type-name --application-type-version --cluster-
name --package-url --resource-group
az sf application-type version delete --application-type-name --application-type-version --cluster-
name --resource-group
az sf application-type version list --application-type-name --cluster-name --resource-group
az sf application-type version show --application-type-name --application-type-version --cluster-
name --resource-group
az sf cluster create --resource-group --cert-out-folder --certificate-output-folder --cert-subject-name
--certificate-subject-name --certificate-file --certificate-password --cluster-name --cluster-size --
location --os --vm-os --parameter-file --secret-identifier --template-file --vault-name --vault-rg --vm-
password --vm-sku --vm-user-name
az sf cluster list --resource-group
az sf cluster show --cluster-name --resource-group
az sf cluster client-certificate add --cluster-name --resource-group --admin-client-thumbprints --
admin-client-tps --cert-common-name --certificate-common-name --cert-issuer-tp --certificate-
issuer-thumbprint --client-cert-cn --client-certificate-common-names --is-admin --readonly-client-
thumbprints --readonly-client-tps --thumbprint
az sf cluster client-certificate remove --cluster-name --resource-group --cert-common-name --
certificate-common-name --cert-issuer-tp --certificate-issuer-thumbprint --client-cert-cn --client-
certificate-common-names --thumbprints
az sf cluster durability update --cluster-name --durability-level --node-type --resource-group
az sf cluster node add --cluster-name --node-type --nodes-to-add --resource-group
az sf cluster node remove --cluster-name --node-type --nodes-to-remove --resource-group
az sf cluster node-type add --capacity --cluster-name --node-type --resource-group --vm-password --
vm-user-name --durability-level --vm-sku --vm-tier
az sf cluster reliability update --cluster-name --reliability-level --resource-group --auto-add-node
az sf cluster setting remove --cluster-name --resource-group --parameter --section --settings-section
--settings-section-description
az sf cluster setting set --cluster-name --resource-group --parameter --section --settings-section --
settings-section-description --value
az sf cluster upgrade-type set --cluster-name --resource-group --upgrade-mode --version
az sf managed-application create --application-name --application-type-name --application-type-
version --cluster-name --resource-group --application-parameters --parameters --package-url --tags
az sf managed-application delete --application-name --cluster-name --resource-group
az sf managed-application list --cluster-name --resource-group
az sf managed-application show --application-name --cluster-name --resource-group
az sf managed-application update
az sf managed-application-type create --application-type-name --cluster-name --resource-group --
tags
az sf managed-application-type delete --application-type-name --cluster-name --resource-group
az sf managed-application-type list --cluster-name --resource-group
az sf managed-application-type show --application-type-name --cluster-name --resource-group
az sf managed-application-type update --application-type-name --cluster-name --resource-group --
tags
az sf managed-application-type version create --application-type-name --application-type-version --
cluster-name --package-url --resource-group --tags
az sf managed-application-type version delete --application-type-name --application-type-version --
cluster-name --resource-group

```

```

az sf managed-application-type version list --application-type-name --cluster-name --resource-group
az sf managed-application-type version show --application-type-name --application-type-version --
cluster-name --resource-group
az sf managed-application-type version update --application-type-name --application-type-version --
cluster-name --resource-group --package-url --tags
az sf managed-cluster create --admin-password --cluster-name --resource-group --admin-user-name
--cert-common-name --client-cert-common-name --cert-is-admin --client-cert-is-admin --cert-issuer-
thumbprint --cert-issuer-tp --client-cert-issuer-thumbprint --cert-thumbprint --client-cert-thumbprint
--client-connection-port --client-port --cluster-code-version --code-version --cluster-upgrade-
cadence --upgrade-cadence --cluster-upgrade-mode --upgrade-mode --dns-name --gateway-
connection-port --gateway-port --location --sku --tags
az sf managed-cluster delete --cluster-name --resource-group
az sf managed-cluster list --resource-group
az sf managed-cluster show --cluster-name --resource-group
az sf managed-cluster update --cluster-name --resource-group --client-connection-port --client-port -
-dns-name --gateway-connection-port --gateway-port --tags
az sf managed-cluster client-certificate add --cluster-name --resource-group --common-name --is-
admin --issuer-thumbprint --thumbprint
az sf managed-cluster client-certificate delete --cluster-name --resource-group --common-name --
thumbprint
az sf managed-node-type create --cluster-name --instance-count --name --resource-group --app-end-
port --application-end-port --app-start-port --application-start-port --capacity --data-disk-size --disk-
size --data-disk-type --disk-type --ephemeral-end-port --ephemeral-start-port --is-stateless --multi-
place-groups --multiple-placement-groups --placement-property --primary --vm-image-offer --vm-
image-publisher --vm-image-sku --vm-image-version --vm-size
az sf managed-node-type delete --cluster-name --name --resource-group
az sf managed-node-type list --cluster-name --resource-group
az sf managed-node-type show --cluster-name --name --resource-group
az sf managed-node-type update --cluster-name --name --resource-group --app-end-port --
application-end-port --app-start-port --application-start-port --capacity --ephemeral-end-port --
ephemeral-start-port --instance-count --placement-property
az sf managed-node-type node delete --cluster-name --name --node-name --resource-group --force
az sf managed-node-type node reimage --cluster-name --name --node-name --resource-group --
force
az sf managed-node-type node restart --cluster-name --name --node-name --resource-group --force
az sf managed-node-type vm-extension add --cluster-name --extension-name --extension-type --
name --publisher --resource-group --type-handler-version --auto-upgrade --auto-upgrade-minor-
version --force-update-tag --protected-setting --provision-after --provision-after-extension --setting
az sf managed-node-type vm-extension delete --cluster-name --extension-name --name --resource-
group
az sf managed-node-type vm-secret add --certificate-store --certificate-url --cluster-name --name --
resource-group --source-vault-id
az sf managed-service create --application --cluster-name --name --resource-group --service-type --
state --activation-mode --package-activation-mode --service-package-activation-mode --default-
move-cost --has-persisted-state --high-key --instance-count --keep-duration --stand-by-keep-
duration --stand-by-replica-keep-duration --low-key --min-inst-pct --min-instance-percentage --min-
instance-count --min-replica --min-replica-set-size --partition-count --partition-names --partition-
scheme --placement-constraints --plcmt-time-limit --service-placement-time-limit --quorum-loss-

```

```

wait --quorum-loss-wait-duration --replica-restart-wait --replica-restart-wait-duration --tags --target-replica --target-replica-set-size
az sf managed-service delete --application --cluster-name --name --resource-group
az sf managed-service list --application --cluster-name --resource-group
az sf managed-service show --application --cluster-name --name --resource-group
az sf managed-service update --application --cluster-name --name --resource-group --default-move-cost --instance-count --keep-duration --stand-by-keep-duration --stand-by-replica-keep-duration --min-inst-pct --min-instance-percentage --min-instance-count --min-replica --min-replica-set-size --placement-constraints --plcmt-time-limit --service-placement-time-limit --quorum-loss-wait --quorum-loss-wait-duration --replica-restart-wait --replica-restart-wait-duration --tags --target-replica --target-replica-set-size
az sf managed-service correlation-scheme create --application --cluster-name --correlated-name --name --resource-group --scheme
az sf managed-service correlation-scheme delete --application --cluster-name --correlated-name --name --resource-group
az sf managed-service correlation-scheme update --application --cluster-name --correlated-name --name --resource-group --scheme
az sf managed-service load-metrics create --application --cluster-name --metric-name --name --resource-group --default-load --primary-default-load --secondary-default-load --weight
az sf managed-service load-metrics delete --application --cluster-name --metric-name --name --resource-group
az sf managed-service load-metrics update --application --cluster-name --metric-name --name --resource-group --default-load --primary-default-load --secondary-default-load --weight
az sf service create --application --cluster-name --name --resource-group --service-type --state --default-move-cost --instance-count --min-replica --min-replica-set-size --partition-scheme --target-replica --target-replica-set-size
az sf service delete --application-name --cluster-name --name --resource-group
az sf service list --application-name --cluster-name --resource-group
az sf service show --application-name --cluster-name --name --resource-group
az sig create --gallery-name --resource-group --description --eula --location --public-name-prefix --publisher-email --publisher-uri --soft-delete --tags --permissions
az sig delete --gallery-name --resource-group
az sig list --resource-group
az sig list-shared --location --shared-to
az sig show --select --gallery-name --ids --resource-group --subscription
az sig show-community --ids --location --public-gallery-name --subscription
az sig show-shared --gallery-unique-name --ids --location --subscription
az sig update --gallery-name --resource-group --select --soft-delete --add --force-string --remove --set --permissions
az sig gallery-application create --application-name --gallery-name --os-type --resource-group --description --location --no-wait --tags
az sig gallery-application delete --application-name --gallery-name --resource-group --no-wait --yes
az sig gallery-application list --gallery-name --resource-group
az sig gallery-application show --application-name --gallery-name --resource-group
az sig gallery-application update --application-name --gallery-name --resource-group --description --location --no-wait --tags
az sig gallery-application wait --application-name --gallery-name --resource-group --created --custom --deleted --exists --interval --timeout --updated

```

```

az sig gallery-application version create --application-name --gallery-name --install-command --name
--package-file-link --remove-command --resource-group --default-file-link --location --no-wait --tags -
-target-regions --update-command --end-of-life-date --exclude-from
az sig gallery-application version delete --application-name --gallery-name --name --resource-group -
-no-wait --yes
az sig gallery-application version list --application-name --gallery-name --resource-group
az sig gallery-application version show --application-name --gallery-name --name --resource-group --
expand
az sig gallery-application version update --application-name --gallery-name --name --package-file-link
--resource-group --default-file-link --location --no-wait --tags --target-regions --end-of-life-date --
exclude-from
az sig image-definition create --gallery-image-definition --gallery-name --offer --os-type --publisher --
resource-group --sku --architecture --description --disallowed-disk-types --end-of-life-date --eula --
features --hyper-v-generation --location --os-state --privacy-statement-uri --release-note-uri --tags --
plan-name --plan-product --plan-publisher --maximum-cpu-core --maximum-memory --minimum-
cpu-core --minimum-memory
az sig image-definition delete --gallery-image-definition --gallery-name --ids --resource-group --
subscription
az sig image-definition list --gallery-name --resource-group
az sig image-definition list-community --marker --show-next-marker --ids --location --public-gallery-
name --subscription
az sig image-definition list-shared --marker --shared-to --show-next-marker --gallery-unique-name --
ids --location --subscription
az sig image-definition show --gallery-image-definition --gallery-name --ids --resource-group --
subscription
az sig image-definition show-community --gallery-image-definition --ids --location --public-gallery-
name --subscription
az sig image-definition show-shared --gallery-image-definition --gallery-unique-name --ids --location
--subscription
az sig image-definition update --gallery-image-definition --gallery-name --resource-group --add --
force-string --remove --set
az sig image-version create --gallery-image-definition --gallery-image-version --gallery-name --
resource-group --data-snapshot-luns --data-snapshots --data-vhds-luns --data-vhds-sa --data-vhds-
storage-accounts --data-vhds-uris --end-of-life-date --exclude-from-latest --location --managed-
image --no-wait --os-snapshot --os-vhd-storage-account --os-vhd-uri --replica-count --replication-
mode --storage-account-type --target-regions. --tags --target-region-cvm-encryption --target-region-
encryption --target-regions
az sig image-version delete --gallery-image-definition --gallery-image-version --gallery-name --
resource-group
az sig image-version list --gallery-image-definition --gallery-name --resource-group
az sig image-version list-community --marker --show-next-marker --gallery-image-definition --ids --
location --public-gallery-name --subscription
az sig image-version list-shared --marker --shared-to --show-next-marker --gallery-image-definition --
gallery-unique-name --ids --location --subscription
az sig image-version show --gallery-image-definition --gallery-image-version --gallery-name --
resource-group --expand
az sig image-version show-community --gallery-image-definition --gallery-image-version --ids --
location --public-gallery-name --subscription

```

```

az sig image-version show-shared --gallery-image-definition --gallery-image-version --gallery-unique-
name --ids --location --subscription
az sig image-version update --gallery-image-definition --gallery-image-version --gallery-name --
resource-group --no-wait --replica-count --target-regions --add --force-string --remove --set
az sig image-version wait --gallery-image-definition --gallery-image-version --gallery-name --
resource-group --expand --created --custom --deleted --exists --interval --timeout --updated
az sig share add --no-wait --subscription-ids --tenant-ids --gallery-name --ids --resource-group --
subscription
az sig share enable-community --no-wait --subscription-ids --tenant-ids --gallery-name --ids --
resource-group --subscription
az sig share remove --no-wait --subscription-ids --tenant-ids --gallery-name --ids --resource-group --
subscription
az sig share reset --no-wait --gallery-name --ids --resource-group --subscription
az sig share wait --gallery-name --resource-group --created --custom --deleted --exists --interval --
timeout --updated
az signalr create --name --resource-group --sku --allowed-origins --enable-message-logs --location --
service-mode --tags --unit-count --default-action
az signalr delete --ids --name --resource-group --subscription
az signalr list --resource-group
az signalr restart --ids --name --resource-group --subscription
az signalr show --ids --name --resource-group --subscription
az signalr update --allowed-origins --enable-message-logs --service-mode --sku --tags --unit-count --
add --force-string --remove --set --default-action --ids --name --resource-group --subscription
az signalr cors add --allowed-origins --ids --name --resource-group --subscription
az signalr cors list --name --resource-group
az signalr cors remove --allowed-origins --ids --name --resource-group --subscription
az signalr cors update --allowed-origins --ids --name --resource-group --subscription
az signalr identity assign --identity --ids --name --resource-group --subscription
az signalr identity remove --ids --name --resource-group --subscription
az signalr identity show --ids --name --resource-group --subscription
az signalr key list --name --resource-group
az signalr key renew --key-type --ids --name --resource-group --subscription
az signalr network-rule list --name --resource-group
az signalr network-rule update --allow --deny --connection-name --public-network --ids --name --
resource-group --subscription
az signalr upstream clear --ids --name --resource-group --subscription
az signalr upstream list --name --resource-group
az signalr upstream update --template --ids --name --resource-group --subscription
az snapshot create --name --resource-group --accelerated-network --architecture --copy-start --disk-
access --disk-encryption-set --edge-zone --encryption-type --for-upload --hyper-v-generation --
incremental --location --network-access-policy --no-wait --public-network-access --size-gb --sku --
source --source-storage-account-id --tags
az snapshot delete --ids --name --resource-group --subscription
az snapshot grant-access --duration-in-seconds --access-level --ids --name --resource-group --
subscription
az snapshot list --resource-group
az snapshot revoke-access --ids --name --resource-group --subscription
az snapshot show --ids --name --resource-group --subscription

```

```

az snapshot update --accelerated-network --architecture --disk-access --disk-encryption-set --
encryption-type --network-access-policy --no-wait --public-network-access --sku --add --force-string -
-remove --set --ids --name --resource-group --subscription
az snapshot wait --ids --name --resource-group --subscription --created --custom --deleted --exists --
interval --timeout --updated
az spatial-anchors-account create --name --resource-group --kind --location --sku --storage-account-
name --tags
az spatial-anchors-account delete --ids --name --resource-group --subscription
az spatial-anchors-account list --resource-group
az spatial-anchors-account show --ids --name --resource-group --subscription
az spatial-anchors-account update --kind --location --sku --storage-account-name --tags --add --force-
string --remove --set --ids --name --resource-group --subscription
az spatial-anchors-account key renew --key --ids --name --resource-group --subscription
az spatial-anchors-account key show --ids --name --resource-group --subscription
az spring create --name --resource-group --build-pool-size --enable-acs --enable-application-
configuration-service --enable-log-stream-public-endpoint --enable-lspa --enable-service-registry --
enable-sr --ingress-read-timeout --location --no-wait --sku --tags --zone-redundant --ap-instance --
api-portal-instance-count --enable-api-portal --app-insights --app-insights-key --disable-app-insights -
-sampling-rate --enable-gateway --gateway-instance-count --app-network-resource-group --app-nrg
--app-subnet --reserved-cidr-range --service-runtime-network-resource-group --svc-nrg --service-
runtime-subnet --svc-subnet --vnet
az spring delete --name --resource-group --no-wait
az spring list --resource-group
az spring show --name --resource-group
az spring start --name --resource-group --no-wait
az spring stop --name --resource-group --no-wait
az spring update --name --resource-group --build-pool-size --enable-log-stream-public-endpoint --
enable-lspa --ingress-read-timeout --no-wait --sku --tags
az spring api-portal clear --resource-group --service
az spring api-portal show --resource-group --service
az spring api-portal update --resource-group --service --assign-endpoint --https-only --instance-count
--client-id --client-secret --issuer-uri --scope
az spring api-portal custom-domain bind --domain-name --resource-group --service --certificate
az spring api-portal custom-domain list --resource-group --service
az spring api-portal custom-domain show --domain-name --resource-group --service
az spring api-portal custom-domain unbind --domain-name --resource-group --service
az spring api-portal custom-domain update --domain-name --resource-group --service --certificate
az spring app append-loaded-public-certificate --certificate-name --load-trust-store --name --
resource-group --service
az spring app append-persistent-storage --mount-path --name --persistent-storage-type --resource-
group --service --share-name --storage-name --mount-options --read-only
az spring app create --name --resource-group --service --assign-endpoint --assign-public-endpoint --
cpu --disable-probe --enable-persistent-storage --enable-ps --env --instance-count --jvm-options --
loaded-public-certificate-file --memory --persistent-storage --runtime-version --system-assigned --
user-assigned --enable-liveness-probe --enable-readiness-probe --enable-startup-probe --grace-
period --termination-grace-period-seconds --liveness-probe-config --readiness-probe-config --
startup-probe-config
az spring app delete --name --resource-group --service

```

```

az spring app deploy --name --resource-group --service --artifact-path --build-cpu --build-env --build-memory --builder --config-file-patterns --deployment --disable-probe --disable-validation --env --jvm-options --main-entry --no-wait --runtime-version --version --enable-liveness-probe --enable-readiness-probe --enable-startup-probe --grace-period --termination-grace-period-seconds --liveness-probe-config --readiness-probe-config --startup-probe-config --container-args --container-command --container-image --container-registry --registry-password --registry-username --source-path --target-module
az spring app list --resource-group --service
az spring app logs --name --resource-group --service --deployment --follow --format-json --instance --limit --lines --since
az spring app restart --name --resource-group --service --deployment --no-wait
az spring app scale --name --resource-group --service --cpu --deployment --instance-count --memory --no-wait
az spring app set-deployment --deployment --name --resource-group --service --no-wait
az spring app show --name --resource-group --service
az spring app show-deploy-log --name --resource-group --service --deployment
az spring app start --name --resource-group --service --deployment --no-wait
az spring app stop --name --resource-group --service --deployment --no-wait
az spring app unset-deployment --name --resource-group --service --no-wait
az spring app update --name --resource-group --service --assign-endpoint --assign-public-endpoint --config-file-patterns --deployment --disable-probe --enable-ingress-to-app-tls --enable-persistent-storage --enable-ps --env --https-only --jvm-options --loaded-public-certificate-file --main-entry --no-wait --persistent-storage --runtime-version --enable-liveness-probe --enable-readiness-probe --enable-startup-probe --grace-period --termination-grace-period-seconds --liveness-probe-config --readiness-probe-config --startup-probe-config
az spring app binding list --app --resource-group --service
az spring app binding remove --app --name --resource-group --service
az spring app binding show --app --name --resource-group --service
az spring app binding cosmos add --api-type --app --name --resource-group --resource-id --service --collection-name --database-name --key-space
az spring app binding cosmos update --app --name --resource-group --service --collection-name --database-name --key-space
az spring app binding mysql add --app --database-name --key --name --resource-group --resource-id --service --username
az spring app binding mysql update --app --name --resource-group --service --database-name --key --username
az spring app binding redis add --app --name --resource-group --resource-id --service --disable-ssl
az spring app binding redis update --app --name --resource-group --service --disable-ssl
az spring app custom-domain bind --app --domain-name --resource-group --service --certificate --enable-ingress-to-app-tls
az spring app custom-domain list --app --resource-group --service
az spring app custom-domain show --app --domain-name --resource-group --service
az spring app custom-domain unbind --app --domain-name --resource-group --service
az spring app custom-domain update --app --domain-name --resource-group --service --certificate --enable-ingress-to-app-tls
az spring app deployment create --app --name --resource-group --service --artifact-path --build-env --builder --config-file-patterns --cpu --disable-probe --disable-validation --env --instance-count --jvm-options --main-entry --memory --no-wait --runtime-version --skip-clone-settings --version --enable-

```

```

liveness-probe --enable-readiness-probe --enable-startup-probe --grace-period --termination-grace-
period-seconds --liveness-probe-config --readiness-probe-config --startup-probe-config --container-
args --container-command --container-image --container-registry --registry-password --registry-
username --source-path --target-module
az spring app deployment delete --app --name --resource-group --service --no-wait
az spring app deployment generate-heap-dump --app --app-instance --file-path --resource-group --
service --deployment
az spring app deployment generate-thread-dump --app --app-instance --file-path --resource-group --
service --deployment
az spring app deployment list --app --resource-group --service
az spring app deployment show --app --name --resource-group --service
az spring app deployment start-jfr --app --app-instance --file-path --resource-group --service --
deployment --duration
az spring app identity assign --name --resource-group --service --role --scope --system-assigned --
user-assigned
az spring app identity force-set --name --resource-group --service --system-assigned --user-assigned
az spring app identity remove --name --resource-group --service --system-assigned --user-assigned
az spring app identity show --name --resource-group --service
az spring app-insights show --name --resource-group
az spring app-insights update --name --resource-group --no-wait --app-insights --app-insights-key --
disable --sampling-rate
az spring application-configuration-service bind --app --resource-group --service
az spring application-configuration-service clear --resource-group --service
az spring application-configuration-service show --resource-group --service
az spring application-configuration-service unbind --app --resource-group --service
az spring application-configuration-service git repo add --label --name --patterns --resource-group --
service --uri --host-key --host-key-algorithm --host-key-check --password --private-key --search-paths
--username
az spring application-configuration-service git repo list --resource-group --service
az spring application-configuration-service git repo remove --name --resource-group --service
az spring application-configuration-service git repo update --name --resource-group --service --host-
key --host-key-algorithm --host-key-check --label --password --patterns --private-key --search-paths -
-uri --username
az spring build-service builder create --name --resource-group --service --builder-file --builder-json --
no-wait
az spring build-service builder delete --name --resource-group --service --no-wait --yes
az spring build-service builder show --name --resource-group --service
az spring build-service builder update --name --resource-group --service --builder-file --builder-json --
no-wait
az spring build-service builder buildpack-binding create --name --resource-group --service --type --
builder-name --properties --secrets
az spring build-service builder buildpack-binding delete --name --resource-group --service --builder-
name --yes
az spring build-service builder buildpack-binding list --resource-group --service --builder-name
az spring build-service builder buildpack-binding set --name --resource-group --service --type --
builder-name --properties --secrets
az spring build-service builder buildpack-binding show --name --resource-group --service --builder-
name

```



```

az spring certificate add --name --resource-group --service --only-public-cert --public-certificate-file --
vault-certificate-name --vault-uri
az spring certificate list --resource-group --service --certificate-type
az spring certificate list-reference-app --name --resource-group --service
az spring certificate remove --name --resource-group --service
az spring certificate show --name --resource-group --service
az spring config-server clear --name --resource-group
az spring config-server set --config-file --name --resource-group --no-wait
az spring config-server show --name --resource-group
az spring config-server git set --name --resource-group --uri --defer --host-key --host-key-algorithm --
host-key-check --strict-host-key-checking --label --password --private-key --search-paths --username
az spring config-server git repo add --name --repo-name --resource-group --uri --defer --host-key --
host-key-algorithm --host-key-check --strict-host-key-checking --label --password --pattern --private-
key --search-paths --username
az spring config-server git repo list --name --resource-group --defer
az spring config-server git repo remove --name --repo-name --resource-group --defer
az spring config-server git repo update --name --repo-name --resource-group --defer --host-key --
host-key-algorithm --host-key-check --strict-host-key-checking --label --password --pattern --private-
key --search-paths --uri --username
az spring gateway clear --resource-group --service --no-wait
az spring gateway show --resource-group --service
az spring gateway update --resource-group --service --assign-endpoint --cpu --https-only --instance-
count --memory --no-wait --api-description --api-doc-location --api-title --api-version --server-url --
allow-credentials --allowed-headers --allowed-methods --allowed-origins --exposed-headers --max-
age --client-id --client-secret --issuer-uri --scope
az spring gateway custom-domain bind --domain-name --resource-group --service --certificate
az spring gateway custom-domain list --resource-group --service
az spring gateway custom-domain show --domain-name --resource-group --service
az spring gateway custom-domain unbind --domain-name --resource-group --service
az spring gateway custom-domain update --domain-name --resource-group --service --certificate
az spring gateway route-config create --name --resource-group --service --app-name --routes-file --
routes-json
az spring gateway route-config list --resource-group --service
az spring gateway route-config remove --name --resource-group --service
az spring gateway route-config show --name --resource-group --service
az spring gateway route-config update --name --resource-group --service --app-name --routes-file --
routes-json
az spring service-registry bind --app --resource-group --service
az spring service-registry show --resource-group --service
az spring service-registry unbind --app --resource-group --service
az spring storage add --account-key --account-name --name --resource-group --service --storage-type
az spring storage list --resource-group --service
az spring storage list-persistent-storage --name --resource-group --service
az spring storage remove --name --resource-group --service
az spring storage show --name --resource-group --service
az spring storage update --account-key --account-name --name --resource-group --service --storage-
type
az spring test-endpoint disable --name --resource-group

```

```

az spring test-endpoint enable --name --resource-group
az spring test-endpoint list --name --resource-group --app --deployment
az spring test-endpoint renew-key --name --resource-group --type
az sql down --delete-group --no-wait --resource-group --server-name --yes
az sql list-usages --location
az sql show-usage --location --usage
az sql up --database-name --location --resource-group --server-name --tags --version --admin-
password --admin-user --generate-password
az sql db copy --dest-name --backup-storage-redundancy --bsr --dest-resource-group --dest-server --
ha-replicas --read-replicas --license-type --no-wait --read-scale --tags --zone-redundant --capacity --
family --elastic-pool --service-objective --ids --name --resource-group --server --subscription --auto-
pause-delay --compute-model --min-capacity
az sql db create --name --resource-group --server --backup-storage-redundancy --bsr --ha-replicas --
read-replicas --ledger-on --license-type --maint-config-id --max-size --no-wait --read-scale --tags --yes
--zone-redundant --catalog-collation --collation --sample-name --capacity --edition --tier --family --
elastic-pool --service-objective --auto-pause-delay --compute-model --min-capacity
az sql db delete --no-wait --yes --ids --name --resource-group --server --subscription
az sql db export --admin-password --admin-user --storage-key --storage-key-type --storage-uri --
auth-type --ids --name --resource-group --server --subscription
az sql db import --admin-password --admin-user --storage-key --storage-key-type --storage-uri --
auth-type --ids --name --resource-group --server --subscription
az sql db list --elastic-pool --ids --resource-group --server --subscription
az sql db list-deleted --ids --resource-group --server --subscription
az sql db list-editions --location --available --show-details --dtu --edition --tier --service-objective --
vcores
az sql db list-usages --ids --name --resource-group --server --subscription
az sql db rename --new-name --ids --name --resource-group --server --subscription
az sql db restore --dest-name --backup-storage-redundancy --bsr --ha-replicas --read-replicas --
license-type --no-wait --read-scale --tags --zone-redundant --capacity --edition --tier --family --elastic-
pool --service-objective --ids --name --resource-group --server --subscription --deleted-time --time --
auto-pause-delay --compute-model --min-capacity
az sql db show --ids --name --resource-group --server --subscription
az sql db show-connection-string --client --auth-type --ids --name --server --defaults --subscription
az sql db update --backup-storage-redundancy --bsr --ha-replicas --read-replicas --maint-config-id --
max-size --no-wait --read-scale --zone-redundant --add --force-string --remove --set --capacity --
edition --tier --family --elastic-pool --service-objective --ids --name --resource-group --server --
subscription --auto-pause-delay --compute-model --min-capacity
az sql db audit-policy show --ids --name --resource-group --server --subscription
az sql db audit-policy update --eh --event-hub --ehari --event-hub-authorization-rule-id --ehts --
event-hub-target-state --add --force-string --remove --set --lats --log-analytics-target-state --lawri --
log-analytics-workspace-resource-id --actions --retention-days --state --ids --name --resource-group --
server --subscription --blob-storage-target-state --bsts --storage-account --storage-endpoint --
storage-key
az sql db audit-policy wait --ids --name --resource-group --server --subscription --created --custom --
deleted --exists --interval --timeout --updated
az sql db classification delete --column --schema --table --ids --name --resource-group --server --
subscription
az sql db classification list --filter --ids --name --resource-group --server --subscription

```

```

az sql db classification show --column --schema --table --ids --name --resource-group --server --
subscription
az sql db classification update --column --schema --table --information-type --label --ids --name --
resource-group --server --subscription
az sql db classification recommendation disable --column --schema --table --ids --name --resource-
group --server --subscription
az sql db classification recommendation enable --column --schema --table --ids --name --resource-
group --server --subscription
az sql db classification recommendation list --filter --include-disabled-recommendations --ids --name
--resource-group --server --subscription
az sql db ledger-digest-uploads disable --ids --name --resource-group --server --subscription
az sql db ledger-digest-uploads enable --endpoint --ids --name --resource-group --server --
subscription
az sql db ledger-digest-uploads show --ids --name --resource-group --server --subscription
az sql db ltr-backup delete --database --location --name --server --yes
az sql db ltr-backup list --location --database --database-state --state --latest --only-latest-per-
database --resource-group --server
az sql db ltr-backup restore --backup-id --dest-database --dest-resource-group --dest-server --
backup-storage-redundancy --bsr --no-wait
az sql db ltr-backup show --database --location --name --server
az sql db ltr-backup wait --ids --name --resource-group --server --subscription --created --custom --
deleted --exists --interval --timeout --updated
az sql db ltr-policy set --monthly-retention --week-of-year --weekly-retention --yearly-retention --ids
--name --resource-group --server --subscription
az sql db ltr-policy show --ids --name --resource-group --server --subscription
az sql db op cancel --name --database --ids --resource-group --server --subscription
az sql db op list --database --ids --resource-group --server --subscription
az sql db replica create --name --partner-server --resource-group --server --backup-storage-
redundancy --bsr --ha-replicas --read-replicas --license-type --no-wait --partner-database --partner-
resource-group --read-scale --secondary-type --tags --zone-redundant --capacity --family --elastic-
pool --service-objective --auto-pause-delay --compute-model --min-capacity
az sql db replica delete-link --partner-server --partner-resource-group --yes --ids --name --resource-
group --server --subscription
az sql db replica list-links --ids --name --resource-group --server --subscription
az sql db replica set-primary --allow-data-loss --ids --name --resource-group --server --subscription
az sql db str-policy set --retention-days --diffbackup-hours --no-wait --ids --name --resource-group --
server --subscription
az sql db str-policy show --ids --name --resource-group --server --subscription
az sql db str-policy wait --policy-name --ids --name --resource-group --server --subscription --created
--custom --deleted --exists --interval --timeout --updated
az sql db tde set --status --database --ids --resource-group --server --subscription
az sql db tde show --database --ids --resource-group --server --subscription
az sql db threat-policy show --ids --name --resource-group --server --subscription
az sql db threat-policy update --add --force-string --remove --set --email-account-admins --email-
addresses --disabled-alerts --retention-days --state --ids --name --resource-group --server --
subscription --storage-account --storage-endpoint --storage-key
az sql dw create --name --resource-group --server --backup-storage-redundancy --bsr --collation --
max-size --no-wait --tags --service-objective

```

```

az sql dw delete --no-wait --yes --ids --name --resource-group --server --subscription
az sql dw list --ids --resource-group --server --subscription
az sql dw pause --ids --name --resource-group --server --subscription
az sql dw resume --ids --name --resource-group --server --subscription
az sql dw show --ids --name --resource-group --server --subscription
az sql dw update --max-size --no-wait --service-objective --add --force-string --remove --set --ids --
name --resource-group --server --subscription
az sql elastic-pool create --name --resource-group --server --db-dtu-max --db-max-capacity --db-max-
dtu --db-dtu-min --db-min-capacity --db-min-dtu --license-type --maint-config-id --max-size --storage
--no-wait --tags --zone-redundant --capacity --dtu --edition --tier --family
az sql elastic-pool delete --no-wait --ids --name --resource-group --server --subscription
az sql elastic-pool list --skip --ids --resource-group --server --subscription
az sql elastic-pool list-dbs --ids --name --resource-group --server --subscription
az sql elastic-pool list-editions --location --available --show-details --dtu --edition --tier --vcores
az sql elastic-pool show --ids --name --resource-group --server --subscription
az sql elastic-pool update --db-dtu-max --db-max-capacity --db-max-dtu --db-dtu-min --db-min-
capacity --db-min-dtu --maint-config-id --max-size --storage --no-wait --zone-redundant --add --
force-string --remove --set --capacity --dtu --edition --tier --family --ids --name --resource-group --
server --subscription
az sql elastic-pool op cancel --name --elastic-pool --ids --resource-group --server --subscription
az sql elastic-pool op list --elastic-pool --ids --resource-group --server --subscription
az sql failover-group create --name --partner-server --resource-group --server --add-db --failover-
policy --grace-period --partner-resource-group
az sql failover-group delete --name --ids --resource-group --server --subscription
az sql failover-group list --ids --resource-group --server --subscription
az sql failover-group set-primary --name --allow-data-loss --ids --resource-group --server --
subscription
az sql failover-group show --name --ids --resource-group --server --subscription
az sql failover-group update --name --add-db --failover-policy --grace-period --remove-db --add --
force-string --remove --set --ids --resource-group --server --subscription
az sql instance-failover-group create --mi --name --partner-mi --partner-resource-group --resource-
group --failover-policy --grace-period
az sql instance-failover-group delete --location --name --resource-group
az sql instance-failover-group set-primary --location --name --resource-group --allow-data-loss
az sql instance-failover-group show --location --name --resource-group
az sql instance-failover-group update --location --name --resource-group --failover-policy --grace-
period --add --force-string --remove --set
az sql instance-failover-group-arc create --mi --name --partner-mi --partner-mirroring-cert-file --
partner-mirroring-url --role --shared-name --k8s-namespace --use-k8s
az sql instance-failover-group-arc delete --name --k8s-namespace --use-k8s
az sql instance-failover-group-arc show --name --k8s-namespace --use-k8s
az sql instance-failover-group-arc update --name --role --k8s-namespace --use-k8s
az sql instance-pool create --location --name --resource-group --subnet --license-type --no-wait --tags
--vnet-name --capacity --edition --family
az sql instance-pool delete --name --resource-group --no-wait --yes
az sql instance-pool list --resource-group
az sql instance-pool show --name --resource-group
az sql instance-pool update --name --resource-group --tags --add --force-string --remove --set

```

```

az sql instance-pool wait --name --resource-group --created --custom --deleted --exists --interval --
timeout --updated
az sql mi create --name --resource-group --subnet --admin-password --admin-user --assign-identity --
backup-storage-redundancy --bsr --collation --enable-ad-only-auth --external-admin-name --
external-admin-principal-type --external-admin-sid --identity-type --key-id --license-type --location --
maint-config-id --minimal-tls-version --no-wait --pid --primary-user-assigned-identity-id --proxy-
override --public-data-endpoint-enabled --service-principal-type --storage --tags --timezone-id --
user-assigned-identity-id --vnet-name --yes --capacity --edition --tier --family
az sql mi delete --no-wait --yes --ids --name --resource-group --subscription
az sql mi failover --no-wait --replica-type --ids --name --resource-group --subscription
az sql mi list --expand-ad-admin --resource-group
az sql mi show --expand-ad-admin --ids --name --resource-group --subscription
az sql mi update --admin-password --assign-identity --backup-storage-redundancy --bsr --identity-
type --key-id --license-type --maint-config-id --minimal-tls-version --no-wait --pid --primary-user-
assigned-identity-id --proxy-override --public-data-endpoint-enabled --service-principal-type --
storage --subnet --tags --user-assigned-identity-id --vnet-name --yes --add --force-string --remove --
set --capacity --edition --tier --family --ids --name --resource-group --subscription
az sql mi ad-admin create --managed-instance --resource-group --display-name --object-id
az sql mi ad-admin delete --ids --managed-instance --mi --resource-group --subscription
az sql mi ad-admin list --ids --managed-instance --mi --resource-group --subscription
az sql mi ad-admin update --display-name --object-id --ids --managed-instance --mi --resource-group
--subscription
az sql mi ad-only-auth disable --ids --name --resource-group --subscription
az sql mi ad-only-auth enable --ids --name --resource-group --subscription
az sql mi ad-only-auth get --ids --name --resource-group --subscription
az sql mi key create --kid --managed-instance --resource-group
az sql mi key delete --kid --ids --managed-instance --mi --resource-group --subscription
az sql mi key list --filter --ids --managed-instance --mi --resource-group --subscription
az sql mi key show --kid --ids --managed-instance --mi --resource-group --subscription
az sql mi op cancel --name --ids --managed-instance --mi --resource-group --subscription
az sql mi op list --ids --managed-instance --mi --resource-group --subscription
az sql mi op show --name --ids --managed-instance --mi --resource-group --subscription
az sql mi tde-key set --server-key-type --auto-rotation-enabled --kid --ids --managed-instance --mi --
resource-group --subscription
az sql mi tde-key show --ids --managed-instance --mi --resource-group --subscription
az sql mi-arc create --name --ad-account-name --ad-connector-name --cores-limit --cores-request --
dev --keytab-secret --license-type --memory-limit --memory-request --no-wait --path --primary-dns-
name --primary-port-number --readable-secondaries --replicas --retention-days --secondary-dns-
name --secondary-port-number --storage-class-backups --storage-class-data --storage-class-datalogs
--storage-class-logs --storage-class-orchestrator-logs --sync-secondary-to-commit --tier --time-zone --
volume-size-backups --volume-size-data --volume-size-datalogs --volume-size-logs --volume-size-
orchestrator-logs --custom-location --resource-group --admin-login-secret --agent-enabled --
annotations --cert-private-key-file --cert-public-key-file --collation --k8s-namespace --labels --
language --no-external-endpoint --service-annotations --service-cert-secret --service-labels --storage-
annotations --storage-labels --trace-flags --use-k8s
az sql mi-arc delete --name --no-wait --resource-group --k8s-namespace --use-k8s
az sql mi-arc get-mirroring-cert --cert-file --name --k8s-namespace --use-k8s
az sql mi-arc list --custom-location --resource-group --k8s-namespace --use-k8s

```

```

az sql mi-arc show --name --path --resource-group --k8s-namespace --use-k8s
az sql mi-arc update --name --agent-enabled --annotations --cores-limit --cores-request --keytab-secret --labels --license-type --memory-limit --memory-request --no-wait --path --readable-secondaries --replicas --retention-days --service-annotations --service-labels --sync-secondary-to-commit --tier --time-zone --trace-flags --resource-group --cert-private-key-file --cert-public-key-file --k8s-namespace --preferred-primary-replica --service-cert-secret --use-k8s
az sql mi-arc upgrade --desired-version --dry-run --field-filter --force --label-filter --name --no-wait --target --resource-group --k8s-namespace --use-k8s
az sql mi-arc config add --json-values --path
az sql mi-arc config init --path
az sql mi-arc config patch --patch-file --path
az sql mi-arc config remove --json-path --path
az sql mi-arc config replace --json-values --path
az sql mi-arc endpoint list --k8s-namespace --name --use-k8s
az sql midb create --managed-instance --name --resource-group --collation --no-wait
az sql midb delete --no-wait --yes --ids --managed-instance --mi --name --resource-group --subscription
az sql midb list --ids --managed-instance --mi --resource-group --subscription
az sql midb list-deleted --ids --managed-instance --mi --resource-group --subscription
az sql midb restore --dest-name --deleted-time --dest-mi --dest-resource-group --no-wait --ids --managed-instance --mi --name --resource-group --subscription --time
az sql midb show --ids --managed-instance --mi --name --resource-group --subscription
az sql midb log-replay complete --last-backup-name --last-bn --ids --managed-instance --mi --name --resource-group --subscription
az sql midb log-replay show --ids --managed-instance --mi --name --resource-group --subscription
az sql midb log-replay start --ss --storage-uri --auto-complete --last-backup-name --last-bn --no-wait --ids --managed-instance --mi --name --resource-group --subscription
az sql midb log-replay stop --no-wait --yes --ids --managed-instance --mi --name --resource-group --subscription
az sql midb log-replay wait --ids --managed-instance --mi --name --resource-group --subscription --created --custom --deleted --exists --interval --timeout --updated
az sql midb ltr-backup delete --backup-id --id --database --location --managed-instance --mi --name --yes
az sql midb ltr-backup list --location --database --database-state --state --latest --only-latest-per-database --managed-instance --mi --resource-group
az sql midb ltr-backup restore --backup-id --dest-database --dest-mi --dest-resource-group --no-wait
az sql midb ltr-backup show --backup-id --id --database --location --managed-instance --mi --name
az sql midb ltr-backup wait --database --managed-instance --resource-group --created --custom --deleted --exists --interval --timeout --updated
az sql midb ltr-policy set --monthly-retention --week-of-year --weekly-retention --yearly-retention --ids --managed-instance --mi --name --resource-group --subscription
az sql midb ltr-policy show --ids --managed-instance --mi --name --resource-group --subscription
az sql midb short-term-retention-policy set --retention-days --deleted-time --no-wait --ids --managed-instance --mi --name --resource-group --subscription
az sql midb short-term-retention-policy show --deleted-time --ids --managed-instance --mi --name --resource-group --subscription
az sql midb-arc restore --dest-name --dry-run --k8s-namespace --managed-instance --name --no-wait --time --use-k8s

```

```

az sql server create --name --resource-group --admin-password --admin-user --assign-identity --
enable-ad-only-auth --enable-public-network --external-admin-name --external-admin-principal-type
--external-admin-sid --federated-client-id --fid --identity-type --key-id --location --minimal-tls-version
--no-wait --pid --primary-user-assigned-identity-id --restrict-outbound-network-access --user-
assigned-identity-id
az sql server delete --yes --ids --name --resource-group --subscription
az sql server list --expand-ad-admin --resource-group
az sql server list-usages --ids --name --resource-group --subscription
az sql server show --expand-ad-admin --ids --name --resource-group --subscription
az sql server update --admin-password --assign_identity --enable-public-network --federated-client-
id --fid --identity-type --key-id --minimal-tls-version --no-wait --pid --primary-user-assigned-identity-
id --restrict-outbound-network-access --user-assigned-identity-id --add --force-string --remove --set -
ids --name --resource-group --subscription
az sql server wait --expand --ids --name --resource-group --subscription --created --custom --deleted
--exists --interval --timeout --updated
az sql server ad-admin create --resource-group --server --display-name --object-id
az sql server ad-admin delete --ids --resource-group --server --server-name --subscription
az sql server ad-admin list --ids --resource-group --server --server-name --subscription
az sql server ad-admin update --display-name --object-id --add --force-string --remove --set --ids --
resource-group --server --server-name --subscription
az sql server ad-only-auth disable --ids --name --resource-group --subscription
az sql server ad-only-auth enable --ids --name --resource-group --subscription
az sql server ad-only-auth get --ids --name --resource-group --subscription
az sql server audit-policy show --ids --name --resource-group --subscription
az sql server audit-policy update --no-wait --eh --event-hub --ehari --event-hub-authorization-rule-id
--ehrs --event-hub-target-state --add --force-string --remove --set --lats --log-analytics-target-state --
lawri --log-analytics-workspace-resource-id --actions --retention-days --state --ids --name --resource-
group --subscription --blob-storage-target-state --bsts --storage-account --storage-endpoint --
storage-key
az sql server audit-policy wait --ids --name --resource-group --subscription --created --custom --
deleted --exists --interval --timeout --updated
az sql server conn-policy show --ids --resource-group --server --subscription
az sql server conn-policy update --connection-type --ids --resource-group --server --subscription
az sql server dns-alias create --name --resource-group --server
az sql server dns-alias delete --name --ids --resource-group --server --subscription
az sql server dns-alias list --ids --resource-group --server --subscription
az sql server dns-alias set --name --original-server --original-resource-group --original-subscription-id
--ids --resource-group --server --subscription
az sql server dns-alias show --name --ids --resource-group --server --subscription
az sql server firewall-rule create --name --resource-group --server --end-ip-address --start-ip-address
az sql server firewall-rule delete --ids --name --resource-group --server --subscription
az sql server firewall-rule list --ids --resource-group --server --subscription
az sql server firewall-rule show --ids --name --resource-group --server --subscription
az sql server firewall-rule update --end-ip-address --start-ip-address --ids --name --resource-group --
server --subscription
az sql server key create --kid --resource-group --server
az sql server key delete --kid --ids --resource-group --server --subscription
az sql server key list --ids --resource-group --server --subscription

```

```

az sql server key show --kid --ids --resource-group --server --subscription
az sql server ms-support audit-policy show --ids --name --resource-group --subscription
az sql server ms-support audit-policy update --no-wait --eh --event-hub --ehari --event-hub-
authorization-rule-id --ehrs --event-hub-target-state --add --force-string --remove --set --lats --log-
analytics-target-state --lawri --log-analytics-workspace-resource-id --state --ids --name --resource-
group --subscription --blob-storage-target-state --bsts --storage-account --storage-endpoint --
storage-key
az sql server ms-support audit-policy wait --ids --name --resource-group --subscription --created --
custom --deleted --exists --interval --timeout --updated
az sql server outbound-firewall-rule create --outbound-rule-fqdn --resource-group --server
az sql server outbound-firewall-rule delete --outbound-rule-fqdn --ids --resource-group --server --
subscription
az sql server outbound-firewall-rule list --ids --resource-group --server --subscription
az sql server outbound-firewall-rule show --outbound-rule-fqdn --ids --resource-group --server --
subscription
az sql server tde-key set --server-key-type --auto-rotation-enabled --kid --ids --resource-group --
server --subscription
az sql server tde-key show --ids --resource-group --server --subscription
az sql server vnet-rule create --name --resource-group --server --subnet --ignore-missing-endpoint --
vnet-name
az sql server vnet-rule delete --name --ids --resource-group --server --subscription
az sql server vnet-rule list --ids --resource-group --server --subscription
az sql server vnet-rule show --name --ids --resource-group --server --subscription
az sql server vnet-rule update --name --subnet --ignore-missing-endpoint --ids --resource-group --
server --subscription
az sql stg create --group-member --location --name --resource-group --trust-scope --no-wait
az sql stg delete --location --name --resource-group --no-wait --yes
az sql stg list --resource-group --instance-name --location
az sql stg show --location --name --resource-group
az sql virtual-cluster delete --no-wait --ids --name --resource-group --subscription
az sql virtual-cluster list --resource-group
az sql virtual-cluster show --ids --name --resource-group --subscription
az sql vm add-to-group --sqlvm-group --ids --name --resource-group --subscription --bootstrap-acc-
pwd --operator-acc-pwd --service-acc-pwd
az sql vm create --name --resource-group --location --sql-mgmt-type --image-sku --offer-type. --tags -
-enable-r-services --backup-pwd --backup-schedule-type --backup-system-dbs --enable-auto-backup
--enable-encryption --full-backup-duration --full-backup-frequency --full-backup-start-hour --log-
backup-frequency --retention-period --sa-key --storage-account --day-of-week --enable-auto-
patching --maintenance-window-duration --maintenance-window-start-hour --credential-name --
enable-key-vault-credential --key-vault --sp-name --sp-secret --connectivity-type --port --sql-auth-
update-pwd --sql-auth-update-username --image-offer --image-sku --license-type --sql-workload-
type
az sql vm delete --yes --ids --name --resource-group --subscription
az sql vm list --resource-group
az sql vm remove-from-group --ids --name --resource-group --subscription
az sql vm show --expand --ids --name --resource-group --subscription
az sql vm update --sql-mgmt-type --tags --yes --enable-r-services --backup-pwd --backup-schedule-
type --backup-system-dbs --enable-auto-backup --enable-encryption --full-backup-duration --full-

```



```

backup-frequency --full-backup-start-hour --log-backup-frequency --retention-period --sa-key --
storage-account --day-of-week --enable-auto-patching --maintenance-window-duration --
maintenance-window-start-hour --add --force-string --remove --set --credential-name --enable-key-
vault-credential --key-vault --sp-name --sp-secret --ids --name --resource-group --subscription --
connectivity-type --port --image-sku --license-type --sql-workload-type
az sql vm group create --name --resource-group --location --tags --image-offer --image-sku --domain-
fqdn --operator-acc --service-acc --storage-account --bootstrap-acc --fsw-path --ou-path --sa-key
az sql vm group delete --yes --ids --name --resource-group --subscription
az sql vm group list --resource-group
az sql vm group show --ids --name --resource-group --subscription
az sql vm group update --tags --add --force-string --remove --set --ids --name --resource-group --
subscription --bootstrap-acc --domain-fqdn --fsw-path --operator-acc --ou-path --sa-key --service-acc
--storage-account
az sql vm group ag-listener create --ag-name --group-name --name --resource-group --ip-address --
load-balancer --probe-port --sqlvms --subnet --public-ip --vnet-name --port
az sql vm group ag-listener delete --group-name --yes --ids --name --resource-group --subscription
az sql vm group ag-listener list --group-name --resource-group
az sql vm group ag-listener show --group-name --expand --ids --name --resource-group --subscription
az sql vm group ag-listener update --group-name --add --force-string --remove --set --sqlvms --ids --
name --resource-group --subscription
az ssh arc --certificate-file --local-user --name --vm-name --port --private-key-file --public-key-file --
rdp --winrdp --resource-group --ssh-client-folder --ssh-proxy-folder
az ssh cert --file --public-key-file --ssh-client-folder
az ssh config --file --certificate-file --ip --keys-dest-folder --keys-destination-folder --local-user --name
--vm-name --overwrite --port --prefer-private-ip --private-key-file --public-key-file --resource-group --
resource-type --ssh-client-folder --ssh-proxy-folder
az ssh vm --certificate-file --hostname --ip --local-user --name --vm-name --port --prefer-private-ip --
private-key-file --public-key-file --rdp --winrdp --resource-group --resource-type --ssh-client-folder --
ssh-proxy-folder
az sshkey create --name --resource-group --location --public-key --tags
az sshkey delete --yes --ids --name --ssh-public-key-name --resource-group --subscription
az sshkey list --resource-group
az sshkey show --ids --name --ssh-public-key-name --resource-group --subscription
az sshkey update --public-key --tags --ids --name --ssh-public-key-name --resource-group --
subscription
az stack-hci arc-setting create --arc-setting-name --cluster-name --resource-group --arc-application-
client-id --arc-application-object-id --arc-application-tenant-id --arc-service-principal-object-id --
connectivity-properties --instance-rg --created-at --created-by --created-by-type --last-modified-at --
last-modified-by --last-modified-by-type
az stack-hci arc-setting create-identity --arc-setting-name --cluster-name --resource-group --no-wait
az stack-hci arc-setting delete --no-wait --yes --arc-setting-name --name --cluster-name --ids --
resource-group --subscription
az stack-hci arc-setting generate-password --arc-setting-name --name --cluster-name --ids --
resource-group --subscription
az stack-hci arc-setting list --cluster-name --resource-group
az stack-hci arc-setting show --arc-setting-name --name --cluster-name --ids --resource-group --
subscription

```

```

az stack-hci arc-setting update --connectivity-properties --tags --arc-setting-name --name --cluster-name --ids --resource-group --subscription
az stack-hci arc-setting wait --arc-setting-name --name --cluster-name --ids --resource-group --subscription --created --custom --deleted --exists --interval --timeout --updated
az stack-hci cluster create --cluster-name --resource-group --aad-application-object-id --aad-client-id --aad-service-principal-object-id --aad-tenant-id --desired-properties --endpoint --location --tags --created-at --created-by --created-by-type --last-modified-at --last-modified-by --last-modified-by-type
az stack-hci cluster create-identity --cluster-name --resource-group --no-wait
az stack-hci cluster delete --no-wait --yes --cluster-name --name --ids --resource-group --subscription
az stack-hci cluster list --resource-group
az stack-hci cluster show --cluster-name --name --ids --resource-group --subscription
az stack-hci cluster update --aad-client-id --aad-tenant-id --desired-properties --endpoint --tags --cluster-name --name --ids --resource-group --subscription
az stack-hci cluster wait --cluster-name --name --ids --resource-group --subscription --created --custom --deleted --exists --interval --timeout --updated
az stack-hci extension create --arc-setting-name --cluster-name --extension-name --resource-group --no-wait --auto-upgrade --force-update-tag --protected-settings --publisher --settings --type --type-handler-version --created-at --created-by --created-by-type --last-modified-at --last-modified-by --last-modified-by-type
az stack-hci extension delete --no-wait --yes --arc-setting-name --cluster-name --extension-name --name --ids --resource-group --subscription
az stack-hci extension list --arc-setting-name --cluster-name --resource-group
az stack-hci extension show --arc-setting-name --cluster-name --extension-name --name --ids --resource-group --subscription
az stack-hci extension wait --arc-setting-name --cluster-name --extension-name --name --ids --resource-group --subscription --created --custom --deleted --exists --interval --timeout --updated
az staticwebapp create --name --resource-group --api-location --app-location --location --no-wait --output-location --sku --tags --branch --login-with-github --source --token
az staticwebapp delete --name --no-wait --resource-group --yes
az staticwebapp disconnect --name --no-wait --resource-group
az staticwebapp list --resource-group
az staticwebapp reconnect --name --no-wait --resource-group --branch --source --login-with-github --token
az staticwebapp show --name --resource-group
az staticwebapp update --name --no-wait --resource-group --sku --tags --branch --source --token
az staticwebapp appsettings delete --name --setting-names --resource-group
az staticwebapp appsettings list --name --resource-group
az staticwebapp appsettings set --name --setting-names --resource-group
az staticwebapp enterprise-edge disable --name --resource-group
az staticwebapp enterprise-edge enable --name --resource-group --no-register
az staticwebapp enterprise-edge show --name --resource-group
az staticwebapp environment delete --name --environment-name --resource-group --yes
az staticwebapp environment functions --name --environment-name --resource-group
az staticwebapp environment list --name --resource-group
az staticwebapp environment show --name --environment-name --resource-group
az staticwebapp functions link --function-resource-id --name --resource-group --force
az staticwebapp functions show --name --resource-group

```

```

az staticwebapp functions unlink --name --resource-group
az staticwebapp hostname delete --hostname --name --no-wait --resource-group --yes
az staticwebapp hostname list --name --resource-group
az staticwebapp hostname set --hostname --name --no-wait --resource-group --validation-method
az staticwebapp hostname show --hostname --name --resource-group
az staticwebapp identity assign --name --resource-group --identities --role --scope
az staticwebapp identity remove --name --resource-group --identities --yes
az staticwebapp identity show --name --resource-group
az staticwebapp secrets list --name --resource-group
az staticwebapp secrets reset-api-key --name --no-wait --resource-group
az staticwebapp users invite --authentication-provider --domain --invitation-expiration-in-hours --
name --roles --user-details --resource-group
az staticwebapp users list --name --authentication-provider --resource-group
az staticwebapp users update --name --roles --authentication-provider --resource-group --user-
details --user-id
az storage copy --destination --destination-local-path --recursive --source --source-local-path --blob-
type --cap-mbps --content-type --exclude-path --exclude-pattern --follow-symlinks --include-path --
include-pattern --preserve-s2s-access-tier --put-md5 --destination-blob --destination-container --
destination-file-path --destination-share --source-account-key --source-account-name --source-blob
--source-connection-string --src-conn --source-container --source-file-path --source-sas --source-
share --account-key --account-name --connection-string --destination-account-name --sas-token
az storage remove --container-name --name --path --recursive --share-name --exclude-path --
exclude-pattern --include-path --include-pattern --account-key --account-name --connection-string --
sas-token
az storage account check-name --name
az storage account create --name --resource-group --access-tier --allow-blob-public-access --allow-
cross-tenant-replication --allow-shared-key-access --allowed-copy-scope --assign-identity --custom-
domain --dns-endpoint-type --endpoint --edge-zone --enable-hierarchical-namespace --hns --enable-
large-file-share --enable-local-user --enable-nfs-v3 --enable-sftp --encryption-key-type-for-queue --
encryption-key-type-for-table --encryption-services --https-only --key-exp-days --key-expiration-
period-in-days --kind --location --min-tls-version --public-network-access --require-infrastructure-
encryption --sas-exp --sas-expiration-period --sku --tags --allow-append --allow-protected-append-
writes --enable-alw --immutability-period --immutability-period-in-days --immutability-state --
account-type --azure-storage-sid --domain-guid --domain-name --domain-sid --forest-name --net-
bios-domain-name --sam-account-name --default-share-permission --enable-files-aadds --enable-
files-adds --encryption-key-name --encryption-key-source --encryption-key-vault --encryption-key-
version --key-vault-federated-client-id --key-vault-user-identity-id --identity-type --user-identity-id --
action --bypass --default-action --subnet --vnet-name --publish-internet-endpoints --publish-
microsoft-endpoints --routing-choice
az storage account delete --yes --ids --name --resource-group --subscription
az storage account failover --no-wait --yes --ids --name --resource-group --subscription
az storage account generate-sas --expiry --permissions --resource-types --services --auth-mode --
encryption-scope --https-only --ip --start --account-name --ids --subscription --account-key --blob-
endpoint --connection-string
az storage account list --resource-group
az storage account revoke-delegation-keys --ids --name --resource-group --subscription
az storage account show --expand --ids --name --resource-group --subscription

```

```

az storage account show-connection-string --blob-endpoint --file-endpoint --key --protocol --queue-
endpoint --sas-token --table-endpoint --ids --name --resource-group --subscription
az storage account show-usage --location
az storage account update --access-tier --allow-blob-public-access --allow-cross-tenant-replication --
allow-shared-key-access --allowed-copy-scope --assign-identity --custom-domain --enable-large-file-
share --enable-local-user --enable-sftp --encryption-services --https-only --key-exp-days --key-
expiration-period-in-days --min-tls-version --public-network-access --sas-exp --sas-expiration-period
--sku --tags --use-subdomain --allow-append --allow-protected-append-writes --immutability-period
--immutability-period-in-days --immutability-state --account-type --azure-storage-sid --domain-guid -
domain-name --domain-sid --forest-name --net-bios-domain-name --sam-account-name --default-
share-permission --enable-files-aadds --enable-files-adds --encryption-key-name --encryption-key-
source --encryption-key-vault --encryption-key-version --key-vault-federated-client-id --key-vault-
user-identity-id --add --force-string --remove --set --identity-type --user-identity-id --bypass --default-
action --ids --name --resource-group --subscription --publish-internet-endpoints --publish-microsoft-
endpoints --routing-choice
az storage account blob-inventory-policy create --account-name --policy --resource-group
az storage account blob-inventory-policy delete --account-name --resource-group --yes
az storage account blob-inventory-policy show --account-name --resource-group
az storage account blob-inventory-policy update --account-name --resource-group --add --force-
string --remove --set
az storage account blob-service-properties show --account-name --resource-group
az storage account blob-service-properties update --account-name --default-service-version --
enable-last-access-tracking --enable-versioning --resource-group --change-feed-days --change-feed-
retention-days --enable-change-feed --container-days --container-delete-retention-days --container-
retention --enable-container-delete-retention --delete-retention-days --enable-delete-retention --
add --force-string --remove --set --enable-restore-policy --restore-days
az storage account encryption-scope create --account-name --name --key-source --key-uri --require-
infrastructure-encryption --resource-group
az storage account encryption-scope list --account-name --resource-group
az storage account encryption-scope show --account-name --name --resource-group
az storage account encryption-scope update --account-name --name --key-source --key-uri --
resource-group --state
az storage account file-service-properties show --account-name --resource-group
az storage account file-service-properties update --account-name --resource-group --delete-
retention-days --enable-delete-retention --add --force-string --remove --set --auth-methods --
channel-encryption --enable-smb-multichannel --mc --kerb-ticket-encryption --versions
az storage account hns-migration start --request-type --no-wait --ids --name --resource-group --
subscription
az storage account hns-migration stop --no-wait --ids --name --resource-group --subscription
az storage account keys list --account-name --expand-key-type --resource-group
az storage account keys renew --account-name --key --key-type --resource-group
az storage account local-user create --account-name --name --resource-group --has-shared-key --
has-ssh-key --has-ssh-password --home-directory --permission-scope --ssh-authorized-key
az storage account local-user delete --account-name --name --resource-group
az storage account local-user list --account-name --resource-group
az storage account local-user list-keys --account-name --name --resource-group
az storage account local-user regenerate-password --account-name --name --resource-group
az storage account local-user show --account-name --name --resource-group

```

```

az storage account local-user update --account-name --name --resource-group --has-shared-key --
has-ssh-key --has-ssh-password --home-directory --permission-scope --ssh-authorized-key
az storage account management-policy create --account-name --policy --resource-group
az storage account management-policy delete --account-name --resource-group
az storage account management-policy show --account-name --resource-group
az storage account management-policy update --account-name --resource-group --add --force-string
--remove --set
az storage account network-rule add --account-name --action --ip-address --resource-group --
resource-id --subnet --tenant-id --vnet-name
az storage account network-rule list --account-name --resource-group
az storage account network-rule remove --account-name --ip-address --resource-group --resource-id
--subnet --tenant-id --vnet-name
az storage account or-policy create --account-name --destination-account --policy --policy-id --
resource-group --source-account --min-creation-time --prefix --prefix-match --dcont --destination-
container --rule-id --scont --source-container
az storage account or-policy delete --account-name --policy-id --resource-group
az storage account or-policy list --account-name --resource-group
az storage account or-policy show --account-name --policy-id --resource-group
az storage account or-policy update --account-name --destination-account --policy --policy-id --
resource-group --source-account --add --force-string --remove --set
az storage account or-policy rule add --account-name --destination-container --policy-id --source-
container --resource-group --min-creation-time --prefix --prefix-match
az storage account or-policy rule list --account-name --policy-id --resource-group
az storage account or-policy rule remove --account-name --policy-id --rule-id --resource-group
az storage account or-policy rule show --account-name --policy-id --rule-id --resource-group
az storage account or-policy rule update --account-name --policy-id --rule-id --destination-container -
-resource-group --source-container --min-creation-time --prefix --prefix-match
az storage account private-endpoint-connection approve --account-name --description --id --name --
resource-group
az storage account private-endpoint-connection delete --account-name --id --name --resource-group
--yes
az storage account private-endpoint-connection reject --account-name --description --id --name --
resource-group
az storage account private-endpoint-connection show --account-name --id --name --resource-group
az storage account private-link-resource list --account-name --resource-group
az storage azcopy run-command
az storage azcopy blob delete --container --auth-mode --recursive --target --account-key --account-
name --connection-string --sas-token
az storage azcopy blob download --container --destination --auth-mode --recursive --source --
account-key --account-name --connection-string --sas-token
az storage azcopy blob sync --container --source --auth-mode --destination --account-key --account-
name --connection-string --sas-token
az storage azcopy blob upload --container --source --auth-mode --destination --recursive --account-
key --account-name --connection-string --sas-token
az storage blob delete --auth-mode --blob-url --container-name --delete-snapshots --lease-id --name
--snapshot --timeout --version-id --if-match --if-modified-since --if-none-match --if-unmodified-since
--tags-condition --account-key --account-name --connection-string --sas-token

```

az storage blob delete-batch --source --auth-mode --delete-snapshots --dryrun --lease-id --pattern --  
 timeout --if-match --if-modified-since --if-none-match --if-unmodified-since --tags-condition --  
 account-key --account-name --connection-string --sas-token  
 az storage blob download --file --auth-mode --blob-url --container-name --end-range --lease-id --  
 max-connections --name --no-progress --open-mode --snapshot --start-range --timeout --validate-  
 content --version-id --if-match --if-modified-since --if-none-match --if-unmodified-since --tags-  
 condition --account-key --account-name --connection-string --sas-token  
 az storage blob download-batch --destination --source --auth-mode --dryrun --max-connections --no-  
 progress --pattern --account-key --account-name --connection-string --sas-token  
 az storage blob exists --auth-mode --blob-url --container-name --name --timeout --account-key --  
 account-name --connection-string --sas-token  
 az storage blob filter --tag-filter --auth-mode --account-key --account-name --connection-string --sas-  
 token  
 az storage blob generate-sas --container-name --name --as-user --auth-mode --cache-control --  
 content-disposition --content-encoding --content-language --content-type --expiry --full-uri --https-  
 only --ip --permissions --policy-name --snapshot --start --version-id --account-key --account-name --  
 connection-string  
 az storage blob query --query-expression --auth-mode --blob-url --container-name --input-format --  
 lease-id --name --output-format --result-file --timeout --in-column-separator --in-escape-char --in-  
 has-header --in-quote-char --in-record-separator --in-line-separator --out-column-separator --out-  
 escape-char --out-has-header --out-quote-char --out-record-separator --out-line-separator --if-match  
 --if-modified-since --if-none-match --if-unmodified-since --tags-condition --account-key --account-  
 name --connection-string --sas-token  
 az storage blob restore --account-name --time-to-restore --blob-range --no-wait --resource-group  
 az storage blob rewrite --container-name --name --source-uri --auth-mode --encryption-scope --  
 lease-id --tier --timeout --if-match --if-modified-since --if-none-match --if-unmodified-since --tags-  
 condition --account-key --account-name --blob-endpoint --connection-string --sas-token  
 az storage blob set-legal-hold --legal-hold --auth-mode --blob-url --container-name --name --timeout  
 --account-key --account-name --connection-string --sas-token  
 az storage blob set-tier --tier --auth-mode --blob-url --container-name --name --rehydrate-priority --  
 tags-condition --timeout --type --version-id --account-key --account-name --connection-string --sas-  
 token  
 az storage blob show --auth-mode --blob-url --container-name --lease-id --name --snapshot --  
 timeout --version-id --if-match --if-modified-since --if-none-match --if-unmodified-since --tags-  
 condition --account-key --account-name --connection-string --sas-token  
 az storage blob snapshot --auth-mode --blob-url --container-name --lease-id --metadata --name --  
 tags-condition --timeout --if-match --if-modified-since --if-none-match --if-unmodified-since --  
 account-key --account-name --connection-string --sas-token  
 az storage blob sync --container --source --destination --delete-destination --exclude-path --exclude-  
 pattern --include-pattern --account-key --account-name --connection-string --sas-token  
 az storage blob undelete --auth-mode --blob-url --container-name --name --timeout --account-key --  
 account-name --connection-string --sas-token  
 az storage blob update --container-name --name --auth-mode --clear-content-settings --content-  
 cache --content-cache-control --content-disposition --content-encoding --content-language --  
 content-md5 --content-type --lease-id --timeout --if-match --if-modified-since --if-none-match --if-  
 unmodified-since --account-key --account-name --connection-string --sas-token  
 az storage blob upload --auth-mode --blob-url --container-name --data --file --lease-id --length --  
 name --encryption-scope --max-connections --metadata --no-progress --overwrite --tags --tier --

```

timeout --type --content-cache-control --content-disposition --content-encoding --content-language
--content-md5 --content-type --maxsize-condition --validate-content --if-match --if-modified-since --
if-none-match --if-unmodified-since --tags-condition --account-key --account-name --connection-
string --sas-token
az storage blob upload-batch --destination --source --auth-mode --container-name --destination-
path --dryrun --lease-id --max-connections --metadata --no-progress --overwrite --pattern --tier --
timeout --type --content-cache-control --content-disposition --content-encoding --content-language
--content-md5 --content-type --maxsize-condition --validate-content --if-match --if-modified-since --
if-none-match --if-unmodified-since --tags-condition --account-key --account-name --connection-
string --sas-token
az storage blob url --container-name --name --auth-mode --protocol --snapshot --account-key --
account-name --connection-string --sas-token
az storage blob copy cancel --copy-id --destination-blob --destination-container --auth-mode --lease-
id --timeout --account-key --account-name --connection-string --sas-token
az storage blob copy start --destination-blob --destination-container --auth-mode --destination-
lease-id --metadata --rehydrate-priority --requires-sync --tags --tier --timeout --source-account-key --
source-account-name --source-blob --source-container --source-lease-id --source-path --source-sas --
source-share --source-snapshot --source-uri --source-if-match --source-if-modified-since --source-if-
none-match --source-if-unmodified-since --destination-if-match --destination-if-modified-since --
destination-if-none-match --destination-if-unmodified-since --destination-tags-condition --source-
tags-condition --account-key --account-name --blob-endpoint --connection-string --sas-token
az storage blob copy start-batch --auth-mode --destination-container --destination-path --dryrun --
pattern --source-account-key --source-account-name --source-container --source-sas --source-share
--source-uri --account-key --account-name --connection-string --sas-token
az storage blob immutability-policy delete --auth-mode --blob-url --container-name --name --
timeout --account-key --account-name --connection-string --sas-token
az storage blob immutability-policy set --auth-mode --blob-url --container-name --expiry-time --
name --policy-mode --timeout --account-key --account-name --connection-string --sas-token
az storage blob incremental-copy cancel --container-name --copy-id --name --auth-mode --lease-id --
timeout --account-key --account-name --connection-string --sas-token
az storage blob incremental-copy start --destination-blob --destination-container --auth-mode --
destination-lease-id --metadata --timeout --source-account-key --source-account-name --source-
blob --source-container --source-lease-id --source-sas --source-snapshot --source-uri --destination-if-
match --destination-if-modified-since --destination-if-none-match --destination-if-unmodified-since -
--account-key --account-name --connection-string --sas-token
az storage blob lease acquire --blob-name --container-name --auth-mode --lease-duration --
proposed-lease-id --tags-condition --timeout --if-match --if-modified-since --if-none-match --if-
unmodified-since --account-key --account-name --connection-string --sas-token
az storage blob lease break --blob-name --container-name --auth-mode --lease-break-period --tags-
condition --timeout --if-match --if-modified-since --if-none-match --if-unmodified-since --account-key
--account-name --connection-string --sas-token
az storage blob lease change --blob-name --container-name --lease-id --proposed-lease-id --auth-
mode --tags-condition --timeout --if-match --if-modified-since --if-none-match --if-unmodified-since -
--account-key --account-name --connection-string --sas-token
az storage blob lease release --blob-name --container-name --lease-id --auth-mode --tags-condition -
--timeout --if-match --if-modified-since --if-none-match --if-unmodified-since --account-key --account-
name --connection-string --sas-token

```

```

az storage blob lease renew --blob-name --container-name --lease-id --auth-mode --tags-condition --
timeout --if-match --if-modified-since --if-none-match --if-unmodified-since --account-key --account-
name --connection-string --sas-token
az storage blob metadata show --auth-mode --blob-url --container-name --lease-id --name --
snapshot --tags-condition --timeout --if-match --if-modified-since --if-none-match --if-unmodified-
since --account-key --account-name --connection-string --sas-token
az storage blob metadata update --auth-mode --blob-url --container-name --lease-id --metadata --
name --snapshot --tags-condition --timeout --if-match --if-modified-since --if-none-match --if-
unmodified-since --account-key --account-name --connection-string --sas-token
az storage blob service-properties show --auth-mode --account-key --account-name --connection-
string --sas-token
az storage blob service-properties update --auth-mode --timeout --delete-retention --delete-
retention-period --404-document --default-index-path --index-document --static-website --account-
key --account-name --connection-string --sas-token
az storage blob service-properties delete-policy show --auth-mode --account-key --account-name --
connection-string --sas-token
az storage blob service-properties delete-policy update --auth-mode --days-retained --enable --
account-key --account-name --connection-string --sas-token
az storage blob tag list --auth-mode --blob-url --container-name --name --snapshot --tags-condition --
timeout --version-id --account-key --account-name --connection-string --sas-token
az storage blob tag set --tags --auth-mode --blob-url --container-name --name --tags-condition --
timeout --version-id --account-key --account-name --connection-string --sas-token
az storage container create --name --account-name --auth-mode --fail-on-exist --metadata --public-
access --resource-group --timeout --default-encryption-scope --prevent-encryption-scope-override --
account-key --connection-string --sas-token
az storage container delete --name --auth-mode --bypass-immutability-policy --fail-not-exist --lease-
id --timeout --if-modified-since --if-unmodified-since --account-key --account-name --connection-
string --sas-token
az storage container exists --name --auth-mode --timeout --account-key --account-name --
connection-string --sas-token
az storage container generate-sas --name --as-user --auth-mode --cache-control --content-
disposition --content-encoding --content-language --content-type --expiry --full-uri --https-only --ip --
permissions --policy-name --start --account-key --account-name --connection-string
az storage container list --auth-mode --include-deleted --include-metadata --marker --num-results --
prefix --show-next-marker --timeout --account-key --account-name --connection-string --sas-token
az storage container restore --deleted-version --name --auth-mode --timeout --account-key --
account-name --connection-string --sas-token
az storage container set-permission --name --auth-mode --lease-id --public-access --timeout --if-
modified-since --if-unmodified-since --account-key --account-name --connection-string --sas-token
az storage container show --name --auth-mode --lease-id --timeout --account-key --account-name --
connection-string --sas-token
az storage container show-permission --name --auth-mode --lease-id --timeout --account-key --
account-name --connection-string --sas-token
az storage container immutability-policy create --account-name --container-name --allow-protected-
append-writes --allow-protected-append-writes-all --w-all --period --resource-group --if-match
az storage container immutability-policy delete --account-name --container-name --resource-group --
if-match

```



```

az storage container immutability-policy extend --account-name --container-name --allow-protected-append-writes --allow-protected-append-writes-all --w-all --period --resource-group --if-match
az storage container immutability-policy lock --account-name --container-name --resource-group --if-match
az storage container immutability-policy show --account-name --container-name --resource-group --if-match
az storage container lease acquire --container-name --auth-mode --lease-duration --proposed-lease-id --timeout --if-modified-since --if-unmodified-since --account-key --account-name --connection-string --sas-token
az storage container lease break --container-name --auth-mode --lease-break-period --timeout --if-modified-since --if-unmodified-since --account-key --account-name --connection-string --sas-token
az storage container lease change --container-name --lease-id --proposed-lease-id --auth-mode --timeout --if-modified-since --if-unmodified-since --account-key --account-name --connection-string --sas-token
az storage container lease release --container-name --lease-id --auth-mode --timeout --if-modified-since --if-unmodified-since --account-key --account-name --connection-string --sas-token
az storage container lease renew --container-name --lease-id --auth-mode --timeout --if-modified-since --if-unmodified-since --account-key --account-name --connection-string --sas-token
az storage container legal-hold clear --account-name --container-name --tags --allow-protected-append-writes-all --w-all --resource-group
az storage container legal-hold set --account-name --container-name --tags --allow-protected-append-writes-all --w-all --resource-group
az storage container legal-hold show --account-name --container-name --resource-group
az storage container metadata show --name --auth-mode --lease-id --timeout --account-key --account-name --connection-string --sas-token
az storage container metadata update --name --auth-mode --lease-id --metadata --timeout --if-modified-since --account-key --account-name --connection-string --sas-token
az storage container policy create --container-name --name --auth-mode --expiry --lease-id --permissions --start --account-key --account-name --connection-string --sas-token
az storage container policy delete --container-name --name --auth-mode --lease-id --account-key --account-name --connection-string --sas-token
az storage container policy list --container-name --auth-mode --lease-id --account-key --account-name --connection-string --sas-token
az storage container policy show --container-name --name --auth-mode --lease-id --account-key --account-name --connection-string --sas-token
az storage container policy update --container-name --name --auth-mode --expiry --lease-id --permissions --start --account-key --account-name --connection-string --sas-token
az storage container-rm create --name --storage-account --enable-vlw --fail-on-exist --metadata --public-access --resource-group --root-squash --default-encryption-scope --deny-encryption-scope-override --deny-override
az storage container-rm delete --yes --ids --name --resource-group --storage-account --subscription
az storage container-rm exists --ids --name --resource-group --storage-account --subscription
az storage container-rm list --storage-account --include-deleted --resource-group
az storage container-rm migrate-vlw --no-wait --ids --name --resource-group --storage-account --subscription
az storage container-rm show --ids --name --resource-group --storage-account --subscription

```

```

az storage container-rm update --metadata --public-access --root-squash --default-encryption-scope
--deny-encryption-scope-override --deny-override --add --force-string --remove --set --ids --name --
resource-group --storage-account --subscription
az storage cors add --methods --origins --services --allowed-headers --exposed-headers --max-age --
timeout --account-key --account-name --connection-string --sas-token
az storage cors clear --services --timeout --account-key --account-name --connection-string --sas-
token
az storage cors list --services --timeout --account-key --account-name --connection-string --sas-token
az storage directory create --name --share-name --fail-on-exist --metadata --timeout --account-key --
account-name --connection-string --sas-token
az storage directory delete --name --share-name --fail-not-exist --timeout --account-key --account-
name --connection-string --sas-token
az storage directory exists --name --share-name --snapshot --timeout --account-key --account-name -
-connection-string --sas-token
az storage directory list --share-name --name --timeout --account-key --account-name --connection-
string --sas-token
az storage directory show --name --share-name --snapshot --timeout --account-key --account-name -
-connection-string --sas-token
az storage directory metadata show --name --share-name --snapshot --timeout --account-key --
account-name --connection-string --sas-token
az storage directory metadata update --name --share-name --metadata --timeout --account-key --
account-name --connection-string --sas-token
az storage entity delete --partition-key --row-key --table-name --auth-mode --if-match --account-key
--account-name --connection-string --sas-token --table-endpoint
az storage entity insert --entity --table-name --auth-mode --if-exists --account-key --account-name --
connection-string --sas-token --table-endpoint
az storage entity merge --entity --table-name --auth-mode --if-match --account-key --account-name -
-connection-string --sas-token --table-endpoint
az storage entity query --table-name --auth-mode --filter --marker --num-results --select --account-
key --account-name --connection-string --sas-token --table-endpoint
az storage entity replace --entity --table-name --auth-mode --if-match --account-key --account-name
--connection-string --sas-token --table-endpoint
az storage entity show --partition-key --row-key --table-name --auth-mode --select --account-key --
account-name --connection-string --sas-token --table-endpoint
az storage file delete --path --share-name --timeout --account-key --account-name --connection-
string --sas-token
az storage file delete-batch --source --dryrun --pattern --timeout --account-key --account-name --
connection-string --sas-token
az storage file download --path --share-name --dest --end-range --max-connections --no-progress --
open-mode --snapshot --start-range --timeout --validate-content --account-key --account-name --
connection-string --sas-token
az storage file download-batch --destination --source --dryrun --no-progress --pattern --snapshot --
validate-content --max-connections --account-key --account-name --connection-string --sas-token
az storage file exists --path --share-name --snapshot --timeout --account-key --account-name --
connection-string --sas-token
az storage file generate-sas --path --share-name --cache-control --content-disposition --content-
encoding --content-language --content-type --expiry --https-only --ip --permissions --policy-name --
start --account-key --account-name --connection-string

```

```

az storage file list --share-name --exclude-dir --marker --num-results --path --snapshot --timeout --
account-key --account-name --connection-string --sas-token
az storage file resize --path --share-name --size --timeout --account-key --account-name --
connection-string --sas-token
az storage file show --path --share-name --snapshot --timeout --account-key --account-name --
connection-string --sas-token
az storage file update --path --share-name --clear-content-settings --content-cache --content-cache-
control --content-disposition --content-encoding --content-language --content-md5 --content-type --
timeout --account-key --account-name --connection-string --sas-token
az storage file upload --share-name --source --content-cache-control --content-disposition --content-
encoding --content-language --content-md5 --content-type --max-connections --metadata --no-
progress --path --timeout --validate-content --account-key --account-name --connection-string --sas-
token
az storage file upload-batch --destination --source --destination-path --dryrun --metadata --no-
progress --pattern --validate-content --content-cache-control --content-disposition --content-
encoding --content-language --content-md5 --content-type --account-key --account-name --
connection-string --sas-token --max-connections
az storage file url --path --share-name --protocol --account-key --account-name --connection-string --
sas-token
az storage file copy cancel --copy-id --destination-path --destination-share --timeout --account-key --
account-name --connection-string --sas-token
az storage file copy start --destination-path --destination-share --metadata --timeout --file-snapshot -
-source-account-key --source-account-name --source-blob --source-container --source-path --source-
sas --source-share --source-snapshot --source-uri --account-key --account-name --connection-string -
-sas-token
az storage file copy start-batch --destination-path --destination-share --dryrun --metadata --pattern -
-timeout --source-account-key --source-account-name --source-container --source-sas --source-
share --source-uri --account-key --account-name --connection-string --sas-token
az storage file metadata show --path --share-name --snapshot --timeout --account-key --account-
name --connection-string --sas-token
az storage file metadata update --path --share-name --metadata --timeout --account-key --account-
name --connection-string --sas-token
az storage fs create --name --auth-mode --metadata --public-access --timeout --account-key --
account-name --blob-endpoint --connection-string --sas-token
az storage fs delete --name --auth-mode --timeout --yes --account-key --account-name --blob-
endpoint --connection-string --sas-token
az storage fs exists --name --auth-mode --timeout --account-key --account-name --blob-endpoint --
connection-string --sas-token
az storage fs generate-sas --name --as-user --auth-mode --cache-control --content-disposition --
content-encoding --content-language --content-type --expiry --full-uri --https-only --ip --permissions -
-policy-name --start --account-key --account-name --blob-endpoint --connection-string
az storage fs list --auth-mode --include-metadata --prefix --account-key --account-name --blob-
endpoint --connection-string --sas-token
az storage fs list-deleted-path --file-system --auth-mode --marker --num-results --path-prefix --
timeout --account-key --account-name --connection-string --sas-token
az storage fs show --name --auth-mode --timeout --account-key --account-name --blob-endpoint --
connection-string --sas-token

```

```

az storage fs undepath --deleted-path-name --deletion-id --file-system --auth-mode --timeout --
account-key --account-name --connection-string --sas-token
az storage fs access remove-recursive --acl --file-system --path --auth-mode --batch-size --
continuation --continue-on-failure --max-batches --timeout --account-key --account-name --blob-
endpoint --connection-string --sas-token
az storage fs access set --file-system --path --acl --auth-mode --group --owner --permissions --
account-key --account-name --blob-endpoint --connection-string --sas-token
az storage fs access set-recursive --acl --file-system --path --auth-mode --batch-size --continuation --
continue-on-failure --max-batches --timeout --account-key --account-name --blob-endpoint --
connection-string --sas-token
az storage fs access show --file-system --path --auth-mode --account-key --account-name --blob-
endpoint --connection-string --sas-token
az storage fs access update-recursive --acl --file-system --path --auth-mode --batch-size --
continuation --continue-on-failure --max-batches --timeout --account-key --account-name --blob-
endpoint --connection-string --sas-token
az storage fs directory create --file-system --name --auth-mode --metadata --permissions --timeout --
umask --account-key --account-name --blob-endpoint --connection-string --sas-token
az storage fs directory delete --file-system --name --auth-mode --timeout --yes --account-key --
account-name --blob-endpoint --connection-string --sas-token
az storage fs directory download --destination-path --file-system --recursive --source-path --account-
key --account-name --connection-string --sas-token
az storage fs directory exists --file-system --name --auth-mode --timeout --account-key --account-
name --blob-endpoint --connection-string --sas-token
az storage fs directory list --file-system --auth-mode --num-results --path --recursive --timeout --
account-key --account-name --blob-endpoint --connection-string --sas-token
az storage fs directory move --file-system --name --new-directory --auth-mode --timeout --account-
key --account-name --blob-endpoint --connection-string --sas-token
az storage fs directory show --file-system --name --auth-mode --timeout --account-key --account-
name --blob-endpoint --connection-string --sas-token
az storage fs directory upload --file-system --source --destination-path --recursive --account-key --
account-name --connection-string --sas-token
az storage fs directory metadata show --file-system --name --auth-mode --timeout --account-key --
account-name --blob-endpoint --connection-string --sas-token
az storage fs directory metadata update --file-system --metadata --name --auth-mode --timeout --
account-key --account-name --blob-endpoint --connection-string --sas-token
az storage fs file append --content --file-system --path --auth-mode --timeout --account-key --
account-name --blob-endpoint --connection-string --sas-token
az storage fs file create --file-system --path --auth-mode --content-cache --content-cache-control --
content-disposition --content-encoding --content-language --content-md5 --content-type --metadata --
permissions --timeout --umask --account-key --account-name --blob-endpoint --connection-string --
sas-token
az storage fs file delete --file-system --path --auth-mode --timeout --yes --account-key --account-
name --blob-endpoint --connection-string --sas-token
az storage fs file download --file-system --path --auth-mode --destination --overwrite --timeout --
account-key --account-name --blob-endpoint --connection-string --sas-token
az storage fs file exists --file-system --path --auth-mode --timeout --account-key --account-name --
blob-endpoint --connection-string --sas-token

```

```

az storage fs file list --file-system --auth-mode --exclude-dir --marker --num-results --path --recursive
--show-next-marker --timeout --account-key --account-name --blob-endpoint --connection-string --
sas-token
az storage fs file move --file-system --new-path --path --auth-mode --content-cache --content-cache-
control --content-disposition --content-encoding --content-language --content-md5 --content-type --
account-key --account-name --blob-endpoint --connection-string --sas-token
az storage fs file show --file-system --path --auth-mode --timeout --account-key --account-name --
blob-endpoint --connection-string --sas-token
az storage fs file upload --file-system --path --source --auth-mode --content-cache --content-cache-
control --content-disposition --content-encoding --content-language --content-md5 --content-type --
metadata --overwrite --permissions --timeout --umask --if-match --if-modified-since --if-none-match
--if-unmodified-since --account-key --account-name --blob-endpoint --connection-string --sas-token
az storage fs file metadata show --file-system --path --auth-mode --timeout --account-key --account-
name --blob-endpoint --connection-string --sas-token
az storage fs file metadata update --file-system --metadata --path --auth-mode --timeout --account-
key --account-name --blob-endpoint --connection-string --sas-token
az storage fs metadata show --name --auth-mode --timeout --account-key --account-name --blob-
endpoint --connection-string --sas-token
az storage fs metadata update --metadata --name --auth-mode --timeout --account-key --account-
name --blob-endpoint --connection-string --sas-token
az storage fs service-properties show --auth-mode --account-key --account-name --connection-string
--sas-token
az storage fs service-properties update --auth-mode --delete-retention --delete-retention-period --
period --404-document --index-document --static-website --account-key --account-name --
connection-string --sas-token
az storage logging off --services --timeout --account-key --account-name --connection-string --sas-
token
az storage logging show --services --timeout --account-key --account-name --connection-string --sas-
token
az storage logging update --log --retention --services --timeout --version --account-key --account-
name --connection-string --sas-token
az storage message clear --queue-name --auth-mode --timeout --account-key --account-name --
connection-string --queue-endpoint --sas-token
az storage message delete --id --pop-receipt --queue-name --auth-mode --timeout --account-key --
account-name --connection-string --queue-endpoint --sas-token
az storage message get --queue-name --auth-mode --num-messages --timeout --visibility-timeout --
account-key --account-name --connection-string --queue-endpoint --sas-token
az storage message peek --queue-name --auth-mode --num-messages --timeout --account-key --
account-name --connection-string --queue-endpoint --sas-token
az storage message put --content --queue-name --auth-mode --time-to-live --timeout --visibility-
timeout --account-key --account-name --connection-string --queue-endpoint --sas-token
az storage message update --id --pop-receipt --queue-name --auth-mode --content --timeout --
visibility-timeout --account-key --account-name --connection-string --queue-endpoint --sas-token
az storage metrics show --interval --services --timeout --account-key --account-name --connection-
string --sas-token
az storage metrics update --retention --services --api --hour --minute --timeout --account-key --
account-name --connection-string --sas-token

```

```

az storage queue create --name --auth-mode --fail-on-exist --metadata --timeout --account-key --
account-name --connection-string --queue-endpoint --sas-token
az storage queue delete --name --auth-mode --fail-not-exist --timeout --account-key --account-name
--connection-string --queue-endpoint --sas-token
az storage queue exists --name --auth-mode --timeout --account-key --account-name --connection-
string --queue-endpoint --sas-token
az storage queue generate-sas --name --expiry --https-only --ip --permissions --policy-name --start --
account-key --account-name --connection-string --queue-endpoint
az storage queue list --auth-mode --include-metadata --marker --num-results --prefix --show-next-
marker --timeout --account-key --account-name --connection-string --queue-endpoint --sas-token
az storage queue stats --auth-mode --timeout --account-key --account-name --connection-string --
queue-endpoint --sas-token
az storage queue metadata show --name --auth-mode --timeout --account-key --account-name --
connection-string --queue-endpoint --sas-token
az storage queue metadata update --name --auth-mode --metadata --timeout --account-key --
account-name --connection-string --queue-endpoint --sas-token
az storage queue policy create --name --queue-name --expiry --permissions --start --account-key --
account-name --connection-string --queue-endpoint --sas-token
az storage queue policy delete --name --queue-name --account-key --account-name --connection-
string --queue-endpoint --sas-token
az storage queue policy list --queue-name --account-key --account-name --connection-string --
queue-endpoint --sas-token
az storage queue policy show --name --queue-name --account-key --account-name --connection-
string --queue-endpoint --sas-token
az storage queue policy update --name --queue-name --expiry --permissions --start --account-key --
account-name --connection-string --queue-endpoint --sas-token
az storage share close-handle --name --close-all --handle-id --marker --path --recursive --snapshot --
timeout --account-key --account-name --connection-string --sas-token
az storage share create --name --fail-on-exist --metadata --quota --timeout --account-key --account-
name --connection-string --sas-token
az storage share delete --name --delete-snapshots --fail-not-exist --snapshot --timeout --account-key
--account-name --connection-string --sas-token
az storage share exists --name --snapshot --timeout --account-key --account-name --connection-
string --sas-token
az storage share generate-sas --name --cache-control --content-disposition --content-encoding --
content-language --content-type --expiry --https-only --ip --permissions --policy-name --start --
account-key --account-name --connection-string
az storage share list --include-metadata --include-snapshots --marker --num-results --prefix --timeout
--account-key --account-name --connection-string --sas-token
az storage share list-handle --name --marker --max-results --path --recursive --snapshot --timeout --
account-key --account-name --connection-string --sas-token
az storage share show --name --snapshot --timeout --account-key --account-name --connection-
string --sas-token
az storage share snapshot --name --metadata --quota --timeout --account-key --account-name --
connection-string --sas-token
az storage share stats --name --timeout --account-key --account-name --connection-string --sas-
token

```

```

az storage share update --name --quota --timeout --account-key --account-name --connection-string
--sas-token
az storage share url --name --protocol --unc --account-key --account-name --connection-string --sas-
token
az storage share metadata show --name --snapshot --timeout --account-key --account-name --
connection-string --sas-token
az storage share metadata update --name --metadata --timeout --account-key --account-name --
connection-string --sas-token
az storage share policy create --name --share-name --expiry --permissions --start --account-key --
account-name --connection-string --sas-token
az storage share policy delete --name --share-name --account-key --account-name --connection-
string --sas-token
az storage share policy list --share-name --account-key --account-name --connection-string --sas-
token
az storage share policy show --name --share-name --account-key --account-name --connection-string
--sas-token
az storage share policy update --name --share-name --expiry --permissions --start --account-key --
account-name --connection-string --sas-token
az storage share-rm create --name --storage-account --access-tier --enabled-protocols --metadata --
quota --resource-group --root-squash
az storage share-rm delete --include --snapshot --yes --ids --name --resource-group --storage-
account --subscription
az storage share-rm exists --ids --name --resource-group --storage-account --subscription
az storage share-rm list --storage-account --include-deleted --include-snapshot --resource-group
az storage share-rm restore --deleted-version --restored-name --ids --name --resource-group --
storage-account --subscription
az storage share-rm show --expand --snapshot --ids --name --resource-group --storage-account --
subscription
az storage share-rm snapshot --access-tier --enabled-protocols --metadata --quota --root-squash --
ids --name --resource-group --storage-account --subscription
az storage share-rm stats --ids --name --resource-group --storage-account --subscription
az storage share-rm update --access-tier --metadata --quota --root-squash --add --force-string --
remove --set --ids --name --resource-group --storage-account --subscription
az storage table create --name --auth-mode --fail-on-exist --account-key --account-name --
connection-string --sas-token --table-endpoint
az storage table delete --name --auth-mode --fail-not-exist --account-key --account-name --
connection-string --sas-token --table-endpoint
az storage table exists --name --auth-mode --account-key --account-name --connection-string --sas-
token --table-endpoint
az storage table generate-sas --name --end-pk --end-rk --expiry --https-only --ip --permissions --
policy-name --start --start-pk --start-rk --account-key --account-name --connection-string --table-
endpoint
az storage table list --auth-mode --marker --num-results --show-next-marker --account-key --
account-name --connection-string --sas-token --table-endpoint
az storage table stats --auth-mode --account-key --account-name --connection-string --sas-token --
table-endpoint
az storage table policy create --name --table-name --expiry --permissions --start --account-key --
account-name --connection-string --sas-token --table-endpoint

```

```

az storage table policy delete --name --table-name --account-key --account-name --connection-string
--sas-token --table-endpoint
az storage table policy list --table-name --account-key --account-name --connection-string --sas-
token --table-endpoint
az storage table policy show --name --table-name --account-key --account-name --connection-string
--sas-token --table-endpoint
az storage table policy update --name --table-name --expiry --permissions --start --account-key --
account-name --connection-string --sas-token --table-endpoint
az storagesync create --name --resource-group --location --tags
az storagesync delete --yes --ids --name --resource-group --subscription
az storagesync list --resource-group
az storagesync show --ids --name --resource-group --subscription
az storagesync registered-server delete --server-id --storage-sync-service --no-wait --resource-group
--yes
az storagesync registered-server list --storage-sync-service --resource-group
az storagesync registered-server show --server-id --storage-sync-service --resource-group
az storagesync registered-server wait --resource-group --server-id --storage-sync-service-name --
created --custom --deleted --exists --interval --timeout --updated
az storagesync sync-group create --name --storage-sync-service --resource-group
az storagesync sync-group delete --name --storage-sync-service --resource-group --yes
az storagesync sync-group list --storage-sync-service --resource-group
az storagesync sync-group show --name --storage-sync-service --resource-group
az storagesync sync-group cloud-endpoint create --name --storage-sync-service --sync-group-name --
azure-file-share-name --no-wait --resource-group --storage-account --storage-account-tenant-id
az storagesync sync-group cloud-endpoint delete --name --storage-sync-service --sync-group-name --
no-wait --resource-group --yes
az storagesync sync-group cloud-endpoint list --storage-sync-service --sync-group-name --resource-
group
az storagesync sync-group cloud-endpoint show --name --storage-sync-service --sync-group-name --
resource-group
az storagesync sync-group cloud-endpoint wait --name --resource-group --storage-sync-service-
name --sync-group-name --created --custom --deleted --exists --interval --timeout --updated
az storagesync sync-group server-endpoint create --name --registered-server-id --server-local-path --
storage-sync-service --sync-group-name --cloud-tiering --no-wait --offline-data-transfer --offline-
data-transfer-share-name --resource-group --tier-files-older-than-days --volume-free-space-percent
az storagesync sync-group server-endpoint delete --name --storage-sync-service --sync-group-name --
no-wait --resource-group --yes
az storagesync sync-group server-endpoint list --storage-sync-service --sync-group-name --resource-
group
az storagesync sync-group server-endpoint show --name --storage-sync-service --sync-group-name --
resource-group
az storagesync sync-group server-endpoint update --name --storage-sync-service --sync-group-name
--cloud-tiering --no-wait --offline-data-transfer --offline-data-transfer-share-name --resource-group --
-tier-files-older-than-days --volume-free-space-percent
az storagesync sync-group server-endpoint wait --name --resource-group --storage-sync-service-
name --sync-group-name --created --custom --deleted --exists --interval --timeout --updated
az stream-analytics cluster create --cluster-name --resource-group --if-match --if-none-match --
location --no-wait --sku --tags

```



```

az stream-analytics cluster delete --no-wait --yes --cluster-name --name --ids --resource-group --
subscription
az stream-analytics cluster list --resource-group
az stream-analytics cluster list-streaming-job --cluster-name --resource-group
az stream-analytics cluster show --cluster-name --name --ids --resource-group --subscription
az stream-analytics cluster update --if-match --location --no-wait --sku --tags --cluster-name --name -
-ids --resource-group --subscription
az stream-analytics cluster wait --cluster-name --name --ids --resource-group --subscription --created
--custom --deleted --exists --interval --timeout --updated
az stream-analytics function create --function-name --job-name --resource-group --if-match --if-
none-match --properties
az stream-analytics function delete --function-name --job-name --resource-group --yes
az stream-analytics function inspect --function-name --job-name --resource-group --ml-properties
az stream-analytics function list --job-name --resource-group --select
az stream-analytics function show --function-name --job-name --resource-group
az stream-analytics function test --function-name --job-name --resource-group --no-wait --properties
az stream-analytics function update --function-name --job-name --resource-group --if-match --
properties
az stream-analytics function wait --function-name --job-name --resource-group --created --custom --
deleted --exists --interval --timeout --updated
az stream-analytics input create --input-name --job-name --resource-group --if-match --if-none-
match --properties
az stream-analytics input delete --input-name --job-name --resource-group --yes
az stream-analytics input list --job-name --resource-group --select
az stream-analytics input show --input-name --job-name --resource-group
az stream-analytics input test --input-name --job-name --resource-group --no-wait --properties
az stream-analytics input update --input-name --job-name --resource-group --if-match --properties
az stream-analytics input wait --input-name --job-name --resource-group --created --custom --
deleted --exists --interval --timeout --updated
az stream-analytics job create --job-name --resource-group --arrival-max-delay --compatibility-level -
-content-storage-policy --data-locale --functions --identity --if-match --if-none-match --inputs --job-
storage-account --job-type --location --no-wait --order-max-delay --out-of-order-policy --output-
error-policy --output-start-mode --output-start-time --outputs --tags --transformation --id
az stream-analytics job delete --job-name --resource-group --no-wait --yes
az stream-analytics job list --expand --resource-group
az stream-analytics job scale --job-name --resource-group --no-wait --streaming-units
az stream-analytics job show --job-name --resource-group --expand
az stream-analytics job start --job-name --resource-group --no-wait --output-start-mode --output-
start-time
az stream-analytics job stop --job-name --resource-group --no-wait
az stream-analytics job update --job-name --resource-group --arrival-max-delay --compatibility-level
--content-storage-policy --data-locale --functions --identity --if-match --inputs --job-storage-account -
-job-type --location --order-max-delay --out-of-order-policy --output-error-policy --output-start-
mode --output-start-time --outputs --tags --transformation --id
az stream-analytics job wait --job-name --resource-group --expand --created --custom --deleted --
exists --interval --timeout --updated
az stream-analytics output create --job-name --name --resource-group --datasource --if-match --if-
none-match --serialization --size-window --time-window

```

```

az stream-analytics output delete --job-name --name --resource-group --yes
az stream-analytics output list --job-name --resource-group --select
az stream-analytics output show --job-name --name --resource-group
az stream-analytics output test --job-name --name --resource-group --datasource --no-wait --
serialization --size-window --time-window
az stream-analytics output update --job-name --name --resource-group --datasource --if-match --
serialization --size-window --time-window
az stream-analytics output wait --job-name --name --resource-group --created --custom --deleted --
exists --interval --timeout --updated
az stream-analytics private-endpoint create --cluster-name --name --resource-group --connections --
if-match --if-none-match
az stream-analytics private-endpoint delete --no-wait --yes --cluster-name --ids --name --private-
endpoint-name --resource-group --subscription
az stream-analytics private-endpoint list --cluster-name --resource-group
az stream-analytics private-endpoint show --cluster-name --ids --name --private-endpoint-name --
resource-group --subscription
az stream-analytics private-endpoint wait --cluster-name --ids --name --private-endpoint-name --
resource-group --subscription --created --custom --deleted --exists --interval --timeout --updated
az stream-analytics subscription inspect --ids --location --subscription
az stream-analytics transformation create --job-name --name --resource-group --if-match --if-none-
match --saql --streaming-units --valid-streaming-units
az stream-analytics transformation show --job-name --name --resource-group
az stream-analytics transformation update --job-name --name --resource-group --if-match --saql --
streaming-units --valid-streaming-units
az support services list
az support services show --service-name
az support services problem-classifications list --service-name
az support services problem-classifications show --problem-classification-name --service-name
az support tickets create --description --problem-classification --severity --ticket-name --title --
partner-tenant-id --require-24-by-7-response --start-time --contact-country --contact-email --
contact-first-name --contact-language --contact-last-name --contact-method --contact-timezone --
contact-additional-emails --contact-phone-number --quota-change-payload --quota-change-regions -
-quota-change-subtype --quota-change-version --technical-resource
az support tickets list --filters
az support tickets show --ticket-name
az support tickets update --ticket-name --severity --status --contact-additional-emails --contact-
country --contact-email --contact-first-name --contact-language --contact-last-name --contact-
method --contact-phone-number --contact-timezone
az support tickets communications create --communication-name --ticket-name --communication-
body --communication-subject --communication-sender
az support tickets communications list --ticket-name --filters
az support tickets communications show --communication-name --ticket-name
az synapse activity-run query-by-pipeline-run --last-updated-after --last-updated-before --name --
run-id --workspace-name --continuation-token --filters --order-by
az synapse data-flow create --file --name --workspace-name --no-wait
az synapse data-flow delete --name --workspace-name --no-wait --yes
az synapse data-flow list --workspace-name
az synapse data-flow set --file --name --workspace-name --no-wait

```

```

az synapse data-flow show --name --workspace-name
az synapse dataset create --file --name --workspace-name --no-wait
az synapse dataset delete --name --workspace-name --no-wait --yes
az synapse dataset list --workspace-name
az synapse dataset set --file --name --workspace-name --no-wait
az synapse dataset show --name --workspace-name
az synapse dataset update --file --name --workspace-name --no-wait
az synapse integration-runtime create --name --resource-group --type --workspace-name --
description --if-match --no-wait --compute-type --core-count --location --time-to-live
az synapse integration-runtime delete --no-wait --yes --ids --name --resource-group --subscription --
workspace-name
az synapse integration-runtime get-connection-info --ids --name --resource-group --subscription --
workspace-name
az synapse integration-runtime get-monitoring-data --ids --name --resource-group --subscription --
workspace-name
az synapse integration-runtime get-status --ids --name --resource-group --subscription --workspace-
name
az synapse integration-runtime list --resource-group --workspace-name
az synapse integration-runtime list-auth-key --name --resource-group --workspace-name
az synapse integration-runtime regenerate-auth-key --key-name --ids --name --resource-group --
subscription --workspace-name
az synapse integration-runtime show --if-none-match --ids --name --resource-group --subscription --
workspace-name
az synapse integration-runtime start --no-wait --ids --name --resource-group --subscription --
workspace-name
az synapse integration-runtime stop --no-wait --yes --ids --name --resource-group --subscription --
workspace-name
az synapse integration-runtime sync-credentials --ids --name --resource-group --subscription --
workspace-name
az synapse integration-runtime update --auto-update --update-delay-offset --ids --name --resource-
group --subscription --workspace-name
az synapse integration-runtime upgrade --ids --name --resource-group --subscription --workspace-
name
az synapse integration-runtime wait --name --resource-group --workspace-name --if-none-match --
created --custom --deleted --exists --interval --timeout --updated
az synapse integration-runtime managed create --name --resource-group --workspace-name --
compute-type --core-count --description --if-match --location --no-wait --time-to-live
az synapse integration-runtime self-hosted create --name --resource-group --workspace-name --
description --if-match --no-wait
az synapse integration-runtime-node delete --node-name --yes --ids --name --resource-group --
subscription --workspace-name
az synapse integration-runtime-node get-ip-address --node-name --ids --name --resource-group --
subscription --workspace-name
az synapse integration-runtime-node show --node-name --ids --name --resource-group --subscription
--workspace-name
az synapse integration-runtime-node update --auto-update --node-name --update-delay-offset --ids -
-name --resource-group --subscription --workspace-name

```

```

az synapse kql-script create --file --name --resource-group --workspace-name --kusto-database-name
--kusto-pool-name --no-wait
az synapse kql-script delete --name --workspace-name --no-wait --yes
az synapse kql-script export --output-folder --workspace-name --name
az synapse kql-script import --file --name --resource-group --workspace-name --kusto-database-
name --kusto-pool-name --no-wait
az synapse kql-script list --workspace-name
az synapse kql-script show --name --workspace-name
az synapse kql-script wait --name --workspace-name --created --custom --deleted --exists --interval --
timeout --updated
az synapse kusto attached-database-configuration create --attached-database-configuration-name --
kusto-pool-name --resource-group --workspace-name --database-name --default-principals-
modification-kind --kusto-pool-resource-id --location --no-wait --table-level-sharing-properties
az synapse kusto attached-database-configuration delete --no-wait --yes --attached-database-
configuration-name --ids --kusto-pool-name --resource-group --subscription --workspace-name
az synapse kusto attached-database-configuration list --kusto-pool-name --resource-group --
workspace-name
az synapse kusto attached-database-configuration show --attached-database-configuration-name --
ids --kusto-pool-name --resource-group --subscription --workspace-name
az synapse kusto attached-database-configuration update --database-name --default-principals-
modification-kind --kusto-pool-resource-id --location --no-wait --table-level-sharing-properties --add
--force-string --remove --set --attached-database-configuration-name --ids --kusto-pool-name --
resource-group --subscription --workspace-name
az synapse kusto attached-database-configuration wait --attached-database-configuration-name --
ids --kusto-pool-name --resource-group --subscription --workspace-name --created --custom --
deleted --exists --interval --timeout --updated
az synapse kusto data-connection delete --no-wait --yes --data-connection-name --database-name --
ids --kusto-pool-name --resource-group --subscription --workspace-name
az synapse kusto data-connection list --database-name --kusto-pool-name --resource-group --
workspace-name
az synapse kusto data-connection show --data-connection-name --database-name --ids --kusto-pool-
name --resource-group --subscription --workspace-name
az synapse kusto data-connection wait --data-connection-name --database-name --ids --kusto-pool-
name --resource-group --subscription --workspace-name --created --custom --deleted --exists --
interval --timeout --updated
az synapse kusto data-connection event-grid create --data-connection-name --database-name --
kusto-pool-name --resource-group --workspace-name --blob-storage-event-type --consumer-group --
data-format --event-hub-resource-id --ignore-first-record --location --mapping-rule-name --no-wait --
storage-account-resource-id --table-name
az synapse kusto data-connection event-grid update --blob-storage-event-type --consumer-group --
data-format --event-hub-resource-id --ignore-first-record --location --mapping-rule-name --no-wait --
storage-account-resource-id --table-name --data-connection-name --database-name --ids --kusto-
pool-name --resource-group --subscription --workspace-name
az synapse kusto data-connection event-hub create --data-connection-name --database-name --
kusto-pool-name --resource-group --workspace-name --compression --consumer-group --data-
format --event-hub-resource-id --event-system-properties --location --managed-identity-resource-id
--mapping-rule-name --no-wait --table-name

```

```

az synapse kusto data-connection event-hub update --compression --consumer-group --data-format
--event-hub-resource-id --event-system-properties --location --managed-identity-resource-id --
mapping-rule-name --no-wait --table-name --data-connection-name --database-name --ids --kusto-
pool-name --resource-group --subscription --workspace-name
az synapse kusto data-connection iot-hub create --data-connection-name --database-name --kusto-
pool-name --resource-group --workspace-name --consumer-group --data-format --event-system-
properties --iot-hub-resource-id --location --mapping-rule-name --no-wait --shared-access-policy-
name --table-name
az synapse kusto data-connection iot-hub update --consumer-group --data-format --event-system-
properties --iot-hub-resource-id --location --mapping-rule-name --no-wait --shared-access-policy-
name --table-name --data-connection-name --database-name --ids --kusto-pool-name --resource-
group --subscription --workspace-name
az synapse kusto database create --database-name --kusto-pool-name --resource-group --
workspace-name --no-wait --read-write-database
az synapse kusto database delete --no-wait --yes --database-name --ids --kusto-pool-name --
resource-group --subscription --workspace-name
az synapse kusto database list --kusto-pool-name --resource-group --workspace-name
az synapse kusto database show --database-name --ids --kusto-pool-name --resource-group --
subscription --workspace-name
az synapse kusto database update --no-wait --read-write-database --database-name --ids --kusto-
pool-name --resource-group --subscription --workspace-name
az synapse kusto database wait --database-name --ids --kusto-pool-name --resource-group --
subscription --workspace-name --created --custom --deleted --exists --interval --timeout --updated
az synapse kusto database-principal-assignment create --database-name --kusto-pool-name --
principal-assignment-name --resource-group --workspace-name --no-wait --principal-id --principal-
type --role --tenant-id
az synapse kusto database-principal-assignment delete --no-wait --yes --database-name --ids --kusto-
pool-name --principal-assignment-name --resource-group --subscription --workspace-name
az synapse kusto database-principal-assignment list --database-name --kusto-pool-name --resource-
group --workspace-name
az synapse kusto database-principal-assignment show --database-name --ids --kusto-pool-name --
principal-assignment-name --resource-group --subscription --workspace-name
az synapse kusto database-principal-assignment update --no-wait --principal-id --principal-type --role
--tenant-id --add --force-string --remove --set --database-name --ids --kusto-pool-name --principal-
assignment-name --resource-group --subscription --workspace-name
az synapse kusto database-principal-assignment wait --database-name --ids --kusto-pool-name --
principal-assignment-name --resource-group --subscription --workspace-name --created --custom --
deleted --exists --interval --timeout --updated
az synapse kusto pool add-language-extension --no-wait --value --ids --kusto-pool-name --name --
resource-group --subscription --workspace-name
az synapse kusto pool create --kusto-pool-name --resource-group --sku --workspace-name --enable-
purge --enable-streaming-ingest --esig --if-match --if-none-match --location --no-wait --optimized-
autoscale --tags --workspace-uid
az synapse kusto pool delete --no-wait --yes --ids --kusto-pool-name --name --resource-group --
subscription --workspace-name
az synapse kusto pool detach-follower-database --adcn --kusto-pool-resource-id --no-wait --ids --
kusto-pool-name --name --resource-group --subscription --workspace-name
az synapse kusto pool list --resource-group --workspace-name

```

```

az synapse kusto pool list-follower-database --kusto-pool-name --resource-group --workspace-name
az synapse kusto pool list-language-extension --kusto-pool-name --resource-group --workspace-
name
az synapse kusto pool list-sku --kusto-pool-name --resource-group --workspace-name
az synapse kusto pool remove-language-extension --no-wait --value --ids --kusto-pool-name --name -
-resource-group --subscription --workspace-name
az synapse kusto pool show --ids --kusto-pool-name --name --resource-group --subscription --
workspace-name
az synapse kusto pool start --no-wait --ids --kusto-pool-name --name --resource-group --subscription
--workspace-name
az synapse kusto pool stop --no-wait --ids --kusto-pool-name --name --resource-group --subscription
--workspace-name
az synapse kusto pool update --enable-purge --enable-streaming-ingest --esig --if-match --no-wait --
optimized-autoscale --sku --tags --workspace-uid --ids --kusto-pool-name --name --resource-group --
subscription --workspace-name
az synapse kusto pool wait --ids --kusto-pool-name --name --resource-group --subscription --
workspace-name --created --custom --deleted --exists --interval --timeout --updated
az synapse kusto pool-principal-assignment create --kusto-pool-name --principal-assignment-name --
resource-group --workspace-name --no-wait --principal-id --principal-type --role --tenant-id
az synapse kusto pool-principal-assignment delete --no-wait --yes --ids --kusto-pool-name --principal-
assignment-name --resource-group --subscription --workspace-name
az synapse kusto pool-principal-assignment list --kusto-pool-name --resource-group --workspace-
name
az synapse kusto pool-principal-assignment show --ids --kusto-pool-name --principal-assignment-
name --resource-group --subscription --workspace-name
az synapse kusto pool-principal-assignment update --no-wait --principal-id --principal-type --role --
tenant-id --add --force-string --remove --set --ids --kusto-pool-name --principal-assignment-name --
resource-group --subscription --workspace-name
az synapse kusto pool-principal-assignment wait --ids --kusto-pool-name --principal-assignment-
name --resource-group --subscription --workspace-name --created --custom --deleted --exists --
interval --timeout --updated
az synapse kusto-operation list
az synapse linked-service create --file --name --workspace-name --no-wait
az synapse linked-service delete --name --workspace-name --no-wait --yes
az synapse linked-service list --workspace-name
az synapse linked-service set --file --name --workspace-name --no-wait
az synapse linked-service show --name --workspace-name
az synapse linked-service update --file --name --workspace-name --no-wait
az synapse managed-private-endpoints create --file --pe-name --workspace-name
az synapse managed-private-endpoints delete --pe-name --yes --ids --subscription --workspace-name
az synapse managed-private-endpoints list --workspace-name
az synapse managed-private-endpoints show --pe-name --ids --subscription --workspace-name
az synapse notebook create --file --name --workspace-name --executor-count --executor-size --
folder-path --no-wait --spark-pool-name
az synapse notebook delete --name --workspace-name --no-wait --yes
az synapse notebook export --output-folder --workspace-name --name
az synapse notebook import --file --name --workspace-name --executor-count --executor-size --
folder-path --no-wait --spark-pool-name

```

```

az synapse notebook list --workspace-name
az synapse notebook set --file --name --workspace-name --executor-count --executor-size --folder-
path --no-wait --spark-pool-name
az synapse notebook show --name --workspace-name
az synapse pipeline create --file --name --workspace-name --no-wait
az synapse pipeline create-run --name --workspace-name --is-recovery --parameters --reference-
pipeline-run-id --run-id --start-activity-name
az synapse pipeline delete --name --workspace-name --no-wait --yes
az synapse pipeline list --workspace-name
az synapse pipeline set --file --name --workspace-name --no-wait
az synapse pipeline show --name --workspace-name
az synapse pipeline update --file --name --workspace-name --no-wait
az synapse pipeline-run cancel --run-id --workspace-name --is-recursive --yes
az synapse pipeline-run query-by-workspace --last-updated-after --last-updated-before --workspace-
name --continuation-token --filters --order-by
az synapse pipeline-run show --run-id --workspace-name
az synapse role assignment create --role --workspace-name --assignee --assignee-object-id --
assignee-principal-type --assignee-type --assignment-id --item --item-type --scope
az synapse role assignment delete --workspace-name --assignee --assignee-object-id --ids --item --
item-type --role --scope --yes
az synapse role assignment list --workspace-name --assignee --assignee-object-id --item --item-type -
-role --scope
az synapse role assignment show --id --workspace-name
az synapse role definition list --workspace-name --is-built-in
az synapse role definition show --role --workspace-name
az synapse role scope list --workspace-name
az synapse spark job cancel --spark-pool-name --workspace-name --yes --livy-id
az synapse spark job list --spark-pool-name --workspace-name --from-index --size
az synapse spark job show --spark-pool-name --workspace-name --livy-id
az synapse spark job submit --executor-size --executors --main-definition-file --name --spark-pool-
name --workspace-name --archives --arguments --configuration --language --main-class-name --
reference-files --tags
az synapse spark pool create --name --resource-group --workspace-name --no-wait --tags --delay --
enable-auto-pause --enable-auto-scale --max-node-count --min-node-count --spark-version --spark-
events-folder --spark-log-folder --spark-config-file-path --node-count --node-size --node-size-family
az synapse spark pool delete --no-wait --yes --ids --name --resource-group --subscription --
workspace-name
az synapse spark pool list --resource-group --workspace-name
az synapse spark pool show --ids --name --resource-group --subscription --workspace-name
az synapse spark pool update --force --no-wait --tags --delay --enable-auto-pause --enable-auto-scale
--max-node-count --min-node-count --package --package-action --library-requirements --spark-
config-file-path --node-count --node-size --ids --name --resource-group --subscription --workspace-
name
az synapse spark pool wait --big-data-pool-name --ids --resource-group --subscription --workspace-
name --created --custom --deleted --exists --interval --timeout --updated
az synapse spark session cancel --spark-pool-name --workspace-name --yes --livy-id
az synapse spark session create --executor-size --executors --name --spark-pool-name --workspace-
name --configuration --reference-files --tags

```

```

az synapse spark session list --spark-pool-name --workspace-name --from-index --size
az synapse spark session reset-timeout --spark-pool-name --workspace-name --livy-id
az synapse spark session show --spark-pool-name --workspace-name --livy-id
az synapse spark statement cancel --session-id --spark-pool-name --workspace-name --yes --livy-id
az synapse spark statement invoke --code --language --session-id --spark-pool-name --workspace-
name
az synapse spark statement list --session-id --spark-pool-name --workspace-name
az synapse spark statement show --session-id --spark-pool-name --workspace-name --livy-id
az synapse spark-job-definition create --file --name --workspace-name --folder-path --no-wait
az synapse spark-job-definition delete --name --workspace-name --no-wait
az synapse spark-job-definition list --workspace-name
az synapse spark-job-definition show --name --workspace-name
az synapse spark-job-definition update --file --name --workspace-name --folder-path --no-wait
az synapse spark-job-definition wait --name --workspace-name --created --custom --deleted --exists -
-interval --timeout --updated
az synapse sql ad-admin create --display-name --object-id --resource-group --workspace-name --no-
wait
az synapse sql ad-admin delete --resource-group --workspace-name --no-wait --yes
az synapse sql ad-admin show --resource-group --workspace-name
az synapse sql ad-admin update --resource-group --workspace-name --display-name --no-wait --
object-id --add --force-string --remove --set
az synapse sql ad-admin wait --resource-group --workspace-name --created --custom --deleted --
exists --interval --timeout --updated
az synapse sql audit-policy show --resource-group --workspace-name
az synapse sql audit-policy update --resource-group --workspace-name --blob-auditing-policy-name -
-enable-azure-monitor --no-wait --queue-delay-milliseconds --queue-delay-time --eh --event-hub --
ehari --event-hub-authorization-rule-id --ehts --event-hub-target-state --add --force-string --remove -
-set --lats --log-analytics-target-state --lawri --log-analytics-workspace-resource-id --actions --
retention-days --state --blob-storage-target-state --bsts --storage-account --storage-endpoint --
storage-key --storage-subscription --use-secondary-key
az synapse sql audit-policy wait --blob-auditing-policy-name --resource-group --workspace-name --
created --custom --deleted --exists --interval --timeout --updated
az synapse sql pool create --name --performance-level --resource-group --workspace-name --no-wait
--tags --storage-type
az synapse sql pool delete --no-wait --yes --ids --name --resource-group --subscription --workspace-
name
az synapse sql pool list --resource-group --workspace-name
az synapse sql pool list-deleted --resource-group --workspace-name
az synapse sql pool pause --ids --name --resource-group --subscription --workspace-name
az synapse sql pool restore --dest-name --performance-level --tags --ids --name --resource-group --
subscription --workspace-name --deleted-time --time --storage-type
az synapse sql pool resume --ids --name --resource-group --subscription --workspace-name
az synapse sql pool show --ids --name --resource-group --subscription --workspace-name
az synapse sql pool show-connection-string --client --auth-type --ids --name --subscription --
workspace-name
az synapse sql pool update --performance-level --tags --ids --name --resource-group --subscription --
workspace-name

```



```

az synapse sql pool wait --sql-pool-name --ids --resource-group --subscription --workspace-name --
created --custom --deleted --exists --interval --timeout --updated
az synapse sql pool audit-policy show --ids --name --resource-group --subscription --workspace-name
az synapse sql pool audit-policy update --enable-azure-monitor --eh --event-hub --ehari --event-hub-
authorization-rule-id --ehts --event-hub-target-state --add --force-string --remove --set --lats --log-
analytics-target-state --lawri --log-analytics-workspace-resource-id --actions --retention-days --state -
ids --name --resource-group --subscription --workspace-name --blob-storage-target-state --bsts --
storage-account --storage-endpoint --storage-key --storage-subscription --use-secondary-key
az synapse sql pool classification create --column --information-type --label --name --resource-group
--schema --table --workspace-name
az synapse sql pool classification delete --column --schema --table --ids --name --resource-group --
subscription --workspace-name
az synapse sql pool classification list --name --resource-group --workspace-name --filter
az synapse sql pool classification show --column --schema --table --ids --name --resource-group --
subscription --workspace-name
az synapse sql pool classification update --column --schema --table --information-type --label --ids --
name --resource-group --subscription --workspace-name
There are more entries
az synapse sql pool tde set --status --transparent-data-encryption-name --ids --name --resource-
group --subscription --workspace-name
az synapse sql pool tde show --transparent-data-encryption-name --ids --name --resource-group --
subscription --workspace-name
az synapse sql pool threat-policy show --security-alert-policy-name --ids --name --resource-group --
subscription --workspace-name
az synapse sql pool threat-policy update --security-alert-policy-name --add --force-string --remove --
set --email-account-admins --email-addresses --disabled-alerts --retention-days --state --ids --name --
resource-group --subscription --workspace-name --storage-account --storage-endpoint --storage-key
az synapse sql-script create --file --name --workspace-name --additional-properties --description --
folder-name --no-wait --result-limit --sql-database-name --sql-pool-name
az synapse sql-script delete --name --workspace-name --no-wait
az synapse sql-script export --output-folder --workspace-name --name
az synapse sql-script import --file --name --workspace-name --additional-properties --description --
folder-name --no-wait --result-limit --sql-database-name --sql-pool-name
az synapse sql-script list --workspace-name
az synapse sql-script show --name --workspace-name
az synapse sql-script wait --name --workspace-name --created --custom --deleted --exists --interval --
timeout --updated
az synapse trigger create --file --name --workspace-name --no-wait
az synapse trigger delete --name --workspace-name --no-wait --yes
az synapse trigger get-event-subscription-status --name --workspace-name
az synapse trigger list --workspace-name
az synapse trigger set --file --name --workspace-name --no-wait
az synapse trigger show --name --workspace-name
az synapse trigger start --name --workspace-name --no-wait
az synapse trigger stop --name --workspace-name --no-wait
az synapse trigger subscribe-to-event --name --workspace-name --no-wait
az synapse trigger unsubscribe-from-event --name --workspace-name --no-wait
az synapse trigger update --file --name --workspace-name --no-wait

```

```

az synapse trigger wait --name --workspace-name --created --custom --deleted --exists --interval --
timeout --updated
az synapse trigger-run cancel --name --run-id --workspace-name
az synapse trigger-run query-by-workspace --last-updated-after --last-updated-before --workspace-
name --continuation-token --filters --order-by
az synapse trigger-run rerun --name --run-id --workspace-name
az synapse workspace activate --key-identifier --no-wait --ids --name --resource-group --subscription
--workspace-name
az synapse workspace check-name --name
az synapse workspace create --file-system --name --resource-group --sql-admin-login-password --sql-
admin-login-user --storage-account --allowed-tenant-ids --cmk --key-identifier --enable-managed-
virtual-network --enable-managed-vnet --key-name --location --no-wait --prevent-data-exfiltration --
prevent-exfiltration --tags --account-name --collaboration-branch --host-name --project-name --
repository-name --repository-type --root-folder --tenant-id
az synapse workspace delete --no-wait --yes --ids --name --resource-group --subscription
az synapse workspace list --resource-group
az synapse workspace show --ids --name --resource-group --subscription
az synapse workspace update --allowed-tenant-ids --key-name --no-wait --sql-admin-login-password
--tags --account-name --collaboration-branch --host-name --project-name --repository-name --
repository-type --root-folder --tenant-id --ids --name --resource-group --subscription
az synapse workspace wait --resource-group --workspace-name --created --custom --deleted --exists
--interval --timeout --updated
az synapse workspace firewall-rule create --end-ip-address --name --resource-group --start-ip-
address --workspace-name --no-wait
az synapse workspace firewall-rule delete --no-wait --yes --ids --name --resource-group --
subscription --workspace-name
az synapse workspace firewall-rule list --resource-group --workspace-name
az synapse workspace firewall-rule show --ids --name --resource-group --subscription --workspace-
name
az synapse workspace firewall-rule update --end-ip-address --no-wait --start-ip-address --ids --name -
-resource-group --subscription --workspace-name
az synapse workspace firewall-rule wait --rule-name --ids --resource-group --subscription --
workspace-name --created --custom --deleted --exists --interval --timeout --updated
az synapse workspace key create --key-identifier --name --resource-group --workspace-name --no-
wait
az synapse workspace key delete --no-wait --yes --ids --name --resource-group --subscription --
workspace-name
az synapse workspace key list --resource-group --workspace-name
az synapse workspace key show --ids --name --resource-group --subscription --workspace-name
az synapse workspace key wait --key-name --ids --resource-group --subscription --workspace-name --
created --custom --deleted --exists --interval --timeout --updated
az synapse workspace managed-identity grant-sql-access --no-wait --ids --resource-group --
subscription --workspace-name
az synapse workspace managed-identity revoke-sql-access --no-wait --ids --resource-group --
subscription --workspace-name
az synapse workspace managed-identity show-sql-access --ids --resource-group --subscription --
workspace-name

```

```

az synapse workspace managed-identity wait --ids --resource-group --subscription --workspace-
name --created --custom --deleted --exists --interval --timeout --updated
az synapse workspace-package delete --name --workspace-name --no-wait --yes
az synapse workspace-package list --workspace-name
az synapse workspace-package show --name --workspace-name
az synapse workspace-package upload --file --workspace-name --no-progress
az synapse workspace-package upload-batch --source --workspace-name --no-progress
az tag add-value --name --value
az tag create --name --resource-id --tags
az tag delete --name --resource-id --yes
az tag list --resource-id
az tag remove-value --name --value
az tag update --operation --resource-id --tags
az term accept --plan --product --publisher
az term show --plan --product --publisher
az ts create --name --resource-group --description --display-name --location --tags --template-file --
ui-form-definition --version --version-description --yes
az ts delete --name --resource-group --template-spec --version --yes
az ts export --output-folder --name --resource-group --template-spec --version
az ts list --name --resource-group
az ts show --name --resource-group --template-spec --version
az ts update --description --display-name --name --resource-group --tags --template-file --template-
spec --ui-form-definition --version --version-description --yes
az tsi access-policy create --access-policy-name --environment-name --resource-group --description -
-principal-object-id --roles
az tsi access-policy delete --yes --access-policy-name --name --environment-name --ids --resource-
group --subscription
az tsi access-policy list --environment-name --resource-group
az tsi access-policy show --access-policy-name --name --environment-name --ids --resource-group --
subscription
az tsi access-policy update --description --roles --access-policy-name --name --environment-name --
ids --resource-group --subscription
az tsi environment delete --yes --environment-name --name --ids --resource-group --subscription
az tsi environment list --resource-group
az tsi environment show --expand --environment-name --name --ids --resource-group --subscription
az tsi environment wait --expand --environment-name --name --ids --resource-group --subscription --
created --custom --deleted --exists --interval --timeout --updated
az tsi environment gen1 create --data-retention-time --environment-name --location --resource-
group --sku --exceeded-behavior --storage-limit-exceeded-behavior --key-properties --partition-key-
properties --no-wait --tags
az tsi environment gen1 update --data-retention-time --exceeded-behavior --storage-limit-exceeded-
behavior --no-wait --sku --tags --environment-name --name --ids --resource-group --subscription
az tsi environment gen2 create --environment-name --id-properties --location --resource-group --sku
--storage-config --no-wait --tags --warm-store-config --warm-store-configuration
az tsi environment gen2 update --no-wait --storage-config --storage-configuration --tags --warm-
store-config --warm-store-configuration --environment-name --name --ids --resource-group --
subscription

```

```

az tsi event-source delete --yes --environment-name --event-source-name --name --ids --resource-group --subscription
az tsi event-source list --environment-name --resource-group
az tsi event-source show --environment-name --event-source-name --name --ids --resource-group --subscription
az tsi event-source eventhub create --consumer-group-name --environment-name --event-hub-name --event-source-name --event-source-resource-id --key-name --location --namespace --resource-group --shared-access-key --local-timestamp --tags --timestamp-property-name --ts-property-name
az tsi event-source eventhub update --local-timestamp --shared-access-key --tags --timestamp-property-name --ts-property-name --environment-name --event-source-name --name --ids --resource-group --subscription
az tsi event-source iotHub create --consumer-group-name --environment-name --event-source-name --event-source-resource-id --iot-hub-name --key-name --location --resource-group --shared-access-key --local-timestamp --tags --timestamp-property-name --ts-property-name
az tsi event-source iotHub update --local-timestamp --shared-access-key --tags --timestamp-property-name --ts-property-name --environment-name --event-source-name --name --ids --resource-group --subscription
az tsi reference-data-set create --environment-name --key-properties --location --name --resource-group --comparison-behavior --data-string-comparison-behavior --tags
az tsi reference-data-set delete --yes --environment-name --ids --name --reference-data-set-name --resource-group --subscription
az tsi reference-data-set list --environment-name --resource-group
az tsi reference-data-set show --environment-name --ids --name --reference-data-set-name --resource-group --subscription
az tsi reference-data-set update --tags --environment-name --ids --name --reference-data-set-name --resource-group --subscription
az vm assess-patches --ids --name --resource-group --subscription
az vm auto-shutdown --email --location --off --time --webhook --ids --name --resource-group --subscription
az vm capture --vhd-name-prefix --overwrite --storage-container --ids --name --resource-group --subscription
az vm convert --ids --name --resource-group --subscription
az vm create --name --resource-group --accept-term --availability-set --boot-diagnostics-storage --capacity-reservation-group --crg --computer-name --count --custom-data --disable-integrity-monitoring --edge-zone --enable-agent --enable-auto-update --enable-hibernation --enable-hotpatching --enable-secure-boot --enable-vtpm --eviction-policy --image --license-type --location --max-price --no-wait --patch-mode --platform-fault-domain --ppg --priority --secrets --security-type --size --ssh-key-name --tags --user-data --v-cpus-available --v-cpus-per-core --validate --vmss --zone --admin-password --admin-username --authentication-type --generate-ssh-keys --ssh-dest-key-path --ssh-key-values --host --host-group --assign-identity --role --scope --plan-name --plan-product --plan-promotion-code --plan-publisher --workspace --accelerated-networking --asgs --nic-delete-option --nics --nsg --nsg-rule --private-ip-address --public-ip-address --public-ip-address-allocation --public-ip-address-dns-name --public-ip-sku --subnet --subnet-address-prefix --vnet-address-prefix --vnet-name --attach-data-disks --attach-os-disk --data-disk-caching --data-disk-delete-option --data-disk-encryption-sets --data-disk-sizes-gb --encryption-at-host --ephemeral-os-disk --ephemeral-os-disk-placement --ephemeral-placement --os-disk-caching --os-disk-delete-option --os-disk-encryption-set

```

```

--os-disk-name --os-disk-size-gb --os-type --specialized --storage-account --storage-container-name --
storage-sku --ultra-ssd-enabled --use-unmanaged-disk
az vm deallocate --hibernate --no-wait --ids --name --resource-group --subscription
az vm delete --force-deletion --no-wait --yes --ids --name --resource-group --subscription
az vm generalize --no-wait --ids --name --resource-group --subscription
az vm get-instance-view --ids --name --resource-group --subscription
az vm install-patches --maximum-duration --reboot-setting --classifications-to-include-linux --
classifications-to-include-win --exclude-kbs-requiring-reboot --kb-numbers-to-exclude --kb-numbers-
to-include --no-wait --package-name-masks-to-exclude --package-name-masks-to-include --ids --
name --resource-group --subscription
az vm list --resource-group --show-details
az vm list-ip-addresses --ids --name --resource-group --subscription
az vm list-sizes --location
az vm list-skus --all --location --resource-type --size --zone
az vm list-usage --location
az vm list-vm-resize-options --ids --name --resource-group --subscription
az vm open-port --port --apply-to-subnet --nsg-name --priority --ids --name --resource-group --
subscription
az vm perform-maintenance --ids --name --resource-group --subscription
az vm reapply --no-wait --ids --name --resource-group --subscription
az vm redeploy --no-wait --ids --name --resource-group --subscription
az vm resize --size --no-wait --ids --name --resource-group --subscription
az vm restart --force --no-wait --ids --name --resource-group --subscription
az vm show --include-user-data --show-details --ids --name --resource-group --subscription
az vm simulate-eviction --ids --name --resource-group --subscription
az vm start --no-wait --ids --name --resource-group --subscription
az vm stop --no-wait --skip-shutdown --ids --name --resource-group --subscription
az vm update --capacity-reservation-group --crg --disk-caching --enable-hibernation --enable-secure-
boot --enable-vtpm --ephemeral-os-disk-placement --ephemeral-placement --license-type --max-
price --no-wait --os-disk --ppg --priority --size --ultra-ssd-enabled --user-data --v-cpus-available --v-
cpus-per-core --write-accelerator --host --host-group --add --force-string --remove --set --workspace
--ids --name --resource-group --subscription
az vm wait --ids --name --resource-group --subscription --created --custom --deleted --exists --
interval --timeout --updated
az vm aem delete --ids --name --resource-group --subscription
az vm aem set --debug-extension --install-new-extension --proxy-uri --set-access-to-individual-
resources --skip-storage-analytics --ids --name --resource-group --subscription
az vm aem verify --skip-storage-check --wait-time-in-minutes --ids --name --resource-group --
subscription
az vm application list --name --resource-group
az vm application set --app-version-ids --app-config-overrides --order-applications --ids --name --
resource-group --subscription
az vm availability-set convert --ids --name --resource-group --subscription
az vm availability-set create --name --resource-group --location --no-wait --platform-fault-domain-
count --platform-update-domain-count --ppg --tags --unmanaged --validate
az vm availability-set delete --ids --name --resource-group --subscription
az vm availability-set list --resource-group
az vm availability-set list-sizes --ids --name --resource-group --subscription

```

```

az vm availability-set show --ids --name --resource-group --subscription
az vm availability-set update --ppg --add --force-string --remove --set --ids --name --resource-group --
subscription
az vm boot-diagnostics disable --ids --name --resource-group --subscription
az vm boot-diagnostics enable --storage --ids --name --resource-group --subscription
az vm boot-diagnostics get-boot-log --ids --name --resource-group --subscription
az vm boot-diagnostics get-boot-log-uris --expire --ids --name --resource-group --subscription
az vm diagnostics get-default-config --is-windows-os
az vm diagnostics set --settings --no-auto-upgrade --no-auto-upgrade-minor-version --protected-
settings --version --ids --resource-group --subscription --vm-name
az vm disk attach --vm-name --caching --disks --enable-write-accelerator --lun --new --size-gb --sku --
name --resource-group --subscription
az vm disk detach --name --resource-group --vm-name
az vm encryption disable --force --volume-type --ids --name --resource-group --subscription
az vm encryption enable --disk-encryption-keyvault --encrypt-format-all --force --key-encryption-
algorithm --key-encryption-key --key-encryption-keyvault --volume-type --aad-client-cert-thumbprint
--aad-client-id --aad-client-secret --ids --name --resource-group --subscription
az vm encryption show --ids --name --resource-group --subscription
az vm extension delete --no-wait --ids --name --resource-group --subscription --vm-name
az vm extension list --resource-group --vm-name
az vm extension set --name --publisher --enable-auto-upgrade --extension-instance-name --force-
update --no-auto-upgrade --no-auto-upgrade-minor-version --no-wait --protected-settings --settings
--version --ids --resource-group --subscription --vm-name
az vm extension show --instance-view --ids --name --resource-group --subscription --vm-name
az vm extension wait --ids --name --resource-group --subscription --vm-name --created --custom --
deleted --exists --interval --timeout --updated
az vm extension image list --latest --location --name --publisher --version
az vm extension image list-names --location --publisher
az vm extension image list-versions --location --name --publisher --filter --orderby --top
az vm extension image show --location --name --publisher --version
az vm host create --host-group --name --resource-group --sku --auto-replace --license-type --location
--platform-fault-domain --tags
az vm host delete --yes --host-group --ids --name --resource-group --subscription
az vm host get-instance-view --host-group --ids --name --resource-group --subscription
az vm host list --host-group --resource-group
az vm host restart --host-group --ids --name --resource-group --subscription
az vm host show --host-group --ids --name --resource-group --subscription
az vm host update --add --force-string --remove --set --host-group --ids --name --resource-group --
subscription
az vm host group create --name --platform-fault-domain-count --resource-group --automatic-
placement --location --tags --zone
az vm host group delete --yes --ids --name --resource-group --subscription
az vm host group get-instance-view --ids --name --resource-group --subscription
az vm host group list --resource-group
az vm host group show --ids --name --resource-group --subscription
az vm host group update --add --force-string --remove --set --ids --name --resource-group --
subscription
az vm identity assign --identities --role --scope --ids --name --resource-group --subscription

```

```

az vm identity remove --identities --ids --name --resource-group --subscription
az vm identity show --ids --name --resource-group --subscription
az vm image accept-terms --offer --plan --publisher --urn
az vm image list --all --edge-zone --location --offer --publisher --sku
az vm image list-offers --location --publisher --edge-zone
az vm image list-publishers --location --edge-zone
az vm image list-skus --location --offer --publisher --edge-zone
az vm image show --edge-zone --location --offer --publisher --sku --urn --version
az vm image terms accept --offer --plan --publisher --urn
az vm image terms cancel --offer --plan --publisher --urn
az vm image terms show --offer --plan --publisher --urn
az vm monitor log show --analytics-query --timespan --ids --name --resource-group --subscription
az vm monitor metrics list-definitions --name --resource-group --namespace
az vm monitor metrics tail --name --resource-group --aggregation --dimension --filter --metadata --
metrics --namespace --orderby --top --end-time --interval --offset --start-time
az vm nic add --nics --resource-group --vm-name --primary-nic
az vm nic list --resource-group --vm-name
az vm nic remove --nics --resource-group --vm-name --primary-nic
az vm nic set --nics --resource-group --vm-name --primary-nic
az vm nic show --nic --resource-group --vm-name
az vm repair create --name --resource-group --associate-public-ip --copy-disk-name --distro --enable-
nested --repair-group-name --repair-password --repair-username --repair-vm-name --unlock-
encrypted-vm
az vm repair list-scripts --preview
az vm repair reset-nic --yes --ids --name --resource-group --subscription
az vm repair restore --disk-name --repair-vm-id --yes --ids --name --resource-group --subscription
az vm repair run --custom-script-file --parameters --preview --repair-vm-id --run-id --run-on-repair --
ids --name --resource-group --subscription
az vm run-command create --name --resource-group --vm-name --async-execution --command-id --
error-blob-uri --location --no-wait --output-blob-uri --parameters --protected-parameters --run-as-
password --run-as-user --script --script-uri --tags --timeout-in-seconds
az vm run-command delete --name --no-wait --yes --ids --resource-group --subscription --vm-name
az vm run-command invoke --command-id --parameters --scripts --ids --name --resource-group --
subscription
az vm run-command list --expand --location --resource-group --vm-name
az vm run-command show --command-id --instance-view --location --name --run-command-name --
ids --resource-group --subscription --vm-name
az vm run-command update --name --async-execution --command-id --error-blob-uri --location --no-
wait --output-blob-uri --parameters --protected-parameters --run-as-password --run-as-user --script -
script-uri --tags --timeout-in-seconds --ids --resource-group --subscription --vm-name
az vm run-command wait --command-id --instance-view --location --name --run-command-name --
ids --resource-group --subscription --vm-name --created --custom --deleted --exists --interval --
timeout --updated
az vm secret add --certificate --keyvault --certificate-store --ids --name --resource-group --
subscription
az vm secret format --secrets --certificate-store --keyvault --resource-group
az vm secret list --name --resource-group
az vm secret remove --keyvault --certificate --ids --name --resource-group --subscription

```

```

az vm unmanaged-disk attach --resource-group --vm-name --caching --lun --name --new --size-gb --
vhd-uri
az vm unmanaged-disk detach --name --resource-group --vm-name
az vm unmanaged-disk list --name --resource-group
az vm user delete --username --no-wait --ids --name --resource-group --subscription
az vm user reset-ssh --no-wait --ids --name --resource-group --subscription
az vm user update --username --no-wait --password --ssh-key-value --ids --name --resource-group --
subscription
az vmss create --name --resource-group --accept-term --automatic-repairs-action --automatic-
repairs-grace-period --capacity-reservation-group --crg --computer-name-prefix --custom-data --
disable-integrity-monitoring --disable-overprovision --edge-zone --enable-agent --enable-auto-
update --enable-cross-zone-upgrade --enable-secure-boot --enable-spot-restore --enable-vtpm --
eviction-policy --health-probe --host-group --image --instance-count --license-type --location --max-
batch-instance-percent --max-price --max-unhealthy-instance-percent --max-unhealthy-upgraded-
instance-percent --network-api-version --no-wait --orchestration-mode --patch-mode --pause-time-
between-batches --platform-fault-domain-count --ppg --prioritize-unhealthy-instances --priority --
scale-in-policy --secrets --security-type --single-placement-group --spot-restore-timeout --tags --
terminate-notification-time --upgrade-policy-mode --user-data --v-cpus-available --v-cpus-per-core --
validate --vm-sku --zones --admin-password --admin-username --authentication-type --generate-ssh-
keys --ssh-dest-key-path --ssh-key-values --assign-identity --role --scope --plan-name --plan-product --
plan-promotion-code --plan-publisher --accelerated-networking --asgs --dns-servers --nsg --public-
ip-address --public-ip-address-allocation --public-ip-address-dns-name --public-ip-per-vm --subnet --
subnet-address-prefix --vm-domain-name --vnet-address-prefix --vnet-name --app-gateway --app-
gateway-capacity --app-gateway-sku --app-gateway-subnet-address-prefix --backend-pool-name --
backend-port --lb --load-balancer --lb-nat-pool-name --nat-pool-name --lb-sku --data-disk-caching --
data-disk-encryption-sets --data-disk-iops --data-disk-mbps --data-disk-sizes-gb --encryption-at-host
--ephemeral-os-disk --ephemeral-os-disk-placement --ephemeral-placement --os-disk-caching --os-
disk-encryption-set --os-disk-name --os-disk-size-gb --os-type --specialized --storage-container-name
--storage-sku --ultra-ssd-enabled --use-unmanaged-disk
az vmss deallocate --name --resource-group --instance-ids --no-wait
az vmss delete --force-deletion --no-wait --ids --name --resource-group --subscription
az vmss delete-instances --instance-ids --name --resource-group --no-wait
az vmss get-instance-view --ids --instance-id --name --resource-group --subscription
az vmss get-os-upgrade-history --ids --name --resource-group --subscription
az vmss list --resource-group
az vmss list-instance-connection-info --ids --name --resource-group --subscription
az vmss list-instance-public-ips --ids --name --resource-group --subscription
az vmss list-instances --expand --filter --select --ids --name --resource-group --subscription
az vmss list-skus --ids --name --resource-group --subscription
az vmss perform-maintenance --vm-instance-ids --ids --name --resource-group --subscription
az vmss reimage --no-wait --ids --instance-id --name --resource-group --subscription
az vmss restart --name --resource-group --instance-ids --no-wait
az vmss scale --new-capacity --no-wait --ids --name --resource-group --subscription
az vmss set-orchestration-service-state --action --service-name --no-wait --ids --name --resource-
group --subscription
az vmss show --name --resource-group --include-user-data --instance-id
az vmss simulate-eviction --instance-id --name --resource-group
az vmss start --name --resource-group --instance-ids --no-wait

```



```

az vmss stop --name --resource-group --instance-ids --no-wait --skip-shutdown
az vmss update --capacity-reservation-group --crg --enable-cross-zone-upgrade --enable-secure-boot
--enable-spot-restore --enable-terminate-notification --enable-vtpm --ephemeral-os-disk-placement
--ephemeral-placement --force-deletion --license-type --max-batch-instance-percent --max-price --
max-unhealthy-instance-percent --max-unhealthy-upgraded-instance-percent --no-wait --pause-
time-between-batches --ppg --prioritize-unhealthy-instances --priority --scale-in-policy --spot-
restore-timeout --terminate-notification-time --ultra-ssd-enabled --user-data --v-cpus-available --v-
cpus-per-core --vm-sku --automatic-repairs-action --automatic-repairs-grace-period --enable-
automatic-repairs --add --force-string --remove --set --protect-from-scale-in --protect-from-scale-set-
actions --ids --instance-id --name --resource-group --subscription
az vmss update-instances --instance-ids --name --resource-group --no-wait
az vmss wait --ids --instance-id --name --resource-group --subscription --created --custom --deleted -
-exists --interval --timeout --updated
az vmss application list --name --resource-group
az vmss application set --app-version-ids --app-config-overrides --order-applications --ids --name --
resource-group --subscription
az vmss diagnostics get-default-config --is-windows-os
az vmss diagnostics set --resource-group --settings --vmss-name --no-auto-upgrade --no-auto-
upgrade-minor-version --protected-settings --version
az vmss disk attach --caching --disk --lun --size-gb --sku --ids --instance-id --resource-group --
subscription --vmss-name
az vmss disk detach --lun --ids --instance-id --resource-group --subscription --vmss-name
az vmss encryption disable --force --volume-type --ids --name --resource-group --subscription
az vmss encryption enable --disk-encryption-keyvault --force --key-encryption-algorithm --key-
encryption-key --key-encryption-keyvault --volume-type --ids --name --resource-group --subscription
az vmss encryption show --ids --name --resource-group --subscription
az vmss extension delete --name --resource-group --vmss-name --no-wait
az vmss extension list --resource-group --vmss-name
az vmss extension set --name --publisher --resource-group --vmss-name --enable-auto-upgrade --
extension-instance-name --force-update --no-auto-upgrade --no-auto-upgrade-minor-version --no-
wait --protected-settings --provision-after-extensions --settings --version
az vmss extension show --name --resource-group --vmss-name
az vmss extension upgrade --no-wait --ids --name --resource-group --subscription
az vmss extension image list --latest --location --name --publisher --version
az vmss extension image list-names --location --publisher
az vmss extension image list-versions --location --name --publisher --filter --orderby --top
az vmss extension image show --location --name --publisher --version
az vmss identity assign --identities --role --scope --ids --name --resource-group --subscription
az vmss identity remove --identities --ids --name --resource-group --subscription
az vmss identity show --ids --name --resource-group --subscription
az vmss nic list --resource-group --vmss-name
az vmss nic list-vm-nics --ids --instance-id --resource-group --subscription --vmss-name
az vmss nic show --expand --ids --instance-id --name --resource-group --subscription --vmss-name
az vmss rolling-upgrade cancel --ids --name --resource-group --subscription
az vmss rolling-upgrade get-latest --ids --name --resource-group --subscription
az vmss rolling-upgrade start --ids --name --resource-group --subscription

```

```

az vmss run-command create --instance-id --name --resource-group --vmss-name --async-execution -
-command-id --error-blob-uri --location --no-wait --output-blob-uri --parameters --protected-
parameters --run-as-password --run-as-user --script --script-uri --tags --timeout-in-seconds
az vmss run-command delete --name --no-wait --yes --ids --instance-id --resource-group --
subscription --vmss-name
az vmss run-command invoke --command-id --parameters --scripts --ids --instance-id --name --
resource-group --subscription
az vmss run-command list --instance-id --resource-group --vmss-name --expand
az vmss run-command show --name --instance-view --ids --instance-id --resource-group --
subscription --vmss-name
az vmss run-command update --name --async-execution --command-id --error-blob-uri --location --
no-wait --output-blob-uri --parameters --protected-parameters --run-as-password --run-as-user --
script --script-uri --tags --timeout-in-seconds --ids --instance-id --resource-group --subscription --
vmss-name
az vmware addon list --private-cloud --resource-group
az vmware addon hcx create --offer --private-cloud --resource-group
az vmware addon hcx delete --private-cloud --resource-group --yes
az vmware addon hcx show --private-cloud --resource-group
az vmware addon hcx update --offer --private-cloud --resource-group
az vmware addon srm create --license-key --private-cloud --resource-group
az vmware addon srm delete --private-cloud --resource-group --yes
az vmware addon srm show --private-cloud --resource-group
az vmware addon srm update --license-key --private-cloud --resource-group
az vmware addon vr create --private-cloud --resource-group --vrs-count
az vmware addon vr delete --private-cloud --resource-group --yes
az vmware addon vr show --private-cloud --resource-group
az vmware addon vr update --private-cloud --resource-group --vrs-count
az vmware authorization create --name --private-cloud --resource-group
az vmware authorization delete --name --private-cloud --resource-group --yes
az vmware authorization list --private-cloud --resource-group
az vmware authorization show --name --private-cloud --resource-group
az vmware cloud-link create --linked-cloud --name --private-cloud --resource-group
az vmware cloud-link delete --name --private-cloud --resource-group --yes
az vmware cloud-link list --private-cloud --resource-group
az vmware cloud-link show --name --private-cloud --resource-group
az vmware cluster create --hosts --name --private-cloud --resource-group --size --sku
az vmware cluster delete --name --private-cloud --resource-group --yes
az vmware cluster list --private-cloud --resource-group
az vmware cluster show --name --private-cloud --resource-group
az vmware cluster update --name --private-cloud --resource-group --hosts --size
az vmware datastore delete --cluster --name --private-cloud --resource-group --yes
az vmware datastore list --cluster --private-cloud --resource-group
az vmware datastore show --cluster --name --private-cloud --resource-group
az vmware datastore disk-pool-volume create --cluster --lun-name --name --private-cloud --resource-
group --target-id --mount-option --path
az vmware datastore netapp-volume create --cluster --name --private-cloud --resource-group --
volume-id

```

```

az vmware global-reach-connection create --name --private-cloud --resource-group --authorization-
key --express-route-id --peer-express-route-circuit
az vmware global-reach-connection delete --name --private-cloud --resource-group --yes
az vmware global-reach-connection list --private-cloud --resource-group
az vmware global-reach-connection show --name --private-cloud --resource-group
az vmware hcx-enterprise-site create --name --private-cloud --resource-group
az vmware hcx-enterprise-site delete --name --private-cloud --resource-group --yes
az vmware hcx-enterprise-site list --private-cloud --resource-group
az vmware hcx-enterprise-site show --name --private-cloud --resource-group
az vmware location checkquotaavailability --location
az vmware location checktrialavailability --location
az vmware placement-policy list --cluster-name --private-cloud --resource-group
az vmware placement-policy show --cluster-name --placement-policy-name --private-cloud --
resource-group
az vmware placement-policy vm create --cluster-name --placement-policy-name --private-cloud --
resource-group --affinity-type --display-name --state --vm-members
az vmware placement-policy vm delete --cluster-name --placement-policy-name --private-cloud --
resource-group --yes
az vmware placement-policy vm update --cluster-name --placement-policy-name --private-cloud --
resource-group --host-members --state --vm-members
az vmware placement-policy vm-host create --cluster-name --placement-policy-name --private-cloud
--resource-group --affinity-type --display-name --host-members --state --vm-members
az vmware placement-policy vm-host delete --cluster-name --placement-policy-name --private-cloud
--resource-group --yes
az vmware placement-policy vm-host update --cluster-name --placement-policy-name --private-
cloud --resource-group --host-members --state --vm-members
az vmware private-cloud add-availability-zone --private-cloud --resource-group --secondary-zone --
strategy --zone
az vmware private-cloud add-identity-source --alias --base-group-dn --base-user-dn --domain --name
--password --primary-server --private-cloud --resource-group --username --secondary-server --ssl
az vmware private-cloud create --cluster-size --name --network-block --resource-group --sku --
accept-eula --internet --location --mi-system-assigned --nsxt-password --tags --vcenter-password --
yes
az vmware private-cloud delete --name --resource-group --yes
az vmware private-cloud delete-availability-zone --private-cloud --resource-group --yes
az vmware private-cloud delete-identity-source --alias --domain --name --private-cloud --resource-
group --yes
az vmware private-cloud disable-cmk-encryption --private-cloud --resource-group --yes
az vmware private-cloud enable-cmk-encryption --private-cloud --resource-group --enc-kv-key-name
--enc-kv-key-version --enc-kv-url
az vmware private-cloud list --resource-group
az vmware private-cloud list-admin-credentials --private-cloud --resource-group
az vmware private-cloud rotate-nsxt-password
az vmware private-cloud rotate-vcenter-password --private-cloud --resource-group --yes
az vmware private-cloud show --name --resource-group
az vmware private-cloud update --name --resource-group --cluster-size --internet --tags
az vmware private-cloud identity assign --private-cloud --resource-group --system-assigned
az vmware private-cloud identity remove --private-cloud --resource-group --system-assigned

```

```

az vmware private-cloud identity show --private-cloud --resource-group
az vmware script-cmdlet list --private-cloud --resource-group --script-package
az vmware script-cmdlet show --name --private-cloud --resource-group --script-package
az vmware script-execution create --name --private-cloud --resource-group --timeout --failure-
reason --hidden-parameter --named-outputs --out --parameter --retention --script-cmdlet-id
az vmware script-execution delete --name --private-cloud --resource-group --yes
az vmware script-execution list --private-cloud --resource-group
az vmware script-execution show --name --private-cloud --resource-group
az vmware script-package list --private-cloud --resource-group
az vmware script-package show --name --private-cloud --resource-group
az vmware vm list --cluster-name --private-cloud --resource-group
az vmware vm restrict-movement --cluster-name --private-cloud --resource-group --restrict-
movement --virtual-machine
az vmware vm show --cluster-name --private-cloud --resource-group --virtual-machine
az vmware workload-network dhcp list --private-cloud --resource-group
az vmware workload-network dhcp show --dhcp --private-cloud --resource-group
az vmware workload-network dhcp relay create --dhcp --private-cloud --resource-group --display-
name --revision --server-addresses
az vmware workload-network dhcp relay delete --dhcp --private-cloud --resource-group --yes
az vmware workload-network dhcp relay update --dhcp --private-cloud --resource-group --display-
name --revision --server-addresses
az vmware workload-network dhcp server create --dhcp --private-cloud --resource-group --display-
name --lease-time --revision --server-address
az vmware workload-network dhcp server delete --dhcp --private-cloud --resource-group --yes
az vmware workload-network dhcp server update --dhcp --private-cloud --resource-group --display-
name --lease-time --revision --server-address
az vmware workload-network dns-service create --dns-service --private-cloud --resource-group --
default-dns-zone --display-name --dns-service-ip --fqdn-zones --log-level --revision
az vmware workload-network dns-service delete --dns-service --private-cloud --resource-group --yes
az vmware workload-network dns-service list --private-cloud --resource-group
az vmware workload-network dns-service show --dns-service --private-cloud --resource-group
az vmware workload-network dns-service update --dns-service --private-cloud --resource-group --
default-dns-zone --display-name --dns-service-ip --fqdn-zones --log-level --revision
az vmware workload-network dns-zone create --dns-zone --private-cloud --resource-group --display-
name --dns-server-ips --dns-services --domain --revision --source-ip
az vmware workload-network dns-zone delete --dns-zone --private-cloud --resource-group --yes
az vmware workload-network dns-zone list --private-cloud --resource-group
az vmware workload-network dns-zone show --dns-zone --private-cloud --resource-group
az vmware workload-network dns-zone update --dns-zone --private-cloud --resource-group --display-
name --dns-server-ips --dns-services --domain --revision --source-ip
az vmware workload-network gateway list --private-cloud --resource-group
az vmware workload-network gateway show --gateway --private-cloud --resource-group
az vmware workload-network port-mirroring create --port-mirroring --private-cloud --resource-
group --destination --direction --display-name --revision --source
az vmware workload-network port-mirroring delete --port-mirroring --private-cloud --resource-
group --yes
az vmware workload-network port-mirroring list --private-cloud --resource-group
az vmware workload-network port-mirroring show --port-mirroring --private-cloud --resource-group

```

```

az vmware workload-network port-mirroring update --port-mirroring --private-cloud --resource-group --destination --direction --display-name --revision --source
az vmware workload-network public-ip create --private-cloud --public-ip --resource-group --display-name --number-of-public-ips
az vmware workload-network public-ip delete --private-cloud --public-ip --resource-group --yes
az vmware workload-network public-ip list --private-cloud --resource-group
az vmware workload-network public-ip show --private-cloud --public-ip --resource-group
az vmware workload-network segment create --private-cloud --resource-group --segment --connected-gateway --dhcp-ranges --display-name --gateway-address --port-name --revision
az vmware workload-network segment delete --private-cloud --resource-group --segment --yes
az vmware workload-network segment list --private-cloud --resource-group
az vmware workload-network segment show --private-cloud --resource-group --segment
az vmware workload-network segment update --private-cloud --resource-group --segment --connected-gateway --dhcp-ranges --display-name --gateway-address --port-name --revision
az vmware workload-network vm list --private-cloud --resource-group
az vmware workload-network vm show --private-cloud --resource-group --virtual-machine
az vmware workload-network vm-group create --private-cloud --resource-group --vm-group --display-name --members --revision
az vmware workload-network vm-group delete --private-cloud --resource-group --vm-group --yes
az vmware workload-network vm-group list --private-cloud --resource-group
az vmware workload-network vm-group show --private-cloud --resource-group --vm-group
az vmware workload-network vm-group update --private-cloud --resource-group --vm-group --display-name --members --revision
az webapp browse --logs --slot --ids --name --resource-group --subscription
az webapp create --name --resource-group --assign-identity --custom-location --deployment-container-image-name --deployment-local-git --deployment-source-branch --deployment-source-url --docker-registry-server-password --docker-registry-server-user --max-worker-count --min-worker-count --multicontainer-config-file --multicontainer-config-type --plan --role --runtime --scope --startup-file --tags
az webapp create-remote-connection --instance --port --slot --timeout --ids --name --resource-group --subscription
az webapp delete --keep-dns-registration --keep-empty-plan --keep-metrics --slot --ids --name --resource-group --subscription
az webapp deploy --async --clean --ignore-stack --restart --slot --src-path --src-url --target-path --timeout --type --ids --name --resource-group --subscription
az webapp list --resource-group
az webapp list-instances --name --resource-group --slot
az webapp list-runtimes --linux --os --os-type
az webapp restart --slot --ids --name --resource-group --subscription
az webapp scale --instance-count --slot --ids --name --resource-group --subscription
az webapp show --slot --ids --name --resource-group --subscription
az webapp ssh --instance --port --slot --timeout --ids --name --resource-group --subscription
az webapp start --slot --ids --name --resource-group --subscription
az webapp stop --slot --ids --name --resource-group --subscription
az webapp up --app-service-environment --dryrun --html --launch-browser --location --logs --os-type --plan --runtime --sku --ids --name --resource-group --subscription

```

```

az webapp update --client-affinity-enabled --https-only --minimum-elastic-instance-count --
prewarmed-instance-count --slot --add --force-string --remove --set --ids --name --resource-group --
subscription
az webapp auth set --body --slot --ids --name --resource-group --subscription
az webapp auth show --slot --ids --name --resource-group --subscription
az webapp auth update --action --unauthenticated-client-action --config-file-path --custom-host-
header --proxy-custom-host-header --custom-proto-header --proxy-custom-proto-header --enable-
token-store --enabled --proxy-convention --redirect-provider --require-https --runtime-version --set -
-slot --ids --name --resource-group --subscription
az webapp auth apple show --slot --ids --name --resource-group --subscription
az webapp auth apple update --client-id --client-secret --client-secret-setting-name --secret-setting --
scopes --slot --yes --ids --name --resource-group --subscription
az webapp auth config-version revert --slot --ids --name --resource-group --subscription
az webapp auth config-version show --slot --ids --name --resource-group --subscription
az webapp auth config-version upgrade --slot --ids --name --resource-group --subscription
az webapp auth facebook show --slot --ids --name --resource-group --subscription
az webapp auth facebook update --app-id --app-secret --app-secret-setting-name --secret-setting --
graph-api-version --scopes --slot --yes --ids --name --resource-group --subscription
az webapp auth github show --slot --ids --name --resource-group --subscription
az webapp auth github update --client-id --client-secret --client-secret-setting-name --secret-setting -
scopes --slot --yes --ids --name --resource-group --subscription
az webapp auth google show --slot --ids --name --resource-group --subscription
az webapp auth google update --allowed-audiences --allowed-token-audiences --client-id --client-
secret --client-secret-setting-name --secret-setting --scopes --slot --yes --ids --name --resource-group
--subscription
az webapp auth microsoft show --slot --ids --name --resource-group --subscription
az webapp auth microsoft update --allowed-audiences --allowed-token-audiences --client-id --client-
secret --client-secret-setting-name --secret-setting --issuer --slot --tenant-id --yes --ids --name --
resource-group --subscription
az webapp auth openid-connect add --provider-name --client-id --client-secret --client-secret-setting-
name --secret-setting --openid-configuration --scopes --slot --yes --ids --name --resource-group --
subscription
az webapp auth openid-connect remove --provider-name --slot --ids --name --resource-group --
subscription
az webapp auth openid-connect show --provider-name --slot --ids --name --resource-group --
subscription
az webapp auth openid-connect update --provider-name --client-id --client-secret --client-secret-
setting-name --secret-setting --openid-configuration --scopes --slot --yes --ids --name --resource-
group --subscription
az webapp auth twitter show --slot --ids --name --resource-group --subscription
az webapp auth twitter update --consumer-key --consumer-secret --consumer-secret-setting-name -
secret-setting --slot --yes --ids --name --resource-group --subscription
az webapp auth classic show --slot --ids --name --resource-group --subscription
az webapp auth classic update --action --allowed-redirect-urls --enabled --runtime-version --slot --
token-refresh-extension-hours --token-refresh-hours --token-store --aad-allowed-token-audiences --
allowed-audiences --aad-client-id --aad-client-secret --aad-client-secret-certificate-thumbprint --
thumbprint --aad-client-secret-setting-name --aad-secret-setting --aad-token-issuer-url --facebook-
app-id --facebook-app-secret --facebook-app-secret-setting-name --fb-secret-setting --facebook-

```

```

oauth-scopes --github-client-id --github-client-secret --github-client-secret-setting-name --github-secret-setting --github-oauth-scopes --github-scopes --google-client-id --google-client-secret --google-client-secret-setting-name --google-secret-setting --google-oauth-scopes --microsoft-account-client-id --msa-client --microsoft-account-client-secret --msa-secret --microsoft-account-client-secret-setting-name --msa-secret-setting --microsoft-account-oauth-scopes --msa-scopes --ids --name --resource-group --subscription --twitter-consumer-key --twitter-consumer-secret --twitter-secret --twitter-consumer-secret-setting-name --twitter-secret-setting
az webapp config set --always-on --auto-heal-enabled --https-state --generic-configurations --http20-enabled --java-container --java-container-version --java-version --linux-fx-version --min-tls-version --net-framework-version --number-of-workers --php-version --prewarmed-instance-count --python-version --remote-debugging-enabled --slot --startup-file --use-32bit-worker-process --vnet-route-all-enabled --web-sockets-enabled --windows-fx-version --ids --name --resource-group --subscription
az webapp config show --slot --ids --name --resource-group --subscription
az webapp config access-restriction add --priority --action --description --http-headers --ignore-missing-endpoint --ip-address --rule-name --scm-site --service-tag --slot --subnet --vnet-name --vnet-resource-group --ids --name --resource-group --subscription
az webapp config access-restriction remove --action --ip-address --rule-name --scm-site --service-tag --slot --subnet --vnet-name --ids --name --resource-group --subscription
az webapp config access-restriction set --use-same-restrictions-for-scm-site --slot --ids --name --resource-group --subscription
az webapp config access-restriction show --slot --ids --name --resource-group --subscription
az webapp config appsettings delete --setting-names --slot --ids --name --resource-group --subscription
az webapp config appsettings list --name --resource-group --slot
az webapp config appsettings set --settings --slot --slot-settings --ids --name --resource-group --subscription
az webapp config backup create --container-url --resource-group --webapp-name --backup-name --slot --db-connection-string --db-name --db-type
az webapp config backup list --resource-group --webapp-name --slot
az webapp config backup restore --backup-name --container-url --resource-group --webapp-name --ignore-hostname-conflict --overwrite --slot --target-name --db-connection-string --db-name --db-type
az webapp config backup show --resource-group --webapp-name --slot
az webapp config backup update --resource-group --webapp-name --backup-name --container-url --frequency --retain-one --retention --slot --db-connection-string --db-name --db-type
az webapp config connection-string delete --setting-names --slot --ids --name --resource-group --subscription
az webapp config connection-string list --name --resource-group --slot
az webapp config connection-string set --connection-string-type --settings --slot --slot-settings --ids --name --resource-group --subscription
az webapp config container delete --slot --ids --name --resource-group --subscription
az webapp config container set --docker-custom-image-name --docker-registry-server-password --docker-registry-server-url --docker-registry-server-user --enable-app-service-storage --multicontainer-config-file --multicontainer-config-type --slot --ids --name --resource-group --subscription
az webapp config container show --show-multicontainer-config --slot --ids --name --resource-group --subscription

```

```

az webapp config hostname add --slot --hostname --ids --resource-group --subscription --webapp-name
az webapp config hostname delete --slot --hostname --ids --resource-group --subscription --webapp-name
az webapp config hostname get-external-ip --ids --resource-group --subscription --webapp-name
az webapp config hostname list --resource-group --webapp-name --slot
az webapp config snapshot list --name --resource-group --slot
az webapp config snapshot restore --time --restore-content-only --slot --source-name --source-resource-group --source-slot --ids --name --resource-group --subscription
az webapp config ssl bind --certificate-thumbprint --ssl-type --slot --ids --name --resource-group --subscription
az webapp config ssl create --hostname --name --resource-group --slot
az webapp config ssl delete --certificate-thumbprint --resource-group
az webapp config ssl import --key-vault --key-vault-certificate-name --ids --name --resource-group --subscription
az webapp config ssl list --resource-group
az webapp config ssl show --certificate-name --resource-group
az webapp config ssl unbind --certificate-thumbprint --slot --ids --name --resource-group --subscription
az webapp config ssl upload --certificate-file --certificate-password --slot --ids --name --resource-group --subscription
az webapp config storage-account add --access-key --account-name --custom-id --share-name --storage-type --mount-path --slot --slot-setting --ids --name --resource-group --subscription
az webapp config storage-account delete --custom-id --slot --ids --name --resource-group --subscription
az webapp config storage-account list --name --resource-group --slot
az webapp config storage-account update --custom-id --access-key --account-name --mount-path --share-name --sn --slot --slot-setting --storage-type --ids --name --resource-group --subscription
az webapp connection delete --connection --id --name --no-wait --resource-group --yes
az webapp connection list --name --resource-group --source-id
az webapp connection list-configuration --connection --id --name --resource-group
az webapp connection list-support-types --target-type
az webapp connection show --connection --id --name --resource-group
az webapp connection validate --connection --id --name --resource-group
az webapp connection wait --connection --id --name --resource-group --created --custom --deleted --exists --interval --timeout --updated
az webapp connection create appconfig --app-config --client-type --connection --name --no-wait --resource-group --source-id --target-id --target-resource-group --tg --vault-id --secret --service-principal --system-identity --user-identity
az webapp connection create confluent-cloud --bootstrap-server --kafka-key --kafka-secret --schema-key --schema-registry --schema-secret --client-type --connection --name --no-wait --resource-group --source-id --vault-id
az webapp connection create cosmos-cassandra --account --client-type --connection --key-space --name --no-wait --resource-group --service-endpoint --source-id --target-id --target-resource-group --tg --vault-id --secret --service-principal --system-identity --user-identity
az webapp connection create cosmos-gremlin --account --client-type --connection --database --graph --name --no-wait --resource-group --service-endpoint --source-id --target-id --target-resource-group --tg --vault-id --secret --service-principal --system-identity --user-identity

```



```

az webapp connection create cosmos-mongo --account --client-type --connection --database --name
--no-wait --resource-group --service-endpoint --source-id --target-id --target-resource-group --tg --
vault-id --secret --service-principal --system-identity --user-identity
az webapp connection create cosmos-sql --account --client-type --connection --database --name --
no-wait --resource-group --service-endpoint --source-id --target-id --target-resource-group --tg --
vault-id --secret --service-principal --system-identity --user-identity
az webapp connection create cosmos-table --account --client-type --connection --name --no-wait --
resource-group --service-endpoint --source-id --table --target-id --target-resource-group --tg --vault-
id --secret --service-principal --system-identity --user-identity
az webapp connection create eventhub --client-type --connection --name --namespace --no-wait --
resource-group --service-endpoint --source-id --target-id --target-resource-group --tg --vault-id --
secret --service-principal --system-identity --user-identity
az webapp connection create keyvault --client-type --connection --name --new --no-wait --resource-
group --service-endpoint --source-id --target-id --target-resource-group --tg --vault --vault-id --
service-principal --system-identity --user-identity
az webapp connection create mysql --client-type --connection --database --name --no-wait --
resource-group --server --service-endpoint --source-id --target-id --target-resource-group --tg --vault-
id --secret
az webapp connection create mysql-flexible --client-type --connection --database --name --no-wait --
resource-group --server --source-id --target-id --target-resource-group --tg --vault-id --secret
az webapp connection create postgres --client-type --connection --database --name --new --no-wait --
resource-group --server --service-endpoint --source-id --target-id --target-resource-group --tg --
vault-id --secret
az webapp connection create postgres-flexible --client-type --connection --database --name --no-
wait --resource-group --server --source-id --target-id --target-resource-group --tg --vault-id --secret
az webapp connection create redis --client-type --connection --database --name --no-wait --
resource-group --server --source-id --target-id --target-resource-group --tg --vault-id --secret
az webapp connection create redis-enterprise --client-type --connection --database --name --no-wait
--resource-group --server --source-id --target-id --target-resource-group --tg --vault-id --secret
az webapp connection create servicebus --client-type --connection --name --namespace --no-wait --
resource-group --service-endpoint --source-id --target-id --target-resource-group --tg --vault-id --
secret --service-principal --system-identity --user-identity
az webapp connection create signalr --client-type --connection --name --no-wait --resource-group --
signalr --source-id --target-id --target-resource-group --tg --vault-id --secret --service-principal --
system-identity --user-identity
az webapp connection create sql --client-type --connection --database --name --no-wait --resource-
group --server --service-endpoint --source-id --target-id --target-resource-group --tg --vault-id --
secret
az webapp connection create storage-blob --account --client-type --connection --name --new --no-
wait --resource-group --service-endpoint --source-id --target-id --target-resource-group --tg --vault-id
--secret --service-principal --system-identity --user-identity
az webapp connection create storage-file --account --client-type --connection --name --no-wait --
resource-group --service-endpoint --source-id --target-id --target-resource-group --tg --vault-id --
secret
az webapp connection create storage-queue --account --client-type --connection --name --no-wait --
resource-group --service-endpoint --source-id --target-id --target-resource-group --tg --vault-id --
secret --service-principal --system-identity --user-identity

```

```

az webapp connection create storage-table --account --client-type --connection --name --no-wait --
resource-group --service-endpoint --source-id --target-id --target-resource-group --tg --vault-id --
secret
az webapp connection create webpubsub --client-type --connection --name --no-wait --resource-
group --source-id --target-id --target-resource-group --tg --vault-id --webpubsub --secret --service-
principal --system-identity --user-identity
az webapp connection update appconfig --client-type --connection --id --name --no-wait --resource-
group --vault-id --secret --service-principal --system-identity --user-identity
az webapp connection update confluent-cloud --connection --bootstrap-server --client-type --kafka-
key --kafka-secret --name --no-wait --resource-group --schema-key --schema-registry --schema-
secret --source-id --vault-id
az webapp connection update cosmos-cassandra --client-type --connection --id --name --no-wait --
resource-group --service-endpoint --vault-id --secret --service-principal --system-identity --user-
identity
az webapp connection update cosmos-gremlin --client-type --connection --id --name --no-wait --
resource-group --service-endpoint --vault-id --secret --service-principal --system-identity --user-
identity
az webapp connection update cosmos-mongo --client-type --connection --id --name --no-wait --
resource-group --service-endpoint --vault-id --secret --service-principal --system-identity --user-
identity
az webapp connection update cosmos-sql --client-type --connection --id --name --no-wait --resource-
group --service-endpoint --vault-id --secret --service-principal --system-identity --user-identity
az webapp connection update cosmos-table --client-type --connection --id --name --no-wait --
resource-group --service-endpoint --vault-id --secret --service-principal --system-identity --user-
identity
az webapp connection update eventhub --client-type --connection --id --name --no-wait --resource-
group --service-endpoint --vault-id --secret --service-principal --system-identity --user-identity
az webapp connection update keyvault --client-type --connection --id --name --no-wait --resource-
group --service-endpoint --vault-id --secret --service-principal --system-identity --user-identity
az webapp connection update mysql --client-type --connection --id --name --no-wait --resource-
group --service-endpoint --vault-id --secret
az webapp connection update mysql-flexible --client-type --connection --id --name --no-wait --
resource-group --vault-id --secret
az webapp connection update postgres --client-type --connection --id --name --no-wait --resource-
group --service-endpoint --vault-id --secret
az webapp connection update postgres-flexible --client-type --connection --id --name --no-wait --
resource-group --vault-id --secret
az webapp connection update redis --client-type --connection --id --name --no-wait --resource-group
--vault-id --secret
az webapp connection update redis-enterprise --client-type --connection --id --name --no-wait --
resource-group --vault-id --secret
az webapp connection update servicebus --client-type --connection --id --name --no-wait --resource-
group --service-endpoint --vault-id --secret --service-principal --system-identity --user-identity
az webapp connection update signalr --client-type --connection --id --name --no-wait --resource-
group --vault-id --secret --service-principal --system-identity --user-identity
az webapp connection update sql --client-type --connection --id --name --no-wait --resource-group --
service-endpoint --vault-id --secret

```

```

az webapp connection update storage-blob --client-type --connection --id --name --no-wait --
resource-group --service-endpoint --vault-id --secret --service-principal --system-identity --user-
identity
az webapp connection update storage-file --client-type --connection --id --name --no-wait --
resource-group --service-endpoint --vault-id --secret
az webapp connection update storage-queue --client-type --connection --id --name --no-wait --
resource-group --service-endpoint --vault-id --secret --service-principal --system-identity --user-
identity
az webapp connection update storage-table --client-type --connection --id --name --no-wait --
resource-group --service-endpoint --vault-id --secret
az webapp connection update webpubsub --client-type --connection --id --name --no-wait --
resource-group --vault-id --secret --service-principal --system-identity --user-identity
az webapp cors add --allowed-origins --slot --ids --name --resource-group --subscription
az webapp cors remove --allowed-origins --slot --ids --name --resource-group --subscription
az webapp cors show --slot --ids --name --resource-group --subscription
az webapp deleted list --name --resource-group --slot
az webapp deleted restore --deleted-id --restore-content-only --slot --ids --name --resource-group --
subscription
az webapp deployment list-publishing-credentials --slot --ids --name --resource-group --subscription
az webapp deployment list-publishing-profiles --slot --xml --ids --name --resource-group --
subscription
az webapp deployment container config --enable-cd --slot --ids --name --resource-group --
subscription
az webapp deployment container show-cd-url --slot --ids --name --resource-group --subscription
az webapp deployment github-actions add --repo --branch --force --login-with-github --runtime --slot
--token --ids --name --resource-group --subscription
az webapp deployment github-actions remove --repo --branch --login-with-github --slot --token --ids
--name --resource-group --subscription
az webapp deployment slot auto-swap --slot --auto-swap-slot --disable --ids --name --resource-group
--subscription
az webapp deployment slot create --name --resource-group --slot --configuration-source --
deployment-container-image-name --docker-registry-server-password --docker-registry-server-user
az webapp deployment slot delete --slot --ids --name --resource-group --subscription
az webapp deployment slot list --ids --name --resource-group --subscription
az webapp deployment slot swap --slot --action --preserve-vnet --target-slot --ids --name --resource-
group --subscription
az webapp deployment source config --repo-url --branch --git-token --github-action --manual-
integration --repository-type --slot --ids --name --resource-group --subscription
az webapp deployment source config-local-git --slot --ids --name --resource-group --subscription
az webapp deployment source config-zip --src --is-kube --slot --timeout --ids --name --resource-group
--subscription
az webapp deployment source delete --slot --ids --name --resource-group --subscription
az webapp deployment source show --slot --ids --name --resource-group --subscription
az webapp deployment source sync --slot --ids --name --resource-group --subscription
az webapp deployment source update-token --git-token
az webapp deployment user set --user-name --password
az webapp deployment user show
az webapp hybrid-connection add --hybrid-connection --name --namespace --resource-group --slot

```

```

az webapp hybrid-connection list --name --resource-group --slot
az webapp hybrid-connection remove --hybrid-connection --name --namespace --resource-group --slot
az webapp identity assign --identities --role --scope --slot --ids --name --resource-group --subscription
az webapp identity remove --identities --slot --ids --name --resource-group --subscription
az webapp identity show --slot --ids --name --resource-group --subscription
az webapp log config --application-logging --detailed-error-messages --docker-container-logging --failed-request-tracing --level --slot --web-server-logging --ids --name --resource-group --subscription
az webapp log download --log-file --slot --ids --name --resource-group --subscription
az webapp log show --slot --ids --name --resource-group --subscription
az webapp log tail --provider --slot --ids --name --resource-group --subscription
az webapp log deployment list --name --resource-group --slot
az webapp log deployment show --name --resource-group --deployment-id --slot
az webapp scan list-result --name --resource-group --slot
az webapp scan show-result --name --resource-group --scan-id --slot
az webapp scan start --name --resource-group --slot --timeout
az webapp scan stop --name --resource-group --slot
az webapp scan track --name --resource-group --scan-id --slot
az webapp traffic-routing clear --ids --name --resource-group --subscription
az webapp traffic-routing set --distribution --ids --name --resource-group --subscription
az webapp traffic-routing show --ids --name --resource-group --subscription
az webapp vnet-integration add --name --resource-group --subnet --vnet --skip-delegation-check --slot
az webapp vnet-integration list --name --resource-group --slot
az webapp vnet-integration remove --name --resource-group --slot
az webapp webjob continuous list --name --resource-group --slot
az webapp webjob continuous remove --webjob-name --slot --ids --name --resource-group --subscription
az webapp webjob continuous start --webjob-name --slot --ids --name --resource-group --subscription
az webapp webjob continuous stop --webjob-name --slot --ids --name --resource-group --subscription
az webapp webjob triggered list --name --resource-group --slot
az webapp webjob triggered log --webjob-name --slot --ids --name --resource-group --subscription
az webapp webjob triggered remove --webjob-name --slot --ids --name --resource-group --subscription
az webapp webjob triggered run --webjob-name --slot --ids --name --resource-group --subscription
az webpubsub create --name --resource-group --sku --location --tags --unit-count
az webpubsub delete --ids --name --resource-group --subscription
az webpubsub list --resource-group
az webpubsub list-skus --ids --name --resource-group --subscription
az webpubsub list-usage --location
az webpubsub restart --ids --name --resource-group --subscription
az webpubsub show --ids --name --resource-group --subscription
az webpubsub update --sku --tags --unit-count --add --force-string --remove --set --ids --name --resource-group --subscription
az webpubsub client start --hub-name --user-id --ids --name --resource-group --subscription

```

```

az webpubsub hub create --hub-name --name --resource-group --allow-anonymous --event-handler
az webpubsub hub delete --hub-name --ids --name --resource-group --subscription
az webpubsub hub list --name --resource-group
az webpubsub hub show --hub-name --ids --name --resource-group --subscription
az webpubsub hub update --hub-name --allow-anonymous --event-handler --add --force-string --
remove --set --ids --name --resource-group --subscription
az webpubsub key regenerate --key-type --ids --name --resource-group --subscription
az webpubsub key show --ids --name --resource-group --subscription
az webpubsub network-rule show --ids --name --resource-group --subscription
az webpubsub network-rule update --allow --deny --connection-name --public-network --ids --name -
-resource-group --subscription
az webpubsub service broadcast --hub-name --payload --ids --name --resource-group --subscription
az webpubsub service connection close --connection-id --hub-name --ids --name --resource-group --
subscription
az webpubsub service connection exist --connection-id --hub-name --ids --name --resource-group --
subscription
az webpubsub service connection send --connection-id --hub-name --payload --ids --name --
resource-group --subscription
az webpubsub service group add-connection --connection-id --group-name --hub-name --ids --name --
resource-group --subscription
az webpubsub service group add-user --group-name --hub-name --user-id --ids --name --resource-
group --subscription
az webpubsub service group remove-connection --connection-id --group-name --hub-name --ids --
name --resource-group --subscription
az webpubsub service group remove-user --hub-name --user-id --group-name --ids --name --
resource-group --subscription
az webpubsub service group send --group-name --hub-name --payload --ids --name --resource-group
--subscription
az webpubsub service permission check --connection-id --group-name --hub-name --permission --ids
--name --resource-group --subscription
az webpubsub service permission grant --connection-id --group-name --hub-name --permission --ids
--name --resource-group --subscription
az webpubsub service permission revoke --connection-id --group-name --hub-name --permission --
ids --name --resource-group --subscription
az webpubsub service user exist --hub-name --user-id --ids --name --resource-group --subscription
az webpubsub service user send --hub-name --payload --user-id --ids --name --resource-group --
subscription

```