

# Continues Integration (CI)


02457 Machine Learning Operations
Nicki Skafte Detlefsen,
Postdoc
DTU Compute

## What is continues integration?



- Software practise
  - Frequitly commit code to shared reposatory
  - By commit sooner than later, errors are captured early
  - Make merging easier
  - Automate build + test

App independent




#### What is continues deployment?



- How to get your code to the user
  - 3 phases: Testing, staging and deploying

App dependent

Note: Not covered in this course



#### What should you know about CI?



• CI is one of those topics that are best though as learning-by-doing


• If you understand how to use git, the rest is basically googling stuff

Let's look at a practical example

#### A small case study



#### All the metric in the world – now in pytorch





Have I seen that guy before?

## Cl step 1: Committing code



- Commit frequently
  - Catch errors sooner than later
  - Merging can be done automatically






## Cl step 1: Committing code




- Use branches
  - Enables parallel workflow
  - Experimental features/changes are keept away from "stable" master



## Cl step 1: Committing code



• Use PRs, other can review your code



## Cl step 2: Automating stuff




- What can be automated: EVERYTHING
  - Functional tests
  - Documentation creation
  - Linters (which check style formatting)
  - Security checks
  - Code coverage
  - Custom checks...

## A small casestudy



.github



## Source code




netrics / torchmetrics /		Go to file Add file ▼ ···
SkafteNicki Fix dtype incorrectly being reset (#243)		✓ cda5dbd 5 days ago 🌖 History
classification	Allow logit input in classification metrics (#200)	6 days ago
functional	Fix dtype incorrectly being reset (#243)	5 days ago
regression	Add differentiability testing to more metrics [3/n] (#225)	13 days ago
retrieval	Information Retrieval (5/5) (#160)	last month
utilities	Allow logit input in classification metrics (#200)	6 days ago
wrappers	Feature pre commit yaml (#145)	2 months ago
aboutpy	Show must go on (#198)	25 days ago
initpy	Add Specificity metric (#210)	15 days ago
average.py	allow MetricCollection with args (#176)	29 days ago
Collections.py	Added add_metrics method to MetricCollection (#221)	14 days ago
netric.py	Fix dtype incorrectly being reset (#243)	5 days ago
py.typed	Make torchmetrics PEP 561 compatible (#215)	19 days ago
setup_tools.py	Remove numpy dependency from the core library (#212)	18 days ago

#### Test code



#### In total we have 6365 tests



#### Test example 1



#### Can be simple

```
def test_warning_on_nan(tmpdir):
    preds = torch.randint(3, size=(20, ))
    target = torch.randint(3, size=(20, ))

with pytest.warns(
    UserWarning,
    match='.* nan values found in confusion matrix have been replaced with zeros.',
):
    confusion_matrix(preds, target, num_classes=5, normalize='true')
```

#### Test example 2



#### Can be very complex

```
@pytest.mark.parametrize("normalize", ['true', 'pred', 'all', None])
@pytest.mark.parametrize(
    "preds, target, sk_metric, num_classes, multilabel",
   [(_input_binary_prob.preds, _input_binary_prob.target, _sk_cm_binary_prob, 2, False),
     (_input_binary_logits.preds, _input_binary_logits.target, _sk_cm_binary_prob, 2, False),
     (_input_binary.preds, _input_binary.target, _sk_cm_binary, 2, False),
     (_input_mlb_prob.preds, _input_mlb_prob.target, _sk_cm_multilabel_prob, NUM_CLASSES, True),
     (_input_mlb_logits.preds, _input_mlb_logits.target, _sk_cm_multilabel_prob, NUM_CLASSES, True),
     (_input_mlb.preds, _input_mlb.target, _sk_cm_multilabel, NUM_CLASSES, True),
     (_input_mcls_prob.preds, _input_mcls_prob.target, _sk_cm_multiclass_prob, NUM_CLASSES, False),
     (_input_mcls_logits.preds, _input_mcls_logits.target, _sk_cm_multiclass_prob, NUM_CLASSES, False),
     (_input_mcls.preds, _input_mcls.target, _sk_cm_multiclass, NUM_CLASSES, False),
     (_input_mdmc_prob.preds, _input_mdmc_prob.target, _sk_cm_multidim_multiclass_prob, NUM_CLASSES, False),
     (_input_mdmc.preds, _input_mdmc.target, _sk_cm_multidim_multiclass, NUM_CLASSES, False)]
class TestConfusionMatrix(MetricTester):
   @pytest.mark.parametrize("ddp", [True, False])
   @pytest.mark.parametrize("dist_sync_on_step", [True, False])
   def test_confusion_matrix(
       self, normalize, preds, target, sk_metric, num_classes, multilabel, ddp, dist_sync_on_step
       self.run_class_metric_test(
            ddp=ddp,
           preds=preds,
           target=target,
           metric_class=ConfusionMatrix,
            sk_metric=partial(sk_metric, normalize=normalize),
           dist_sync_on_step=dist_sync_on_step,
           metric_args={
               "num_classes": num_classes,
               "threshold": THRESHOLD,
               "normalize": normalize,
                "multilabel": multilabel
```

#### Setup files

Contains all information regarding the project

Allow people to do:

python setup.py install
 or if uploaded to pip
pip install my package




'Programming Language :: Python :: 3.9',




#### Github actions



- Build-in CI for github
- Free 2,000 automation minutes/month (public repository)



Many ready to go workflows



## The anatomy of a workflow file

in main

```
02457 mlops / .qithub / workflows / python-package.yml
                                                                               Edit new file
                                                                                    name: Python package
                When tests should be triggered
                                                                                        branches: [ main ]
                                                                                      pull_request:
                                                                                        branches: [ main ]
                                                                                      build:
                                                                                        runs-on: ubuntu-latest
Define Operating system + python version
                                                                                         matrix:
                                                                                           python-version: [3.7, 3.8, 3.9]
                                                                                        - uses: actions/checkout@v2
                                              Setup python
                                                                                        - name: Set up Python ${{ matrix.python-version }}
                                                                                         uses: actions/setup-python@v2
                                                                                           python-version: ${{ matrix.python-version }}
                                                                                        - name: Install dependencies
                                   Install dependencies
                                                                                           python -m pip install --upgrade pip
                                                                                           python -m pip install flake8 pytest
                                                                                           if [ -f requirements.txt ]; then pip install -r requirements.txt; fi
                                                                                        - name: Lint with flake8
                                                                                         run:
                       Check linting (stop if errors)
                                                                                           # stop the build if there are Python syntax errors or undefined names
                                                                                           flake8 . --count --select=E9,F63,F7,F82 --show-source --statistics
                                                                                           # exit-zero treats all errors as warnings. The GitHub editor is 127 chars wide
                                                                                           flake8 . --count --exit-zero --max-complexity=10 --max-line-length=127 --statistics
                                                                                        - name: Test with pytest
                                                     Run tests
                                                                                         run:
```

#### A small case study





```
metrics / .github / workflows /
ሥ master ▼
Borda CI: fix (deduplicate) release event
ci_install-pkg.yml
                                               update CI install (#39)
                                               CI: fix coverage config (#84)
ci_test-base.yml
ci_test-conda.yml
                                               CI fix env mkl for PT 1.9 (#211)
                                               fix compatibility to PL (#192)
ci_test-full.yml
code-format.yml
                                               CI: publish test results (#80)
docs-check.yml
                                               CI: update pre-commit (#207)
                                               CI: update pre-commit (#207)
docs-deploy.yml
greetings.yml


    name: Install dependencies

release-pypi.yml
                                               run:
                                                 python -m pip install --upgrade --user pip
                                                 pip install --requirement ./requirements.txt --find-links https://download.pytorch.org/whl/cpu/torch_stable.html
                                                 pip install "pytest>6.0" "pytest-cov>2.10" --upgrade-strategy only-if-needed
                                                 python --version
                                                 pip --version
                                                 pip list
                                               shell: bash
                                              name: Test Package [only]
                                               run:
                                                 # NOTE: run coverage on tests does not propagare faler status for Win, https://github.com/nedbat/coveragepy/issues/1003
                                                 python -m pytest torchmetrics -v --cov=torchmetrics --junitxml=junit/test-results-${{ runner.os }}-${{ matrix.python-version }}.xml
```

#### All of our workflows – 36 in total








Not github actions

**MLOps** 




#### Test combination of

- Hardware setup
- Operating system
- Python version
- Dependencies

Runs tests, docs, coverage, lintint, package install ect

## Each PR triggers all tests






#### Other files to consider




- reguirements.txt
- LICENSE
- README.md
- .gitignore




#### Advanced: Use bots



#### Bots can take care of tidious task for you (like linting)





#### The future is here





#### So this just happened:

- a bot found a vulnerability in a dependency
- a bot sent a PR to fix it
- the CI verified the PR
- a bot merged it
- a bot celebrated the merge with a GIF

