




# DEEP FIELD




# AUDIO









**NJD**


Page: 2/3


Date: 2026-08-24

Size: A4

Rev: 1

Sheet: /schematic/





**NJD**


Page: 3/3


Date: 2026-08-24

Size: A4


Rev: 1

Sheet: /wiring/







|           |                  |          |
|-----------|------------------|----------|
| NJD       |                  |          |
| Page: 3/3 | Date: 2026-08-24 | Size: A4 |
| Rev: 1    | Sheet:           |          |
|           |                  |          |
|           |                  |          |




| Referenrce        | Qty | Value                 |
|-------------------|-----|-----------------------|
| C1,C2             | 2   | 10μF                  |
| C3                | 1   | 100μF                 |
| C4                | 1   | 100nF                 |
| C5,C6             | 2   | 10nF                  |
| D1                | 1   | LED                   |
| D2                | 1   | 1N4001                |
| D3,D4,D5,D6       | 4   | 1N4148                |
| J1                | 1   | JACK                  |
| J4                | 1   | Jack-DC               |
| Q1,Q2             | 2   | 2SA1015               |
| Q3,Q4             | 2   | 2SC1815               |
| R1,R7,R10,R19,R20 | 5   | 47k                   |
| R2,R8             | 2   | 22k                   |
| R3,R4,R9,R13      | 4   | 10k                   |
| R5,R6,R12         | 3   | 1k                    |
| R11               | 1   | 2k2                   |
| R14,R15           | 2   | 33k                   |
| R16               | 1   | 100k                  |
| R17,R18           | 2   | 220k                  |
| RV1               | 1   | 200k dual lin         |
| RV2               | 1   | 10k log               |
| SW1,SW4           | 2   | rotary switch 4P3T    |
| SW2               | 1   | SPST                  |
| SW3,SW5           | 2   | push switch momentary |
| SW6               | 1   | SPDT                  |




|            |                  |          |
|------------|------------------|----------|
| <b>NJD</b> |                  |          |
| Page: 2/3  | Date: 2026-08-24 | Size: A4 |
| Rev: 1     | Sheet:           |          |
|            |                  |          |
|            |                  |          |





|            |                  |          |
|------------|------------------|----------|
| <b>NJD</b> |                  |          |
| Page: 1/3  | Date: 2026-08-24 | Size: A4 |
| Rev: 1     | Sheet:           |          |
|            |                  |          |
|            |                  |          |





All components except for transistors (not supplied by tme). RV1 is 220k instead of 200k (easier to supply) all that needs to be added are knobs and a box

|   | Label                                                                                                                                                                                                                                                                                                                           | Quantity |
|---|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------|
| 1 |  <p><b>ACJM-MVS-2S</b><br/>Connector: Jack 6,3mm; socket; female; mono; ways: 2; straight<br/><b>Producer:</b> AMPHENOL<br/><b>Manufacturer part number:</b> ACJM-MVS-2S</p>                                                                   | 1<br>pcs |
| 2 |  <p><b>R16148-1B-1-B220K</b><br/>Potentiometer: shaft; 220kΩ; single turn; 125mW; ±20%; on cable<br/><b>Producer:</b> SR PASSIVES<br/><b>Manufacturer part number:</b> R16148-1B-1-B220K<br/><i>Product available till the stock lasts</i></p> | 2<br>pcs |
| 3 |  <p><b>R16148-1A-1-A10K</b><br/>Potentiometer: shaft; 10kΩ; single turn; 63mW; ±20%; on cable; 6mm<br/><b>Producer:</b> SR PASSIVES<br/><b>Manufacturer part number:</b> R16148-1A-1-A10K</p>                                                | 2<br>pcs |
| 4 |  <p><b>PS11BBK</b><br/>Switch: push-button; Pos: 2; SPST-NO; 1A/250VAC; OFF-(ON); Ø12mm<br/><b>Producer:</b> NINIGI<br/><b>Manufacturer part number:</b> PS11BBK</p>                                                                         | 2<br>pcs |
| 5 |  <p><b>TSM102F1</b><br/>Switch: toggle; Pos: 2; SPDT; ON-ON; 3A/250VAC; Leads: for soldering<br/><b>Producer:</b> NINIGI<br/><b>Manufacturer part number:</b> TSM102F1</p>                                                                   | 1<br>pcs |
| 6 |  <p><b>TSM113F1</b><br/>Switch: toggle; Pos: 3; SP3T; ON-OFF-(ON); 3A/250VAC; -25÷85°C; 20mΩ<br/><b>Producer:</b> NINIGI<br/><b>Manufacturer part number:</b> TSM113F1</p>                                                                   | 1<br>pcs |
| 7 |  <p><b>1N4001-DIO</b><br/>Diode: rectifying; THT; 50V; 1A; Ifsm: 27A; DO204AC,DO41; Ammo Pack<br/><b>Producer:</b> DIOTEC SEMICONDUCTOR<br/><b>Manufacturer part number:</b> 1N4001</p>                                                      | 1<br>pcs |
| 8 |  <p><b>L-53ID</b><br/>LED; red; 5mm; 12.5÷80mcd; 60°; Front: convex; 2÷2.5VDC<br/><b>Producer:</b> KINGBRIGHT ELECTRONIC<br/><b>Manufacturer part number:</b> L-53ID</p>                                                                     | 5<br>pcs |

|    |                                                                                     | Label                                                                                                                                                                                | Quantity |
|----|-------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------|
| 9  |    | <b>1N4148-DIO</b><br>Diode: switching; THT; 100V; 0.2A; Ifsm: 4A; DO35; Ammo Pack; 500mW<br><b>Producer:</b> DIOTEC SEMICONDUCTOR<br><b>Manufacturer part number:</b> 1N4148         | 4<br>pcs |
| 10 |    | <b>MBA02040C1003FCT00</b><br>Resistor: metal film; 100kΩ; THT; 400mW; ±1%; 0; 200V; Ø0.5x29mm<br><b>Producer:</b> VISHAY<br><b>Manufacturer part number:</b> MBA02040C1003FCT00      | 1<br>pcs |
| 11 |    | <b>MBA02040C2201FCT00</b><br>Resistor: metal film; 2.2kΩ; THT; 400mW; ±1%; 0; 200V; Ø0.5x29mm<br><b>Producer:</b> VISHAY<br><b>Manufacturer part number:</b> MBA02040C2201FCT00      | 1<br>pcs |
| 12 |    | <b>MBA02040C2203FC100</b><br>Resistor: metal film; 220kΩ; THT; 400mW; ±1%; 0; 200V; Ø0.5x29mm<br><b>Producer:</b> VISHAY<br><b>Manufacturer part number:</b> MBA02040C2203FC100      | 2<br>pcs |
| 13 |   | <b>MBA02040C3302FCT00</b><br>Resistor: metal film; 33kΩ; THT; 400mW; ±1%; 0; 200V; Ø0.5x29mm<br><b>Producer:</b> VISHAY<br><b>Manufacturer part number:</b> MBA02040C3302FCT00       | 2<br>pcs |
| 14 |  | <b>MBA02040C2202FCT00</b><br>Resistor: metal film; 22kΩ; THT; 400mW; ±1%; 0; 200V; Ø0.5x29mm<br><b>Producer:</b> VISHAY<br><b>Manufacturer part number:</b> MBA02040C2202FCT00       | 2<br>pcs |
| 15 |  | <b>MBA02040C1001FCT00</b><br>Resistor: metal film; 1kΩ; THT; 400mW; ±1%; 0; 200V; Ø0.5x29mm; axial<br><b>Producer:</b> VISHAY<br><b>Manufacturer part number:</b> MBA02040C1001FCT00 | 3<br>pcs |
| 16 |  | <b>MBA02040C1002FCT00</b><br>Resistor: metal film; 10kΩ; THT; 400mW; ±1%; 0; 200V; Ø0.5x29mm<br><b>Producer:</b> VISHAY<br><b>Manufacturer part number:</b> MBA02040C1002FCT00       | 4<br>pcs |
| 17 |  | <b>MBA02040C4702FCT00</b><br>Resistor: metal film; 47kΩ; THT; 400mW; ±1%; 0; 200V; Ø0.5x29mm<br><b>Producer:</b> VISHAY<br><b>Manufacturer part number:</b> MBA02040C4702FCT00       | 5<br>pcs |
| 18 |  | <b>MC5-100N</b><br>Capacitor: polyester; 100nF; 40VAC; 63VDC; 5mm; ±10%; 2.5x6.5x7.2mm<br><b>Producer:</b> KEMET<br><b>Manufacturer part number:</b> R82DC3100DQ50K                  | 1<br>pcs |
| 19 |  | <b>MC5-10N</b><br>Capacitor: polyester; 10nF; 63VAC; 100VDC; 5mm; ±10%; 2.5x6.5x7.2mm<br><b>Producer:</b> KEMET<br><b>Manufacturer part number:</b> R82EC2100DQ50K                   | 2<br>pcs |

|    | Label                                                                                                                                                                                                                                                                               | Quantity  |
|----|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------|
| 20 |  <p><b>ECA1CM101I</b><br/>           Capacitor: electrolytic; THT; 100uF; 16VDC; Ø5x11mm; Pitch: 2.5mm<br/> <b>Producer:</b> PANASONIC<br/> <b>Manufacturer part number:</b> ECA1CM101I</p>        | 1<br>pcs  |
| 21 |  <p><b>CE-10/50PHT-TAS</b><br/>           Capacitor: electrolytic; 10uF; 50VDC; Ø5x11mm; Pitch: 2.5mm; tape<br/> <b>Producer:</b> AISHI<br/> <b>Manufacturer part number:</b> EWH1HM100D11X25T</p> | 25<br>pcs |
| 22 |  <p><b>CK1051</b><br/>           Switch: rotary; Pos: 4; 1A/24VAC; 1A/24VDC; Poles number: 3; 30°<br/> <b>Producer:</b> LORLIN<br/> <b>Manufacturer part number:</b> CK1051</p>                    | 2<br>pcs  |

Transfer Multisort Elektronik Sp. z o.o.

tel.: +48 42 645 54 44

fax: +48 42 645 54 70

e-mail: [export@tme.eu](mailto:export@tme.eu)