

Task 7)

Create an S3 bucket using AWS CLI and then delete the S3 bucket using AWS CLI commands.

Step 1: Install and Configure AWS CLI

Install AWS CLI and configure it using:

Enter:

AWS Access Key

AWS Secret Key

Region

Output format

```
C:\WINDOWS\system32\cmd.exe
Microsoft Windows [Version 10.0.19045.6466]
(c) Microsoft Corporation. All rights reserved.

C:\Users\DEEP_MESHRAM>aws configure
AWS Access Key ID [AKIARLQZKT2JPTCPF3P2]: AKIARLQZKT2JPTCPF3P2
AWS Secret Access Key [*****4URZd]: jvwk1Bsaayqnuq3CyR2tjHgK3bthWZEM16gURZd
Default region name [ap-south-1]: ap-south-1
Default output format [None]:

C:\Users\DEEP_MESHRAM>aws s3 ls
2026-03-21 19:11:42 demo-myfirst-webhost
2026-03-20 08:30:28 demo-mysec-webhost
2026-03-17 18:34:35 demo-practice-bucket-loggs
2026-03-23 20:33:05 demo-practice-buckets
2026-03-22 00:26:12 demo-resume1

C:\Users\DEEP_MESHRAM>
```

Step 2: Create S3 Bucket Using CLI

Use the following command to create an S3 bucket:

Bash: `aws s3 mb s3://your-bucket-name`

If creating bucket in specific region:

```
Select C:\WINDOWS\system32\cmd.exe

C:\Users\DEEP_MESHRAM>aws s3 mb s3://demo-practice-s3-bucket
make_bucket: demo-practice-s3-bucket

C:\Users\DEEP_MESHRAM>aws s3 ls
2026-03-21 19:11:42 demo-myfirst-webhost
2026-03-20 08:30:28 demo-mysec-webhost
2026-03-17 18:34:35 demo-practice-bucket-loggs
2026-03-23 20:33:05 demo-practice-buckets
2026-03-31 23:39:05 demo-practice-s3-bucket
2026-03-22 00:26:12 demo-resume1

C:\Users\DEEP_MESHRAM>
```

Step 5: Delete S3 Bucket Using CLI

Bash: `aws s3 rb s3://your-bucket-name`

```
C:\WINDOWS\system32\cmd.exe

C:\Users\DEEP_MESHRAM>aws s3 rb s3://demo-practice-s3-bucket
remove_bucket: demo-practice-s3-bucket

C:\Users\DEEP_MESHRAM>aws s3 ls
2026-03-21 19:11:42 demo-myfirst-webhost
2026-03-20 08:30:28 demo-mysec-webhost
2026-03-17 18:34:35 demo-practice-bucket-loggs
2026-03-23 20:33:05 demo-practice-buckets
2026-03-22 00:26:12 demo-resume1

C:\Users\DEEP_MESHRAM>
```

