

Hochschule Flensburg
Flensburg University of Applied Sciences
Master of Science - Applied Computer Science

M A S T E R ' S T H E S I S

**Retrofitting a Vintage Microscope:
Development of an Embedded System for Motorized Control and
Digital Imaging**

Marvin Carstensen
Student ID: 780241
First Examiner: Prof. Dr.-Ing. Marc Aubreville
Second Examiner: Prof. Dr. Simon Olberding
Submission: 26.06.2026

Hochschule Flensburg
Flensburg University of Applied Sciences

M A S T E R ' S T H E S I S

Title: Retrofitting a Vintage Microscope:

 Development of an Embedded System for Motorized Control and Digital Imaging

by: Marvin Carstensen

Student ID: 780241

Degree Program: Master of Science - Applied Computer

Supervisor and
First Examiner: Prof. Dr.-Ing. Marc Aubreville

Second Examiner: Prof. Dr. Simon Olberding

Issue Date: 24.03.2026

Submission Date: 24.06.2026

I hereby declare that I have written this thesis independently and without outside help, that I have used no sources or aids other than those indicated, that I have marked all passages taken from other works either verbatim or in substance, including generated texts, and that this thesis has not been submitted in the same or a similar form in any other examination. I consent to the thesis being checked by plagiarism-detection software.

Place, Date

Signature

Contents

1	Introduction	1
1.1	Motivation	1
1.2	Problem Statement	1
1.3	Research Questions	1
1.4	Contributions	1
1.5	Thesis Structure	1
2	Background and Related Work	2
2.1	Vintage Microscope Interfaces and Retrofitting	2
2.2	Digital Imaging in Microscopy	2
2.3	Motorized Microscope Stages and Focus Control	2
2.4	Parametric CAD and Digital Fabrication	2
2.5	Stepper Motors, Gear Reduction, and Backlash	2
2.6	Calibration in Digital Microscopy	2
2.7	Automated Microscopy Workflows	2
2.8	Existing Microscope Automation Systems	2
2.9	Open-Source Scientific Hardware	2
2.10	Research Gap	2
3	Retrofit Platform Concept	3
3.1	Shared Physical Control Interfaces of Microscopes	3
3.2	Driving Existing Knobs Instead of Replacing Microscope Mechanics	3
3.3	Platform Overview	3
3.4	Open-Source Platform Artifacts	3
4	Parametric Mechanical Adapter Design	4
4.1	Mechanical Retrofit Challenge	4
4.2	Fusion Parametric Model	4
4.3	Focus and XY-Stage Adapter Design	4
4.4	Motor Mounts, Gears, Brackets, and Supports	4
4.5	3D-Printing and Material Considerations	4
4.6	Adaptability and Mechanical Limitations	4

5	Embedded System Architecture	5
5.1	Overall System Architecture	5
5.2	Hardware Selection and Cost Constraints	5
5.3	Raspberry Pi, Display, Camera, and Video Capture	5
5.4	Motor Controller, Stepper Motors, and Input Devices	5
5.5	Custom PCB, Wiring, and Power Distribution	5
5.6	Software Layering: Drivers, Services, Domain Logic, and UI Bridges	5
5.7	Camera Pipeline, Image Storage, and Metadata	5
5.8	Configuration, Mock Mode, and Deployment	5
5.9	REST API for Remote Control and Capture Access	5
5.10	Hardware and Software Trade-Offs	5
6	Motion Control and Backlash Compensation	6
6.1	Motion-Control Pipeline	6
6.2	Manual Motion Through Touch UI, Joystick, and Encoder	6
6.3	Low-Cost Geared Stepper Behavior	6
6.4	Stage Scale and Axis Asymmetry	6
6.5	Software Backlash Compensation Model	6
6.6	Blocking Moves and Motion Diagnostics	6
6.7	Limits of Open-Loop Motion Control	6
7	Calibration Process	7
7.1	Purpose of Calibration in the Retrofit Platform	7
7.2	Calibration Wizard Workflow	7
7.3	Objective Profiles and Pixel Scale Calibration	7
7.4	Scaling Calibration Across Objectives	7
7.5	Stage Scale Calibration for X and Y	7
7.6	Backlash Calibration	7
7.7	Focus, Depth-of-Field, and Autofocus Calibration	7
7.8	Soft Limits, Configuration Storage, and Reproducibility	7
7.9	Calibration Limitations	7
8	Automated Microscopy Workflows	8
8.1	Calibrated Live View and Measurement	8
8.2	Autofocus	8
8.3	Focus Stacking	8

8.4	Tile Scanning and Stitching	8
8.5	Gallery, Metadata, and Data Export	8
8.6	Role of the Workflows in Validating the Platform	8
9	Evaluation	9
9.1	Evaluation Setup	9
9.2	Parametric Adapter Adaptability	9
9.3	Hardware Cost and Reproducibility	9
9.4	Motion Accuracy and Backlash Compensation	9
9.5	Calibration Consistency	9
9.6	Automated Workflow Reliability	9
9.7	REST API Functionality and Remote Access	9
9.8	Summary of Evaluation Results	9
10	Discussion	10
10.1	Answering the Research Questions	10
10.2	Trade-Offs of the Retrofit Approach	10
10.3	Low-Cost Hardware Versus Precision	10
10.4	Software Compensation Versus Mechanical Limits	10
10.5	Limitations and Threats to Validity	10
11	Conclusion and Future Work	11
11.1	Summary	11
11.2	Contributions	11
11.3	Future Work	11
A	Appendix	12
A.1	Bill of Materials and Cost Breakdown	12
A.2	Custom PCB Schematic and Gerber Reference	12
A.3	GPIO, I2C, UART, and Power Wiring	12
A.4	Parametric Fusion Model Parameters	12
A.5	3D-Printing and Assembly Notes	12
A.6	Calibration Protocol	12
A.7	Backlash and Stage-Scale Measurement Data	12
A.8	REST API Endpoint Reference	12
A.9	Configuration Examples	12
A.10	Test Protocols and Raw Evaluation Data	12

A.11 User Interface Screenshots	12
A.12 Installation and Deployment Guide	12
A.13 List of Released Open-Source Artifacts	12
A.14 Declaration: Use of Generative AI	12
A.15 Declaration on Examinations	12
Glossary	13
List of Figures	14
List of Tables	15

1 Introduction

1.1 Motivation

1.2 Problem Statement

1.3 Research Questions

1.4 Contributions

1.5 Thesis Structure

2 Background and Related Work

- 2.1 Vintage Microscope Interfaces and Retrofitting
- 2.2 Digital Imaging in Microscopy
- 2.3 Motorized Microscope Stages and Focus Control
- 2.4 Parametric CAD and Digital Fabrication
- 2.5 Stepper Motors, Gear Reduction, and Backlash
- 2.6 Calibration in Digital Microscopy
- 2.7 Automated Microscopy Workflows
- 2.8 Existing Microscope Automation Systems
- 2.9 Open-Source Scientific Hardware
- 2.10 Research Gap

3 Retrofit Platform Concept

3.1 Shared Physical Control Interfaces of Microscopes

3.2 Driving Existing Knobs Instead of Replacing Microscope Mechanics

3.3 Platform Overview

3.4 Open-Source Platform Artifacts

4 Parametric Mechanical Adapter Design

4.1 Mechanical Retrofit Challenge

4.2 Fusion Parametric Model

4.3 Focus and XY-Stage Adapter Design

4.4 Motor Mounts, Gears, Brackets, and Supports

4.5 3D-Printing and Material Considerations

4.6 Adaptability and Mechanical Limitations

5 Embedded System Architecture

5.1 Overall System Architecture

5.2 Hardware Selection and Cost Constraints

5.3 Raspberry Pi, Display, Camera, and Video Capture

5.4 Motor Controller, Stepper Motors, and Input Devices

5.5 Custom PCB, Wiring, and Power Distribution

5.6 Software Layering: Drivers, Services, Domain Logic, and UI Bridges

5.7 Camera Pipeline, Image Storage, and Metadata

5.8 Configuration, Mock Mode, and Deployment

5.9 REST API for Remote Control and Capture Access

5.10 Hardware and Software Trade-Offs

6 Motion Control and Backlash Compensation

6.1 Motion-Control Pipeline

6.2 Manual Motion Through Touch UI, Joystick, and Encoder

6.3 Low-Cost Geared Stepper Behavior

6.4 Stage Scale and Axis Asymmetry

6.5 Software Backlash Compensation Model

6.6 Blocking Moves and Motion Diagnostics

6.7 Limits of Open-Loop Motion Control

7 Calibration Process

7.1 Purpose of Calibration in the Retrofit Platform

7.2 Calibration Wizard Workflow

7.3 Objective Profiles and Pixel Scale Calibration

7.4 Scaling Calibration Across Objectives

7.5 Stage Scale Calibration for X and Y

7.6 Backlash Calibration

7.7 Focus, Depth-of-Field, and Autofocus Calibration

7.8 Soft Limits, Configuration Storage, and Reproducibility

7.9 Calibration Limitations

8 Automated Microscopy Workflows

8.1 Calibrated Live View and Measurement

8.2 Autofocus

8.3 Focus Stacking

8.4 Tile Scanning and Stitching

8.5 Gallery, Metadata, and Data Export

8.6 Role of the Workflows in Validating the Platform

9 Evaluation

9.1 Evaluation Setup

9.2 Parametric Adapter Adaptability

9.3 Hardware Cost and Reproducibility

9.4 Motion Accuracy and Backlash Compensation

9.5 Calibration Consistency

9.6 Automated Workflow Reliability

9.7 REST API Functionality and Remote Access

9.8 Summary of Evaluation Results

10 Discussion

10.1 Answering the Research Questions

10.2 Trade-Offs of the Retrofit Approach

10.3 Low-Cost Hardware Versus Precision

10.4 Software Compensation Versus Mechanical Limits

10.5 Limitations and Threats to Validity

11 Conclusion and Future Work

11.1 Summary

11.2 Contributions

11.3 Future Work

A Appendix

- A.1 Bill of Materials and Cost Breakdown**
- A.2 Custom PCB Schematic and Gerber Reference**
- A.3 GPIO, I2C, UART, and Power Wiring**
- A.4 Parametric Fusion Model Parameters**
- A.5 3D-Printing and Assembly Notes**
- A.6 Calibration Protocol**
- A.7 Backlash and Stage-Scale Measurement Data**
- A.8 REST API Endpoint Reference**
- A.9 Configuration Examples**
- A.10 Test Protocols and Raw Evaluation Data**
- A.11 User Interface Screenshots**
- A.12 Installation and Deployment Guide**
- A.13 List of Released Open-Source Artifacts**
- A.14 Declaration: Use of Generative AI**
- A.15 Declaration on Examinations**

Glossary

List of Figures

List of Tables