

# OneOnOne API

## Overview

API for OneOnOne project

## Paths

### **GET** /contacts/

#### Parameters

Type	Name	Description	Schema
query	page <i>optional</i>	A page number within the paginated result set.	integer

#### Responses

Code	Description	Links
200	Content application/json	No Links

Type	Name	Scopes
apiKey	jwtAuth	

### **POST** /contacts/

#### Responses

Code	Description	Links
201	Content application/json	No Links

Type	Name	Scopes
apiKey	jwtAuth	

### **GET** /contacts/{id}/

#### Parameters

Type	Name	Description	Schema
path	id <i>required</i>		string

### Responses

Code	Description	Links
200	Content <b>application/json</b>	No Links

Type	Name	Scopes
apiKey	jwtAuth	

## **PUT** /contacts/{id}/

### Parameters

Type	Name	Description	Schema
path	id <i>required</i>		string

### Responses

Code	Description	Links
200	Content <b>application/json</b>	No Links

Type	Name	Scopes
apiKey	jwtAuth	

## **DELETE** /contacts/{id}/

### Parameters

Type	Name	Description	Schema
path	id <i>required</i>		string

### Responses

Code	Description	Links
204	No response body	No Links

Type	Name	Scopes
apiKey	jwtAuth	

## **PATCH** /contacts/{id}/

### Parameters

Type	Name	Description	Schema
<b>path</b>	<b>id</b> <i>required</i>		string

#### Responses

Code	Description	Links
200	<i>Content</i> <b>application/json</b>	No Links

Type	Name	Scopes
<b>apiKey</b>	jwtAuth	

## **GET** /event\_contacts/

#### Parameters

Type	Name	Description	Schema
<b>query</b>	<b>page</b> <i>optional</i>	A page number within the paginated result set.	integer

#### Responses

Code	Description	Links
200	<i>Content</i> <b>application/json</b>	No Links

Type	Name	Scopes
<b>apiKey</b>	jwtAuth	

## **POST** /event\_contacts/

#### Responses

Code	Description	Links
201	<i>Content</i> <b>application/json</b>	No Links

Type	Name	Scopes
<b>apiKey</b>	jwtAuth	

## **GET** /event\_contacts/{contact\_event\_id}/availability/

### Parameters

Type	Name	Description	Schema
path	contact_event_id <i>required</i>		string
query	page <i>optional</i>	A page number within the paginated result set.	integer

### Responses

Code	Description	Links
200	Content application/json	No Links

Type	Name	Scopes
apiKey	jwtAuth	

## **POST** /event\_contacts/{contact\_event\_id}/availability/

### Parameters

Type	Name	Description	Schema
path	contact_event_id <i>required</i>		string

### Responses

Code	Description	Links
201	Content application/json	No Links

Type	Name	Scopes
apiKey	jwtAuth	

## **DELETE** /event\_contacts/{contact\_event\_id}/availability/{id}/

### Parameters

Type	Name	Description	Schema
path	contact_event_id <i>required</i>		string
path	id <i>required</i>		string

#### Responses

Code	Description	Links
204	No response body	No Links

Type	Name	Scopes
apiKey	jwtAuth	

## POST

**/event\_contacts/{contact\_event\_id}/schedule\_meetings/**

#### Parameters

Type	Name	Description	Schema
path	contact_event_id <i>required</i>		string

#### Responses

Code	Description	Links
200	No response body	No Links

Type	Name	Scopes
apiKey	jwtAuth	

**POST /event\_contacts/{contact\_event\_id}/send\_reminder/**

#### Parameters

Type	Name	Description	Schema
path	contact_event_id <i>required</i>		string

#### Responses

Code	Description	Links
200	No response body	No Links

Type	Name	Scopes
apiKey	jwtAuth	

## **GET** /event\_contacts/{id}/

### Parameters

Type	Name	Description	Schema
path	id <i>required</i>		string

### Responses

Code	Description	Links
200	Content application/json	No Links

Type	Name	Scopes
apiKey	jwtAuth	

## **PUT** /event\_contacts/{id}/

### Parameters

Type	Name	Description	Schema
path	id <i>required</i>		string

### Responses

Code	Description	Links
200	Content application/json	No Links

Type	Name	Scopes
apiKey	jwtAuth	

## **DELETE** /event\_contacts/{id}/

### Parameters

Type	Name	Description	Schema
path	id <i>required</i>		string

### Responses

Code	Description	Links
204	No response body	No Links

Type	Name	Scopes
apiKey	jwtAuth	

## **PATCH** /event\_contacts/{id}/

### Parameters

Type	Name	Description	Schema
path	id <i>required</i>		string

### Responses

Code	Description	Links
200	Content <b>application/json</b>	No Links

Type	Name	Scopes
apiKey	jwtAuth	

## **GET** /events/

### Parameters

Type	Name	Description	Schema
query	page <i>optional</i>	A page number within the paginated result set.	integer

### Responses

Code	Description	Links
200	Content <b>application/json</b>	No Links

Type	Name	Scopes
apiKey	jwtAuth	

## **POST** /events/

### Responses

Code	Description	Links
201	Content application/json	No Links

Type	Name	Scopes
apiKey	jwtAuth	

## GET /events/{event\_id}/availability/

### Parameters

Type	Name	Description	Schema
path	event_id required		string
query	page optional	A page number within the paginated result set.	integer

### Responses

Code	Description	Links
200	Content application/json	No Links

Type	Name	Scopes
apiKey	jwtAuth	

## POST /events/{event\_id}/availability/

### Parameters

Type	Name	Description	Schema
path	event_id required		string

### Responses

Code	Description	Links
201	Content application/json	No Links

Type	Name	Scopes
apiKey	jwtAuth	



## ***DELETE*** /events/{event\_id}/availability/{id}/

### Parameters

Type	Name	Description	Schema
path	event_id <i>required</i>		string
path	id <i>required</i>		string

### Responses

Code	Description	Links
204	No response body	No Links

Type	Name	Scopes
apiKey	jwtAuth	

## ***GET*** /events/{event\_id}/meetings/

### Parameters

Type	Name	Description	Schema
path	event_id <i>required</i>		string

### Responses

Code	Description	Links
200	No response body	No Links

Type	Name	Scopes
apiKey	jwtAuth	

## ***GET*** /events/{id}/

### Parameters

Type	Name	Description	Schema
path	id <i>required</i>		string

### Responses

Code	Description	Links
200	Content application/json	No Links

Type	Name	Scopes
apiKey	jwtAuth	

## PUT /events/{id}/

### Parameters

Type	Name	Description	Schema
path	id required		string

### Responses

Code	Description	Links
200	Content application/json	No Links

Type	Name	Scopes
apiKey	jwtAuth	

## DELETE /events/{id}/

### Parameters

Type	Name	Description	Schema
path	id required		string

### Responses

Code	Description	Links
204	No response body	No Links

Type	Name	Scopes
apiKey	jwtAuth	

## PATCH /events/{id}/

### Parameters

Type	Name	Description	Schema
<b>path</b>	<b>id</b> <i>required</i>		string

#### Responses

Code	Description	Links
200	<i>Content</i> <b>application/json</b>	No Links

Type	Name	Scopes
<b>apiKey</b>	jwtAuth	

## **POST** /token/

Takes a set of user credentials and returns an access and refresh JSON web token pair to prove the authentication of those credentials.

#### Responses

Code	Description	Links
200	<i>Content</i> <b>application/json</b>	No Links

## **POST** /token/refresh/

Takes a refresh type JSON web token and returns an access type JSON web token if the refresh token is valid.

#### Responses

Code	Description	Links
200	<i>Content</i> <b>application/json</b>	No Links

## **GET** /users/

#### Parameters

Type	Name	Description	Schema
<b>query</b>	<b>page</b> <i>optional</i>	A page number within the paginated result set.	integer

#### Responses

Code	Description	Links
200	Content application/json	No Links

Type	Name	Scopes
apiKey	jwtAuth	

## **POST** /users/

### Responses

Code	Description	Links
201	Content application/json	No Links

Type	Name	Scopes
apiKey	jwtAuth	

## **GET** /users/{id}/

### Parameters

Type	Name	Description	Schema
path	id required	A unique integer value identifying this user.	integer

### Responses

Code	Description	Links
200	Content application/json	No Links

Type	Name	Scopes
apiKey	jwtAuth	

## **PUT** /users/{id}/

### Parameters

Type	Name	Description	Schema
path	id required	A unique integer value identifying this user.	integer

### Responses

Code	Description	Links
200	Content application/json	No Links

Type	Name	Scopes
apiKey	jwtAuth	

## **DELETE** /users/{id}/

### Parameters

Type	Name	Description	Schema
path	id <i>required</i>	A unique integer value identifying this user.	integer

### Responses

Code	Description	Links
204	No response body	No Links

Type	Name	Scopes
apiKey	jwtAuth	

## **PATCH** /users/{id}/

### Parameters

Type	Name	Description	Schema
path	id <i>required</i>	A unique integer value identifying this user.	integer

### Responses

Code	Description	Links
200	Content application/json	No Links

Type	Name	Scopes
apiKey	jwtAuth	

## Components

# Schemas

## Contact

### Properties

Name	Description	Schema
id <i>required</i>	<i>read only</i>	integer
name <i>required</i>	<b>Maximum Length:</b> 50	string
email <i>required</i>	<b>Maximum Length:</b> 254	string (email)

## ContactEvent

### Properties

Name	Description	Schema
id <i>required</i>	<i>read only</i>	integer
event <i>required</i>		integer
contact <i>required</i>		integer
reminded <i>optional</i>		boolean
meeting_scheduled <i>optional</i>		boolean
meeting_start_time <i>optional</i>	<i>nullable</i>	string (date-time)
meeting_end_time <i>optional</i>	<i>nullable</i>	string (date-time)
authorization <i>required</i>	<i>read only</i>	string

## Event

### Properties

Name	Description	Schema
id <i>required</i>	<i>read only</i>	integer
name <i>required</i>	<b>Maximum Length:</b> 50	string
deadline <i>required</i>		string (date-time)

## PaginatedContactEventList

### Properties

Name	Description	Schema
count <i>optional</i>		integer
next <i>optional</i>	<i>nullable</i>	string (uri)
previous <i>optional</i>	<i>nullable</i>	string (uri)
results <i>optional</i>		< <a href="#">ContactEvent</a> > array

## PaginatedContactList

### Properties

Name	Description	Schema
count <i>optional</i>		integer
next <i>optional</i>	<i>nullable</i>	string (uri)
previous <i>optional</i>	<i>nullable</i>	string (uri)
results <i>optional</i>		< <a href="#">Contact</a> > array

## PaginatedEventList

### Properties

Name	Description	Schema
count <i>optional</i>		integer
next <i>optional</i>	<i>nullable</i>	string (uri)
previous <i>optional</i>	<i>nullable</i>	string (uri)
results <i>optional</i>		< <a href="#">Event</a> > array

## PaginatedTimeSlotList

### Properties

Name	Description	Schema
count <i>optional</i>		integer
next <i>optional</i>	<i>nullable</i>	string (uri)
previous <i>optional</i>	<i>nullable</i>	string (uri)

Name	Description	Schema
results <i>optional</i>		< <a href="#">TimeSlot</a> > array

## PaginatedUserList

### Properties

Name	Description	Schema
count <i>optional</i>		integer
next <i>optional</i>	<i>nullable</i>	string (uri)
previous <i>optional</i>	<i>nullable</i>	string (uri)
results <i>optional</i>		< <a href="#">User</a> > array

## PatchedContact

### Properties

Name	Description	Schema
id <i>optional</i>	<i>read only</i>	integer
name <i>optional</i>	<b>Maximum Length:</b> 50	string
email <i>optional</i>	<b>Maximum Length:</b> 254	string (email)

## PatchedContactEvent

### Properties

Name	Description	Schema
id <i>optional</i>	<i>read only</i>	integer
event <i>optional</i>		integer
contact <i>optional</i>		integer
reminded <i>optional</i>		boolean
meeting_scheduled <i>optional</i>		boolean
meeting_start_time <i>optional</i>	<i>nullable</i>	string (date-time)
meeting_end_time <i>optional</i>	<i>nullable</i>	string (date-time)
authorization <i>optional</i>	<i>read only</i>	string



## PatchedEvent

### Properties

Name	Description	Schema
id <i>optional</i>	<i>read only</i>	integer
name <i>optional</i>	<b>Maximum Length:</b> 50	string
deadline <i>optional</i>		string (date-time)

## PatchedUser

### Properties

Name	Description	Schema
id <i>optional</i>	<i>read only</i>	integer
username <i>optional</i>	Required. 150 characters or fewer. Letters, digits and @/./+/-/_ only. <b>Maximum Length:</b> 150	string
email <i>optional</i>	<b>Maximum Length:</b> 254 <b>Title:</b> Email address	string (email)
password <i>optional</i>	<b>Maximum Length:</b> 128	string
first_name <i>optional</i>	<b>Maximum Length:</b> 150	string
last_name <i>optional</i>	<b>Maximum Length:</b> 150	string
pfp <i>optional</i>		string (uri)

## TimeSlot

### Properties

Name	Description	Schema
id <i>required</i>	<i>read only</i>	integer
start_time <i>required</i>		string (date-time)
end_time <i>required</i>		string (date-time)
priority <i>optional</i>	<b>Maximum:</b> 9223372036854776000 <b>Minimum:</b> -9223372036854776000	integer (int64)

## TokenObtainPair

### Properties

Name	Description	Schema
username <i>required</i>	<i>write only</i>	string
password <i>required</i>	<i>write only</i>	string
access <i>required</i>	<i>read only</i>	string
refresh <i>required</i>	<i>read only</i>	string

## TokenRefresh

### Properties

Name	Description	Schema
access <i>required</i>	<i>read only</i>	string
refresh <i>required</i>	<i>write only</i>	string

## User

### Properties

Name	Description	Schema
id <i>required</i>	<i>read only</i>	integer
username <i>required</i>	Required. 150 characters or fewer. Letters, digits and @/./+/-/_ only.  <b>Maximum Length:</b> 150	string
email <i>optional</i>	<b>Maximum Length:</b> 254 <b>Title:</b> Email address	string (email)
password <i>required</i>	<b>Maximum Length:</b> 128	string
first_name <i>optional</i>	<b>Maximum Length:</b> 150	string
last_name <i>optional</i>	<b>Maximum Length:</b> 150	string
pfp <i>optional</i>		string (uri)