CoRec		[Docs] Improved transport sniffing docs
Ptr-Net		[DOCS] Fix typo in client - api
Ours		docs: Update client . asciidoc
Reference minor documentation improvements (#19500)		minor documentation improvements (#19500)
76	76	<pre>In order to enable sniffing, set `client.transport.sniff` to `true`:</pre>
75	75	
74	74	nodes is to avoid sending search traffic to master only nodes.
	73	+ but rather to any data nodes instead. The reason the transport client excludes non-data
	72	+ master node, after sniffing, no further requests will go to that master node,
73		- but rather to any data nodes instead. The reason the transport excludes non-data
72		- master node, after sniffing no further requests will go to that master node,
71	71	if that node is not a data node. If, for instance, you initially connect to a
	70	+ Keep in mind that the list might possibly not include the original node it connected to
70		- Keep in mind that list might possibly not include the original node it connected to
69	69	auai ess in chose houe s clusticisculon contig.
68	68	default. address in those node's elasticsearch config.
67	67	be replaced with those data nodes only. This list is refreshed every five seconds by
66	66	be replaced with those data nodes only. This list is refreshed every five seconds by default.
65	65	to discover available data nodes. The internal node list of the client will
64	64	After this, the client will call the internal cluster state API on those nodes
	63	+ internal node list, which is built via calls to `addTransportAddress`.
	62	+ When sniffing is enabled, the transport client will connect to the nodes in its
63		 internal node list, which is built via calls to addTransportAddress.
62		- When sniffing is enabled the the transport client will connect to the nodes in its
61	61	allows it to dynamically add new hosts and remove old ones.
60	60	The Transport client comes with a cluster sniffing feature which
59	59	www 33,10 133,10 ww IT anapor cerrent errent - new IT ebarrent anapor cerrent (seecrings),
		@@ -59,18 +59,18 @@ TransportClient client = new PreBuiltTransportClient(settings);