

Output of Angular Assignment

1) Angular Project Execution

```
D:\gitRepo\AU-Spring-19-master\Day_3_7Jan_Angular\employeeDatabase>npm start

> employee@0.0.0 start D:\gitRepo\AU-Spring-19-master\Day_3_7Jan_Angular\employeeDatabase
> ng serve


** Angular Live Development Server is listening on localhost:4200, open your browser on http://localhost:4200/ **

Date: 2019-01-19T15:06:36.512Z
Hash: 8bbe96ead2cf8a73faa
Time: 9742ms
chunk {main} main.js, main.js.map (main) 39.8 kB [initial] [rendered]
chunk {polyfills} polyfills.js, polyfills.js.map (polyfills) 223 kB [initial] [rendered]
chunk {runtime} runtime.js, runtime.js.map (runtime) 6.08 kB [entry] [rendered]
chunk {styles} styles.js, styles.js.map (styles) 16.3 kB [initial] [rendered]
chunk {vendor} vendor.js, vendor.js.map (vendor) 4.02 MB [initial] [rendered]
i @wdm: Compiled successfully.
```


2) Date Tab



3) Employee List



4) SignUp Using Forms



Employee Database

Employeeelist Date SignUp SignUpTemplate

Employee Sign Up Form

Full Name :

EmailAddress : **ConfirmAddress :**

a) Not activated till all the columns are filled



Employee Database


Employeeelist Date SignUp SignUpTemplate

Employee Sign Up Form

Full Name :

EmailAddress : **ConfirmAddress :**

b) After Submission



Employee Database

Employeeelist Date SignUp SignUpTemplate

Employee Sign Up Form

Full Name :

EmailAddress : **ConfirmAddress :**

Angular is running in the development mode. call enableProdMode() to enable the production mode. core.js:15702

Object {account: {email: "sai@gmail.com", confirm: "sai@gmail.com"}, name: "sai"} signup-form.component.ts:25

5) SignUp Using Templates

Employee Sign Up Form

Full Name :

Email Address : Confirm Address :

a) Not activated till all the columns are filled

Employee Sign Up Form

Full Name :

Email Address : Confirm Address :

Both emails are required

b) After Submission

Employee Sign Up Form


Full Name :

Email Address : Confirm Address :

Angular is running in the development mode. Call enableProdMode() to enable the production mode.

Object {account: {email: "deepaperi@gmail.com", confirm: "deepaperi@gmail.com"}, name: "deepaperi", __proto__: Object}

6) Redirecting based on Employee ID's



7) Filtering Employee List based on names

