In [1]:
```
import pandas as pd
import matplotlib.pyplot as plt
dataset=pd.read_csv("placement.csv")
dataset
```

Out[1]:

	sl_no	gender	ssc_p	ssc_b	hsc_p	hsc_b	hsc_s	degree_p	degree_t	workex	etest_p	specialisation	mba_p	status	s
0	1	M	67.00	Others	91.00	Others	Commerce	58.00	Sci&Tech	No	55.0	Mkt&HR	58.80	Placed	270
1	2	M	79.33	Central	78.33	Others	Science	77.48	Sci&Tech	Yes	86.5	Mkt&Fin	66.28	Placed	200
2	3	M	65.00	Central	68.00	Central	Arts	64.00	Comm&Mgmt	No	75.0	Mkt&Fin	57.80	Placed	250
3	4	M	56.00	Central	52.00	Central	Science	52.00	Sci&Tech	No	66.0	Mkt&HR	59.43	Not Placed	
4	5	M	85.80	Central	73.60	Central	Commerce	73.30	Comm&Mgmt	No	96.8	Mkt&Fin	55.50	Placed	425
...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	
210	211	M	80.60	Others	82.00	Others	Commerce	77.60	Comm&Mgmt	No	91.0	Mkt&Fin	74.49	Placed	400
211	212	M	58.00	Others	60.00	Others	Science	72.00	Sci&Tech	No	74.0	Mkt&Fin	53.62	Placed	275
212	213	M	67.00	Others	67.00	Others	Commerce	73.00	Comm&Mgmt	Yes	59.0	Mkt&Fin	69.72	Placed	295
213	214	F	74.00	Others	66.00	Others	Commerce	58.00	Comm&Mgmt	No	70.0	Mkt&HR	60.23	Placed	204
214	215	M	62.00	Central	58.00	Others	Science	53.00	Comm&Mgmt	No	89.0	Mkt&HR	60.22	Not Placed	

215 rows × 15 columns

In [3]:
```
dataset.shape[0]
```

Out[3]:

```
215
```

In [8]:
```
import seaborn as sns
#distplot-univarient
```

```
sns.distplot(dataset["ssc_p"],hist=True,kde=True,kde_kws={'color':'red'})
plt.show()
```


```
C:\Users\User\AppData\Local\Temp\ipykernel_9280\750887874.py:3: UserWarning:

`distplot` is a deprecated function and will be removed in seaborn v0.14.0.


Please adapt your code to use either `displot` (a figure-level function with
similar flexibility) or `histplot` (an axes-level function for histograms).

For a guide to updating your code to use the new functions, please see
https://gist.github.com/mwaskom/de44147ed2974457ad6372750bbe5751

  sns.distplot(dataset["ssc_p"],hist=True,kde=True,kde_kws={'color':'red'})
```




In [10]:
```
#jointplot-bivarient
sns.jointplot(x='ssc_p',y='salary',data=dataset)
plt.show()
```




In [12]:
```
#jointplot-bivarient
```

```
sns.jointplot(x='ssc_p',y='salary',data=dataset,kind='kde')
plt.show()
```



In [13]:
```
#jointplot-bivarient
sns.jointplot(x='ssc_p',y='salary',data=dataset,kind='hex')
```

```
plt.show()
```




In [21]:
```
#pairplot-using 1 columns for analyzing overall dataset
sns.pairplot(dataset,hue='gender',diag_kind='kde',kind='scatter',palette='husl')
```

Out[21]:


```
<seaborn.axisgrid.PairGrid at 0x1af3c8c0640>
```


sl_no
ssc_p
hsc_p
degree_p
etest_p
mba_p
salary
1e6
gender
M
F


In [24]:
```
#for categorical
#stripplot
sns.stripplot(x='gender',y='ssc_p',data=dataset)
plt.show()
```




In [25]:
```
#swarmplot
sns.swarmplot(x='gender',y='ssc_p',data=dataset)
plt.show()
```



In [27]:
```
#violinplot
sns.violinplot(x='ssc_b',y='ssc_p',data=dataset)
plt.show()
```




In [29]:
```
#violinplot
sns.violinplot(x='specialisation',y='salary',hue='gender',data=dataset)
plt.show()
```



In [32]:
```
#boxplot
sns.boxplot(x='ssc_b',y='ssc_p',hue='gender',data=dataset)
plt.show
```

Out[32]:


```
<function matplotlib.pyplot.show(close=None, block=None)>
```



In [33]:
```
#barplot
sns.barplot(x='ssc_b',y='ssc_p',hue='gender',data=dataset)
plt.show
```

Out[33]:


```
<function matplotlib.pyplot.show(close=None, block=None)>
```



In [35]:
```
#countplot
sns.countplot(x='ssc_b',hue='gender',data=dataset)
plt.show
```

Out[35]:


```
<function matplotlib.pyplot.show(close=None, block=None)>
```




In [38]:
```
#pointplot
sns.pointplot(x='ssc_p',y='ssc_b',hue='gender',data=dataset)
plt.show
```

Out[38]:

```
<function matplotlib.pyplot.show(close=None, block=None)>
```



In [39]:
```
sns.boxplot(data=dataset,orient='h')
plt.show()
```


sl_no
ssc_p
hsc_p
degree_p
etest_p
mba_p
salary
0
200000
400000
600000
800000

In [ ]: