

# Rajalakshmi Engineering College

Name: Deepak O  
Email: 241001042@rajalakshmi.edu.in  
Roll no: 2116241001042  
Phone: 7358625611  
Branch: REC  
Department: IT - Section 1  
Batch: 2028  
Degree: B.E - IT

Scan to verify results



## 2024\_28\_III\_OOPS Using Java Lab

### 2028\_REC\_OOPS using Java\_Week 10\_Q4

Attempt : 1  
Total Mark : 10  
Marks Obtained : 10

#### **Section 1 : COD**

##### **1. Problem Statement**

In a ticket reservation system, you store the available seat numbers in a TreeSet. Users input their desired seat number, and the program checks whether the chosen seat is available.

Using a TreeSet ensures quick and efficient verification of seat availability, ensuring a smooth and organized ticket booking process.

##### ***Input Format***

The first line of input contains a single integer n, representing the number of available seats.

The second line contains n space-separated integers, representing the available seat numbers.

The third line contains an integer m, representing the seat number that needs to be searched.

### ***Output Format***

The output displays "[m] is present!" if the given seat is available. Otherwise, it displays "[m] is not present!"

Refer to the sample output for the formatting specifications.

### ***Sample Test Case***

Input: 4

2 4 5 6

5

Output: 5 is present!

### ***Answer***

```
// You are using Java
import java.util.*;
class Main{
    public static void main(String[] args){
        Scanner sc = new Scanner(System.in);
        TreeSet<Integer> availableseats = new TreeSet<>();
        int n = Integer.parseInt(sc.nextLine().trim());
        for(int i=0;i<n;i++){
            availableseats.add(sc.nextInt());
        }
        int searchseat = sc.nextInt();
        if(availableseats.contains(searchseat)){
            System.out.println(searchseat+" is present!");
        }
        else{
            System.out.println(searchseat+" is not present!");
        }
    }
}
```

**Status : Correct**

**Marks : 10/10**