Where Every Slice is a Taste of Perfection

WELCOME TO PIZZA RESTO

ORDER NOW

Start Your Slide

Hello !

Your paragraph text

I am Deepak Singh, and in this project I have utilized SQL queries to analyze pizza sales data and extract meaningful insights.he pizza sales

Retriev the total num of ordered placed

```
SELECT
    COUNT(order_id) AS total_orders
FROM
    orders;
```

Result Grid

total_orders
21350

Identify the most common pizza size order

```sql
SELECT
    pizzas.size,
    COUNT(orders_details.order_details_id) AS order_count
FROM
    pizzas
        JOIN
```

Result Grid

size	order_count
L	18526
M	15385
S	14137
XL	544
XXL	28

List the top 5 most order pizza types along with their quantities

```
SELECT
    pizza_types.name, SUM(orders_details.quantity) AS quantity
FROM
    pizza_types
        JOIN
    pizzas ON pizza_types.pizza_type_id = pizzas.pizza_type_id
```

name	quantity
The Classic Deluxe Pizza	2453
The Barbecue Chicken Pizza	2432
The Hawaiian Pizza	2422
The Pepperoni Pizza	2418
The Thai Chicken Pizza	2371

calculate the total revenue generated from pizza sales

```
SELECT
    ROUND(SUM(orders_details.quantity * pizzas.price),
            2) AS total_price
FROM
    orders_details
        JOIN
```

Result Grid

	total_price
▶	817860.05

calculate the percentage contribution of each pizza type to total revenue

Result Grid | Filter Rows:

category	revenue_percentage
Classic	26.91
Supreme	25.46
Chicken	23.96
Veggie	23.68

Determine the distribution of orders by hour of the day

```sql
SELECT
    HOUR(order_time) AS hour, COUNT(order_id) AS order_count
FROM
    orders
GROUP BY HOUR(order_time);
```

Result Grid

hour	order_count
11	1231
12	2520
13	2455
14	1472
15	1468
16	1920
17	2336
18	2399
19	2009
20	1642
21	1198
22	663
23	28
10	8
9	1

group the orders by the date abd calculate the average num of pizzas ordered perday

```sql
SELECT
    ROUND(AVG(quantity), 0) as avg_pizza_order_per_day
FROM
    (SELECT
        orders.order_date, SUM(orders_details.quantity) AS quantity
    FROM
        orders
    JOIN orders_details ON orders.order_id = orders_details.order_id
    GROUP BY orders.order_date) AS order_quantity;
```

avg_pizza_order_per_day
138

determine the top 3 most order pizza type based on revenue

```sql
SELECT pizza_types.name,
    SUM(orders_details.quantity * pizzas.price) AS revenue
FROM pizza_types JOIN pizzas ON pizza_types.pizza_type_id = pizzas.pizza_type_id
        JOIN
    orders_details ON pizzas.pizza_id = orders_details.pizza_id
GROUP BY pizza_types.name
ORDER BY revenue DESC
LIMIT 3;
```

Result Grid | Filter Rows:

name	revenue
The Thai Chicken Pizza	43434.25
The Barbecue Chicken Pizza	42768
The California Chicken Pizza	41409.5

Identify the highest-priced pizza

```
SELECT
    pizza_types.name, pizzas.price
FROM
    pizza_types
        JOIN
    pizzas ON pizza_types.pizza_type_id = pizzas.pizza_type_id
ORDER BY pizzas.price DESC
LIMIT 1;
```

Result Grid | Filter Rows:

name	price
The Greek Pizza	35.95

join the necessary tables to find the total quantity of each pizza category order

```
select pizza_types.category,
sum(orders_details.quantity) as quantity
from pizza_types join pizzas
on pizza_types.pizza_type_id = pizzas.pizza_type_id
join orders_details
on orders_details.pizza_id = pizzas.pizza_id
group by pizza_types.category
order by quantity desc;
```

Result Grid

category	quantity
Classic	14888
Supreme	11987
Veggie	11649
Chicken	11050

This query shows the count of pizzas in each categors

```
select category , count(name) from pizza_types
group by category;
```

Result Grid | Filter Rows:

category	count(name)
Chicken	6
Classic	8
Supreme	9
Veggie	9

Pizza Resto Presentation

THANK YOU FOR ATTENTION

See You Next

www.reallygreatsite.com