

REPORT ON NHS benchmark comparison

Compare CSEW self-reported rates vs NHS referral rates. Gap analysis table.

WEEK 2 ----- ANA 4

PREPARED BY: DEEPAK BARANWAL (Data Analyst Intern)

PROJECT NAME: AI MENTAL HEALTH ASSISTANT

DATE: 14 – 16 MAY, 2026

Objective:

The objective of this analysis was to compare CSEW self-reported prevalence rates with NHS mental health referral benchmark rates.

The analysis aimed to identify the gap between prevalence indicators and healthcare referral engagement levels. The study also focused on understanding mental health support accessibility, referral trends, and social wellbeing related patterns within the population.

Dataset Description:

Two datasets were used in this analysis.

The first dataset was the cleaned CSEW dataset, which contained self-reported prevalence indicators related to domestic abuse, threats, harassment, and social impact trends across multiple years.

...

	Indicator	2019-2020	2021-2022	2022-2023	2023-2024
0	Any domestic abuse (partner or family non-phys...	6.063285	5.727713	5.137845	5.351390
1	Any partner abuse (non-physical abuse, threats...	4.477245	3.923697	3.438816	3.553626
2	Any family abuse (non-physical abuse, threats,...	2.136765	2.436163	2.149497	2.122693
3	Partner abuse - non-sexual [note 14]	3.869533	3.223930	2.934945	3.115319
4	Non-physical abuse (emotional, financial) [not...	2.939518	2.548648	2.227238	2.581725
5	Threats or force [note 14]	2.009325	1.493146	1.464506	1.136618
6	Threats [note 14]	1.416103	1.213738	1.050243	0.753369
7	Force [note 14]	1.257405	0.686279	0.771066	0.681944
8	Family abuse - non-sexual [note 14]	1.849323	2.165337	1.899668	1.878842
9	Non-physical abuse (emotional, financial) [not...	1.246234	1.811761	1.401027	1.257299
10	Threats or force [note 14]	0.961539	1.099120	0.864622	0.907850
11	Threats [note 14]	0.749210	0.969015	0.726779	0.697595

The second dataset was a simplified NHS benchmark referral dataset created using NHS England Mental Health Statistics references. The dataset contained estimated annual mental health referral trend percentages used as benchmark indicators for healthcare system engagement.

Variables used in the NHS benchmark dataset included:

- 1.Year
- 2.NHS_Referral_Rate

	Year	NHS_Referral_Rate
0	2019-20	11.2
1	2021-22	11.8
2	2022-23	12.4
3	2023-24	12.9

Methodology:

The analysis was performed using Python libraries such as Pandas, NumPy, and Matplotlib in Google Colab.

Initially, the cleaned CSEW dataset was imported into the notebook. A simplified NHS benchmark dataset was then created using estimated referral trend percentages based on NHS mental health statistics references.

Several visualization techniques were used during the analysis process, including side-by-side comparison charts and gap analysis charts.


A gap analysis table was also created to calculate the difference between CSEW self-reported prevalence rates and NHS referral benchmark rates across multiple years.

CSEW vs NHS Referral Benchmark Comparison:

This graph compares CSEW self-reported prevalence rates with NHS mental health referral benchmark rates across multiple years.

The comparison shows that NHS referral benchmark rates remained consistently higher than CSEW prevalence rates throughout the analysis period.

The graph highlights the relationship between prevalence indicators and healthcare system referral trends.




Gap Analysis Chart:

This graph represents the gap between CSEW self-reported prevalence rates and NHS referral benchmark rates across different years.

The analysis showed that the gap increased gradually over time, indicating differences between prevalence reporting and healthcare referral engagement levels.

The chart also demonstrates the importance of mental health awareness, referral accessibility, and healthcare response systems.



Gap Analysis Table:

The gap analysis table summarizes the yearly comparison between CSEW prevalence rates and NHS referral benchmark rates.

The table also calculates the numerical difference between both indicators, helping in understanding healthcare engagement gaps and prevalence-related trends.

	Year	CSEW_Self_Reported_Rate	NHS_Referral_Rate	Gap	
0	2019-20	6.06	11.2	5.14	
1	2021-22	5.72	11.8	6.08	
2	2022-23	5.13	12.4	7.27	
3	2023-24	5.35	12.9	7.55	

Key Findings:

NHS referral benchmark rates were consistently higher than CSEW self-reported prevalence rates.

The analysis highlighted a measurable gap between prevalence indicators and healthcare referral engagement levels.

CSEW prevalence rates showed slight fluctuations across multiple years.

NHS benchmark referral rates demonstrated gradual growth during the same period.

The increasing gap emphasized the importance of improving healthcare accessibility, referral systems, and mental health awareness initiatives.

Visualization techniques effectively represented prevalence trends and healthcare engagement differences across the datasets.

Agreements:

Both datasets focused on mental health and social wellbeing related indicators affecting the population.

Both analyses used prevalence-based statistical comparison and trend visualization techniques to identify important patterns.

Both datasets highlighted the importance of mental health awareness, healthcare accessibility, and public wellbeing support systems.

The analyses also demonstrated the usefulness of graphical representation techniques for understanding prevalence and referral trends across multiple years.

Conflicts / Differences:

The CSEW dataset focused on self-reported prevalence indicators related to domestic abuse and social impact, whereas the NHS benchmark dataset focused on healthcare referral engagement levels.

The datasets followed different methodologies and analytical objectives. CSEW represented prevalence-based social indicators, while NHS benchmark data represented healthcare system response trends.

Another important difference was that NHS referral benchmark rates remained significantly higher compared to CSEW self-reported prevalence rates across all years included in the analysis.

Conclusion:

The NHS benchmark comparison successfully demonstrated the relationship between self-reported prevalence indicators and healthcare referral benchmark trends.

The analysis identified a measurable gap between CSEW prevalence rates and NHS referral benchmark rates across multiple years.

The study also highlighted the importance of improving mental health awareness, referral accessibility, healthcare engagement systems, and public wellbeing initiatives.

Overall, the analysis provided valuable insight into prevalence trends, healthcare response patterns, and mental health support related indicators within the population.