

Inorder Traversal

Inorder traversal of the whole BST is complete.
Visitation sequence: 20,30,40,50,60,70,80.

```

if this is null
    return
Inorder(left)
visit this
Inorder(right)
  
```

Toggle BST Layout

Create

Search(v)

Insert(v)

Remove(v)

Predec./Successor(v)


Select(k)

Traverse(root)

Inorder(root)


Preorder(root)

Postorder(root)



Preorder Traversal

```
Visit vertex with value 80.  
Visitation sequence: 50,30,20,40,70,60,80.  
  
if this is null  
  return  
visit this  
Preorder(left)  
Preorder(right)
```



Postorder Traversal

Postorder traversal of the whole BST is complete.
Visitation sequence: 20,40,30,60,80,70,50.

```
if this is null
  return
Postorder(left)
Postorder(right)
visit this
```



Insert(50, 30, 70, 20, 40, 60, 80)

```
80 has been inserted!  
  
if insertion point is found  
  create new vertex  
if value to be inserted < this key  
  go left  
else if value to be inserted > this key  
  go right  
else increment frequency
```

- <
- Toggle BST Layout
- Create
- Search(v)
- Insert(v)
- Remove(v)
- Predec-/Succ-essor(v)
- Select(k)
- Traverse(root)