

QUESTIONS

Q1Reverse a list
1 mark**Q2**Reverse a string
1 mark**Q3**Searching
1 mark**Q4**Searching
1 mark**Q5**Array
1 mark**Q6**Merging
1 mark**Q7**

Largest and Smallest element

**Q1 Reverse a list**

1 mark

Write a C program that takes an array as input and returns it reversed.

Your Code

```
1 #include <stdio.h>
2 int main() {
3     int n, i, t;
4     scanf("%d", &n);
5     int a[n];
6     for (i = 0; i < n; i++)
7         scanf("%d", &a[i]);
8     for (i = 0; i < n / 2; i++) {
9         t = a[i];
10        a[i] = a[n - 1 - i];
11        a[n - 1 - i] = t;
12    }
13    for (i = 0; i < n; i++)
14        printf("%d ", a[i]);
15    return 0;
16 }
```



Run



Save



Submit

Input

```
5
1 2 3 4 5
```

Output

```
5 4 3 2 1
```

QUESTIONS

Q1

Reverse a list

1 mark



Q2

Reverse a string

1 mark



Q3

Searching

1 mark



Q4

Searching

1 mark



Q5

Array

1 mark



Q6

Merging

1 mark



Q7

Largest and Smallest element

1 mark



Q8



Q2 Reverse a string

1 mark

Write a C program for palindrom

Your Code

```
1 #include <stdio.h>
2
3 int main() {
4     char a[100];
5     int i = 0, j, p = 1;
6     char ch;
7     while ((ch = getchar()) != '\n' && ch != EOF) {
8         a[i] = ch;
9         i++;
10    }
11    j = i - 1;
12    i = 0;
13    while (i < j) {
14        if (a[i] != a[j]) {
15            p = 0;
16        }
17        i++;
18        j--;
19    }
20    if (p == 1) {
21        printf("Palindrome");
22    } else {
```

Input

mam

Output

Palindrome

Q1 ✓
Reverse a list
1 mark

Q2 ✓
Reverse a string
1 mark

Q3 ✓
Searching
1 mark

Q4 ✓
Searching
1 mark

Q5 ✓
Array
1 mark

Q6 ✓
Merging
1 mark

Q7 ✓
Largest and Smallest element
1 mark

Q8 ✓
Second Largest Element
1 mark

Write a C program for Searching an Element in a Sorted Array

Your Code

```
1 #include <stdio.h>
2 int main() {
3     int a[100], n, x, l = 0, h, m, i;
4     scanf("%d", &n);
5     for (i = 0; i < n; i++) scanf("%d", &a[i]);
6     scanf("%d", &x);
7     h = n - 1;
8     while (l <= h) {
9         m = (l + h) / 2;
10        if (a[m] == x) {
11            printf("Found at position %d", m + 1);
12            return 0;
13        }
14        if (x < a[m])
15            h = m - 1;
16        else
17            l = m + 1;
18    }
19    printf("Not Found");
20    return 0;
21 }
```

▶ Run

☁ Save

➤ Submit

Input

```
5
10 20 30 40 50
30
```

Output

```
Found at position 3
```

C Programming Output Prediction[← Back](#)

QUESTIONS

Q1Reverse a list
1 mark**Q2**Reverse a string
1 mark**Q3**Searching
1 mark**Q4**Searching
1 mark**Q5**Array
1 mark**Q6**Merging
1 mark**Q4 Searching**

1 mark

Write a C program for Count the Occurrences of an Element

Your Code

```
1 #include <stdio.h>
2 int main() {
3     int a[100], n, x, i, count = 0;
4     scanf("%d", &n);
5     for (i = 0; i < n; i++)
6         scanf("%d", &a[i]);
7     scanf("%d", &x);
8     for (i = 0; i < n; i++)
9         if (a[i] == x)
10             count++;
11     printf("%d", count);
12     return 0;
13 }
```

Run

Save

Submit

Input

```
5
10 20 30 20 40
20
```

Output

```
2
```

Array

1 mark

Q1

Reverse a list
1 mark

Q2

Reverse a string
1 mark

Q3

Searching
1 mark

Q4

Searching
1 mark

Q5

Array
1 mark

Q6

Merging
1 mark

Q7

Largest and Smallest element
1 mark

Write a program for binary search

Your Code

```
1 #include <stdio.h>
2 int main() {
3     int a[100], n, x, l = 0, h, m, i;
4     scanf("%d", &n);
5     for (i = 0; i < n; i++) scanf("%d", &a[i]);
6     scanf("%d", &x);
7     h = n - 1;
8     while (l <= h) {
9         m = (l + h) / 2;
10        if (a[m] == x) {
11            printf("Found at %d", m + 1);
12            return 0;
13        }
14        if (x < a[m]) h = m - 1;
15        else l = m + 1;
16    }
17
18    printf("Not Found");
19 }
```

Input

```
5
10 20 30 40 50
30
```

Output

Found at 3



Run



Save



Submit

QUESTIONS

Q1Reverse a list
1 mark**Q2**Reverse a string
1 mark**Q3**Searching
1 mark**Q4**Searching
1 mark**Q5**Array
1 mark**Q6**Merging
1 mark**Q7**Largest and Smallest element
1 mark**Q6 Merging**

1 mark

Write a C program for Merge Two Arrays

Your Code

```
1 #include <stdio.h>
2
3 int main() {
4     int a[100], b[100], c[200], n1, n2, i, k = 0;
5     scanf("%d%d", &n1, &n2);
6     for (i = 0; i < n1; i++)
7         scanf("%d", &a[i]);
8     for (i = 0; i < n2; i++)
9         scanf("%d", &b[i]);
10    for (i = 0; i < n1; i++)
11        c[k++] = a[i];
12    for (i = 0; i < n2; i++)
13        c[k++] = b[i];
14    for (i = 0; i < k; i++)
15        printf("%d ", c[i]);
16    return 0;
17 }
```

Run

Save

Submit

✓ Draft saved

Input

```
3 2
1 2 3
4 5
```

Output

```
1 2 3 4 5
```

QUESTIONS

Q1

Reverse a list
1 mark

Q2

Reverse a string
1 mark

Q3

Searching
1 mark

Q4

Searching
1 mark

Q5

Array
1 mark

Q6

Merging
1 mark

Q7

Largest and Smallest element



Q7 Largest and Smallest element

1 mark

Write a C program for Find the Largest and Smallest Element in an Array

Your Code

```
1 #include <stdio.h>
2 int main() {
3     int a[100], n, i, max, min;
4     scanf("%d", &n);
5     for (i = 0; i < n; i++)
6         scanf("%d", &a[i]);
7     max = min = a[0];
8     for (i = 1; i < n; i++) {
9         if (a[i] > max) max = a[i];
10        if (a[i] < min) min = a[i];
11    }
12    printf("Largest=%d\nSmallest=%d", max, min);
13
14    return 0;
15 }
```



Run



Save



Submit

✓ Draft saved

Input

```
5
10 25 5 40 15
```

Output

```
Largest=40
Smallest=5
```

QUESTIONS

Q1

Reverse a list
1 mark

Q2

Reverse a string
1 mark

Q3

Searching
1 mark

Q4

Searching
1 mark

Q5

Array
1 mark

Q6

Merging
1 mark

Q7

Largest and Smallest element
1 mark

Q8 Second Largest Element

1 mark

Write a C program for Find the Second Largest Element

Your Code

```
1 #include <stdio.h>
2 int main() {
3     int a[100], n, i, max, sec;
4     scanf("%d", &n);
5     for (i = 0; i < n; i++)
6         scanf("%d", &a[i]);
7     max = sec = a[0];
8     for (i = 1; i < n; i++) {
9         if (a[i] > max) {
10             sec = max;
11             max = a[i];
12         } else if (a[i] > sec && a[i] != max)
13             sec = a[i];
14     }
15     printf("%d", sec);
16     return 0;
17 }
```



Run



Save



Submit

Input

```
5
10 20 30 40 50
```

Output

40

QUESTIONS

Q1

Reverse a list
1 mark

Q2

Reverse a string
1 mark

Q3

Searching
1 mark

Q4

Searching
1 mark

Q5

Array
1 mark

Q6

Merging
1 mark

Q7

Largest and Smallest element
1 mark

Q9 Occurrence of an elemnet

1 mark

Write a C program for Find the First and Last Occurrence of an Element

Your Code

```
1 #include <stdio.h>
2 int main() {
3     int a[100], n, x, i, first = -1, last = -1;
4     scanf("%d", &n);
5     for (i = 0; i < n; i++)
6         scanf("%d", &a[i]);
7     scanf("%d", &x);
8     for (i = 0; i < n; i++) {
9         if (a[i] == x) {
10             if (first == -1)
11                 first = i + 1;
12             last = i + 1;
13         }
14     }
15     printf("First=%d\nLast=%d", first, last);
16     return 0;
17 }
```

Run

Save

Submit

✓ Draft saved

Input

```
6
10 20 30 20 40 20
20
```

Output

```
First=2
Last=6
```

QUESTIONS

Q1

Reverse a list

1 mark



Q2

Reverse a string

1 mark



Q3

Searching

1 mark



Q4

Searching

1 mark



Q5

Array

1 mark



Q6

Merging

1 mark



Q7

Largest and Smallest element



Q10 Missing Element

1 mark

Write a C program for Find Missing Element in an Array

Your Code

```
1 #include <stdio.h>
2 int main() {
3     int a[100], n, i, sum = 0, total;
4     scanf("%d", &n);
5     for (i = 0; i < n - 1; i++) {
6         scanf("%d", &a[i]);
7         sum += a[i];
8     }
9     total = n * (n + 1) / 2;
10    printf("%d", total - sum);
11    return 0;
12 }
```

Run

Save

Submit

Input

5
1 2 4 5

Output

3