


Cryptography And Network Security

UNIT-III


Session 20

Dr. V. K. Pachghare



Department of Computer Engineering and Information Technology
College of Engineering Pune (COEP)
Forerunners in Technical Education

Modes of Operation



Department of Computer Engineering and Information Technology
College of Engineering Pune (COEP)
Forerunners in Technical Education

Output Feedback Mode (OFB)

- Similar to CFB mode, except that the ciphertext output of DES is fed back into the Shift Register, rather than the actual final ciphertext



Output Feedback Mode (OFB)

- Similar to CFB mode, except that the ciphertext output of DES is fed back into the Shift Register, rather than the actual final ciphertext
- The Shift Register is set to an arbitrary initial value, and passed through the DES algorithm



Encryption


- Select 64-bit random for IV as input to the 64-bit shift register.



Department of Computer Engineering and Information Technology
College of Engineering Pune (COEP)
Forerunners in Technical Education

Encryption

- Select 64-bit random for IV as input to the 64-bit shift register.
- Encrypt the output of shift register with the key.




Encryption


- Select 64-bit random for IV as input to the 64-bit shift register.
- Encrypt the output of shift register with the key.
- Select “s” (value of “s” is equal to the size of plaintext block) bits from the encrypted output and discard 64-s bits.




- Performed XOR operation between the selected “s” bit and the plaintext block.



- Performed XOR operation between the selected “s” bit and the plaintext block.
- The output is ciphertext.



- Performed XOR operation between the selected “s” bit and the plaintext block.
- The output is ciphertext.
- The selected “s” bits are used as input for the shift register on the next step.



Encryption






Figure 3.7 Output feedback mode: Encryption.



Decryption

- Similar to encryption.



Department of Computer Engineering and Information Technology
College of Engineering Pune (COEP)
Forerunners in Technical Education

Decryption

- Similar to encryption.
- Instead of plaintext block, corresponding ciphertext block is used for XOR operation



Decryption





Figure 3.8 Output feedback mode: Decryption.




Disadvantages

- Cryptanalysis of output feedback mode is easy



Disadvantages

- Cryptanalysis of output feedback mode is easy
- Only a ciphertext block and encrypted “s” bits are sufficient to get the plaintext block.




Disadvantages

- Cryptanalysis of output feedback mode is easy
- Only a ciphertext block and encrypted “s” bits are sufficient to get the plaintext block.
- Here information about the key is not required, which help the cryptanalyst to break the cipher easily.




Disadvantages

- Cryptanalysis of output feedback mode is easy
- Only a ciphertext block and encrypted “s” bits are sufficient to get the plaintext block.
- Here information about the key is not required, which help the cryptanalyst to break the cipher easily.
- Therefore, this mode is less secure than cipher feedback mode.



Counter mode



Department of Computer Engineering and Information Technology
College of Engineering Pune (COEP)
Forerunners in Technical Education

Introduction

- A block cipher is worked like a stream cipher.



Department of Computer Engineering and Information Technology
College of Engineering Pune (COEP)
Forerunners in Technical Education

Introduction

- A block cipher is worked like a stream cipher.
- The counter is used whose value is changed in each round.



Introduction

- A block cipher is worked like a stream cipher.
- The counter is used whose value is changed in each round.
- Initially, the user has to set some value to the counter.




Introduction

- A block cipher is worked like a stream cipher.
- The counter is used whose value is changed in each round.
- Initially, the user has to set some value to the counter.
- Encrypt the counter value and the key.



Introduction

- A block cipher is worked like a stream cipher.
 - The counter is used whose value is changed in each round.
 - Initially, the user has to set some value to the counter.
 - Encrypt the counter value and the key.
 - This encrypted value is XOR with the block of plaintext.
- The result is a block of ciphertext.






Figure 3.9 Counter mode: Encryption.






Figure 3.10 Counter mode: Decryption.



Advantages

- Faster than of cipher block chaining mode.



Department of Computer Engineering and Information Technology
College of Engineering Pune (COEP)
Forerunners in Technical Education

Advantages

- Faster than of cipher block chaining mode.
- Encryption can be done in parallel.



Advantages

- Faster than of cipher block chaining mode.
- Encryption can be done in parallel.
- Padding is not required.



Advantages

- Faster than of cipher block chaining mode.
- Encryption can be done in parallel.
- Padding is not required.
- Processing of plaintext blocks can be done randomly.




Advantages

- Faster than of cipher block chaining mode.
- Encryption can be done in parallel.
- Padding is not required.
- Processing of plaintext blocks can be done randomly.
- Only encryption algorithm is required.



Advantages

- Faster than of cipher block chaining mode.
- Encryption can be done in parallel.
- Padding is not required.
- Processing of plaintext blocks can be done randomly.
- Only encryption algorithm is required.
- It is as secure as the other modes.



Disadvantages

- Integrity of the message is not maintained.



Disadvantages

- Integrity of the message is not maintained.
- Reuse of counter value, compromise the security.

