

Syllabus

=====

- ReactJs features (VirtualDOM , Reconciliation)
- Local Environment Setup
- Create-react-app
- JSX
- Class Components
- Functional Components
- React Object - Fragment
- Component Styling
- Conditional rendering
- Lists & keys
- Props : de-structuring, requiring props, propTypes, default props
- State :
- Pure Component
- Memo Component
- HigherOrder Component
- Events : Synthetic Event
- Lifecycle Hooks
- Form
- Http - Axios
- Interceptors
- Routing
- REDUX (State Management)
- Unit Testing (JEST)
- ESLint

React Local Setup

=====

1. download Nodejs and install
<https://nodejs.org/en/download/>
2. check if nodejs is installed? (open cmd and run the below command)
node -v
3. check if NPM is installed? (NPM-Node Package Manager)
npm -v
4. go to the folder where you want to create project(d:/sanjay/react)& run the below command
npx create-react-app project1 (npx-node package executor)
5. go to the created project folder(project1) and start your React application
cd project1
npm start
6. A new browser window will pop up with your newly created React App!
open a browser tab and type 'http://localhost:3000/' if browser doesn't open automatically.

React Project with Typescript

=====

- Create React App supports TypeScript out of the box.

-To create a new project with TypeScript support, run the below command
npx create-react-app my-app --template typescript
-To add TypeScript to an existing Create-React-App project, install the below things
npm install --save typescript @types/node @types/react @types/react-dom @types/jest

create-react-app

=====

- It is a React application boilerplate generator created by Facebook.
- This CLI tool installs React, ReactDOM & other libraries required for a react project.
- It provides a development environment configured for ease-of-use with minimal setup.
- It creates a frontend build pipeline. Under the hood, it uses Babel and webpack.

NPX

===

- NPX : node package executer.
- Its a Package runner/executer tool.
- It can execute any package that you want from the npm registry without even installing that package.

ex: npx create-react-app my-app

What React is

=====

- React is a JavaScript library for building user interfaces.
- It is an open-source, component based library.
- It is created & maintained by Facebook.
- React is used to build single page applications.
- React allows us to create reusable UI components.
- ReactJS uses virtual DOM based mechanism to fill in data (views) in HTML DOM.

React is NOT a framework

=====

- React is a library and not a framework.
- The difference between a library and a framework is that a library only helps you in one aspect whereas a framework helps you in many aspects.

Let's take an example:

- React is a library because it only takes care of your UI.
- Angular, on the other hand, is a framework because it handles much more than the UI
(It handles Dependency Injection, CSS encapsulation, httpClient, Form validation, routing etc.)

Framework

Library

=====

-group of libraries to make your work easier operations	-performs specific, well-defined operations
---	---

- provides ready to use tools,standards for our code
- templates for fast application development
- Collection of libraries & APIs functions,objects
- cann't be easily replaceable replaceable by another
- angular,vue
- jQuery,ReactJs,lodash,moment
- Hospital with full of doctors specializes in one

- provides reusable functions
- collection of helper
- can be easily
-
- A doctor who

React	Angular
=====	=====
1. Library-2013	1. Framework-2009
2. Light-weight	2. Heavy
3. JSX + Javascript	3. HTML + Typescript
4. Uni-Directional	4. Two-way
5. Virtual DOM	5. Regular DOM
6. Axios	6. HttpClientModule
7. No	7. Dependency Injection
8. No	8. Form Validation
9. extra libraries needed	9. No additional libraries
10. UI heavy	10. Functionality Heavy

React Features

=====

- JSX
- Components (easy to build, easy to extend,reusable,loosly coupled)
- One-way Data Binding (watchers will not be there for bindings)
- Virtual DOM
- Easy to learn because of its simple Design
- Performance

Why virtual DOM?

=====

- Frequent DOM manipulations are expensive and performance heavy.
- Every time the DOM changes, browser would need to recalculate the CSS, run layout and repaint the web page.
- we need a way to minimize the time it takes to repaint the screen.
- This is where the Virtual DOM comes in.

What Virtual DOM is

=====

- React uses virtual DOM to enhance its performance.
- Virtual DOM is a virtual representation of the real DOM.
- A virtual DOM is the DOM where a representation of the UI is kept in memory and synced with the DOM.
- When state changes occur, the virtual DOM is updated and the previous and current version of virtual DOM is compared. This is called "diffing".
- It then makes sure that batched updates are sent to the real DOM for repainting or

re-rendering of the UI.

-React never reads from real DOM, only writes to it.

How does React Work? (Virtual DOM)

=====

-A virtual DOM is a lightweight JavaScript object which is just a copy of the real DOM. It is a node tree that lists the elements, their attributes and content as

Objects and their properties.

-React creates a VIRTUAL DOM in memory.

-Instead of manipulating the browser's DOM directly, React creates a virtual DOM in memory, where it does all the necessary manipulations, before making the changes in the browser DOM.

-React finds out what changes have been made, and changes only what needs to be changed in the actual DOM.

-Whenever application state/props changes,

these are the steps that React performs in order to optimise performance.

a. Generate a new Virtual DOM that represents the new state of our application.

b. Compare the old Virtual DOM (which represents the current HTML DOM) vs the new Virtual DOM.

c. Based on (b) find the minimum number of operations to transform the old Virtual DOM (which represents the current HTML DOM) into the new Virtual DOM.

What is the difference between Shadow DOM and Virtual DOM?

=====

-The Shadow DOM is a browser technology designed primarily for scoping variables and CSS in web components.

-The Virtual DOM is a concept implemented by libraries in JavaScript(React) on top of browser APIs.

ReactDOM

=====

-ReactDOM is the glue between React and the DOM.

-React creates a virtual representation of your User Interface (what we call a Virtual DOM) and then ReactDOM is the library that efficiently updates the DOM based on the Virtual DOM.

-The reason why the Virtual DOM exists is to figure out which parts of the UI need to be updated and then batch these changes together.

-ReactDOM receives those instructions from React and then efficiently updates the DOM.

Web Browser Workflow

=====

Parsing HTML to construct DOM tree --> Render Tree construction --> Layout of the Render tree -->

-->painting the render tree.

React Reconciliation

=====

- Reconciliation is the process through which React updates the DOM.
(syncing the Virtual DOM to the actual DOM)
- Reconciliation is the mechanism that tracks changes in a component state and renders the updated state to the screen.
- It's a step that happens between the render() function being called and the displaying of elements on the screen. This entire process is called reconciliation.

Stack Reconciler < React-16

=====

- Synchronous
- works like a stack
- can't be interrupted

Fiber Reconciler

=====

- Fiber is the new reconciliation engine or re-implementation of core algorithm in React v16.
- React Fiber reconciler makes it possible to divide the work into multiple units of work (incremental rendering).
- It sets the priority of each work, and makes it possible to pause, reuse, and abort the unit of work.
- Fiber is Asynchronous.
- reconciliation and rendering to the DOM weren't separated, and React couldn't pause its traversal to jump to other renders in between. This often resulted in lagging inputs.
- Fiber allows the reconciliation and rendering to the DOM to be split into two separate phases:
 - Phase 1: render (processing)
 -
 - React creates a list of all changes to be rendered in the UI
 - Once the list is fully computed, React will schedule these changes to be executed in the next phase.
 - React doesn't make any actual changes in this phase.
 - Phase 2: Commit
 -
 - React tells the DOM to render the changes that was created in the previous phase.
 - the Reconciliation phase can be interrupted, the Commit phase cannot.

React Project - Folder Structure

=====

- node_modules/ : Provides npm packages to the entire workspace. Workspace-wide node_modules dependencies are visible to all projects.
- public/ : Only files inside the `public` folder can be referenced from the HTML
- src/ : Source files for the root-level application project.
- .gitignore : Specifies intentionally untracked files that Git should ignore.
- package.json : Configures npm package dependencies that are available to all projects in the workspace.

package-lock.json : Provides version information for all packages installed into node_modules by the npm client.
README.md : Introductory documentation for the application.

React Project Flow

=====

```
1. index.html --> <div id="root"></div> (container to inject component)
2. index.js    --> root = ReactDOM.createRoot(document.getElementById('root'));
                  root.render(<App />)
                  where      what
3. App.js      --> AppComponent Code
```

JSX

===

- JSX (JavaScript Syntax Extension) is a special syntax for React that makes it easier to represent the UI.
- JSX is used to describe the structure & content of a react component.
- JSX allows us to add the elements in DOM without using createElement() or appendChild() methods.
- JSX looks similar to HTML but it is not HTML.
- JSX code we write gets transformed into React.createElement().
- JSX is not part of browser. we need a tool(Babel)(a JavaScript compiler) to transform it to valid JavaScript.
- JSX doesn't support void tags.
 invalid
 valid
 valid
- Since JSX is closer to JavaScript than to HTML, React DOM uses camelCase property naming convention instead of HTML attribute names.
- ex: class becomes className in JSX, and tabIndex becomes tabIndex.

React Without JSX

=====

- Code written with JSX will be converted to use React.createElement().
- we don't have to use React.createElement() when we use JSX.

Syntax : React.createElement(type,[props],[...children])
example: React.createElement(div , {name:'myDiv'},[<p> ,])

- The first argument is the type of element we're creating
- The second argument is props object.
- The last argument is the children of that element.

ex: <div class='test'>This is a div</div>

-Babel converts the above JSX line to the below code
return React.createElement("div", {
 class: "test"
}, "This is a div");

React Element

=====

- A React element is a JavaScript object with specific properties and methods that React assigns and uses internally.
- React elements are the instructions for how the browser DOM get created.
- When we use ReactDOM library React elements are getting changed into DOM elements.
- However, when we use React Native, React elements are getting changed into native UI elements of Android or iOS.
- We create React elements using a function called createElement().
- createElement() method is part of the Top-Level React API, and we use it to create React elements.
- This method takes three parameters:
 - a. The first argument defines type of element to create. (h1/p/div)
 - b. The second argument defines properties or attributes of the element.
 - c. The third argument represents the element's children, any nodes or simple text that are inserted between the opening and closing tag.

```
const hello = React.createElement(
  "h1",
  {id: "msg", className: "title"},
  "Hello React Element"
);
```

- document.createElement() returns a DOM element (for example a div or an h1).
- Whereas React.createElement() returns an object that represents the DOM element.

Module Systems

=====

1. CommonJS


```
module.exports = {member1,member2};
const member1 = require('Library/file name');
```
2. ECMAScript


```
export member1;
export default member2;
import DefaultMember , {Namedmember} from 'file'
```

imports & exports

=====

- Default import:


```
import DefaultMember from 'src/my_lib';
```
- Named imports:


```
import { name1, name2 } from 'src/my_lib';
```
- Combining a default import with named imports


```
import DefaultMember, { name1, name2 } from 'src/my_lib';
```

Named Export vs Default Export

=====

- Only one default export is allowed per file,where as multiple named exports are allowed per file.
- Named exports are useful to export several values.
- A default export can be a function, a class, an object(cann't be variables). This value is to be considered as the "main" exported value since it will be the simplest to import
- The name of imported module has to be the same as the name of the exported module for named exports.

-The naming of import is completely independent in default export and we can use any name we like.
ex: import MyReact, { MyComponent } from "react";
 correct wrong-namedExport

The React object

=====

-When we import React, we get a React object that contains methods and properties.
-React exposes its current version through the version property, here's how we can read that.

```
import React from "react"
console.log(React.version); //"16.9.0" / 18.2.0
<h2>React Version is {React.version}</h2>
```

-in cmd run the below command
npm view react version

React Emmet (react snippets - plugin)

=====

<https://marketplace.visualstudio.com/items?itemName=rodrigovallades.es7-react-js-snippets>

```
IMR - import React from 'react';
IMRD - import ReactDOM from 'react-dom'
IMRC - import React, { Component } from 'react'
IMPT - import PropTypes from 'prop-types'
RCC - React class component
RCE - React class Export component
RFC - React Functional Component
RFCE - React Functional Export Component
RMC - React Function Memo component
RCONST - constructor with super
RPC - React Class Pure Component
RPCE - React Class Pure Export Component
RAFC - React Arrow Function Component
RAFCE - React Arrow Function export Component
REN - render() { return( ) }
SST - this.setState({ })
```

extensions

=====

1. React Snippet
2. ESLint
3. prettier
4. code spell checker
5. gitlens
6. vscode-icons
7. Thunder Client

Browser extension

=====

json viewer

React Plugins

=====

1. React Developer Tools
2. React-sight
3. Redux DevTools

 window.__REDUX_DEVTOOLS_EXTENSION__ && window.__REDUX_DEVTOOLS_EXTENSION__()

React.StrictMode

=====

-StrictMode is a tool for highlighting potential problems in a react application.
-It activates additional checks and warnings for its descendants(child elements).
-Strict mode checks are run in development mode only,they do not impact the production build.

-Strict Mode helps with the below things:

- Identifying components with unsafe lifecycles (componentWillMount)
- Warning about legacy string ref API usage
- Warning about deprecated findDOMNode() usage
- Detecting unexpected side effects
- Detecting legacy context API

-ex: import React, { StrictMode } from "react";

```
<StrictMode>
  <App />
</StrictMode>
```

Note: StrictMode renders components twice (on dev but not production) in order to detect any problems with our code and warn us about them.

Component

=====

- Components are the most basic UI building block of a React application.
- Each Component is responsible for outputting a small, reusable piece of HTML.
- A Component Represents a part of the User Interface.
- Components are Re-Usable and can be nested inside other component.
- A React application contains a tree of components.
- React components let you split the UI into independent, reusable pieces, and think about each piece in isolation.

2 types Of Component

=====

1. Functional Component (stateless/presentational/dumb)
2. Class Component (statefull)

-The simplest way to define a component in React is to write a JavaScript function:

```
function Welcome(props) {
  return <h1>Hello, {props.name}</h1>;
}
```

-we can also use the ES6 class syntax to write components

```
class Welcome extends React.Component {
```

```

render() {
  return <h1>Hello, {this.props.name}</h1>;
}
}

```

-A functional component is just a plain JavaScript function which accepts props as an argument and returns a React element.

-Functional Components are faster and much simpler than Class Components.

-Functional components are very useful in React, especially when you want to isolate state management from the component. That's why they are often called stateless components.

-React class components can be defined by extending `React.Component` or `React.PureComponent`.

-React component can be defined as an ES6 class that extends the base `React.Component` class.

-a React class component must define a render method that specifies how the component renders to the DOM.

-The render method returns React nodes, which can be defined using JSX syntax as HTML-like tags

-React requires that the first letter of a component class be capitalized.

This is required because based on capitalization JSX can tell the difference between

an HTML tag and a component instance. If the first letter of a name is capitalized,

then JSX realizes it's a component instance; if not, then it's an HTML tag.

Functional Component -----	Class Component -----
1. No 'this' keyword	1. More feature rich
2. solution without state	2. Maintain own private data- state
3. Mainly for UI	3. Complex UI Logic
4. Stateless/dumb/Presentational	4. Provide Life cycle hooks

When to use a Class Component over a Function Component?

=====

-If the component needs state or lifecycle methods then use class component otherwise use function component.

-However, from React 16.8 with the addition of Hooks, we can use state , lifecycle methods and other features that were only available in class component in function component also.

-So, it is always recommended to use Function components, unless you need a React functionality whose Function component equivalent is not present yet, like Error Boundaries.

How to Use Bootstrap in a React application

=====

- install bootstrap


```

npm i bootstrap@3.3.7 (particular version)
      OR
npm i bootstrap (latest version)
npm i bootstrap-icons

```

```
2. use 'bootstrap.min.css' in index.js file
import "bootstrap/dist/css/bootstrap.min.css";
import "bootstrap/dist/js/bootstrap.bundle.min.js";
import 'bootstrap-icons/font/bootstrap-icons.css';
```

How to Use Bootstrap in a React application using CDN Link

=====

-Bootstrap can be used in a react application just by adding the below CDN link in 'index.html'

```
<link href="https://cdn.jsdelivr.net/npm/bootstrap@5.2.0-beta1/dist/css/
bootstrap.min.css" rel="stylesheet"
integrity="sha384-0evHe/X+R7YkIZDRvuzKMRqM+OrBnVFBL6D0itfPri4tjfhXaWutUpFmBp4vmVor"
crossorigin="anonymous">
```

How to use Bootstrap icons

=====

```
<i className="bi-alarm"></i>
<i className="bi-airplane" style={{ fontSize: "2rem", color:
"cornflowerblue" }}></i>
```

How to use React-icons

=====

```
1. install react-icons
npm install react-icons
2. import react-icons in component
import { FaEdit, FaTrash } from 'react-icons/fa';
import { BsFillCalendarDateFill, BsFillClockFill } from 'react-icons/bs';
3. use the Icons
<FaEdit />
<FaTrash color='red' />
```

Fragments

=====

-While returning elements in JSX, we can only return 1 element at a time.
That element can have children but we have to ensure that we are only returning 1 element at a time, or else we will get a syntax error. (ex: a function can return 1 value)

-Fragments are way to render multiple elements without using a wrapper element.

-Fragment acts as a wrapper without adding unnecessary divs to the DOM.

-We can use it directly from the React import, or deconstruct it.

```
import React from 'react';
<React.Fragment>
  <div>I am an element!</div>
  <button>I am another element</button>
</React.Fragment>
```

-// Deconstructed

```
import { Fragment } from 'react';
<Fragment>
  <div>I am an element!</div>
```

```

        <button>I am another element</button>
    </Fragment>
-React version 16.2 simplified this process further, allowing for empty JSX tags to
be interpreted as Fragments
    <>
        <div>I am an element!</div>
        <button>I am another element</button>
    </>

```

Data Binding

=====

-Binding/Displaying the variable value in UI is called data binding.

CSS in React

=====

different ways to add CSS:

1. inline CSS
2. External CSS
3. global css(index.css)
4. CSS Modules
5. Conditional CSS

CSS Modules

=====

-This approach is designed to fix the problem of the global scope in CSS.
 -A CSS Module is a CSS file in which all class names are scoped locally by default.
 -CSS Modules allow to use the same CSS class name in different files without worrying about naming clashes.
 -CSS Modules allow the scoping of CSS by automatically creating a unique classname of the below format.
 ex: [filename]_[classname]__[hash]
 -ClassNames are dynamically generated, unique, and mapped to the correct styles.
 -When importing the CSS Module from a JS Module, it exports an object.
 import styles from './Button.module.css'; // Import css modules stylesheet as styles
 import './another-stylesheet.css'; // Import regular stylesheet
 <button className={styles.error}>Error Button</button>;
 -it will only apply the classname from css module even if both files have same 'error' class;

Conditional Rendering

=====

-It is a common use case to show or hide elements based on certain conditions.
 -it allows us to render different elements or components based on a condition.
 -use cases:
 Rendering external data from an API.
 Showing or hiding elements.
 Toggling application functionality.
 Implementing permission levels.

Handling authentication and authorization.

-ways to implement conditional rendering:

Using an if...else Statement

Using a switch Statement

Using Ternary Operators

Using Logical && (Short Circuit Evaluation)

Ternary- `<div>{flag ? <h1>Hellllloooooo</h1> : null}</div>`

Short Circuit- `<div>{flag && <h1>Hellllloooooo</h1>}</div>`

List Items - Lists and Keys

=====

-A 'key' is a special attribute which should be included while creating List Items.
-There will be a warning message in the console if the key prop is not present on list items.

-'Key' gives the elements a stable unique Identity.

-'Key' helps react to identify which items have changed, are added, or removed.

-React relies on the key to identify items in the list.

React uses a virtual DOM, and it only re-draws the components that changed since the last render.

-The first time a component like `IdiomaticReactList` is rendered, React will see that you want to render a bunch of items, and it will create DOM nodes for them.

-The next time that component renders, React will say, "I already have some list items on screen are these ones different?" It will avoid recreating DOM nodes if it can tell that the items are the same.

-Tip: Avoid using the index as key, if the list is filtered or sorted it will cause the key value to change to the new index and React will consider them different elements and repaint the whole list.

-Why `map()` is used to iterate array instead of `forEach()`

JSX needs an array of items to render, `forEach()` does not return anything (i.e it returns undefined). `map()` returns an array.

read data from a JSON file

=====

1. create a JSON file (`employees.json/products.json/countries.json`)

[{}, {}, {}]

2. import `listData` from `'./countries.json'`

3. use `'listData'` in JSX

```
{countries.map((country, ind) => {  
  return <option key={ind} value={country} />  
})}
```

Assignment

=====

1. create `products.json` with list of products.

<https://fakestoreapi.com/products>

2. display the products in table & card

`forceUpdate`

=====

- Declaring class variables/function variables is always a bad idea.
- can be used for the below 2 use cases:
 - Setting and clearing timeouts
 - Storing frequently-referenced values
- React components will only re-render when there are changes to props or state.
- Updating the class/function variable does not trigger a re-render.
- It's our responsibility of triggering the re-render when our class data changes.
- Normally we should try to avoid all uses of `forceUpdate()` and only read from `this.props` and `this.state` in `render()`.
- In class components, `this.forceUpdate()` is used to force a re-render.
- In Functional components, there is no concept of force re-render.

props

=====

- Props are inputs to components.
- Props stand for properties and is a special keyword in React.
- Attributes on Components get converted into an object called Props.
- Helps to Pass custom data to a component.
- props are used to pass data and methods from a parent component to a child component.
- data with props are being passed in a uni-directional flow. (one way from parent to child).
- We can pass props to any component as we declare attributes for any HTML tag
`<ChildComponent someAttribute={value} anotherAttribute={value}/>`
- React props passed with just their name have a value of `true`.
`<myComponent showTitle={true}>`
`<myComponent showTitle>`
- The props can be accessed as shown below
`this.props.propName;` (Class Component)
`props.propName;` (Functional Component)

- 1.They are immutable. data coming from the parent should not be changed by child components. we will get an error if you try to change their value.
- 2.data with props are being passed in a uni-directional flow. (one way from parent to child)

Props De-structuring

=====

- It's a JavaScript feature that allows us to extract multiple pieces of data from an array or object and assign them to their own variables.
- Improves readability.
- we can get rid of `props/this.props` in front of each property.
- props de-structuring in functional component
`export default function Greet({ name, msg }){}`
- we de-structure props in the `render()` function. (class Component)
ex: `let { pId, name, price } = this.props.product;`

PropTypes

=====

- React has some built-in typechecking abilities.
- To run typechecking on the props for a component, we can assign the special propTypes property.
- PropTypes exports a range of validators that can be used to make sure the data the component receive is valid.
- When an invalid value is provided for a prop, a warning will be shown in the browser console.
- For performance reasons, propTypes is only checked in development mode. not in production.

```
1. import PropTypes from 'prop-types';
2. ComponentName.propTypes = {
    variableName: PropTypes.string
  };

  optionalArray: PropTypes.array,
  optionalBool: PropTypes.bool,
  optionalFunc: PropTypes.func,
  optionalNumber: PropTypes.number,
  optionalObject: PropTypes.object,
  optionalString: PropTypes.string,
  optionalSymbol: PropTypes.symbol,
  optionalElement: PropTypes.element,
  optionalEnum: PropTypes.oneOf(['News', 'Photos']),
  optionalArrayOf: PropTypes.arrayOf(PropTypes.number),
  optionalObjectWithShape: PropTypes.shape({
    color: PropTypes.string,
    fontSize: PropTypes.number
  }),
```

Requiring Props

=====

- If prop values are not passed to a certain component, no error will be thrown. Instead, within the component that prop will have a value of 'undefined'.
- Apart from specifying the type of the prop that can be passed to the component, we can also make sure the prop is always provided to the component by chaining `isRequired` at the end of the prop validator.

```
Student.propTypes = {
  name: PropTypes.string.isRequired, // Required Prop
  age: PropTypes.number // Optional Prop
}
```

Default props

=====

- `defaultProps` allows to set default value for props.
- ex:

```
Greet.defaultProps = {
  msg: 'this is my default message'
}
```
- Functional Component & destructuring

```
export default function Greet({name, msg='good morning'}) {
```

```
}
```

Props.children

=====

- props.children represents the content between the tags of a Component.
- props.children can be an array or a single item.
- props.children is available on every component.
- <Welcome>Hello world!</Welcome>
- The string Hello world! is available in props.children in the Welcome component.
- class Welcome extends React.Component {
 render() {
 return <p>{this.props.children}</p>;
 }
}

Ensuring Single Child

=====

- We can use PropTypes.element to enforce that only a single child can be passed to a component as children.
- If we try to pass more than 1 child to the component, we will get an error.

Ex:

```
Greet.propTypes = {  
  children: PropTypes.element  
};
```

Prop Drilling

=====

- Prop drilling is the process in a React app where props are passed from one component to another by going through other parts that do not need the data, but only help in passing it through the intermediate components.
- The problem with this approach is that most of the components through which this data is passed have no actual need for this data.
- They are simply used as mediums for transporting this data to its destination component.
- as the components are forced to take in unrelated data and pass it to the next component, which in turn passes it, and so on, until it reaches its destination. This can cause major issues with component reusability and app performance.
- This Problem Can be avoided by using concepts like 'Context API' & 'REDUX'

States

=====

- the State of a component is an object that holds some information that may change over the lifetime of the component.
- whenever the state object changes, react will re-render the component. render() gets re-invoked.

State in Class Component

=====

- class components have a state object , where all the state variables are declared. To update state variables, setState() should be used;

- State object is usually initialized inside the constructor in class components.
- UI will not Re-render when we change state directly, `setState()` should be used.
 - `this.counter = this.counter + 1; // re-render won't happen`
 - `this.setState({counter:this.state.counter+1}); // re-render will happen`
- use `setState()` to change the state of react Component.
 - it ensures that `render()` gets called.
- If a piece of code needs to be executed only after the state has been updated, then
 - place that code in the callback function which is the second argument to `setState()`

Syntax: `setState(StateObject, callbackFunction);`
 ex: `setState({} , ()=>{});`

Note:

- `setState()` actions are asynchronous. `setState()` doesn't immediately mutate `this.state`.
- React may group multiple `setState()` calls in to a single update for better performance
- when we want to update the state based on the previous State value, we need to pass a function as an argument to `setState()` instead passing an object.

ex:- `this.setState({ value: this.state.value + 1 });`
`this.setState(prevState => ({ value: prevState.value + 1 }));`

State in Functional Component

=====

- State in functional Component can be maintained using `useState()` hook.
- `useState()` is used to declare a state variable in function component.
- The only argument to the `useState()` Hook is the initial state.
- It returns a pair of values:
 - a. the current state
 - b. a function that updates the state.

ex: `const [count, setCount] = useState(0);`

- state updation is asynchronous,
 - `const increment = () => {`
 - `setCount(count + 1);`
 - `console.log(count); // this will be executed before state update`
 - `};`
- If a piece of code needs to be executed only after the state has been updated, then place that code in the '`useEffect()`'
- when we want to update the state based on the previous State value, pass a callback to setter

ex: `setCount((prevState) => prevState + 1);`
`setCount(count + 1);`

Props	vs	State
=====		
1. Props are immutable.		1. State is mutable/modifiable.
2. pass data from parent component to child component		2. contains own data & changes over time
3. communicate between components		3. rendering dynamic changes
4. props - Functional Comp		4. <code>useState()</code> - Functional
Comp		
<code>this.props</code> - class comp		<code>this.state={}</code> - Class Comp

How to use SweetAlert

=====

<https://sweetalert2.github.io/#examples>

1. `npm i sweetalert2`
2. `import Swal from 'sweetalert2'`
3. on button click call a function, which has the below code

```
Swal.fire(
  'Good job!',
  'You clicked the button!',
  'success'
)
```

How to use react-modal

=====

1. `npm i react-modal`
2. `import Modal from 'react-modal';`
3. use Modal as below

```
let [modalIsOpen, setIsOpen] = useState(false);
function openModal() {
  setIsOpen(true);
}
function closeModal() {
  setIsOpen(false);
}
<>
<button onClick={openModal}>Open Modal</button>
<Modal
  isOpen={modalIsOpen}
  onRequestClose={closeModal}
  contentLabel="Example Modal"
>
  <h2>Hello Hiiiiiiiiiiii</h2>
  <button onClick={closeModal}>close</button>
  <div>I am a modal</div>
</Modal>
</>
```

How to use react-bootstrap modal

=====

1. `npm install react-bootstrap bootstrap`
2. `import Modal from 'react-bootstrap/Modal';`
3. `const [show, setShow] = useState(false);`
`const handleClose = () => setShow(false);`
`const handleShow = () => setShow(true);`

```
<Modal show={show} onHide={handleClose}>
  <Modal.Header closeButton>
    <Modal.Title>Modal heading</Modal.Title>
```

```

    </Modal.Header>
    <Modal.Body>Woohoo, you're reading this text in a modal!</Modal.Body>
    <Modal.Footer>
      <Button variant="secondary" onClick={handleClose}>
        Close
      </Button>
      <Button variant="primary" onClick={handleClose}>
        Save Changes
      </Button>
    </Modal.Footer>
  </Modal>
  <Button onClick={handleShow}>click me</Button>

```

Search

=====

1. Install react-js-search from npm
npm i react-js-search
2. Import SearchBar in your react component
import SearchBar from 'react-js-search';
3. use the below HTML

```

<SearchBar
  onSearchTextChange={(term, filteredData) => {
    setFilteredEmployees([...filteredData]);
  }}
  onSearchButtonClick={onSearchClick}
  placeholderText={"Search here..."}
  data={employees}
/>

```

Pagination

=====

1. npm install react-paginate
2. import ReactPaginate from 'react-paginate';
3. <Employees> / <Products> / <Users>

```

<ReactPaginate
  breakLabel="..."
  nextLabel="next >"
  onPageChange={handlePageClick}
  pageRangeDisplayed={5}
  pageCount={pageCount}
  previousLabel="< previous"
  renderOnZeroPageCount={null}
/>

```

React Events

=====

- React events are written in camelCase
onClick-correct
onclick-wrong
- React event handlers are written inside curly braces
onClick={shoot} instead of onClick="shoot()"

```

<button onClick={shoot}>Take the Shot!</button> // calls the function on
click

```

`<button onClick={shoot()}>Take the Shot!</button> // calls the function on load`

-For methods in React, the 'this' keyword should represent the component that owns the method.

-That is why we should use arrow functions.

With arrow functions, 'this' will always represent the object that defined the arrow function.

-In class components, the this keyword is not defined by default, so with regular functions the this keyword represents the object that called the method, which can be the global window object, a HTML button, or whatever.

-If you must use regular functions instead of arrow functions you have to bind 'this' to the component instance using the bind() method.

```
constructor(props) {  
  super(props);  
  this.f1 = this.f1.bind(this);  
}  
state = {  
  counter: 0  
}  
f1() {  
  alert("hi");  
  console.log(this)  
  console.log(this.state.counter)  
}
```

-If you want to send parameters into an event handler, you have two options:

1. Make an anonymous arrow function:

```
shoot = (a) => {  
  alert(a);  
}  
<button onClick={() => this.shoot("Goal")}>Take the shot!</button>
```

2. Bind the event handler to this

```
shoot(a) {  
  alert(a);  
}  
<button onClick={this.shoot.bind(this, "Goal")}>Take the shot!</button>
```

-If you send arguments without using the bind method, (this.shoot(this, "Goal")) instead of this.shoot.bind(this, "Goal"), the shoot function will be executed when the page is loaded instead of waiting for the button to be clicked.

Single Event Handler for multiple input elements

```
=====
changeHandler = (e) => {  
  const { name, value } = e.target;  
  this.setState({ [name]: +value });  
};  
=====
let [obj, setObj] = useState({ num1: 0, num2: 0 });  
const changeHandler = (e) => {  
  setObj({ ...obj, [e.target.name]: +e.target.value })  
}
```

SyntheticEvent

=====

-SyntheticEvent is a cross-browser wrapper around the browser's native event.
-in React event handlers receive 'SyntheticEvent' object as argument instead of browser's native 'Event' object.

-To register an event handler for the capture phase, append Capture to the event name.

```
<button onClick={f1}>click me</button> // bubbling
<button onClickCapture={f1}>click me</button> // capturing

<div onClickCapture={() => console.log('div clicked')}>
  div <br/>
  <span onClickCapture={() => console.log('span clicked')}>
    span <br/>
    <button onClickCapture={() => console.log('button
clicked')}>button</button>
  </span>
</div>
```

Component Communication

=====

->Parent to Child : props
->Child to Parent : callback and states
->Between Siblings : Combine the above 2

Child To Parent:

1. Define a function in parent which takes the data as a parameter.
2. Pass that function as a prop to the child.
3. Call the function using this.props.[callback] in the child, pass in the data as the argument.

Component vs PureComponent

=====

-PureComponent is exactly the same as Component except that it handles the 'shouldComponentUpdate' method for us.
-When props or state changes, PureComponent will do a shallow comparison on both props and state. if there is a change in state/props, then only render() will be called.
-A normal Component always calls render() when we update the state. even though there is no change in the last state data and current state data.
-Class components that extend the React.PureComponent class are treated as pure components.

```
Ex: class myComp extends React.PureComponent {
}
```

-in Functional components, re-render happens only if the state changes.
-Every Functional Component is a Pure-Component.

React Memo Component

=====

- Introduced in React v16.6. This improves performance.
- React.memo() is a higher-order component.
- React.memo() can be used for both class & function components.
- When a component is wrapped in React.memo(), React renders the component only if the props those are passed to that component changes.
- lets you skip re-rendering a component when its props are unchanged.
- ex: export default React.memo(MyComponent);

useMemo()

=====

- The functions called inside component are re-invoked on every state change.
- If we want the functions should be called only on page load and not on every state changes then for that function, useMemo should be used.
- useMemo Hook returns a memoized value.
- The useMemo(()=>{} , []) hook accepts a second parameter to declare dependencies. The function will only run when its dependencies are changed.
- The main difference between useMemo() and useCallback() is that useMemo() returns a memoized value and useCallback() returns a memoized function.

ex:

```
// const calculation = expensiveCalculation(count); // function gets called on every state change
```

```
// const calculation = useMemo(() => expensiveCalculation(count), []); // function gets called on page load
```

```
const calculation = useMemo(() => expensiveCalculation(count), [count]); // function gets called on count change
```

useCallback()

=====

- useCallback() Hook returns a memoized callback function.
- useCallback() Hook only runs when one of its dependencies update.
- useCallback() should be used to prevent a component from re-rendering unless its props have changed.
- When a function is passed as a props from parent to child component, child component re-renders even if no props data changes (even though the child is a memo component)
- the function that gets passed as a props gets a new reference everytime there is a state change in parent component.

ex:

```
<ToDoDemo todos={todos} addTodo={addTodo} />
```

```
const addTodo = () => {  
  setTodos((t) => [...t, "New Todo"]);  
};
```

```
const addTodo = useCallback(() => {  
  setTodos((t) => [...t, "New Todo"]);  
}, []);
```

LifeCycle Hooks

=====

-Every component in React goes through a lifecycle of events.

-The three phases are:

- 1.Mounting - (constructor, getDerivedStateFromProps, render, componentDidMount)
- 2.Updating - (getDerivedStateFromProps, shouldComponentUpdate, render, getSnapshotBeforeUpdate, componentDidUpdate)
- 3.Unmounting - (componentWillUnmount)

Mounting: means putting elements into the DOM.

- 1.constructor()
- 2.static getDerivedStateFromProps(props, state)
- 3.render()
- 4.componentDidMount()

Note:- The render() method is required and will always be called,
the others are optional and will be called if you define them.

constructor()

-The constructor() method is called before anything else, when the component is initiated.

-It is the natural place to set up the initial state and other initial values.

-The constructor() method is called with the props, as argument,
and you should always start by calling the 'super(props)' before anything else,
Otherwise, this.props will be undefined.

-This will initiate the parent's constructor method and allows the component to inherit methods from its parent (React.Component).

-If you neither initialize state nor bind methods for your React component, there is no need to implement a constructor for React component.

-setState() method should not be called in the constructor(). we will get console error

error - Can't call setState on a component that is not yet mounted

static getDerivedStateFromProps()

-The getDerivedStateFromProps() method is called right before rendering the element(s) in the DOM.

-This is the natural place to set the state object based on the initial props.

-It takes (props, state) as argument, and returns an object with changes to the state.

-only fires when the parent causes a re-render and not as a result of a local setState.

render()

-The render() method is required, and is the method that actual outputs HTML to the DOM.

-it gets re-invoked when state/props data changes.

componentDidMount()

-The componentDidMount() method is called after the component is rendered.
-This is a good place to initiate the network request.
-if we are going to fetch any data from an API then API call should be placed in this lifecycle method, and then we get the response, we can call the setState() method and render the element with updated data.
-good place for DOM manipulation.

Updating

=====

- 1.static getDerivedStateFromProps(props, state)
- 2.shouldComponentUpdate()
- 3.render()
- 4.getSnapshotBeforeUpdate(prevProps, prevState)
- 5.componentDidUpdate()

getDerivedStateFromProps()

-while updating state/props getDerivedStateFromProps() method is called.
-This is the first method that is called when a component gets updated.
-This is still the natural place to set the state object based on the initial props.

shouldComponentUpdate()

-In the shouldComponentUpdate() method a boolean value should be returned that specifies whether React should continue with the rendering or not.
-The default value is true.
-shouldComponentUpdate() lifecycle shouldn't be added if the class is extending React.PureComponent.

getSnapshotBeforeUpdate(prevProps, prevState)

-In the getSnapshotBeforeUpdate(prevProps, prevState) method we have access to the props and state before the update, meaning that even after the update, we can check what the values were before the update.

example:

-When the component is mounting it is rendered with the favorite color "red".
-When the component has been mounted, a timer changes the state, and after one second, the favorite color becomes "yellow".
-This action triggers the update phase, and since this component has a getSnapshotBeforeUpdate() method, this method is executed, and writes a message to the empty DIV1 element.

componentDidUpdate()

-The componentDidUpdate() method is called after the component is updated in the DOM.
-componentDidUpdate() is invoked immediately after the state is updated.
-This method is not called for the initial render, componentDidMount() will be called for the initial render.

-it gets called only when state/props gets updated.

Unmounting - Removing the component from DOM

=====

-The next phase in the lifecycle is when a component is removed from the DOM, or unmounting.

-React has only one built-in method that gets called when a component is unmounted.

`componentWillUnmount()`

-Called immediately before a component is destroyed.

-Perform any necessary cleanup in this method, such as cancel network requests, or cleaning up any DOM elements created in `componentDidMount`.

-`clearTimeout`, `clearInterval`, `unsubscribe`, `detachEventHandlers`

`useEffect()`

-`useEffect` serves the same purpose as `componentDidMount`, `componentDidUpdate`, and `componentWillUnmount`.

-`useEffect()` takes a callback function as 1st argument and an array as 2nd argument.

ex: `useEffect(()=>{} , [])`;

-array contains dependencies for `useEffect`, that is, variables on which `useEffect` depends on to re-run.

-If 2nd argument is not present, effect runs everytime there is a state change.

-When the array is empty, the effect runs only once.(on component load)

-If 2nd argument is present, effect will only run if the values in the list change.

-we can have many `useEffects()` in a component to track changes for diff variables.

How to use `componentWillUnmount` in Functional Components

=====

```
import React, { useEffect } from 'react';
```

```
const ComponentExample = () => {
```

```
  useEffect(() => {
```

```
    // Anything in here is fired on component mount.
```

```
    return () => {
```

```
      // Anything in here is fired on component unmount.
```

```
    }
```

```
  }, [])
```

```
}
```

Note: When the state is updated, the component gets re-rendered, Hence the component gets unmounted and gets rendered again.

`useLayoutEffect`

=====

-`useLayoutEffect` is a version of `useEffect` that fires before the browser repaints the screen.

-This runs synchronously immediately after React has performed all DOM mutations.

-`useLayoutEffect(callback, dependencies?)`

-useLayoutEffect: If you need to mutate the DOM inside the effect()

Refs (Template Reference Variable)

=====

-reference variables: help to use data from one part of a template in another part of the template.

-with reference variables, we can perform tasks such as respond to user input or fine tune your application's forms.

-Refs provide a way to access DOM nodes or React elements.

-used to modify child comp (OR) DOM.

-Managing focus, text selection , animations.

-ex: `this.myRef1 = React.createRef();` (class component)
`const myRef1 = useRef();` (function component)

-React supports another way to set refs called "callback refs", which gives more fine-grain control over normal refs when refs are set and unset.

ex: `<input ref={x => inputRef1=x} />`
`alert(inputRef1.value)`

- 'Ref forwarding' is a feature that lets some components take a ref they receive, and pass/forward it further down to a child.

Q. How to display previous State & Current State data in functional Component using ref.

Forms

=====

-React uses forms to allow users to interact with the web page.(Collect User Data)

-get the field value by using the 'event.target.value',

get the field name by using 'event.target.name'

-control the submit action by adding an event handler in the onSubmit attribute.

-Add a submit button and an event handler with onSubmit attribute.

```
<form onSubmit={this.handleSubmit}>
  <button>submit</button>
</form>
```

-use event.preventDefault() to prevent the form from actually being submitted.(to avoid page refresh)

-control the values of more than one input field by adding a name attribute to each element.

-A form can be validated on change or while submitting the form.

-The textarea element in React is slightly different from HTML Syntax.

-In HTML the value of a textarea was the text between the start tag <textarea> and the end tag </textarea> ,

in React the value of a textarea is placed in a value attribute:

`<textarea value={this.state.description} />` correct

`<textarea>{this.state.description}</textarea>` wrong

-A drop down list, or a select box, in React is also a bit different from HTML.

-in HTML, the selected value in the drop down list was defined with the selected attribute:

```
<select value={this.state.mycar}>
  <option value="Ford">Ford</option>
  <option value="Volvo">Volvo</option>
```

```

    <option value="Fiat">Fiat</option>
  </select>    //correct

  <select>
    <option value="Ford">Ford</option>
    <option value="Volvo" selected>Volvo</option>
    <option value="Fiat">Fiat</option>
  </select> //wrong

```

Feature	Controlled	Uncontrolled
One-time value retrieval (e.g. on submit)	yes	yes
Validating on submit	yes	yes
Default Value	yes	yes
Field-level Validation	no	yes
Conditionally disabling submit button	no	yes
Enforcing input format	yes	no
dynamic inputs	yes	no

- Uncontrolled inputs are like traditional HTML form inputs.
- Form data is handled by the DOM itself.
- They remember what you typed. You can then get their value using a ref.
- To write an uncontrolled component, instead of writing an event handler for every state update, you can use a ref to get form values from the DOM.
- you have to 'pull' the value from the field when you need it.(ex:-form submit)
- there is no updating of any state when you change the input-box value.
- Let React to specify the initial value, but leave subsequent updates uncontrolled.
- To handle this case, you can specify a 'defaultValue' attribute instead of value.

- Controlled form components are defined with a value property.
- value of controlled input is managed by React,
- With a controlled component, the input's value is always driven by the React state.
- component state and the input value is in sync at all the times.

```

<input onChange={this.onChange} value={this.state.name} />

```

NPM Libraries for Form Handling

1. <https://www.npmjs.com/package/react-hook-form>
2. <https://www.npmjs.com/package/formik>

HTTP Methods

=====

GET - Retrieve a resource/Retrieve data from DB

search

POST - to send data to server (sign up)
(create a resource/create a new record in DB)
to fetch data securly (send params in body not in URL)

PUT - update data/create or replace a resource
update user's profile information

PATCH - update/modify a particular resource(partial update)
update user password

DELETE - Remove a resource/delete a record from DB
Delete naukri account

PUT vs POST

-POST for CREATE operation, PUT is for create & update.
-PUT is idempotent, where POST is non-idempotent.
-Idempotence(producing the same result even if the same request is made multiple times)
-(PUT)if you retry a request N times, that should be equivalent to single request modification.
-(POST)if you retry the request N times, you will end up having N resources with N different URIs created on server
-Use PUT when you want to modify a singular resource which is already a part of resources collection.
-Use POST when you want to add a child resource under resources collection.

PUT vs PATCH

-PUT is used to replace an existing resource.
-PATCH is used to apply partial modifications to a resource.

http status codes

=====

1xx Informational	(100-Continue,101-switching Protocols,102-processing)
2xx Success	(200-OK,201-created,202-accepted,204-No Content)
3xx Redirection	(300-Multiple Choices,301-Moved Permanently,302-Found,304-Not Modified)
4xx Client Error	(400-Bad Request,401-Unauthorized,403-Forbidden,404-Not Found)
5xx Server Error	(500-Internal Server Error,502-Bad Gateway,503-Service Unavailable)

POSTMAN

=====

- Application, used to Test REST APIs. (chrome://apps/)
- Send requests, get responses, and easily debug REST APIs.
- Browser Extension / Application
<https://www.postman.com/downloads/>
- Thunder Client(VSCode Extension) is an alternate to postman

Fake Online REST API for Testing

1. <https://jsonplaceholder.typicode.com/>
2. <https://reqres.in/>
3. <https://fakestoreapi.com/products>
4. <https://api.github.com/users/google>
5. <https://dummyjson.com/products>
6. <https://dummy.restapiexample.com/>
7. <https://my-json-server.typicode.com/horizon-code-academy/fake-movies-api/movies>
8. <https://api.publicapis.org/entries>

Create REST API with json-server

<https://medium.com/@devmrin/create-a-rest-api-json-server-in-less-than-1-minute-acf286600f03>

1. Install json-server (not necessarily in a react project)
npm install -g json-server
2. create a json file and have some data (not necessarily in a project)
db.json (filename can be anything.json)
3. start json server
json-server --watch db.json --port=4000

<http://localhost:3000/employees>

GET /employees
GET /employees/{id}
POST /employees
PUT /employees/{id}
PATCH /employees/{id}
DELETE /employees/{id}

Ways of Fetching Data

=====

There are many ways to extract data from API in React:

1. using fetch() , then()
2. using async-await syntax
3. using Axios library
4. using custom hooks

HTTP with fetch()

=====

```
fetch('https://jsonplaceholder.typicode.com/todos/1')  
  .then(response => response.json())  
  .then(finaldata => console.log(finaldata))
```

Async Await

=====

```
const fetchProducts = async function () {  
  const products = await fetch("https://fakestoreapi.com/products");
```

```

    const productsJSON = await products.json();
    setProducts(productsJSON);
  };

```

HTTP with axios

=====

1. install axios

```
npm i axios
```
2. import axios to component

```
import axios from 'axios';
```
3. Use the http methods

```
const fetchUsers = async () => {
  const url = "https://jsonplaceholder.typicode.com/users";
  const response = await axios.get(url);
  setUsers(response.data);
};
```

Axios

fetch()

=====

- built-in XSRF protection.
 - uses the data property.
 - data contains the object.
 - request is ok when status is 200 and statusText is 'OK'. Fetch request is ok when response object contains the ok property.
 - performs automatic transforms of JSON data.
 - allows cancelling request and request timeout.
 - has the ability to intercept HTTP requests.
 - has built-in support for download progress.
- Fetch does not.
 - Fetch uses the body property.
 - Fetch's body has to be stringified.
 - Fetch request is ok when response object contains the ok property.
 - Fetch is a two-step process when handling JSON data- first, to make the actual request; second, to call the .json() method on the response.
 - Fetch does not.
 - Fetch, by default, doesn't
 - Fetch does not support upload progress.

Create an Axios Instance

=====

1. Create a separate file named api.js(can be anything) and add the below code

```
import axios from 'axios';
const client = axios.create({
  baseURL: `http://jsonplaceholder.typicode.com/`
});
export default client;
```
2. Once the default instance is set up, it can then be used anywhere

```
import client from 'api.js'
client.get('/users')
```

Making multiple requests with axios

=====

```
const promise1 = axios.get('https://api.github.com/users/defunkt')
const promise2 = axios.get('https://api.github.com/users/evanphx')
const [response1, response2] = await axios.all([promise1, promise2]);
```

Http Interceptors

=====

-Interceptor is a feature that allows an application to intercept/modify requests or responses before they are handled by .then() or the .catch()

```
httpRequest ----> Interceptor ----> ModifiedRequest ----> Server
ModifiedResponse<---- Interceptor <---- httpResponse <---- Server
```

Request interceptor use cases:

- Assume you want to check before making a request if your credentials are valid. So, instead of actually making an API call, you can check at the interceptor level that your credentials are valid.
- Assume you need to attach a token to every request made, instead of duplicating the token addition logic at every Axios call, you can make an interceptor that attaches a token on every request that is made.

```
export function myInterceptor() {
  axios.interceptors.request.use((req) => {
    req.headers.authorization = "my secret token";
    return req;
  });
}
-call the above function in app.js
```

response interceptor use cases -

- Assume you got a response, and judging by the API responses you want to deduce that the user is logged in. So, in the response interceptor, you can initialize a class that handles the user logged in state and update it accordingly on the response object you received.
- Assume you have requested some API with valid API credentials, but you do not have the valid role to access the data. So, you can trigger an alert from the response interceptor saying that the user is not allowed. This way you'll be saved from the unauthorized API error handling that you would have to perform on every Axios request that you made.

url-->response-->interceptor-->modifiedResponse-->component

```
axios.interceptors.response.use(
  res => res,
  err => {
    if (err.response.status === 404) {
      throw new Error(`${err.config.url} not found`);
    }
    throw err;
  }
);
```

Run interceptor only for few APIs

```

axios.interceptors.request.use((req) => {
  console.log(req);
  if (req.url.includes("users")) {
    req.headers.authorization = "my secret token";
  }
  return req;
});

```

remove an interceptor

```

-----
const myInterceptor = axios.interceptors.request.use(function () { /*...*/ });
axios.interceptors.request.eject(myInterceptor);

```

add interceptors to a custom instance of axios

```

-----
const client = axios.create();
client.interceptors.request.use((req) => {
  // Logic
});

```

React Higher Order Components (HOCs)

=====

- A higher-order component (HOC) is a technique in React for re-using component logic.
- To Share Common Functionalities accross components without repeating the code.
- Higher order Component takes one or more components as arguments, and return a new upgraded component.
- newComponent = higherOrderComponent(originalComponent)
- Higher order components are JavaScript functions used for adding additional functionalities to the existing component.
- These functions are pure, which means they are receiving data and returning values according to that data.
- Authentication, Logging, Styling and Theming

use cases:

- Infinite scroll in three different views, all having different data.
- Components using data from third party subscription.
- Components that need logged in user data.
- Showing multiple lists(e.g. Users, Locations) with search feature.

<https://www.codingame.com/playgrounds/8595/reactjs-higher-order-components-tutorial>

Routing

=====

- Single Page Applications(SPAs) are web applications that load a single HTML page and dynamically update that page as user interacts with the application.
- Complete page Re-load doesn't happen. only a portion of a page gets loaded.

- Routing in a Single Page Application is the way to introduce some features for navigating the application through links.
- Every time a link is clicked or browser URL changes, React Router makes sure our application loads component accordingly.
- The browser should change the URL when you navigate to a different screen.
- The browser back and forward button should work as expected.
- Routing links together your application navigation with the navigation features offered by the browser: the address bar and the navigation buttons.
- React Router offers a way to write your code so that it will show certain components of your app only if the route matches what you define.

Types of routes:

=====

React Router provides two different kind of routes:

1. BrowserRouter (builds classic URLs)
2. HashRouter (builds URLs with the hash)

`https://application.com/dashboard` // BrowserRouter (IE>9 (OR) any other browser)

`https://application.com/#/dashboard` // HashRouter (IE<9)

- Which routes to use is mainly decided by the browsers you need to support.
- BrowserRouter uses the History API, which is relatively recent, and not supported in IE9 and below.
- If you don't have to worry about older browsers, BrowserRouter is the recommended one to use.

- The 3 components you will interact the most while working with React Router are:
 1. BrowserRouter, usually aliased as Router (wraps all your Route components)
 2. Link (used to generate links to your routes)
 3. Route (showing or hiding the components they contain)

Steps for Routing

=====

1. Install React Router DOM
`npm install react-router-dom`
2. Create Components
create components like - (Home,About,Contact,NotFound)
3. set up the application to work with React Router. (index.js)
`import { BrowserRouter } from 'react-router-dom';`
`<BrowserRouter>`
`<App />`
`</BrowserRouter>`
4. add the `<Routes>` element (ensures that only one component is rendered at a time) and add `<Route>` to create the link between components
`<Routes>`
`<Route exact path="/" element={<Home />} />`
`<Route exact path="/home" element={<Home />} />`
`<Route exact path="/aboutus" element={<AboutUs />} />`
`<Route exact path="/products" element={<Products />} />`
`<Route path="*" element={<NotFound />} />` (No Match Route)
`</Routes>`
5. Add a Link for each component and use `to="URL"` to link them.
`<div>`

```

    <Link to="/">Home </Link>
    <Link to="/about">About Us </Link>
    <Link to="/shop">Shop Now </Link>
  </div>

```

Link vs NavLink

=====

- When we use <Link> there isn't any active class on selected element.
- with <NavLink> the selected element is highlighted because this element adds an active class.
- add below css:


```
nav a.active{text-decoration:none;font-weight:bolder;background-color: aqua}
```

Navigate from one Route to another Route

=====

```
<Link to="/products">go to Product</Link>
```

Navigating Programatically

=====

```

import React from "react";
import { Link } from "react-router-dom";
import { useNavigate } from "react-router-dom";
export default function AboutUs() {
  const navigate = useNavigate();
  const func1 = function () {
    alert("do something");// logic
    navigate('/products');
  };
  return (
    <>
      <h1>this is about us component</h1>
      <Link to="/products">Take me to products page</Link>
      <button onClick={func1}>Take me To product</button>
    </>
  );
}

```

Navigate to previous route

=====

```

const navigate = useNavigate();
<button onClick={()=>navigate(-1)}>Go Back</button>

```

Navigate to forward/next route

=====

```

const navigate = useNavigate();
<button onClick={()=>navigate(1)}>Go Next</button>

```

Route Params

=====

1. Path params (productdetails/101)
2. Query Params (search?name=sachin&age=25)

Path Params

1. configure the route
`<Route path="/productdetails/:id" element={<ProductDetails />} />`
2. create a link to that route (ProductList - for Every Product)
`<Link to={`/${productdetails}/${id}`}> View Details</Link>`
3. collect the params data and display
`const { id } = useParams();
<h1>This is the details of product - {id}</h1>`

Query params

1. configure the route
`<Route path="/productdetails" element={<ProductDetails />} />`
2. create a link & navigation logic
`const navigate = useNavigate();
const navigateHandler = (title, price) => {
 navigate({
 pathname: "/productdetails",
 search: `?${createSearchParams({ title, price })}`,
 });
};
<button className="btn btn-secondary" onClick={() => {
 navigateHandler(title, price);
}}>query param</button>`
3. collect params data and display
`const [searchParams] = useSearchParams();
useEffect(() => {
 const currentParams = Object.fromEntries([...searchParams]);
 console.log(currentParams); // get new values onchange
 console.log(searchParams.get("title"), searchParams.get("price"));
}, [searchParams]);`

Nested Routing

=====

-nested routing is used so that a parent component has control over its child component

at the route level.

-Route: Products (nested Routes: featured Products, New products)

```
<Route path="/products" element={<Products />}>  
  <Route path="featured" element={<FeaturedProducts />} />  
  <Route path="new" element={<NewProducts />} />  
</Route>
```

-add a nav in Parent(products) component, and a outlet

```
<div className="courses-nav">  
  <Link to="featured">featured</Link>  
  <Link to="new">New</Link>  
</div>  
<Outlet />
```

Index Route

=====

-A child route with no path that renders in the parent's outlet at the parent's URL.

-Child Path would remain same like parent route.

```
<Route path="/products" element={<Products />}>
  <Route index element={<FeaturedProducts />} />
  <Route path="featured" element={<FeaturedProducts />} />
  <Route path="new" element={<NewProducts />} />
</Route>
<Outlet />
```

Protected Routes

=====

-Protected Routes are routes that can only be accessed if a condition is met(usually, if user is properly authenticated).

-It returns a Route that either renders a component or redirects a user to another route based on a set condition.

-create a component that accepts component and other route details as props.

-check a condition to confirm if user is authenticated or not.

-if the value is true, render the component, else, Redirect route to /signin page.

Replace

=====

-replaces the current location instead of pushing a new one onto the browser history stack

```
<Navigate to="/home" replace />
  (OR)
navigate("/home", { replace: true })
```

Exact

=====

-The exact param disables the partial matching for a route and makes sure that it only returns the route if the path is an EXACT match to the current url.

Code Splitting/Lazy Loading

=====

-Code-Splitting is a feature supported by bundlers like Webpack which can create multiple bundles that can be dynamically loaded at runtime.

-The best way to introduce code-splitting into your app is through the dynamic import()

-Lazy loading helps to load a module/component whenever it is required(on-demand).

-React.lazy() allows to render a dynamic import as a regular component.

```
before - import OtherComponent from './OtherComponent';
```

after- `const OtherComponent = React.lazy(() => import('./OtherComponent'));`
-lazy component should then be rendered inside a Suspense component, which allows us to show some fallback content (such as a loading indicator) while we're waiting for the lazy component to load.
`<Suspense fallback={<div>Loading...</div>}>`
 `<OtherComponent />`
`</Suspense>`

Q: What are the ways to handle errors in react application?

Ans: 1. try-Catch 2. Error Boundary

when To Use try-Catch

=====

-To handle errors in specific blocks of code.

```
ex: try{
      axios.get()
    }catch(){

    }
```

-To handle errors in event handlers.

-To handle errors in server-side rendering.

Error Boundaries

=====

-A JavaScript error in a part of the UI shouldn't break the whole app.

To solve this problem, React 16 introduced a new concept "error boundary"

-Error boundaries are React components that catch JavaScript errors anywhere in their child component tree, log those errors, and display a fallback UI instead of the component tree that crashed.

-Error boundaries do not catch errors for below things:

Event handlers

Asynchronous code (e.g. `setTimeout` or `requestAnimationFrame` callbacks)

Server side rendering

Errors thrown in the error boundary itself (rather than its children)

-A class component becomes an error boundary if it defines `componentDidCatch()`.

-Error boundaries work like a JavaScript `catch {}` block, but for components.

-Error boundaries only catch errors in the components below them in the tree.

An error boundary can't catch an error within itself.

-We can use static `getDerivedStateFromError()` to render a fallback UI when an error has been thrown, and can use `componentDidCatch()` to log error information.

React Profiler

=====

-Profiler measures how often a React application renders and what the "cost" of rendering is.

-A Profiler can be added anywhere in a React tree to measure the cost of rendering that part of the tree.

-It requires two props: an `id` (string) and an `onRender` callback (function)

-For example, to profile a `Navigation` component and its descendants:

```
<Profiler id="Navigation" onRender={callbackToProcessRenderInfo}>
  <Navigation {...props} />
```

```

</Profiler>
function callbackToProcessRenderInfo(id, phase, actualDuration, baseDuration,
startTime, commitTime) {
  // we can log it to a database or render it out as a chart
  logToDatabase({ id, phase, actualDuration, baseDuration, startTime, commitTime })
}

```

-Profiling adds some additional overhead, so it is disabled in the production build.

-Although Profiler is a light-weight component, it should be used only when necessary.

Pre-requisites:

-The application should have React version 16.5 or above.

-The React DevTools Extension needs to be installed in your browser.

```

<Profiler id="counterExample" onRender={console.log}>
  <StateDemo2 />
</Profiler>

```

React Portals

=====

-Portals provide a way to render some Content into a DOM node that exists outside the DOM hierarchy of the parent component.

-To insert HTML Content into a different location(not in the parent) in the DOM.

-createPortal() allows to render some children into a different part of the DOM.
createPortal(children, domNode, key?)

```

import { createPortal } from 'react-dom';
<div>
  <p>This child is placed in the parent div.</p>
  {createPortal(
    <p>This child is placed in the document body.</p>,
    document.body
  )}
</div>

```

Build and Deploy React App

=====

-Building an application means creating identifiable software assembly from source code which someone can use.

-Deploying an application refers to making the application accessible to the world through internet.

-"npm run build" creates a build directory with a production build of our app.

<https://cra.link/deployment>

Deploy in a Local Server

=====

-Install a server and deploy our project

1. install a server

npm i -g serve

2. go to project(build) folder, open command prompt and run the below command

'serve' or 'serve -l 7000'

Generated Files:

main.[hash].js - This is our application code
[number].[hash].chunk.js - vendor code
runtime-main.[hash].js - webpack runtime logic which is used to load and run your application

Deploy Application in Server

=====

- AWS
- Azure
- Firebase
- GithubPages
- Netlify
- Heroku
- Vercel

Deploy React in GitHub

=====

<https://create-react-app.dev/docs/deployment/#github-pages>

WebPack

- Webpack is an open-source JavaScript module bundler.
- It is made primarily for JavaScript, but it can transform front-end assets like HTML, CSS, and images if the corresponding loaders are included.
- webpack takes modules with dependencies and generates static assets representing those modules.

package.json vs package-lock.json

=====

- Package.json is mandatory
- package-lock.json is Optional (can be generated by running 'npm i')
- package.json is used for more than dependencies - like defining project properties, description, author & license information, scripts, homepage etc.
- package-lock.json Maintains only dependencies, it doesn't include HomePgae,Scripts etc.
- Package.json Contains Only Top Level Dependencies (cors,bootstrap)
- package-lock.json contains Nested/Peer dependencies
- package.json Records the minimum version needed by the application
- package-lock.json Records the exact version of each installed package.
- in package.json (~) tells go up to hot-fixes 1.4.X if 1.4.1 is installed
- in package.json (^) checks if there is a newer version under 1.x.x if 1.4.1 is installed in package-lock.json - there is neither ~ nor

Dependencies VS Dev-Dependencies

=====

- if we need any libraries only at the time of development but not in production, those libraries should be added to DevDependencies.
(karma, jasmine, tslint, eslint, cli, jest)
ex: npm i --save-dev eslint
- if we need a library in both development and production environment, then those libraries should be part of dependencies.
(bootstrap, sweetalert, react-modal)
ex: npm i bootstrap

Available Scripts

=====

- package.json has a list of scripts
- npm start : Runs the app in the development mode.
Open <http://localhost:3000> to view it in the browser.
The page will reload if you make changes in files.
- npm test : Launches the test runner in the interactive watch mode.
See the section about running tests for more information.
- npm run build: Builds the app for production to the build folder.
It correctly bundles React in production mode and optimizes the build for the best performance.
- npm run eject: If you aren't satisfied with the build tool and configuration choices,
you can eject at any time. This command will remove the single build dependency from your project.

ESLint

=====

-ESLint is a static code analysis tool for identifying problematic patterns found in JavaScript code.

1. npm i eslint -g
2. npm init @eslint/config
(OR)
npx eslint --init
3. eslint .

Environment Variables

=====

- Environment variables allow to define values on a system-wide level.
 - Avoid the hassle of where to put them in code.
 - It keeps sensitive data separated from code.
 - There is a built-in environment variable called NODE_ENV, we can read it from process.env.NODE_ENV
- | | | |
|---------------|----------|-------------|
| npm start | NODE_ENV | development |
| npm test | NODE_ENV | test |
| npm run build | NODE_ENV | production |
- follow the below steps to create custom environment variables

1. create .env file in project
2. Add variables in that file
Note:create custom environment variables beginning with REACT_APP_
3. use environemnt variable in any component

```
console.log(process.env.REACT_APP_MY_NAME);
```

Your name is: {process.env.REACT_APP_MY_NAME}</h1>

<https://create-react-app.dev/docs/adding-custom-environment-variables/>

Context API

=====

- React context API helps to avoid the problem of props drilling.
- Context provides a way to pass data through the component tree without passing props through intermediate components.
- Context is primarily used when some data needs to be accessible by many components at different nesting levels.
- Context is designed to share data that can be considered "global" for a tree of React components.
- useful and ideal for small applications where state changes are minimal.
- ex: current authenticated user, theme, or preferred language.

-There are 3 main steps to use the React context:

1. Create context using the React.createContext({}) method.

```
export const MyContext = React.createContext(defaultValue);
```
2. Provide a context value.

```
<MyContext.Provider value={/* some value */}>
  <ComponentX />
</MyContext.Provider>
```
3. Consume the context value. (Class Component)

```
<MyContext.Consumer>
  {value => /* render something based on the context value */}
</MyContext.Consumer>
```

Read Context data in Function Component

```
const myContextObj = useContext(myContext);
<div>Context Data is: {myContextObj}</div>
```

Redux

=====

- Redux is a state management library.
- Redux stores the state of our application.
- With Redux the state is maintained outside the React component, not in a particular component.
- Redux 1.0 August 2015
- React-Redux is the library that provides binding to use React and Redux together in an application.
- In a typical Redux app there will be a single store & Root-reducer.
- As Your app grows, you split the Root Reducer in to smaller reducers independently operating on the different parts of the state tree.

View/UI-----> Action --> Reducer --> Store/State --> View

3 Core Concepts in Redux

=====

1. Store : Holds the state(data) of our application. (shop)
2. Action : Describes the changes in the state of the application.
(what happened)(purchase a TV)
3. Reducer : Ties the store and actions together. (shopKeeper)

3 Principles

=====

1. The state of our whole application is stored in an object tree within a single store.
Maintain your whole application state in a single object which would be managed by the Redux store.
2. The only way to change the state is to emit action, an object describing what happened.
To update the state of your app , you need to let Redux know about that with an action.
Not allowed to directly update the state object.
3. To specify how the state tree is transformed by actions. You write pure Reducers.
These ensures that neither the views nor the network callbacks will ever write directly to the state
Reducer - (previous state, action)=>newState

Store

=====

- One store for the entire application.
- Holds applications state.
- Allows access to state via getState()
- Allows state to be updated via dispatch(action)
- Register Listeners via subscribe(listener)
- Handles unregistering of listeners via the function returned by subscribe(listener).

Actions

=====

- The only way your application can interact with the store.
- carry some information from your React application to the Redux store.
- plain javascript objects.
- Have a 'type' property that indicates the type of action being performed.
- The type of property is typically defined as a string constants.

Reducers

=====

- Specify how the application state changes in response to actions sent to the store.
- Function that accepts state and actions as argument, and returns the next state of the application.
- reducer1(previous state, action)=>newState
- Instead of mutating the state directly,we specify the mutations you want to happen with plain objects called actions.
- Then we write a special function called a Reducer to decide how every action transforms the entire applications state.

Context API: useful and ideal for small applications where state changes are minimal.

Redux: Perfect for larger applications where there are high-frequency state updates. Redux gives a more structural and advanced way of doing state management.

Redux Toolkit

=====

1. Create a new project

`npx create-react-app employee-mgmt --template redux`

2. Install Redux Toolkit and React Redux (for existing react app)

`npm install @reduxjs/toolkit react-redux`

3. Create a Redux store with `configureStore`

`configureStore()` accepts a reducer function as a named argument

`configureStore()` automatically sets up the store with good default settings

4. Provide the Redux store to the React application components

Put a React-Redux `<Provider>` component around your `<App />`

Pass the Redux store as `<Provider store={store}>`

5. Create a Redux "slice" reducer with `createSlice`

Call `createSlice` with a string name, an initial state, and named reducer functions

Reducer functions may "mutate" the state using Immer

Export the generated slice reducer and action creators

6. Use the React-Redux `useSelector/useDispatch` hooks in React components

Read data from the store with the `useSelector` hook

Get the dispatch function with the `useDispatch` hook, and dispatch actions as needed

REDUX Middlewares

=====

-basic Redux store enables to perform synchronous updates only.

Middleware Redux extends the store's capabilities.

Redux middleware acts as a medium to interact with dispatched actions before they reach the reducer.

-Middleware helps with logging, error reporting, making asynchronous requests.

store-->view --> Action --> Middleware --> Reducer --> Store

Thunks

=====

-Thunks are the standard approach for writing async logic in Redux apps.

-Redux thunk allows to call action creators, which then returns a function instead of an action object.

This function receives the store's dispatch method, which is then used to dispatch the regular synchronous actions within the function's body once the asynchronous operations is completed.

-This feature of thunk redux also allows us dispatch after certain conditions are met.

-Redux-Thunk allows you to dispatch special functions, called thunks.

-a thunk is a function that (optionally) takes some parameters and returns another function.

The inner function takes a dispatch function and a getState function -- both of which will be supplied by the Redux-Thunk middleware.

Thunks vs Sagas

=====

- Redux-thunk and Redux-saga are both middleware libraries for Redux.
- Redux-Saga in comparison to Redux-Thunk is that you can more easily test your asynchronous data flow.
- Redux-Saga allows to express complex application logic as pure functions called sagas.
- Pure functions are desirable from a testing standpoint because they are predictable and repeatable, which makes them relatively easy to test.
- Sagas are implemented through special functions called generator functions.

React Hooks

=====

- A Hook is a special function that lets you “hook into” React features.
ex: useState is a Hook that lets you add React state to function components.
- Hooks are a new addition in React 16.8
- React Hooks allow to use state , lifecycle features and other features without writing a class.
- React has built-in hooks
 - useState(), useEffect(), useRef(), useContext(), useReducer(),
 - useCallback(), useMemo(), useId(),useDebugValue(),useDeferredValue()
- we can also create our own Hooks to reuse stateful behavior between different components.

Rules of Hooks

=====

- Only call Hooks at the top level.
Don't call Hooks inside loops, conditions, or nested functions.
- Only call Hooks from React function components.
Don't call Hooks from regular JavaScript functions.
- React built-in Hooks can be called from custom hooks.

useState

- ex: const [count, setCount] = useState(0);
- useState is used to declare a state variable.
- The only argument to the useState() Hook is the initial state.
- It returns a pair of values:
 - a. the current state
 - b. a function that updates it.

```
const [count, setCount] = useState(0);  
                                (OR)
```

```
var countStateVariable = useState(0); // Returns a pair  
var count = countStateVariable[0]; // First item in a pair  
var setCount = countStateVariable[1]; //second item
```

useEffect

- useEffect serves the same purpose as componentDidMount, componentDidUpdate, and componentWillUnmount.
- pass a callback Function as 1st argument & an empty array as a second argument to useEffect().
- array contains so called dependencies for useEffect, that is, variables on which useEffect depends on to re-run.
- When the array is empty, the effect runs only once.
- If 2nd argument is present, effect will only activate if the values in the list change.
- you cannot return a Promise from useEffect.

useReducer

- useReducer is a hook, convenient for dealing with more complex state changes in React components.
- useReducer borrows some theory from Redux, the concepts of reducers, action, and dispatch.
- useReducer Hook accepts two arguments.
useReducer(<reducer>, <initialState>)
- The useReducer Hook returns the current state and a dispatch method.
const [todos, dispatch] = useReducer(reducer, initialTodos);

Redux:

- centralised state (Application State)
- adds more de-coupling
- has middlewares: Thunk , sagas , logger
- actions can only hit one Store
- more suitable for big projects

useReducer:

- local state (Component State)
- comes with other native hooks
- no extra dependencies needed
- multiple stores maybe(reducers that can act as store)
- more suitable for small projects

useId()

- useId() is a hook for generating unique IDs that can be used with HTML Elements.
- useId is not for generating keys in a list. Keys should be generated from your data.

- Ex:

```
<label htmlFor={id}>Do you like React?</label>  
<input id={id} type="checkbox" name="react"/>
```

- For multiple IDs in the same component, append a suffix using the same id.

```
<label htmlFor={id + '-firstName'}>First Name</label>  
<input id={id + '-firstName'} type="text" />
```

```
<label htmlFor={id + '-lastName'}>Last Name</label>  
<input id={id + '-lastName'} type="text" />
```

Custom Hook

=====

- Custom Hooks are reusable functions.
- When you have component logic that needs to be used by multiple components, we can extract that logic to a custom Hook.
- A custom Hook is a JavaScript function whose name starts with "use" and that may call other Hooks.
- Helps to Avoid repetitive and redundant stateful logic inside multiple components.
- Custom Hooks offer the flexibility of sharing logic.
- Each call to a Custom Hook gets isolated state.

Unit Testing

=====

- Unit testing is a great discipline which can lead to 40%-80% reductions in production bug density.
- Improves our application architecture and maintainability.
- Provides quick feedback on file-save, tells you whether the changes you made worked or not.
- This can replace console.log() and clicking around in the UI to test changes.

Jest

=====

- Jest is an open-source test framework created by Facebook.
- It includes a command line tool for test execution similar to what Jasmine and Mocha offer.
- Jest offers a really nice feature called "snapshot testing" which helps us check and verify the component rendering result.
- create-react-app ships/comes with jest, no need to install it explicitly.
- install react testing library
npm i @testing-library/react
- need to add 'jest-dom' for jest matchers.
npm i @testing-library/jest-dom
- need to add 'react-test-renderer' for rendering snapshots.
npm i react-test-renderer

- To run testcases, run the below command
npm run test / npm test
- To run only 1 test file
npm test -- abc.spec.js
- To run only one test with Jest, temporarily change that test command to a test.only
test.only("renders learn react link", () => {
});

terminologies:

- describe()
-An optional method to wrap a group of tests.(test-suite = number of test cases)
- describe() takes 2 arguments. 1. string(message) 2. callback function
- message = some text that explains the nature of the group of tests conducted

within it.

- the describe() text acts as a header before the test results are shown.

it() (OR) test()

- a method to write a test-case.

- it() takes 2 arguments. 1. string(message) 2. callback function

- it() allows us to write some text describing what a test should successfully achieve.

- test() method can be used instead of it() and vice-versa. Both are valid methods.

- test.only() executes only that test-case from that file & test-cases from other files skip the test-cases present in the same file

expect()

- The expect() compares actual value with the expected value.

- ex: expect(add(2,3)).toBe(5);

actual=method's return value expected=5

Jest Matchers

=====

toBe() // primitives

not.toBe()

toEqual() // object/ array

not.toEqual()

toBeNull()

toBeDefined()

toBeUndefined()

toBeTruthy() // 1/true/'sanjay'/-5

toBeFalsy() // false/ 0 / undefined / null / ''

toBeGreaterThan()

toBeGreaterThanOrEqual()

toBeLessThan()

toBeLessThanOrEqual()

toMatch(regex)

toContain()

Jest Global Functions

=====

beforeAll() - Before All the Testcases (1)

beforeEach() - Before Each Test case (n)

afterEach() - After Each Test case (n)

afterAll() - After all the testcases (1)

it.skip() - skips this test case, executes other test cases

it.only() - executes only this test case, skips other testcases

<https://create-react-app.dev/docs/debugging-tests/>

Snapshot Testing

- Snapshot tests are a very useful tool whenever you want to make sure your UI does not change unexpectedly.

- if the component name is 'button', create a folder '__test__' inside button folder add test file 'button.test.js' or 'button.spec.js'

- snapshot testing adds a __snapshots__ folder inside __test__ folder

if any accidental change happens, testcase will fail
Press u to update failing snapshots.

Server Side Rendering

=====

- Initially, everything was processed on the server and an HTML page was delivered to the client-side browser to display a web page.
- This worked great until more interactive content started being displayed on the web pages
- Every time some new interactivity had to be handled, the whole page was re-compiled by the server
- With more complex websites being made, server-side rendering (SSR) became slow and inefficient
- client-side rendering is a process where the browser renders the HTML page by modifying DOM.
- For any interactivity, the browser does not need to contact the server since all the code is run on the client-side
- The user needs fast internet and an up-to-date browser to avoid issues in displaying the content
- making the initial loading slower and not SEO friendly

GraphQL

=====

- GraphQL overcomes major shortcomings of REST.
- A query language for your API.
- in REST, the client makes an HTTP request and data is sent as an HTTP Response.
- in GraphQL, the client Requests the data with queries.
- it allows the client to query only the data that they need.
- The most popular GraphQL library is Apollo Client.

React Resources / Links

=====

developers.facebook.com

1. <https://github.com/sudheerj/reactjs-interview-questions>
 2. <https://www.freakyjolly.com/reactjs-create-todo-application-in-reactjs-using-class-components/>
 3. <https://github.com/Asabeneh/30-Days-Of-React>
 4. shimmer UI
- <https://www.pragimtech.com/blog/reactjs/profiler-in-react/>