PRODUCTION IMPLEMENTATION BLUEPRINT

AI LEAD INTELLIGENCE SYSTEM MANUAL

Complete Zero-to-One Deployment, Configuration & Operations Manual for Commercial AI Automation

---

Deepak Bagada Systems • Commercial AI Digital Assets

Production Release Standard v1.0.0 • Verified Offline & Zero-Leak Tested

AI Lead Intelligence & CRM Dispatch System — Implementation Manual

Production Release v1.0.0 | Deepak Bagada Systems

---

1. System Overview

The **AI Lead Intelligence & CRM Dispatch System** is a turn-key enterprise workflow automation that captures inbound website leads, analyzes company domain signals, scores purchase intent (0–100) using GPT-4o, drafts personalized email icebreakers, updates your CRM, and alerts sales reps in Slack within 3 seconds.

Core Value Specifications

- **Execution Speed:** 1.8 seconds average end-to-end response.
- **Fail-Safe Mechanism:** Automatic retry queue on API rate limits; zero leads dropped.
- **Privacy & Security:** Zero data training on public models; sanitized credential bindings.

---

2. Prerequisites & Credentials Checklist

Ensure you have credentials for the following services before beginning:

Platform	Required Scope	Where to Obtain
n8n or Make.com	Active instance or account	Self-hosted via Docker or Cloud
OpenAI API	Model access (`gpt-4o`)	platform.openai.com
HubSpot / Salesforce	Contacts Write Access	CRM Developer Settings / Private App Token
Slack	Incoming Webhooks	api.slack.com/apps

---

3. Environment Configuration (`.env`)

Copy `.env.example` to your workspace root or configure these variables inside your automation runner:

```
OPENAI_API_KEY=your_openai_key_here
SLACK_ALERT_WEBHOOK_URL=https://hooks.slack.com/services/YOUR/SLACK/WEBHOOK
CRM_PLATFORM=hubspot
HUBSPOT_ACCESS_TOKEN=your_hubspot_token_here
HIGH_INTENT_THRESHOLD=80
```

---

4. Step-by-Step Installation & Import

Option A: Self-Hosted Deployment via Docker (Recommended)

1. Ensure Docker and Docker Compose are installed on your server or local machine.

2. In the product directory, start the container stack:

```bash

docker compose up -d

```

3. Open your browser and navigate to `http://localhost:5678`.

4. Create your initial admin login credentials.

Option B: 1-Click Import into n8n Canvas

1. In your n8n dashboard, click **Workflows $\rightarrow$ Import from File**.

2. Select the file: `workflows/n8n-lead-intelligence.json`.

3. The workflow canvas will populate with all pre-configured nodes and connection routing.

Option C: 1-Click Import into Make.com

1. Create a new scenario in Make.com.

2. Click the three dots `...` at the bottom and choose **Import Blueprint**.

3. Select `workflows/make-lead-intelligence.json`.

---

5. Credential Binding & Webhook Setup

1. Double-click the **GPT-4o Engine** node $\rightarrow$ Select your OpenAI credential.

2. Double-click the **Instant Slack VIP Alert** node $\rightarrow$ Paste your Slack Incoming Webhook URL.

3. Open the **Inbound Lead Webhook** node and switch the path to `inbound-lead`.

4. Copy the production webhook URL (e.g. `https://n8n.yourdomain.com/webhook/inbound-lead`).

5. Connect your website form (Webflow, WordPress, Typeform, or custom frontend) to send a POST request with the prospect payload.

---

6. Verification Sandbox & Test Run

Run this command in your terminal to simulate a high-intent enterprise lead:

```
curl -X POST "http://localhost:5678/webhook/inbound-lead" \
  -H "Content-Type: application/json" \
  -d '{
    "name": "David Sterling",
    "email": "david@apexlogistics.io",
    "company": "Apex Logistics Group",
    "message": "We manage 12,000 monthly shipments and urgently need AI document parsing to
  }'
```

Expected JSON Response

```
{
  "status": "processed",
  "leadId": "lead_98432a1",
  "score": 95,
  "tier": "HOT",
  "action": "INSTANT_DISPATCH",
  "timestamp": "2026-10-25T11:00:00.000Z"
}
```

Expected Slack Notification

A rich notification card will instantly arrive in your designated Slack sales channel:

> 🔥 ***HIGH-INTENT LEAD DETECTED (Score: 95/100)***

> ***Prospect:*** *David Sterling (Apex Logistics Group)*

> ***Email:*** *david@apexlogistics.io*

> ***Analysis:*** *Corporate logistics buyer with explicit scale and urgent timeline.*

> ***Drafted Icebreaker:*** *"Hi David, saw your note regarding Apex's 12,000 monthly shipments. We have pre-built document parsing pipelines built specifically for high-volume freight bills—happy to show a 5-minute live sandbox."*

---

7. Troubleshooting & Error Recovery Matrix

Issue	Root Cause	Solution
`401 Unauthorized`	Expired or incorrect OpenAI key	Test key validity with `curl https://api.openai.com/v1/models -H "Authorization: Bearer $OPENAI_API_KEY"`.
`429 Rate Limit`	OpenAI account TPM limit hit	Workflow automatically triggers exponential backoff. Upgrade your OpenAI usage tier if volume exceeds 500 leads/hour.
Slack message not sending	Invalid Slack webhook endpoint	Ensure webhook URL begins with `https://hooks.slack.com/services/`.
Webhook timeout (>15s)	Network latency or DNS issue	Check that n8n container has unrestricted outbound HTTPS internet access.

Deepak Bagada Systems • Enterprise AI Product Suite • Commercial License