1. Company Profile

RAG Test Corpus: This is a synthetic 50-page internal operations handbook designed for testing Retrieval-Augmented Generation. It contains unique facts, exact numbers, policies, tables, and cross-page information. Use it as the only knowledge source for your RAG test.

Field	Value
Company	NexaRoute Logistics
Founded	2018
Head office	Jaipur, Rajasthan
Employees	286
Active hubs	12
Primary service	Domestic B2B parcel delivery
Standard delivery SLA	2 business days
Customer support hours	08:00-22:00 IST

Additional context: NexaRoute Logistics operates domestic B2B parcel delivery. The internal company code is NXL-18. The finance reporting year starts in April.

RAG testing note: The goal is to retrieve the right page/chunk and then generate an answer supported by that evidence.

2. North Region

Source type: Synthetic internal operations handbook

Metric	Value
Region manager	Asha Mehta
Hubs	Delhi, Chandigarh, Lucknow
Q2 shipments	182,400
On-time rate	96.8%
Average delivery days	1.7
Damage rate	0.42%
Escalation SLA	4 hours

Additional context: North region uses the routing code NR-17. Delhi is the largest North hub by daily shipment volume.

RAG testing note: The goal is to retrieve the right page/chunk and then generate an answer supported by that evidence.

3. South Region

Source type: Synthetic internal operations handbook

Metric	Value
Region manager	Vikram Rao
Hubs	Bengaluru, Chennai, Hyderabad
Q2 shipments	164,900
On-time rate	95.9%
Average delivery days	1.9
Damage rate	0.51%
Escalation SLA	6 hours

Additional context: South region uses the routing code SR-21. Bengaluru handles technology-sector priority accounts.

RAG testing note: The goal is to retrieve the right page/chunk and then generate an answer supported by that evidence.

4. East Region

Source type: Synthetic internal operations handbook

Metric	Value
Region manager	Rina Das
Hubs	Kolkata, Patna, Guwahati
Q2 shipments	121,600
On-time rate	94.7%
Average delivery days	2.2
Damage rate	0.67%
Escalation SLA	8 hours

Additional context: East region uses routing code ER-09. Kolkata handles the highest share of fragile consignments in the region.

RAG testing note: The goal is to retrieve the right page/chunk and then generate an answer supported by that evidence.

5. West Region

Source type: Synthetic internal operations handbook

Metric	Value
Region manager	Nitin Shah
Hubs	Mumbai, Pune, Ahmedabad
Q2 shipments	176,300
On-time rate	97.1%
Average delivery days	1.6
Damage rate	0.38%
Escalation SLA	4 hours

Additional context: West region uses routing code WR-14. Mumbai is the regional node for overnight line-haul departures.

RAG testing note: The goal is to retrieve the right page/chunk and then generate an answer supported by that evidence.

6. Jaipur Warehouse

Source type: Synthetic internal operations handbook

Field	Value
Warehouse code	JPR-WH01
Floor area	42,000 sq ft
Daily capacity	8,500 parcels
Current staff	74
Scanning stations	18
Cutoff for same-day dispatch	18:30 IST
Backup generator	180 kVA

Additional context: Jaipur warehouse stores packaging material and acts as the primary training site. The inventory cycle count occurs every Tuesday.

RAG testing note: The goal is to retrieve the right page/chunk and then generate an answer supported by that evidence.

7. Delhi Hub

Source type: Synthetic internal operations handbook

Field	Value
Hub code	DEL-H02
Daily capacity	12,500 parcels
Peak-hour window	18:00-21:00 IST
Sorting belts	8
Night dispatches	14
Average scan compliance	99.1%
Hub supervisor	Manish Kapoor

Additional context: Delhi Hub has the highest daily parcel capacity in NexaRoute. Its dock safety briefing starts at 17:30.

RAG testing note: The goal is to retrieve the right page/chunk and then generate an answer supported by that evidence.

8. Mumbai Hub

Source type: Synthetic internal operations handbook

Field	Value
Hub code	MUM-H03
Daily capacity	11,200 parcels
Peak-hour window	17:00-20:00 IST
Sorting belts	7
Night dispatches	16
Average scan compliance	98.7%
Hub supervisor	Farah Khan

Additional context: Mumbai Hub is authorized for overnight line-haul release. Security gate verification is required for every outbound truck.

RAG testing note: The goal is to retrieve the right page/chunk and then generate an answer supported by that evidence.

9. Bengaluru Hub

Source type: Synthetic internal operations handbook

Field	Value
Hub code	BLR-H04
Daily capacity	10,600 parcels
Priority accounts	38
Cold-chain lanes	5
Average scan compliance	99.3%
Hub supervisor	Sandeep Iyer

Additional context: Bengaluru Hub uses a separate priority sort lane. Priority parcels receive an orange internal label.

RAG testing note: The goal is to retrieve the right page/chunk and then generate an answer supported by that evidence.

10. Pune Hub

Source type: Synthetic internal operations handbook

Field	Value
Hub code	PNQ-H05
Daily capacity	7,900 parcels
Average scan compliance	98.9%
Dock doors	12
Regional fleet	42 vehicles
Hub supervisor	Neha Joshi

Additional context: Pune Hub is the main spare-parts distribution point for the West region. Vehicle inspections occur every Monday and Thursday.

RAG testing note: The goal is to retrieve the right page/chunk and then generate an answer supported by that evidence.

11. Chennai Hub

Source type: Synthetic internal operations handbook

Field	Value
Hub code	MAA-H06
Daily capacity	8,300 parcels
Average scan compliance	98.4%
Dock doors	10
Night dispatches	9
Hub supervisor	Arun Kumar

Additional context: Chennai Hub uses a flood-risk checklist during the monsoon season. Emergency route maps are stored at every dispatch desk.

RAG testing note: The goal is to retrieve the right page/chunk and then generate an answer supported by that evidence.

12. Hyderabad Hub

Source type: Synthetic internal operations handbook

Field	Value
Hub code	HYD-H07
Daily capacity	7,600 parcels
Average scan compliance	99.0%
Dock doors	9
Night dispatches	7
Hub supervisor	Priya Menon

Additional context: Hyderabad Hub handles software-industry client shipments and has a dedicated exception desk.

RAG testing note: The goal is to retrieve the right page/chunk and then generate an answer supported by that evidence.

13. Kolkata Hub

Source type: Synthetic internal operations handbook

Field	Value
Hub code	CCU-H08
Daily capacity	6,900 parcels
Average scan compliance	97.8%
Fragile share	18%
Dock doors	8
Hub supervisor	Tanmoy Sen

Additional context: Kolkata Hub has the highest fragile shipment share in the East region. Fragile cages are checked before every line-haul loading cycle.

RAG testing note: The goal is to retrieve the right page/chunk and then generate an answer supported by that evidence.

14. Ahmedabad Hub

Source type: Synthetic internal operations handbook

Field	Value
Hub code	AMD-H09
Daily capacity	7,300 parcels
Average scan compliance	98.8%
Dock doors	9
Regional fleet	37 vehicles
Hub supervisor	Kavita Patel

Additional context: Ahmedabad Hub processes textile and industrial parts shipments. Large cartons require a two-person lift.

RAG testing note: The goal is to retrieve the right page/chunk and then generate an answer supported by that evidence.

15. Lucknow Hub

Source type: Synthetic internal operations handbook

Field	Value
Hub code	LKO-H10
Daily capacity	5,800 parcels
Average scan compliance	97.6%
Dock doors	7
Night dispatches	5
Hub supervisor	Rahul Verma

Additional context: Lucknow Hub is a North region spoke hub. Sunday dispatch is limited to priority contracts.

RAG testing note: The goal is to retrieve the right page/chunk and then generate an answer supported by that evidence.

16. Indore Hub

Source type: Synthetic internal operations handbook

Field	Value
Hub code	IDR-H11
Daily capacity	5,200 parcels
Average scan compliance	98.1%
Dock doors	6
Regional fleet	29 vehicles
Hub supervisor	Meera Jain

Additional context: Indore Hub is used for central India consolidation. Its weekly maintenance window is Wednesday 14:00-16:00.

RAG testing note: The goal is to retrieve the right page/chunk and then generate an answer supported by that evidence.

17. Surat Hub

Source type: Synthetic internal operations handbook

Field	Value
Hub code	STV-H12
Daily capacity	6,100 parcels
Average scan compliance	98.6%
Dock doors	7
Regional fleet	31 vehicles
Hub supervisor	Harsh Desai

Additional context: Surat Hub specializes in textile-sector parcel flows. Its peak inbound window is 07:00-10:00 IST.

RAG testing note: The goal is to retrieve the right page/chunk and then generate an answer supported by that evidence.

18. Nagpur Cross-Dock

Source type: Synthetic internal operations handbook

Field	Value
Site code	NAG-XD01
Transfer capacity	4,400 parcels/day
Average dwell time	3.2 hours
Dock doors	6
Active line-hauls	11
Site lead	Pooja Kulkarni

Additional context: Nagpur is a cross-dock rather than a storage warehouse. Parcels are normally transferred within the same operating shift.

RAG testing note: The goal is to retrieve the right page/chunk and then generate an answer supported by that evidence.

19. Patna Hub

Source type: Synthetic internal operations handbook

Field	Value
Hub code	PAT-H13
Daily capacity	4,900 parcels
Average scan compliance	97.1%
Dock doors	6
Night dispatches	4
Hub supervisor	Ajit Singh

Additional context: Patna Hub has a restricted dock window from 13:00-14:00 for scheduled maintenance and safety checks.

RAG testing note: The goal is to retrieve the right page/chunk and then generate an answer supported by that evidence.

20. Kochi Hub

Source type: Synthetic internal operations handbook

Field	Value
Hub code	COK-H14
Daily capacity	4,300 parcels
Average scan compliance	98.0%
Dock doors	5
Rainfall contingency level	Orange
Hub supervisor	Liya Thomas

Additional context: Kochi Hub activates orange contingency procedures when the local operations team declares severe rainfall conditions.

RAG testing note: The goal is to retrieve the right page/chunk and then generate an answer supported by that evidence.

21. Goa Service Center

Source type: Synthetic internal operations handbook

Field	Value
Center code	GOA-SC01
Service area	Goa
Daily intake	1,200 parcels
Pickup fleet	18 vehicles
Customer desk hours	09:00-19:00 IST
Center lead	Rohit Naik

Additional context: Goa Service Center does not operate a night dispatch. Priority pickup requests must be placed before 16:00.

RAG testing note: The goal is to retrieve the right page/chunk and then generate an answer supported by that evidence.

22. Product A - Standard Parcel

Source type: Synthetic internal operations handbook

Attribute	Value
Max weight	20 kg
Max longest side	120 cm
Insurance included	No
Tracking	Included
Standard SLA	2 business days
Base price	INR 180

Additional context: Product A is the default service for non-fragile B2B parcels.

RAG testing note: The goal is to retrieve the right page/chunk and then generate an answer supported by that evidence.

23. Product B - Express Parcel

Source type: Synthetic internal operations handbook

Attribute	Value
Max weight	10 kg
Max longest side	100 cm
Insurance included	No
Tracking	Included
Standard SLA	1 business day
Base price	INR 320

Additional context: Product B is available only on lanes marked Express Eligible in the route master.

RAG testing note: The goal is to retrieve the right page/chunk and then generate an answer supported by that evidence.

24. Product C - Fragile Care

Source type: Synthetic internal operations handbook

Attribute	Value
Max weight	15 kg
Max longest side	110 cm
Insurance included	Up to INR 10,000
Tracking	Included
Standard SLA	2 business days
Handling fee	INR 75

Additional context: Product C requires a FRAGILE label and corner protection. The handling fee is added per parcel.

RAG testing note: The goal is to retrieve the right page/chunk and then generate an answer supported by that evidence.

25. Product D - Cold Chain

Source type: Synthetic internal operations handbook

Attribute	Value
Temperature range	2-8 C
Max weight	8 kg
Tracking	Included
Standard SLA	Next business day
Base price	INR 650
Service availability	Selected lanes only

Additional context: Product D is intended for temperature-sensitive material. Temperature logs are required at handoff points.

RAG testing note: The goal is to retrieve the right page/chunk and then generate an answer supported by that evidence.

26. Product E - Bulk Freight

Source type: Synthetic internal operations handbook

Attribute	Value
Weight range	50-500 kg
Pricing model	Quote based
Tracking	Milestone based
Standard SLA	3-5 business days
Booking lead time	24 hours
Base handling fee	INR 450

Additional context: Product E uses pallet or crate packaging and requires a freight quote before dispatch.

RAG testing note: The goal is to retrieve the right page/chunk and then generate an answer supported by that evidence.

27. Delivery SLA Policy

Source type: Synthetic internal operations handbook

Scenario	Target
Standard parcel	2 business days
Express parcel	1 business day
Cold chain	Next business day
Bulk freight	3-5 business days
First escalation	After SLA breach
Customer update interval	Every 6 hours during active escalation

Additional context: Business days exclude Sundays and declared company holidays. The clock starts after the first pickup scan.

RAG testing note: The goal is to retrieve the right page/chunk and then generate an answer supported by that evidence.

28. Returns Policy

Source type: Synthetic internal operations handbook

Rule	Detail
Return request window	7 calendar days after delivery
Unopened parcel	Eligible
Damaged parcel	Eligible with photo evidence
Wrong item	Eligible
Customer remorse	Eligible for standard parcel only
Return processing target	2 business days

Additional context: Return requests require the tracking ID. Food and temperature-sensitive material cannot be returned under customer-remorse rules.

RAG testing note: The goal is to retrieve the right page/chunk and then generate an answer supported by that evidence.

29. Refund Policy

Source type: Synthetic internal operations handbook

Case	Refund
Lost parcel	Full service charge
SLA breach - standard	25% service credit
SLA breach - express	50% service credit
Confirmed damage	Up to declared value
Unauthorized cancellation	No refund
Processing time	5 business days

Additional context: Refund decisions above INR 10,000 require finance approval. Service credits are issued to the customer's account.

RAG testing note: The goal is to retrieve the right page/chunk and then generate an answer supported by that evidence.

30. Pricing Rules

Source type: Synthetic internal operations handbook

Rule	Value
Standard parcel base	INR 180
Express parcel base	INR 320
Fragile handling fee	INR 75
Cold chain base	INR 650
Fuel surcharge	8%
Remote-area surcharge	INR 60
GST	18% on taxable service value

Additional context: Fuel surcharge is calculated before GST. Remote-area surcharge is added when the destination is classified as remote.

RAG testing note: The goal is to retrieve the right page/chunk and then generate an answer supported by that evidence.

31. Shipping & Packaging

Source type: Synthetic internal operations handbook

Requirement	Rule
Standard outer box	5-ply corrugated
Fragile protection	Corner protectors + bubble wrap
Cold chain	Insulated box + temperature logger
Bulk freight	Pallet/crate
Maximum label width	10 cm
Barcode standard	Code 128

Additional context: Packages with unreadable barcodes must be relabeled before entering the automated sorter.

RAG testing note: The goal is to retrieve the right page/chunk and then generate an answer supported by that evidence.

32. Fuel Policy

Source type: Synthetic internal operations handbook

Parameter	Value
Base fuel index	INR 96/litre
Review frequency	Monthly
Trigger for surcharge revision	Index changes by 5% or more
Current surcharge	8%
Approval owner	Finance Controller

Additional context: Fuel surcharge changes are effective from the first day of the next billing month after approval.

RAG testing note: The goal is to retrieve the right page/chunk and then generate an answer supported by that evidence.

33. Driver Policy

Source type: Synthetic internal operations handbook

Rule	Requirement
Maximum continuous driving	4.5 hours
Minimum break	30 minutes
Daily driving cap	9 hours
Pre-trip check	Mandatory
Seat-belt compliance	100%
Incident reporting	Within 30 minutes

Additional context: Drivers must report accidents, injuries, or vehicle breakdowns within 30 minutes of becoming safe to do so.

RAG testing note: The goal is to retrieve the right page/chunk and then generate an answer supported by that evidence.

34. Customer Support

Source type: Synthetic internal operations handbook

Channel	Hours / SLA
Phone	08:00-22:00 IST
Email	24x7 intake
Email first response	4 business hours
Priority account response	1 business hour
Complaint acknowledgement	30 minutes

Additional context: Support tickets receive a priority tag from P1 to P4. P1 means service interruption with major customer impact.

RAG testing note: The goal is to retrieve the right page/chunk and then generate an answer supported by that evidence.

35. Escalation Matrix

Source type: Synthetic internal operations handbook

Priority	Escalate within
P1	30 minutes
P2	2 hours
P3	8 hours
P4	1 business day

Additional context: P1 incidents go to Operations Director and the on-call technology lead. P2 incidents go to the regional manager.

RAG testing note: The goal is to retrieve the right page/chunk and then generate an answer supported by that evidence.

36. Information Security

Source type: Synthetic internal operations handbook

Control	Rule
Password rotation	Every 90 days
MFA	Required for admin users
USB storage	Blocked on production servers
API secrets	Environment/secret manager only
Security incident reporting	Within 15 minutes

Additional context: Production credentials must never be stored in source code, public repositories, or application logs.

RAG testing note: The goal is to retrieve the right page/chunk and then generate an answer supported by that evidence.

37. Access Control

Source type: Synthetic internal operations handbook

Role	Access
Support agent	Ticket system + shipment lookup
Hub supervisor	Hub dashboard + shipment operations
Finance	Billing + refund approvals
Admin	Full operational configuration
External client	Own shipments only

Additional context: Access is role-based. External clients must not access another customer's shipment records.

RAG testing note: The goal is to retrieve the right page/chunk and then generate an answer supported by that evidence.

38. Backup & Recovery

Source type: Synthetic internal operations handbook

System	Policy
Operational DB	Daily full backup
Vector index	Daily snapshot
Backup retention	30 days
Recovery point objective	24 hours
Recovery time objective	4 hours

Additional context: Backup restoration tests are performed on the first Saturday of each month.

RAG testing note: The goal is to retrieve the right page/chunk and then generate an answer supported by that evidence.

39. Incident Response

Source type: Synthetic internal operations handbook

Stage	Target
Detect	Within 10 minutes
Acknowledge	Within 15 minutes
Contain	Within 30 minutes
Customer update	Every 60 minutes
Post-incident review	Within 5 business days

Additional context: Severity-1 incidents require an incident commander. The final review documents root cause, impact, corrective action, and owner.

RAG testing note: The goal is to retrieve the right page/chunk and then generate an answer supported by that evidence.

40. KPI Definitions

Source type: Synthetic internal operations handbook

KPI	Definition
On-time rate	Delivered within committed SLA / delivered shipments
Damage rate	Damaged shipments / delivered shipments
Scan compliance	Shipments with all required scans / sampled shipments
First response time	Time from support ticket creation to first human response
Dwell time	Time a parcel remains at a hub before next movement

Additional context: KPI calculations must specify the reporting period. Percentages are rounded to one decimal place in executive reports.

RAG testing note: The goal is to retrieve the right page/chunk and then generate an answer supported by that evidence.

41. January KPI Snapshot

Source type: Synthetic internal operations handbook

KPI	Value
Shipments	142,000
On-time rate	95.6%
Damage rate	0.55%
Scan compliance	98.4%
Support tickets	3,820
Average first response	2.7 hours

Additional context: January had a planned scanner upgrade at two hubs. The upgrade ran from 12 January to 14 January.

RAG testing note: The goal is to retrieve the right page/chunk and then generate an answer supported by that evidence.

42. February KPI Snapshot

Source type: Synthetic internal operations handbook

KPI	Value
Shipments	148,500
On-time rate	96.1%
Damage rate	0.49%
Scan compliance	98.7%
Support tickets	3,610
Average first response	2.4 hours

Additional context: February shipment volume increased by 4.6% over January. No major platform outage was recorded.

RAG testing note: The goal is to retrieve the right page/chunk and then generate an answer supported by that evidence.

43. March KPI Snapshot

Source type: Synthetic internal operations handbook

KPI	Value
Shipments	153,200
On-time rate	96.4%
Damage rate	0.46%
Scan compliance	98.9%
Support tickets	3,480
Average first response	2.2 hours

Additional context: March included a process change requiring photo proof for damaged parcels at the first exception scan.

RAG testing note: The goal is to retrieve the right page/chunk and then generate an answer supported by that evidence.

44. April KPI Snapshot

Source type: Synthetic internal operations handbook

KPI	Value
Shipments	160,100
On-time rate	96.0%
Damage rate	0.44%
Scan compliance	99.0%
Support tickets	3,550
Average first response	2.1 hours

Additional context: April was the first month of the new finance reporting year. The fuel surcharge remained at 8%.

RAG testing note: The goal is to retrieve the right page/chunk and then generate an answer supported by that evidence.

45. May KPI Snapshot

Source type: Synthetic internal operations handbook

KPI	Value
Shipments	168,700
On-time rate	96.8%
Damage rate	0.41%
Scan compliance	99.1%
Support tickets	3,390
Average first response	1.9 hours

Additional context: May recorded the lowest damage rate of the first five months in this dataset.

RAG testing note: The goal is to retrieve the right page/chunk and then generate an answer supported by that evidence.

46. June KPI Snapshot

Source type: Synthetic internal operations handbook

KPI	Value
Shipments	175,900
On-time rate	97.0%
Damage rate	0.39%
Scan compliance	99.2%
Support tickets	3,240
Average first response	1.8 hours

Additional context: June recorded the highest shipment volume of the first half-year. The operations team launched a hub coaching program.

RAG testing note: The goal is to retrieve the right page/chunk and then generate an answer supported by that evidence.

47. RAG System Glossary

Source type: Synthetic internal operations handbook

Term	Meaning
Chunk	A smaller text unit retrieved from a document
Embedding	A numeric vector representation of text
Retriever	Component that selects relevant chunks
Top-k	Number of highest-ranked candidates returned
Reranker	Model or method that reorders retrieved candidates
Grounded answer	Answer supported by supplied evidence

Additional context: In this handbook, 'document-only answer' means the answer must be supported by the provided corpus.

RAG testing note: The goal is to retrieve the right page/chunk and then generate an answer supported by that evidence.

48. Policy Exceptions

Source type: Synthetic internal operations handbook

Exception	Approval
Refund above INR 10,000	Finance Controller
Express service on restricted lane	Regional manager
Cold-chain route deviation	Operations Director
Production admin access	IT Security + Operations Director
Return after 7 days	Customer Operations Lead

Additional context: Exceptions must be logged with the reason, approver, date, and affected tracking or ticket ID.

RAG testing note: The goal is to retrieve the right page/chunk and then generate an answer supported by that evidence.

49. 90-Day Improvement Roadmap

Source type: Synthetic internal operations handbook

Period	Initiative
Days 1-30	Improve barcode scan compliance
Days 31-60	Deploy retrieval-based support knowledge assistant
Days 61-75	Add hub-level anomaly alerts
Days 76-90	Pilot automated SLA breach notifications

Additional context: The knowledge-assistant pilot will initially use support policies, pricing rules, and incident procedures. Success is measured using answer groundedness and ticket resolution time.

RAG testing note: The goal is to retrieve the right page/chunk and then generate an answer supported by that evidence.

50. Contact & Reference Matrix

Source type: Synthetic internal operations handbook

Function	Primary owner
Operations	Operations Director
North	Asha Mehta
South	Vikram Rao
East	Rina Das
West	Nitin Shah
Finance	Finance Controller
IT Security	IT Security Lead

Additional context: Reference codes: NR-17 North, SR-21 South, ER-09 East, WR-14 West. The corporate training site is Jaipur Warehouse JPR-WH01.

RAG testing note: The goal is to retrieve the right page/chunk and then generate an answer supported by that evidence.