

Activities    Brave Web Browser    Tue Aug 1 19:08:17    51 %

Sunbeam

Not secure | students.sunbeamapps.org/quiz-app/app-quiz-summary?id=64c8c3f6dc3d2b3bb450c831

SUNBEAM JAVA\_Doc CCEE RFS\_JAVA Dashboard | H... Search results... ChatGPT WT\_RFS WT\_Doc Illustrations Karad Web Pr... Other bookmarks

Percentage: 75.00 % Attempted: 40

1. Key to represent relationship between tables is called

2. Which of the following is the correct format for if statement?

Answers

1. If boolean expression then statement or compound statement elseif boolean expression then statement or compound statement else statement or compound statement end if

2. If boolean expression then statement or compound statement elsif boolean expression then statement or compound statement else statement or compound statement end if

3. If boolean expression then statement or compound statement elif boolean expression then statement or compound statement else statement or compound statement end if

4. If boolean expression then statement or compound statement else statement or compound statement else statement or compound statement end if

3. The join in which all the rows from the right table appear in the output irrespective of the content of the other table is

4. If we want to retain all duplicates, we must write \_\_\_\_\_ in place of union.

5. What will be the output of the following MySQL statement?  
SELECT account\_id, product\_id, cust\_id  
FROM account  
WHERE product\_id IN ('sav', 'chd', 'mm');

6. Which join refers to join records from the right table that have no matching key in the left table are include in the result set:

Brave Web Browser icons: Notepad, Document, Back, Gear, VS Code, Lion logo, File, SSD, Recycle Bin, Grid.

Activities    Brave Web Browser    Tue Aug 1 19:08:22    51 %

Sunbeam    +    Not secure | students.sunbeam...

Screenshot captured  
You can paste the image from the clipboard.

SUNBEAM JAVA\_Doc CCEE RFS\_JAVA Dashboard | H... Search results... ChatGPT WT\_RFS WT\_Doc Illustrations Karad Web Pr... Other bookmarks

**Sunbeam**

Dashboard

Quiz >

Feedback >

Messages

Recorded Sessions

Online Sessions

Profile

Help

2. Which of the following is the correct format for if statement?

3. The join in which all the rows from the right table appear in the output irrespective of the content of the other table is

**Answers**

1. CARTESIAN JOIN
2. CROSS JOIN
3. INNER JOIN
4. RIGHT JOIN

4. If we want to retain all duplicates, we must write \_\_\_\_\_ in place of union.

5. What will be the output of the following MySQL statement?  
`SELECT account_id, product_id, cust_id  
FROM account  
WHERE product_id IN ('sav', 'chd', 'mm');`

6. Which join refers to join records from the right table that have no matching key in the left table are include in the result set:



Activities    Brave Web Browser    Tue Aug 1 19:08:25    51 %

Sunbeam    x +    Not secure | students.sunbeam...

Screenshot captured  
You can paste the image from the clipboard.

SUNBEAM JAVA\_Doc CCEE RFS\_JAVA Dashboard | H... Search results... ChatGPT WT\_RFS WT\_Doc Illustrations Karad Web Pr... Other bookmarks

**Sunbeam**

Dashboard

Quiz >

Feedback >

Messages

Recorded Sessions

Online Sessions

Profile

Help

2. Which of the following is the correct format for if statement?

3. The join in which all the rows from the right table appear in the output irrespective of the content of the other table is

4. If we want to retain all duplicates, we must write \_\_\_\_\_ in place of union.

**Answers**

1. Union all

2. Union some

3. Intersect all

4. Intersect some

5. What will be the output of the following MySQL statement?  
`SELECT account_id, product_id, cust_id  
FROM account  
WHERE product_id IN ('sav', 'chd', 'mm');`

6. Which join refers to join records from the right table that have no matching key in the left table are include in the result set:



Activities    Brave Web Browser    Tue Aug 1 19:08:27    51 %

Sunbeam    +    Screenshot captured  
Not secure | students.sunbeam...    You can paste the image from the clipboard.

SUNBEAM JAVA\_Doc CCEE RFS\_JAVA Dashboard | H... Search results... ChatGPT WT\_RFS WT\_Doc Illustrations Karad Web Pr... Other bookmarks

**Sunbeam**

- Dashboard
- Quiz >
- Feedback >
- Messages
- Recorded Sessions
- Online Sessions
- Profile
- Help

2. Which of the following is the correct format for if statement?

3. The join in which all the rows from the right table appear in the output irrespective of the content of the other table is

4. If we want to retain all duplicates, we must write \_\_\_\_\_ in place of union.

5. What will be the output of the following MySQL statement?  
SELECT account\_id, product\_id, cust\_id  
FROM account  
WHERE product\_id IN ('sav', 'chd', 'mm');

**Answers**

- Only those values are selected whose product\_id is either 'sav', 'chd', 'mm'
- Only those values are selected whose product\_id is either 'sav'
- Only those values are selected whose product\_id is either 'sav', 'chd'
- All of the above

6. Which join refers to join records from the right table that have no matching key in the left table are include in the result set:



Activities    Brave Web Browser    Tue Aug 1 19:08:30    51 %

Sunbeam    +    Not secure | students.sunbeam...

Screenshot captured  
You can paste the image from the clipboard.

SUNBEAM JAVA\_Doc CCEE RFS\_JAVA Dashboard | H... Search results... ChatGPT WT\_RFS WT\_Doc Illustrations Karad Web Pr... Other bookmarks

WHERE product\_id IN ('sav', 'chd', 'mm');

6. Which join refers to join records from the right table that have no matching key in the left table are include in the result set:

Answers

1. Left outer join

2. Right outer join

3. Full outer join

4. Half outer join

7. A stored procedure in SQL is a\_\_\_\_\_

8. If one attribute is determinant of second, which in turn is determinant of third, then the relation cannot be

9. Which of these is also known as a virtual table?

10. You can perform ..... operation(s) on SQL Views.

Activities    Brave Web Browser    Tue Aug 1 19:08:32    51 %

Sunbeam    +    Not secure | students.sunbeam...

Screenshot captured  
You can paste the image from the clipboard.

SUNBEAM JAVA\_Doc CCEE RFS\_JAVA Dashboard | H... Search results... ChatGPT WT\_RFS WT\_Doc Illustrations Karad Web Pr... Other bookmarks

WHERE product\_id IN ('sav', 'chd', 'mm');

6. Which join refers to join records from the right table that have no matching key in the left table are include in the result set:

7. A stored procedure in SQL is a\_\_\_\_\_


**Answers**

1. Block of functions
2. Group of Transact-SQL statements compiled into a single execution plan.
3. Group of distinct SQL statements.
4. None of the above

8. If one attribute is determinant of second, which in turn is determinant of third, then the relation cannot be

9. Which of these is also known as a virtual table?

10. You can perform ..... operation(s) on SQL Views.



Activities    Brave Web Browser    Tue Aug 1 19:08:35    51 %

Sunbeam    +    Screenshot captured  
Not secure | students.sunbeam...    You can paste the image from the clipboard.

SUNBEAM JAVA\_Doc CCEE RFS\_JAVA Dashboard | H... Search results... ChatGPT WT\_RFS WT\_Doc Illustrations Karad Web Pr... Other bookmarks

WHERE product\_id IN ('sav', 'chd', 'mm');

6. Which join refers to join records from the right table that have no matching key in the left table are include in the result set:

7. A stored procedure in SQL is a\_\_\_\_\_

8. If one attribute is determinant of second, which in turn is determinant of third, then the relation cannot be

**Answers**

1. Well-structured


2. 1NF

3. 2NF

4. 3NF

9. Which of these is also known as a virtual table?

10. You can perform ..... operation(s) on SQL Views.



Activities    Brave Web Browser    Tue Aug 1 19:08:37    51 %

Sunbeam    x +    Not secure | students.sunbeamapps.org/quiz-app/app-quiz-summary?id=64c8c3f6dc3d2b3bb450c831   

SUNBEAM JAVA\_Doc CCEE RFS\_JAVA Dashboard | H... Search results... ChatGPT WT\_RFS WT\_Doc Illustrations Karad Web Pr... Other bookmarks

WHERE product\_id IN ('sav', 'chd', 'mm');

6. Which join refers to join records from the right table that have no matching key in the left table are include in the result set:

7. A stored procedure in SQL is a\_\_\_\_\_

8. If one attribute is determinant of second, which in turn is determinant of third, then the relation cannot be

9. Which of these is also known as a virtual table?

Answers

1. SCHEMA  
2. DATABASE  
3. JOIN  
4. VIEW

10. You can perform ..... operation(s) on SQL Views.

Activities    Brave Web Browser    Tue Aug 1 19:08:40    51 %

Sunbeam    x +    Not secure | students.sunbeam...

Screenshot captured  
You can paste the image from the clipboard.

SUNBEAM JAVA\_Doc CCEE RFS\_JAVA Dashboard | H... Search results... ChatGPT WT\_RFS WT\_Doc Illustrations Karad Web Pr... Other bookmarks

**Sunbeam**

Dashboard

Quiz >

Feedback >

Messages

Recorded Sessions

Online Sessions

Profile

Help

8. If one attribute is determinant of second, which in turn is determinant of third, then the relation cannot be

9. Which of these is also known as a virtual table?

10. You can perform ..... operation(s) on SQL Views.

**Answers**

1. Select

2. Filter

3. Sort

4. All of the above

11. MongoDB stores all documents in \_\_\_\_\_

12. The intersection operator is used to get the \_\_\_\_\_ tuples.

13. To maintain materialized views, we can use



Activities    Brave Web Browser    Tue Aug 1 19:08:43    51 %

Sunbeam    +    Not secure | students.sunbeam...

Screenshot captured  
You can paste the image from the clipboard.

SUNBEAM JAVA\_Doc CCEE RFS\_JAVA Dashboard | H... Search results... ChatGPT WT\_RFS WT\_Doc Illustrations Karad Web Pr... Other bookmarks

**Sunbeam**

- Dashboard
- Quiz >
- Feedback >
- Messages
- Recorded Sessions
- Online Sessions
- Profile
- Help

8. If one attribute is determinant of second, which in turn is determinant of third, then the relation cannot be

9. Which of these is also known as a virtual table?

10. You can perform ..... operation(s) on SQL Views.

11. MongoDB stores all documents in \_\_\_\_\_

**Answers**

1. tables
2. collections
3. rows
4. All of the above

12. The intersection operator is used to get the \_\_\_\_\_ tuples.

13. To maintain materialized views, we can use



Activities    Brave Web Browser    Tue Aug 1 19:08:46    51 %

Sunbeam    +    Not secure | students.sunbeam...

Screenshot captured  
You can paste the image from the clipboard.

SUNBEAM JAVA\_Doc CCEE RFS\_JAVA Dashboard | H... Search results... ChatGPT WT\_RFS WT\_Doc Illustrations Karad Web Pr... Other bookmarks

**Sunbeam**

Dashboard

Quiz >

Feedback >

Messages

Recorded Sessions

Online Sessions

Profile

Help

8. If one attribute is determinant of second, which in turn is determinant of third, then the relation cannot be

9. Which of these is also known as a virtual table?

10. You can perform ..... operation(s) on SQL Views.

11. MongoDB stores all documents in \_\_\_\_\_

12. The intersection operator is used to get the \_\_\_\_\_ tuples.

**Answers**

1. Different

2. Common

3. All

4. Repeating

13. To maintain materialized views, we can use



Activities    Brave Web Browser    Tue Aug 1 19:08:49    51 %

Sunbeam    +    Not secure | students.sunbeam...

Screenshot captured  
You can paste the image from the clipboard.

SUNBEAM JAVA\_Doc CCEE RFS\_JAVA Dashboard | H... Search results... ChatGPT WT\_RFS WT\_Doc Illustrations Karad Web Pr... Other bookmarks

 Sunbeam

Dashboard Quiz Feedback Messages Recorded Sessions Online Sessions Profile Help

12. The intersection operator is used to get the \_\_\_\_\_ tuples.

13. To maintain materialized views, we can use

Answers

1. Triggers

2. Pointers

3. Clone objects

4. Cascading

14. Which of the following is not true regarding Indexes?

15. An advantage of the database management approach is

16. A \_\_\_\_\_ is a special kind of a store procedure that executes in response to certain action on the table like insertion, deletion, update or trigger.

17. Which of the following method returns one document?



Activities    Brave Web Browser    Tue Aug 1 19:08:51    51 %

Sunbeam    x +    Not secure | students.sunbeam...

Screenshot captured  
You can paste the image from the clipboard.

SUNBEAM JAVA\_Doc CCEE RFS\_JAVA Dashboard | H... Search results... ChatGPT WT\_RFS WT\_Doc Illustrations Karad Web Pr... Other bookmarks

12. The intersection operator is used to get the \_\_\_\_\_ tuples.

13. To maintain materialized views, we can use

14. Which of the following is not true regarding Indexes?

Answers

1. Index can be defined even when there is no data in the table
2. It can be created using 'Create Index' statement
3. It support Range selections
4. It can not be created on composite attributes

15. An advantage of the database management approach is

16. A \_\_\_\_\_ is a special kind of a store procedure that executes in response to certain action on the table like insertion, deletion, update or modification.

17. Which of the following method returns one document?



Activities    Brave Web Browser    Tue Aug 1 19:09:26    51 %

Sunbeam    x +    Not secure | students.sunbeamapps.org/quiz-app/app-quiz-summary?id=64c8c3f6dc3d2b3bb450c831    ChatGPT    WT\_RFS    WT\_Doc    Illustrations    Karad Web Pr...    Other bookmarks

SUNBEAM JAVA\_Doc CCEE RFS\_JAVA Dashboard | H... Search results... ChatGPT WT\_RFS WT\_Doc Illustrations Karad Web Pr... Other bookmarks

**Sunbeam**

Dashboard

Quiz >

Feedback >

Messages

Recorded Sessions

Online Sessions

Profile

Help

12. The intersection operator is used to get the \_\_\_\_\_ tuples.

13. To maintain materialized views, we can use

14. Which of the following is not true regarding Indexes?

15. An advantage of the database management approach is

**Answers**

1. Data is dependent on programs

2. Data redundancy increases.

3. Data is integrated and can be accessed by multiple programs.

4. None of the above

16. A \_\_\_\_\_ is a special kind of a store procedure that executes in response to certain action on the table like insertion, deletion, update or modification.

17. Which of the following method returns one document?



Activities    Brave Web Browser    Tue Aug 1 19:09:32    51 %

Sunbeam

Not secure | students.sunbeamapps.org/quiz-app/app-quiz-summary?id=64c8c3f6dc3d2b3bb450c831

SUNBEAM JAVA\_Doc CCEE RFS\_JAVA Dashboard | H... Search results... ChatGPT WT\_RFS WT\_Doc Illustrations Karad Web Pr... Other bookmarks

Sunbeam

Dashboard Quiz Feedback Messages Recorded Sessions Online Sessions Profile Help

12. The intersection operator is used to get the \_\_\_\_\_ tuples.

13. To maintain materialized views, we can use

14. Which of the following is not true regarding Indexes?

15. An advantage of the database management approach is

16. A \_\_\_\_\_ is a special kind of a store procedure that executes in response to certain action on the table like insertion, deletion or updation of data.

**Answers**

1. Procedures
2. Triggers
3. Functions
4. None of the above

17. Which of the following method returns one document?

18. If emp\_id contain the following set {9, 7, 6, 4, 3, 1, 2}, what will be the output on execution of the following MySQL command?  
SELECT emp\_id  
FROM person  
ORDER BY emp\_id ASC;



Activities    Brave Web Browser    Tue Aug 1 19:09:59    51 %

Sunbeam    x +    Not secure | students.sunbeamapps.org/quiz-app/app-quiz-summary?id=64c8c3f6dc3d2b3bb450c831   

SUNBEAM JAVA\_Doc CCEE RFS\_JAVA Dashboard | H... Search results... ChatGPT WT\_RFS WT\_Doc Illustrations Karad Web Pr... Other bookmarks

**Sunbeam**

Dashboard

Quiz >

Feedback >

Messages

Recorded Sessions

Online Sessions

Profile

Help

14. Which of the following is not true regarding Indexes?

15. An advantage of the database management approach is

16. A \_\_\_\_\_ is a special kind of a store procedure that executes in response to certain action on the table like insertion, deletion, update or modification.

17. Which of the following method returns one document?

**Answers**

1. `findOne()`
2. `findOne1()`
3. `selectOne()`
4. all of the above

18. If emp\_id contain the following set {9, 7, 6, 4, 3, 1, 2}, what will be the output on execution of the following MySQL command?

Activities    Brave Web Browser    Tue Aug 1 19:10:02    51 %

Sunbeam    +    Not secure | students.sunbeam...

Screenshot captured  
You can paste the image from the clipboard.

SUNBEAM JAVA\_Doc CCEE RFS\_JAVA Dashboard | H... Search results... ChatGPT WT\_RFS WT\_Doc Illustrations Karad Web Pr... Other bookmarks

**Sunbeam**

- Dashboard
- Quiz >
- Feedback >
- Messages
- Recorded Sessions
- Online Sessions
- Profile
- Help

15. An advantage of the database management approach is

16. A \_\_\_\_\_ is a special kind of a store procedure that executes in response to certain action on the table like insertion, deletion or update.

17. Which of the following method returns one document?

18. If emp\_id contain the following set {9, 7, 6, 4, 3, 1, 2},  
what will be the output on execution of the following MySQL command?  
`SELECT emp_id  
FROM person  
ORDER BY emp_id ASC;`

**Answers**

1. {9, 7, 6, 4, 3, 1, 2}
2. {1, 2, 3, 4, 6, 7, 9}
3. {2, 1, 3, 4, 6, 7, 9}
4. None of the above

Brave Web Browser icons: Not secure, ChatGPT, WT\_RFS, WT\_Doc, Illustrations, Karad Web Pr..., Other bookmarks.

Activities    Brave Web Browser    Tue Aug 1 19:10:12    51 %

**Sunbeam**

Not secure | students.sunbeamapps.org/quiz-app/app-quiz-summary?id=64c8c3f6dc3d2b3bb450c831

SUNBEAM JAVA\_Doc CCEE RFS\_JAVA Dashboard | H... Search results... ChatGPT WT\_RFS WT\_Doc Illustrations Karad Web Pr... Other bookmarks

**Sunbeam**

Dashboard Quiz Feedback Messages Recorded Sessions Online Sessions Profile Help

18. If emp\_id contain the following set {9, 7, 6, 4, 3, 1, 2}, what will be the output on execution of the following MySQL command?  
SELECT emp\_id  
FROM person  
ORDER BY emp\_id ASC;

19. The CREATE TRIGGER statement is used to create the trigger. THE \_\_\_\_\_ clause specifies the table name on which the trigger is to be attached. The \_\_\_\_\_ specifies that this is an AFTER INSERT trigger.

**Answers**

1. for insert, on
2. On, for insert
3. For, insert
4. None of the above

20. If each tuple have relation R within it then this type of relation is classified as

21. Consider a Table name "Sunbeam" whose attributes are intern\_id (primary key), subject.  
Intern\_id = {1, 2, 3, 4, 5, 6}  
Subject = {sql, oop, sql, oop, c, c++}  
If these are one to one relation then what will be the output of the following MySQL statement?  
SELECT intern\_id  
FROM Sunbeam  
WHERE subject IN (c, c++);

22. Point out the wrong statement

23. Considering the relational database, the functional dependency between two attributes A and B is denoted by

Brave Web Browser icons: Notepad, Document, Terminal, Gear, VS Code, Lion logo, File, SSD, Recycle Bin, Grid icon.

Activities    Brave Web Browser    Tue Aug 1 19:10:17    51 %

Sunbeam    +    Not secure | students.sunbeam...

Screenshot captured  
You can paste the image from the clipboard.

SUNBEAM JAVA\_Doc CCEE RFS\_JAVA Dashboard | H... Search results... ChatGPT WT\_RFS WT\_Doc Illustrations Karad Web Pr... Other bookmarks

**Sunbeam**

- Dashboard
- Quiz >
- Feedback >
- Messages
- Recorded Sessions
- Online Sessions
- Profile
- Help

18. If emp\_id contain the following set {9, 7, 6, 4, 3, 1, 2}, what will be the output on execution of the following MySQL command?  
SELECT emp\_id  
FROM person  
ORDER BY emp\_id ASC;

19. The CREATE TRIGGER statement is used to create the trigger. THE \_\_\_\_\_ clause specifies the table name on which the trigger is to be

20. If each tuple have relation R within it then this type of relation is classified as

**Answers**

1. primary relation
2. prime relation
3. nested relation
4. atomic relation

21. Consider a Table name "Sunbeam" whose attributes are intern\_id (primary key), subject.  
Intern id = {1, 2, 3, 4, 5, 6}



Activities    Brave Web Browser    Tue Aug 1 19:10:20    51 %

Sunbeam    +    Not secure | students.sunbeam...

Screenshot captured  
You can paste the image from the clipboard.

SUNBEAM JAVA\_Doc CCEE RFS\_JAVA Dashboard | H... Search results... ChatGPT WT\_RFS WT\_Doc Illustrations Karad Web Pr... Other bookmarks

**Sunbeam**

Dashboard Quiz Feedback Messages Recorded Sessions Online Sessions Profile Help

21. Consider a Table name "Sunbeam" whose attributes are intern\_id (primary key), subject.  
Intern\_id = {1, 2, 3, 4, 5, 6}  
Subject = {sql, oop, sql, oop, c, c++}  
If these are one to one relation then what will be the output of the following MySQL statement?  
SELECT intern\_id  
FROM Sunbeam  
WHERE subject IN (c, c++);


Answers

1. {5, 6}
2. {1, 2, 3}
3. {3, 4}
4. None of the above

22. Point out the wrong statement

23. Considering the relational database, the functional dependency between two attributes A and B is denoted by

Brave Web Browser icons: Notepad, Document, Back, Gear, VS Code, Brave, File, SSD, Recycle Bin, Grid.



Activities    Brave Web Browser    Tue Aug 1 19:10:25    51 %

Sunbeam    x +    Not secure | students.sunbeam...

Screenshot captured  
You can paste the image from the clipboard.

SUNBEAM JAVA\_Doc CCEE RFS\_JAVA Dashboard | H... Search results... ChatGPT WT\_RFS WT\_Doc Illustrations Karad Web Pr... Other bookmarks

**Sunbeam**

Dashboard

Quiz >

Feedback >

Messages

Recorded Sessions

Online Sessions

Profile

Help

22. Point out the wrong statement

23. Considering the relational database, the functional dependency between two attributes A and B is denoted by

**Answers**

1.  $A \rightarrow B$

2.  $B \leftarrow A$


3.  $AB \rightarrow R$

4.  $R \leftarrow AB$

24. The database system which supports the majority of concurrent users is classified as

25. From the following which index is created by MongoDB for every collection ?

26. You can update a view by using the following syntax



Activities    Brave Web Browser    Tue Aug 1 19:10:27    51 %

Sunbeam    +    Not secure | students.sunbeam...

Screenshot captured  
You can paste the image from the clipboard.

SUNBEAM JAVA\_Doc CCEE RFS\_JAVA Dashboard | H... Search results... ChatGPT WT\_RFS WT\_Doc Illustrations Karad Web Pr... Other bookmarks

**Sunbeam**

Dashboard

Quiz >

Feedback >

Messages

Recorded Sessions

Online Sessions

Profile

Help

22. Point out the wrong statement

23. Considering the relational database, the functional dependency between two attributes A and B is denoted by


24. The database system which supports the majority of concurrent users is classified as

**Answers**

1. multiuser system
2. multi-function system
3. multi transaction system
4. client and disk server system

25. From the following which index is created by MongoDB for every collection ?

26. You can update a view by using the following syntax



Activities    Brave Web Browser    Tue Aug 1 19:10:29    51 %

Sunbeam    x +    Not secure | students.sunbeam...

Screenshot captured  
You can paste the image from the clipboard.

SUNBEAM JAVA\_Doc CCEE RFS\_JAVA Dashboard | H... Search results... ChatGPT WT\_RFS WT\_Doc Illustrations Karad Web Pr... Other bookmarks

**Sunbeam**

Dashboard

Quiz >

Feedback >

Messages

Recorded Sessions

Online Sessions

Profile

Help

22. Point out the wrong statement

23. Considering the relational database, the functional dependency between two attributes A and B is denoted by

24. The database system which supports the majority of concurrent users is classified as

25. From the following which index is created by MongoDB for every collection ?

**Answers**

1. `_id collection`

2. `id_collabration`

3. `id_collection`

4. None of Above

26. You can update a view by using the following syntax

Brave Web Browser icons: Notepad, Document, Back, Gear, VS Code, Brave, File, SSD, Recycle Bin, Grid.

Activities    Brave Web Browser    Tue Aug 1 19:10:34    51 %

Sunbeam    x +    Not secure | students.sunbeamapps.org/quiz-app/app-quiz-summary?id=64c8c3f6dc3d2b3bb450c831   

SUNBEAM JAVA\_Doc CCEE RFS\_JAVA Dashboard | H... Search results... ChatGPT WT\_RFS WT\_Doc Illustrations Karad Web Pr... Other bookmarks

**Sunbeam**

Dashboard Quiz Feedback Messages Recorded Sessions Online Sessions Profile Help

24. The database system which supports the majority of concurrent users is classified as

25. From the following which index is created by MongoDB for every collection ?

26. You can update a view by using the following syntax

**Answers**

1. CREATE OR UPDATE VIEW view\_name AS SELECT column\_name(s) FROM table\_name WHERE condition
2. UPDATE OR REPLACE VIEW view\_name AS SELECT column\_name(s) FROM table\_name WHERE condition
3. CREATE OR REPLACE VIEW view\_name AS SELECT column\_name(s) FROM table\_name WHERE condition
4. CREATE OR REPLACE VIEW AS SELECT column\_name(s) FROM table\_name WHERE condition

27. What is true regarding NULL value requirements confirming to Codd rule?

28. The facility that allows nesting one select statement into another is \_\_\_\_\_

29. A view can be deleted using the command \_\_\_\_\_



Activities    Brave Web Browser    Tue Aug 1 19:10:37    51 %

Sunbeam    +    Not secure | students.sunbeam...

Screenshot captured  
You can paste the image from the clipboard.

24. The database system which supports the majority of concurrent users is classified as

25. From the following which index is created by MongoDB for every collection ?

26. You can update a view by using the following syntax

27. What is true regarding NULL value requirements confirming to Codd rule?

Answers

1. Null value should be zero.
2. Null value should be space.
3. Null value should represent missing information
4. None of the above.

28. The facility that allows nesting one select statement into another is \_\_\_\_\_

29. A view can be deleted using the command \_\_\_\_\_

The image shows a Linux desktop environment with a dark theme. A central window titled 'Sunbeam' displays a quiz interface. The left sidebar lists navigation options: Dashboard, Quiz, Feedback, Messages, Recorded Sessions, Online Sessions, Profile, and Help. The main content area contains five numbered questions. A tooltip at the top right of the window says 'Screenshot captured' and 'You can paste the image from the clipboard.' The desktop background features a bridge over water.

Activities    Brave Web Browser    Tue Aug 1 19:10:49    51 %

Sunbeam    x +    Not secure | students.sunbeamapps.org/quiz-app/app-quiz-summary?id=64c8c3f6dc3d2b3bb450c831    ChatGPT    WT\_RFS    WT\_Doc    Illustrations    Karad Web Pr...    Other bookmarks

SUNBEAM    JAVA\_Doc    CCEE    RFS\_JAVA    Dashboard | H...    Search results...    WT\_RFS    WT\_Doc    Illustrations    Karad Web Pr...    Other bookmarks

**Sunbeam**

Dashboard

Quiz >

Feedback >

Messages

Recorded Sessions

Online Sessions

Profile

Help

24. The database system which supports the majority of concurrent users is classified as \_\_\_\_\_

25. From the following which index is created by MongoDB for every collection ? \_\_\_\_\_

26. You can update a view by using the following syntax \_\_\_\_\_

27. What is true regarding NULL value requirements confirming to Codd rule? \_\_\_\_\_

28. The facility that allows nesting one select statement into another is \_\_\_\_\_

**Answers**

1. nesting  
2. binding  
3. subquerying  
4. encapsulating

29. A view can be deleted using the command \_\_\_\_\_

Activities    Brave Web Browser    Tue Aug 1 19:10:52    51 %

Sunbeam    +    Not secure | students.sunbeam...

Screenshot captured  
You can paste the image from the clipboard.

SUNBEAM JAVA\_Doc CCEE RFS\_JAVA Dashboard | H... Search results... ChatGPT WT\_RFS WT\_Doc Illustrations Karad Web Pr... Other bookmarks

**Sunbeam**

Dashboard

Quiz >

Feedback >

Messages

Recorded Sessions

Online Sessions

Profile

Help

27. What is true regarding NULL value requirements confirming to Codd rule?

28. The facility that allows nesting one select statement into another is \_\_\_\_\_

29. A view can be deleted using the command \_\_\_\_\_

**Answers**

1. REMOVE
2. DELETE
3. CLEAR
4. DROP

30. The \_\_\_\_\_ is essentially used to search for patterns in target string.

31. The form of data model in which the concepts provided are useful for end users and are also close to the way it is stored in comput

32. What will be the output of the following MySQL query?

File    Home    Recent    Help    SSD    SSD    Recycle Bin    Grid

Activities    Brave Web Browser    Tue Aug 1 19:10:53    51 %

Sunbeam    +    Not secure | students.sunbeam...

Screenshot captured  
You can paste the image from the clipboard.

SUNBEAM JAVA\_Doc CCEE RFS\_JAVA Dashboard | H... Search results... ChatGPT WT\_RFS WT\_Doc Illustrations Karad Web Pr... Other bookmarks

**Sunbeam**

Dashboard Quiz Feedback Messages Recorded Sessions Online Sessions Profile Help

27. What is true regarding NULL value requirements confirming to Codd rule?

28. The facility that allows nesting one select statement into another is \_\_\_\_\_

29. A view can be deleted using the command \_\_\_\_\_

30. The \_\_\_\_\_ is essentially used to search for patterns in target string.

**Answers**

1. Like Predicate
2. Null Predicate
3. In Predicate
4. Out Predicate

31. The form of data model in which the concepts provided are useful for end users and are also close to the way it is stored in comput

32. What will be the output of the following MySQL query?

Brave Web Browser icon bar: Notepad, Document, Back, Settings, ChatGPT, File, SSD, Recycle Bin, Grid View.

Activities    Brave Web Browser    Tue Aug 1 19:11:08    51 %

Sunbeam    +    Screenshot captured  
Not secure | students.sunbeam...    You can paste the image from the clipboard.

SUNBEAM    JAVA\_Doc    CCEE    RFS\_JAVA    Dashboard | H...    Search results...    ChatGPT    WT\_RFS    WT\_Doc    Illustrations    Karad Web Pr...    Other bookmarks

**Sunbeam**

- Dashboard
- Quiz >
- Feedback >
- Messages
- Recorded Sessions
- Online Sessions
- Profile
- Help

27. What is true regarding NULL value requirements confirming to Codd rule?

28. The facility that allows nesting one select statement into another is \_\_\_\_\_

29. A view can be deleted using the command \_\_\_\_\_


30. The \_\_\_\_\_ is essentially used to search for patterns in target string.

31. The form of data model in which the concepts provided are useful for end users and are also close to the way it is stored in computer system is called

**Answers**

1. representational data models
2. implementation data models
3. clientele data models
4. both representational and implementation data models

32. What will be the result of the following MySQL command?  
WHERE end\_date IS NULL  
AND NOT (title='teller' OR start\_date < '2007-01-01')



Activities    Brave Web Browser

Tue Aug 1 19:11:12

Sunbeam

Screenshot captured  
You can paste the image from the clipboard.

Not secure | students.sunbeam...

SUNBEAM JAVA\_Doc CCEE RFS\_JAVA Dashboard | H... Search results... ChatGPT WT\_RFS WT\_Doc 100% Illustrations Katad Web Pr... Reset

Other bookmarks

Sunbeam

Dashboard

Quiz

Feedback

Messages

Recorded Sessions

Online Sessions

Profile

Help

30. The \_\_\_\_\_ is essentially used to search for patterns in target string.

31. The form of data model in which the concepts provided are useful for end users and are also close to the way it is stored in comput

32. What will be the result of the following MySQL command?  
WHERE end\_date IS NULL  
AND NOT (title='teller' OR start\_date < '2007-01-01')

Answers

1. The result set contains non terminated employees who both are non tellers and started working for the bank from 2007 or later
2. The result set contains employees who both are tellers and started working for the bank in 2007 or later
3. The result set contains employees who are only tellers
4. All of the above

33. When three or more AND and OR conditions are combined, it is easier to use the SQL keyword(s)

34. To specify the number of records to return, which keyword is used



Activities    Brave Web Browser    Tue Aug 1 19:11:14    51 %

Sunbeam    +    Screenshot captured    Not secure | students.sunbeamapps.org/ You can paste the image from the clipboard. b3bb450c831

SUNBEAM    JAVA\_Doc    CCEE    RFS\_JAVA    Dashboard | H...    Search results...    ChatGPT    WT\_RFS    WT\_Doc    Illustrations    Karad Web Pr...    Other bookmarks

**Sunbeam**

Dashboard

Quiz >

Feedback >

Messages

Recorded Sessions

Online Sessions

Profile

Help

30. The \_\_\_\_\_ is essentially used to search for patterns in target string.

31. The form of data model in which the concepts provided are useful for end users and are also close to the way it is stored in comput

32. What will be the result of the following MySQL command?  
WHERE end\_date IS NULL  
AND NOT (title='teller' OR start\_date < '2007-01-01')

33. When three or more AND and OR conditions are combined, it is easier to use the SQL keyword(s)

**Answers**

1. NOT IN only.

2. LIKE only.

3. IN only.

4. Both IN and NOT IN.

34. To specify the number of records to return, which keyword is used



Activities    Brave Web Browser    Tue Aug 1 19:11:16    51 %

Sunbeam    +    Not secure | students.sunbeam...

Screenshot captured  
You can paste the image from the clipboard.

SUNBEAM JAVA\_Doc CCEE RFS\_JAVA Dashboard | H... Search results... ChatGPT WT\_RFS WT\_Doc Illustrations Karad Web Pr... Other bookmarks

**Sunbeam**

Dashboard

Quiz >

Feedback >

Messages

Recorded Sessions

Online Sessions

Profile

Help

AND NOT (title='teller' OR start\_date < '2007-01-01')

33. When three or more AND and OR conditions are combined, it is easier to use the SQL keyword(s)

34. To specify the number of records to return, which keyword is used

**Answers**

1. LIMIT

2. TOP

3. START

4. ROW

35. What does below SQL statement describe?  
SELECT CustomerName, Address , City, Country AS Address FROM Customers;

36. What is true regarding correlated query?

37. ...

Brave Web Browser    Screenshot captured    You can paste the image from the clipboard.

SSD SSD SSD SSD

Activities    Brave Web Browser    Tue Aug 1 19:11:21    51 %

Sunbeam    +    Not secure | students.sunbeam...

Screenshot captured  
You can paste the image from the clipboard.

SUNBEAM JAVA\_Doc CCEE RFS\_JAVA Dashboard | H... Search results... ChatGPT WT\_RFS WT\_Doc Illustrations Karad Web Pr... Other bookmarks

**Sunbeam**

- Dashboard
- Quiz >
- Feedback >
- Messages
- Recorded Sessions
- Online Sessions
- Profile
- Help

AND NOT (title='teller' OR start\_date < '2007-01-01')

33. When three or more AND and OR conditions are combined, it is easier to use the SQL keyword(s)

34. To specify the number of records to return, which keyword is used


35. What does below SQL statement describe?  
SELECT CustomerName, Address , City, Country AS Address FROM Customers;

**Answers**

1. Alias named Address column will be created and under this Address, City and Country will be printed as combined statement.
2. Alias named Address will be created for Country columns
3. Alias named Address column will be created and under this all CustomerName, address, city and country will be printed as combined statement
4. None of the above

36. What is true regarding correlated query?

37. MongoDB provides the following methods to insert documents into a collection



Activities    Brave Web Browser    Tue Aug 1 19:11:26    51 %

Sunbeam    x +    Not secure | students.sunbeam...

Screenshot captured  
You can paste the image from the clipboard.

SUNBEAM JAVA\_Doc CCEE RFS\_JAVA Dashboard | H... Search results... ChatGPT WT\_RFS WT\_Doc Illustrations Karad Web Pr... Other bookmarks

**Sunbeam**

Dashboard

Quiz >

Feedback >

Messages

Recorded Sessions

Online Sessions

Profile

Help

34. To specify the number of records to return, which keyword is used

35. What does below SQL statement describe?  
`SELECT CustomerName, Address , City, Country AS Address FROM Customers;`

36. What is true regarding correlated query?

**Answers**

1. If the output of a subquery is depending on column values of the parent query table then the query is called Correlated Subquery.
2. A subquery is called inner query which returns output that is to be used by another query.
3. Subquery within another subquery is called as Corelated Subquery.
4. None of the above

37. MongoDB provides the following methods to insert documents into a collection

38. The relational model is based on the concept that data is organized and stored in two-dimensional tables called .....

Activities    Brave Web Browser    Tue Aug 1 19:11:35    51 %

Sunbeam    +    Not secure | students.sunbeam...

Screenshot captured  
You can paste the image from the clipboard.

SUNBEAM JAVA\_Doc CCEE RFS\_JAVA Dashboard | H... Search results... ChatGPT WT\_RFS WT\_Doc Illustrations Karad Web Pr... Other bookmarks

**Sunbeam**

Dashboard

Quiz >

Feedback >

Messages

Recorded Sessions

Online Sessions

Profile

Help

34. To specify the number of records to return, which keyword is used

35. What does below SQL statement describe?  
SELECT CustomerName, Address , City, Country AS Address FROM Customers;


36. What is true regarding correlated query?

37. MongoDB provides the following methods to insert documents into a collection

**Answers**

1. db.collection.insert()  
2. db.collection.insertOne()  
3. db.collection.insertMany()  
4. All of the above

38. The relational model is based on the concept that data is organized and stored in two-dimensional tables called .....



Activities    Brave Web Browser    Tue Aug 1 19:11:38    51 %

Sunbeam    +    Not secure | students.sunbeamapps.org/quiz-app/app-quiz-summary?id=64c8c3f6dc3d2b3bb450c831    🔍    ⌂    🌐    ☰    ⌂    X

SUNBEAM    JAVA\_Doc    CCEE    RFS\_JAVA    Dashboard | H...    Search results...    ChatGPT    WT\_RFS    WT\_Doc    Illustrations    Karad Web Pr...    » | Other bookmarks

 Sunbeam

Dashboard

Quiz >

Feedback >

Messages

Recorded Sessions

Online Sessions

Profile

Help

36. What is true regarding correlated query?

37. MongoDB provides the following methods to insert documents into a collection

38. The relational model is based on the concept that data is organized and stored in two-dimensional tables called .....

**Answers**

1. Fields
2. Records
3. Relations
4. Keys

39. A table on the many side of a one to many or many to many relationship must:

40. In the \_\_\_\_\_ normal form, a composite attribute is converted to individual attributes.

Brave Web Browser icons: Notepad, Document, Back, Gear, VS Code, Lion logo, File, SSD, Recycle Bin, Grid.

Activities    Brave Web Browser    Tue Aug 1 19:11:40    51 %

Sunbeam    x +    Not secure | students.sunbeam...

Screenshot captured  
You can paste the image from the clipboard.

SUNBEAM JAVA\_Doc CCEE RFS\_JAVA Dashboard | H... Search results... ChatGPT WT\_RFS WT\_Doc Illustrations Karad Web Pr... Other bookmarks

**Sunbeam**

Dashboard

Quiz >

Feedback >

Messages

Recorded Sessions

Online Sessions

Profile

Help

36. What is true regarding correlated query?

37. MongoDB provides the following methods to insert documents into a collection


38. The relational model is based on the concept that data is organized and stored in two-dimensional tables called .....

39. A table on the many side of a one to many or many to many relationship must:

**Answers**

1. Be in Second Normal Form (2NF)
2. Be in Third Normal Form (3NF)
3. Have a single attribute key
4. Have a composite key

40. In the \_\_\_\_\_ normal form, a composite attribute is converted to individual attributes.



Activities    Brave Web Browser    Tue Aug 1 19:11:42    51 %

Sunbeam    +    Not secure | students.sunbeam...

Screenshot captured  
You can paste the image from the clipboard.

SUNBEAM JAVA\_Doc CCEE RFS\_JAVA Dashboard | H... Search results... ChatGPT WT\_RFS WT\_Doc Illustrations Karad Web Pr... Other bookmarks

**Sunbeam**

Dashboard

Quiz >

Feedback >

Messages

Recorded Sessions

Online Sessions

Profile

Help

36. What is true regarding correlated query?

37. MongoDB provides the following methods to insert documents into a collection

38. The relational model is based on the concept that data is organized and stored in two-dimensional tables called .....

39. A table on the many side of a one to many or many to many relationship must:

40. In the \_\_\_\_\_ normal form, a composite attribute is converted to individual attributes.

**Answers**

1. First

2. Second

3. Third

4. Fourth

The screenshot shows a Linux desktop interface with a dark theme. A central window titled 'Sunbeam' displays a series of multiple-choice questions. A tooltip at the top right of the window says 'Screenshot captured' and 'You can paste the image from the clipboard.' The desktop dock at the bottom features icons for a text editor, file manager, and system tools. The desktop background is a dark image of a bridge at night.