

Cucumber Report

Nov 28, 2023, 3:31:32 PM

Start : Nov 28, 3:24:06.179 PM

End : Nov 28, 3:31:30.348 PM

Duration : 7 m 24.169 s

Features







PASSED - 0
FAILED - 6
SKIPPED - 0

Scenarios

PASSED - 1
FAILED - 22
SKIPPED - 0

Steps

PASSED - 35
FAILED - 22
SKIPPED - 81




Feature				Scenario				Step			
Name		Duration		T	P	F	S	T	P	F	S
<u>Checking the billing Module</u>		1 m 26.950 s		4	1	3	0	33	16	3	14
<u>Checking the Front office Module</u>		1 m 9.579 s		4	0	4	0	20	4	4	12
<u>Checking the Inpatient Module</u>		1 m 4.502 s		4	0	4	0	25	4	4	17
<u>Testing the functionality of the smart hospital</u>		1 m 19.560 s		3	0	3	0	19	3	3	13
<u>Checking the Outpatient Module</u>		1 m 6.032 s		4	0	4	0	25	4	4	17
<u>Checking the User Login feature</u>		1 m 17.506 s		4	0	4	0	16	4	4	8

#	Feature Name	Scenario Name
1	<u>Checking the billing Module</u>	<u>checking the new patient</u>
2		<u>Checking the mandatory fields for the new patient details</u>
3		<u>Intentionally failing in billig module</u>
4	<u>Checking the Front office Module</u>	<u>Enter all fields in front office as visitor and save</u>
5		<u>Missing the mandatory fields intentionally in new patient for front office</u>
6		<u>Enter all fields in front office as inquiry and save</u>
7		<u>Enter all fields in front office as seminar and save</u>
8	<u>Checking the Inpatient Module</u>	<u>Missing the mandatory fields intentionally in new patient for OutPatient office</u>
9		<u>checking the new patient at out patient</u>
10		<u>Checking the mandatory fields for the new patient details in Inpatient</u>
11		<u>Intentionally failing in InPatient module</u>
12	<u>Testing the functionality of the smart hospital</u>	<u>Testing Appointment Functionlaity</u>


#	Feature Name	Scenario Name
13	<u>Testing the functionality of the smart hospital</u>	<u>Testing Pharmacy Functionality</u>
14		<u>Testing Calendar Functionality</u>
15	<u>Checking the Outpatient Module</u>	<u>Missing the mandatory fields intentionally in new patient for OutPatient office</u>
16		<u>checking the new patient at out patient</u>
17		<u>Checking the mandatory fields for the new patient details in outpatient</u>
18		<u>Intentionally failing in OutPatient module</u>
19	<u>Checking the User Login feature</u>	<u>Searching the report and downloading the pdf</u>
20		<u>Adding the payment details</u>
21		<u>Sorting the component issue using component name</u>
22		<u>Sending chat to the staff member</u>

	TAG	Scenario				Feature			
		T	P	F	S	T	P	F	S
Name									
@NotMandatory		1	1	0	0	1	0	1	0
@MandatoryBill		1	0	1	0	1	0	1	0
@FullBilling		1	0	1	0	1	0	1	0
@BillingNotMandatory		1	0	1	0	1	0	1	0
@EnterAllFeildInFO		1	0	1	0	1	0	1	0
@NotEnterAllFeildInFO		1	0	1	0	1	0	1	0
@EnterAllFeildInFOasInquiry		1	0	1	0	1	0	1	0
@EnterAllFeildInFOasSeminar		1	0	1	0	1	0	1	0
@NotEnterAllFeildInOp		2	0	2	0	2	0	2	0
@MandatoryOp		2	0	2	0	2	0	2	0
@FullInPatient		1	0	1	0	1	0	1	0
@OpNotMandatory		2	0	2	0	2	0	2	0
@MyAppointments		1	0	1	0	1	0	1	0
@Pharmacy		1	0	1	0	1	0	1	0
@ToDoCalendar		1	0	1	0	1	0	1	0
@FullOutPatient		1	0	1	0	1	0	1	0
@Radiology		1	0	1	0	1	0	1	0


TAG	Name	Scenario				Feature			
		T	P	F	S	T	P	F	S
	<i>@Ambulance</i>	1	0	1	0	1	0	1	0
	<i>@BloodBank</i>	1	0	1	0	1	0	1	0
	<i>@Whatsapp</i>	1	0	1	0	1	0	1	0



#	Feature Name	T	P	F	S	Duration
1	<u>Checking the billing Module</u>	4	1	3	0	1 m 26.950 s
2	<u>Checking the Front office Module</u>	4	0	4	0	1 m 9.579 s
3	<u>Checking the Inpatient Module</u>	4	0	4	0	1 m 4.502 s
4	<u>Testing the functionality of the smart hospital</u>	3	0	3	0	1 m 19.560 s
5	<u>Checking the Outpatient Module</u>	4	0	4	0	1 m 6.032 s
6	<u>Checking the User Login feature</u>	4	0	4	0	1 m 17.506 s




#	Feature Name	Scenario Name	T	P	F	S	Duration
1	<u>Checking the billing Module</u>	<u>Missing the mandatory fields intentionally in new patient</u>	8	8	0	0	29.726 s
2		<u>checking the new patient</u>	8	6	1	1	23.000 s
3		<u>Checking the mandatory fields for the new patient details</u>	9	1	1	7	17.262 s
4		<u>Intentionally failing in billig module</u>	8	1	1	6	16.908 s
5	<u>Checking the Front office Module</u>	<u>Enter all fields in front office as visitor and save</u>	5	1	1	3	17.172 s
6		<u>Missing the mandatory fields intentionally in new patient for front office</u>	5	1	1	3	16.985 s
7		<u>Enter all fields in front office as inquiry and save</u>	5	1	1	3	18.839 s
8		<u>Enter all fields in front office as seminar and save</u>	5	1	1	3	16.556 s
9	<u>Checking the Inpatient Module</u>	<u>Missing the mandatory fields intentionally in new patient for OutPatient office</u>	6	1	1	4	16.406 s
10		<u>checking the new patient at out patient</u>	6	1	1	4	15.836 s



#	Feature Name	Scenario Name	T	P	F	S	Duration
11	<u>Checking the Inpatient Module</u>	<u>Checking the mandatory fields for the new patient details in Inpatient</u>	7	1	1	5	15.987 s
12		<u>Intentionally failing in InPatient module</u>	6	1	1	4	16.255 s
13	<u>Testing the functionality of the smart hospital</u>	<u>Testing Appointment Functionlaity</u>	7	1	1	5	40.341 s
14		<u>Testing Pharmacy Functionality</u>	5	1	1	3	19.036 s
15		<u>Testing Calendar Functionality</u>	7	1	1	5	20.171 s
16	<u>Checking the Outpatient Module</u>	<u>Missing the mandatory fields intentionally in new patient for OutPatient office</u>	6	1	1	4	16.607 s
17		<u>checking the new patient at out patient</u>	6	1	1	4	16.039 s
18		<u>Checking the mandatory fields for the new patient details in outpatient</u>	7	1	1	5	16.866 s
19		<u>Intentionally failing in OutPatient module</u>	6	1	1	4	16.503 s

#	Feature Name	Scenario Name	<i>T</i>	<i>P</i>	<i>F</i>	<i>S</i>	Duration
20	<u>Checking the User Login feature</u>	<u>Searching the report and downloading the pdf</u>	4	1	1	2	18.503 s




#	Feature Name	Scenario Name	T	P	F	S	Duration
21	<u>Checking the User Login feature</u>	<u>Adding the payment details</u>	4	1	1	2	19.891 s
22		<u>Sorting the component issue using component name</u>	4	1	1	2	19.983 s
23		<u>Sending chat to the staff member</u>	4	1	1	2	19.113 s

Checking the billing Module




Missing the mandatory fields intentionally in new patient




#	Step / Hook Details	Status	Duration
1	Given user enters into the Admin portal	PASSED	8.788 s
2	Given user enters into Billing	PASSED	3.105 s
3	When user clicks the opd	PASSED	4.292 s
4	And clicks the Add patient	PASSED	0.080 s
5	And clicks the new patient	PASSED	0.337 s
6	And enter some fields	PASSED	0.537 s
7	Then Assert the error	PASSED	2.046 s
8	And Logout1	PASSED	3.660 s

checking the new patient



#	Step / Hook Details	Status	Duration
1	Given user enters into the Admin portal	PASSED	8.588 s
2	Given user enters into Billing	PASSED	1.194 s
3	When user clicks the opd	PASSED	5.763 s
4	And clicks the Add patient	PASSED	0.082 s
5	And clicks the new patient	PASSED	0.271 s
6	And enter the Mandatory fields only	PASSED	0.669 s
7	Then Assert the successfull message java.lang.AssertionError at org.junit.Assert.fail(Assert.java:87) at org.junit.Assert.assertTrue(Assert.java:42) at org.junit.Assert.assertTrue(Assert.java:53) at com.stepdefinition.AdminLoginStepDefinition.assert_the_successfull_message(AdminLoginStepDefinition.java:105) at ?.Assert the successfull message(file:///C:/PathuFolder/Explions/smartHospital/src/test/resources/Features/Billing.feature:25) * Not displayable characters are replaced by '?'. And Logout1	FAILED	0.245 s
8	AFTER - com.stepdefinition.HookClass.tearDown(io.cucumber.java.Scenario) checking the new patient 	SKIPPED	0.000 s
		PASSED	1.565 s


Checking the mandatory fields for the new patient details



#	Step / Hook Details	Status	Duration
1	Given user enters into the Admin portal	PASSED	3.604 s
2	<p>Given user enters into Billing</p> <pre>org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"//i[@class='fas fa-file-invoice']/following-sibling::span[1]"} (Session info: chrome=114.0.5735.199) For documentation on this error, please visit: https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception Build info: version: '4.14.1', revision: '03f8ede370' System info: os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.8' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [e94f5d33ff9f07eafceafe3745e9443d, findElement {using=xpath, value=/i[@class='fas fa-file-invoice']/following-sibling::span[1]}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 114.0.5735.199, chrome: {chromedriverVersion: 114.0.5735.90 (386bc09e8f4f..., userDataDir: C:\WINDOWS\SystemTemp\scope...}, goog:chromeOptions: {debuggerAddress: localhost:63944}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:63944/devtoo..., se:cdpVersion: 114.0.5735.199, setWindowRect: true, strictFileInteractivity: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: e94f5d33ff9f07eafceafe3745e9443d</pre> <p>at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:200) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:175) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:602) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:165) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:359) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:353) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68)</p>	FAILED	10.037 s

#	Step / Hook Details	Status	Duration
	at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38) at jdk.proxy2/jdk.proxy2.\$Proxy36.click(Unknown Source) at com.actions.BillingActions.clickBilling(BillingActions.java:19) at com.stepdefinition.AdminLoginStepDefinition.user_enters_into_billing(AdminLoginStepDefinition.java:49) at ?.user enters into Billing(file:///C:/PathuFolder/Explions/smartHospital/src/test/resources/Features/Billing.feature:31) * Not displayable characters are replaced by '?'.		
3	When user clicks the opd	SKIPPED	0.000 s
4	And clicks the Add patient	SKIPPED	0.000 s
5	And clicks the new patient	SKIPPED	0.001 s
6	And enter the Mandatory fields only	SKIPPED	0.000 s
7	Then enters the other OPD details	SKIPPED	0.000 s
8	And checks the name	SKIPPED	0.000 s
9	And Logout1	SKIPPED	0.000 s
	AFTER - com.stepdefinition.HookClass.tearDown(io.cucumber.java.Scenario) Checking the mandatory fields for the new patient details 	PASSED	0.499 s

Intentionally failing in billig module




#	Step / Hook Details	Status	Duration
1	Given user enters into the Admin portal	PASSED	2.861 s
2	Given user enters into Billing org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"//i[@class='fas fa-file-invoice']/following-sibling::span[1]"} (Session info: chrome=114.0.5735.199) For documentation on this error, please visit: https://www.	FAILED	10.036 s


#	Step / Hook Details	Status	Duration
	<p>selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception Build info: version: '4.14.1', revision: '03f8ede370' System info: os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.8' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [051684dfbf000c9746c2cf535541e77, findElement {using=xpath, value=/i[@class='fas fa-file-invoice']/following-sibling::span[1]}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 114.0.5735.199, chrome: {chromedriverVersion: 114.0.5735.90 (386bc09e8f4f..., userDataDir: C:\WINDOWS\SystemTemp\scope...}, goog:chromeOptions: {debuggerAddress: localhost:63973}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:63973/devtoo..., se:cdpVersion: 114.0.5735.199, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 051684dfbf000c9746c2cf535541e77</p> <p>at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:200) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:175) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:602) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:165) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:359) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:353) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38) at jdk.proxy2/jdk.proxy2.\$Proxy36.click(Unknown Source) at com.actions.BillingActions.clickBilling(BillingActions.java:19) at com.stepdefinition.AdminLoginStepDefinition.user_enters_into_billing(AdminLoginStepDefinition.java:49) at ?.user enters into Billing(file:///C:/PathuFolder/Explions/smartHospital/src/test/resources/Features/Billing.feature:43)</p> <p>* Not displayable characters are replaced by '?'.</p>		
3	When user clicks the opd	SKIPPED	0.000 s
4	And clicks the Add patient	SKIPPED	0.000 s
5	And clicks the new patient	SKIPPED	0.001 s
6	And Missing Mandatory fields only	SKIPPED	0.000 s
7	Then Assert the intentional error	SKIPPED	0.000 s
8	And Logout1	SKIPPED	0.000 s
	AFTER - com.stepdefinition.HookClass.tearDown(io.cucumber.java.Scenario)	PASSED	0.731 s

#	Step / Hook Details	Status	Duration
	<p>Intentionally failing in billig module</p> 		

Checking the Front office Module




Enter all fields in front office as visitor and save



#	Step / Hook Details	Status	Duration
1	Given user enters into the Admin portal	PASSED	2.783 s
2	<p>Given user enters into front office</p> <pre>org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"//span[text()='Front Office']"} (Session info: chrome=114.0.5735.199) For documentation on this error, please visit: https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception Build info: version: '4.14.1', revision: '03f8ede370' System info: os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.8' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [90c1afd52ddbce9fab6408ee2892b5ea, findElement {using=xpath, value=//span[text()='Front Office']}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 114.0.5735.199, chrome: {chromedriverVersion: 114.0.5735.90 (386bc09e8f4f..., userDataDir: C:\WINDOWS\SystemTemp\scope...}, goog:chromeOptions: {debuggerAddress: localhost:64009}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:64009/devtoo..., se:cdpVersion: 114.0.5735.199}</pre>	FAILED	10.096 s

#	Step / Hook Details	Status	Duration
	<pre>setWindowRect: true, strictFileInteractivity: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 90c1afd52ddbce9fab6408ee2892b5ea at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:200) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:175) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:602) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:165) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:359) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:353) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38) at jdk.proxy2/jdk.proxy2.\$Proxy36.click(Unknown Source) at com.actions.FrontOfficeAction.enterFront(FrontOfficeAction.java:16) at com.stepdefinition.AdminLoginStepDefinition.user_enters_into_front_office(AdminLoginStepDefinition.java:121) at ?.user enters into front office(file:///C:/PathuFolder/Explions/smartHospital/src/test/resources/Features/FrontOffice.feature:8)</pre> <p>* Not displayable characters are replaced by '?'.</p>		
3	When clicks the Add visitors	SKIPPED	0.000 s
4	And enter all fields	SKIPPED	0.001 s
5	Then save the visitors	SKIPPED	0.000 s
	AFTER - com.stepdefinition.HookClass.tearDown(io.cucumber.java.Scenario)	PASSED	0.877 s
	Enter all fields in front office as visitor and save		
			


Missing the mandatory fields intentionally in new patient for front office



#	Step / Hook Details	Status	Duration
1	Given user enters into the Admin portal	PASSED	2.856 s
2	<p>Given user enters into front office</p> <pre>org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"//span[text()='Front Office']"} (Session info: chrome=114.0.5735.199) For documentation on this error, please visit: https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception Build info: version: '4.14.1', revision: '03f8ede370' System info: os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.8' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [7532aec895990734e5c3a42e4372e916, findElement {using=xpath, value=/span[text()='Front Office']}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 114.0.5735.199, chrome: {chromedriverVersion: 114.0.5735.90 (386bc09e8f4f..., userDataDir: C:\WINDOWS\SystemTemp\scope...}, goog:chromeOptions: {debuggerAddress: localhost:64035}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:64035/devtoo..., se:cdpVersion: 114.0.5735.199, setWindowRect: true, strictFileInteractivity: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 7532aec895990734e5c3a42e4372e916 at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:200) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:175) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:602) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:165) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:359) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:353) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38)</pre>	FAILED	10.031 s

#	Step / Hook Details	Status	Duration
	at jdk.proxy2/jdk.proxy2.\$Proxy36.click(Unknown Source) at com.actions.FrontOfficeAction.enterFront(FrontOfficeAction.java:16) at com.stepdefinition.AdminLoginStepDefinition.user_enters_into_front_office(AdminLoginStepDefinition.java:121) at ?.user enters into front office(file:///C:/PathuFolder/Explions/smartHospital/src/test/resources/Features/FrontOffice.feature:16) * Not displayable characters are replaced by '?'. 3 When clicks the Add visitors 4 And misses some fields 5 Then Assert the error frontOffice AFTER - com.stepdefinition.HookClass.tearDown(io.cucumber.java.Scenario) Missing the mandatory fields intentionally in new patient for front office		
3	When clicks the Add visitors	SKIPPED	0.000 s
4	And misses some fields	SKIPPED	0.000 s
5	Then Assert the error frontOffice AFTER - com.stepdefinition.HookClass.tearDown(io.cucumber.java.Scenario) Missing the mandatory fields intentionally in new patient for front office	SKIPPED PASSED	0.000 s 0.883 s
			


Enter all fields in front office as inquiry and save



#	Step / Hook Details	Status	Duration
1	Given user enters into the Admin portal	PASSED	3.274 s
2	Given user enters into front office org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"//span[text()='Front Office']"} (Session info: chrome=114.0.5735.199) For documentation on this error, please visit: https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception Build info: version: '4.14.1', revision: '03f8ede370' System info: os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.8' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [ca4cc27bb8adf316d7397b53f1a6f90b, findElement {using=xpath, value=//span[text()='Front Office']}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 114.0.5735.199, chrome: {chromedriverVersion: 114.0.5735.90 (386bc09e8f4f..., userDataDir: C:\WINDOWS\SystemTemp\scope...}, goog:chromeOptions: {debuggerAddress: localhost:64074}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:64074/devtoo..., se:cdpVersion: 114.0.5735.199,	FAILED	10.052 s

#	Step / Hook Details	Status	Duration
	<pre>setWindowRect: true, strictFileInteractivity: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: ca4cc27bb8adf316d7397b53f1a6f90b at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:200) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:175) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:602) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:165) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:359) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:353) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38) at jdk.proxy2/jdk.proxy2.\$Proxy36.click(Unknown Source) at com.actions.FrontOfficeAction.enterFront(FrontOfficeAction.java:16) at com.stepdefinition.AdminLoginStepDefinition.user_enters_into_front_office(AdminLoginStepDefinition.java:121) at ?.user enters into front office(file:///C:/PathuFolder/Explions/smartHospital/src/test/resources/Features/FrontOffice.feature:23)</pre> <p>* Not displayable characters are replaced by '?'.</p>		
3	When clicks the Add visitors as inquiry	SKIPPED	0.000 s
4	And enter all fields	SKIPPED	0.000 s
5	Then save the visitors	SKIPPED	0.000 s
	AFTER - com.stepdefinition.HookClass.tearDown(io.cucumber.java.Scenario) Enter all fields in front office as inquiry and save	PASSED	0.716 s
			


Enter all fields in front office as seminar and save




#	Step / Hook Details	Status	Duration
1	Given user enters into the Admin portal	PASSED	2.464 s
2	<p>Given user enters into front office</p> <pre>org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"//span[text()='Front Office']"} (Session info: chrome=114.0.5735.199) For documentation on this error, please visit: https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception Build info: version: '4.14.1', revision: '03f8ede370' System info: os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.8' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [18daddbd39ee8274cb368f6534cc7fd3, findElement {using=xpath, value=/span[text()='Front Office']}]] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 114.0.5735.199, chrome: {chromedriverVersion: 114.0.5735.90 (386bc09e8f4f..., userDataDir: C:\WINDOWS\SystemTemp\scope...}, goog:chromeOptions: {debuggerAddress: localhost:64108}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:64108/devtoo..., se:cdpVersion: 114.0.5735.199, setWindowRect: true, strictFileInteractivity: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 18daddbd39ee8274cb368f6534cc7fd3</pre> <p>at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:200) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:175) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:602) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:165) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:359) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:353) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38)</p>	FAILED	10.029 s

#	Step / Hook Details	Status	Duration
	at jdk.proxy2/jdk.proxy2.\$Proxy36.click(Unknown Source) at com.actions.FrontOfficeAction.enterFront(FrontOfficeAction.java:16) at com.stepdefinition.AdminLoginStepDefinition.user_enters_into_front_office(AdminLoginStepDefinition.java:121) at ?.user enters into front office(file:///C:/PathuFolder/Explions/smartHospital/src/test/resources/Features/FrontOffice.feature:30) * Not displayable characters are replaced by '?'. 3 When clicks the Add visitors as seminar 4 And enter all fields 5 Then save the visitors		
3	When clicks the Add visitors as seminar	SKIPPED	0.000 s
4	And enter all fields	SKIPPED	0.000 s
5	Then save the visitors	SKIPPED	0.000 s
	AFTER - com.stepdefinition.HookClass.tearDown(io.cucumber.java.Scenario) Enter all fields in front office as seminar and save	PASSED	0.993 s
			


Checking the Inpatient Module




Missing the mandatory fields intentionally in new patient for OutPatient office




#	Step / Hook Details	Status	Duration
1	Given user enters into the Admin portal	PASSED	3.271 s
2	Given user enters into InPatient org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"//span[text()=' IPD - In Patient']"} (Session info: chrome=114.0.5735.199) For documentation on this error, please visit: https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception Build info: version: '4.14.1', revision: '03f8ede370' System info: os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.8' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [d471a0392d214c0c4cc5a14d86a59fc, findElement {using=xpath, value=/span[text()=' IPD - In Patient']}]] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 114.0.5735.199, chrome: {chromedriverVersion: 114.0.5735.90 (386bc09e8f4f..., userDataDir: C:\WINDOWS\SystemTemp\scope...}, goog:chromeOptions: {debuggerAddress: localhost:64138}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:64138/devtoo..., se:cdpVersion: 114.0.5735.199, setWindowRect: true, strictFileInteractivity: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: d471a0392d214c0c4cc5a14d86a59fc at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:200) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:175) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:602) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:165) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:359) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:353) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38) at jdk.proxy2/jdk.proxy2.\$Proxy36.click(Unknown Source) at com.actions.InPatientActions.userEntersIp(InPatientActions.java:18) at com.stepdefinition.AdminLoginStepDefinition.user_enters_into_in_patient(AdminLoginStepDefinition.java:242) at ?.user enters into InPatient(file:///C:/PathuFolder/Explions/smartHospital/src/test/resources/Features/Inpatient.feature:9) * Not displayable characters are replaced by '?'. 	FAILED	10.048 s
3	When clicks the Add patient	SKIPPED	0.000 s
4	And clicks the new patient	SKIPPED	0.000 s
5	And enter some fields in InPatient	SKIPPED	0.000 s
6	Then Assert the error in Inpatient	SKIPPED	0.000 s

#	Step / Hook Details	Status	Duration
	<p>AFTER - com.stepdefinition.HookClass.tearDown(io.cucumber.java.Scenario)</p> <p>Missing the mandatory fields intentionally in new patient for OutPatient office</p> 	PASSED	0.451 s


checking the new patient at out patient



#	Step / Hook Details	Status	Duration
1	Given user enters into the Admin portal	PASSED	2.514 s
2	<p>Given user enters into InPatient</p> <pre>org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"//span[text()=' IPD - In Patient']"} (Session info: chrome=114.0.5735.199) For documentation on this error, please visit: https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception Build info: version: '4.14.1', revision: '03f8ede370' System info: os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.8' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [c8f9ca523a881e5f74b60951ef5e6cc6, findElement {using=xpath, value=//span[text()=' IPD - In Patient']}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 114.0.5735.199, chrome: {chromedriverVersion: 114.0.5735.90 (386bc09e8f4f..., userDataDir: C:\WINDOWS\Temp\scope...}, goog:chromeOptions: {debuggerAddress: localhost:64165}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:64165/devtoo..., se:cdpVersion: 114.0.5735.199, setWindowRect: true, strictFileInteractivity: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: c8f9ca523a881e5f74b60951ef5e6cc6</pre> <p>at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200)</p>	FAILED	10.067 s

#	Step / Hook Details	Status	Duration
	<pre> at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:200) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:175) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:602) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:165) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:359) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:353) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38) at jdk.proxy2/jdk.proxy2.\$Proxy36.click(Unknown Source) at com.actions.InPatientActions.userEntersIp(InPatientActions.java:18) at com.stepdefinition.AdminLoginStepDefinition.user_enters_into_in_patient(AdminLoginStepDefinition.java:242) at ?.user enters into InPatient(file:///C:/PathuFolder/Explions/smartHospital/src/test/resources/Features/Inpatient.feature:17) * Not displayable characters are replaced by '?'. </pre>		
3	When clicks the Add patient	SKIPPED	0.000 s
4	And clicks the new patient	SKIPPED	0.000 s
5	And enter the Mandatory fields only in InPatient	SKIPPED	0.000 s
6	Then Assert the successfull message in InPatient	SKIPPED	0.000 s
	<p>AFTER - com.stepdefinition.HookClass.tearDown(io.cucumber.java.Scenario)</p> <p>checking the new patient at out patient</p> 	PASSED	0.424 s


Checking the mandatory fields for the new patient details in Inpatient



#	Step / Hook Details	Status	Duration
1	Given user enters into the Admin portal	PASSED	2.889 s
2	<p>Given user enters into InPatient</p> <pre>org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"//span[text()=' IPD - In Patient']"} (Session info: chrome=114.0.5735.199) For documentation on this error, please visit: https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception Build info: version: '4.14.1', revision: '03f8ede370' System info: os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.8' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [9f319adab6933c30924997a02836c9f9, findElement {using=xpath, value=/span[text()=' IPD - In Patient']} Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 114.0.5735.199, chrome: {chromedriverVersion: 114.0.5735.90 (386bc09e8f4f..., userDataDir: C:\WINDOWS\SystemTemp\scope...}, goog:chromeOptions: {debuggerAddress: localhost:64190}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:64190/devtoo..., se:cdpVersion: 114.0.5735.199, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 9f319adab6933c30924997a02836c9f9 at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:200) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:175) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:602) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:165) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:359) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:353) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38)</pre>	FAILED	10.066 s

#	Step / Hook Details	Status	Duration
	<pre>at jdk.proxy2/jdk.proxy2.\$Proxy36.click(Unknown Source) at com.actions.InPatientActions.userEntersIp(InPatientActions.java:18) at com.stepdefinition.AdminLoginStepDefinition.user_enters_into_in_patient(AdminLoginStepDefinition.java:242) at ?.user enters into InPatient(file:///C:/PathuFolder/Explions/smartHospital/src/test/resources/Features/Inpatient.feature:26) * Not displayable characters are replaced by '?'.</pre>		
3	When clicks the Add patient	SKIPPED	0.000 s
4	And clicks the new patient	SKIPPED	0.000 s
5	And enter the Mandatory fields only in InPatient	SKIPPED	0.000 s
6	Then enters the other OPD details in InPatient	SKIPPED	0.000 s
7	And checks the name in Inpatient	SKIPPED	0.000 s
	<p>AFTER - com.stepdefinition.HookClass.tearDown(io.cucumber.java.Scenario)</p> <p>Checking the mandatory fields for the new patient details in Inpatient</p> 	PASSED	0.447 s

Intentionally failing in InPatient module




#	Step / Hook Details	Status	Duration
1	Given user enters into the Admin portal	PASSED	2.921 s
2	<p>Given user enters into InPatient</p> <pre>org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"//span[text()=' IPD - In Patient']"} (Session info: chrome=114.0.5735.199) For documentation on this error, please visit: https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception Build info: version: '4.14.1', revision: '03f8ede370' System info: os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.8' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [c761ad6de56ae596d1adf093258ded70, findElement {using=xpath, value=/span[text()=' IPD - In Patient']}] Capabilities {acceptInsecureCerts:</pre>	FAILED	10.039 s

#	Step / Hook Details	Status	Duration
	<pre>false, browserName: chrome, browserVersion: 114.0.5735.199, chrome: {chromedriverVersion: 114.0.5735.90 (386bc09e8f4f..., userDataDir: C:\WINDOWS\SystemTemp\scope...}, goog:chromeOptions: {debuggerAddress: localhost:64218}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:64218/devtoo..., se:cdpVersion: 114.0.5735.199, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: c761ad6de56ae596d1adf093258ded70 at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:200) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:175) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:602) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:165) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:359) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:353) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38) at jdk.proxy2/jdk.proxy2.\$Proxy36.click(Unknown Source) at com.actions.InPatientActions.userEntersIp(InPatientActions.java:18) at com.stepdefinition.AdminLoginStepDefinition.user_enters_into_in_patient(AdminLoginStepDefinition.java:242) at ?.user enters into InPatient(file:///C:/PathuFolder/Explions/smartHospital/src/test/resources/Features/Inpatient.feature:36) * Not displayable characters are replaced by '?'.</pre>		
3	When clicks the Add patient	SKIPPED	0.000 s
4	And clicks the new patient	SKIPPED	0.001 s
5	And Missing Mandatory fields only in InPatient	SKIPPED	0.000 s
6	Then Assert the intentional error in InPatient	SKIPPED	0.000 s
	AFTER - com.stepdefinition.HookClass.tearDown(io.cucumber.java.Scenario) Intentionally failing in InPatient module 	PASSED	0.431 s

Testing the functionality of the smart hospital



Testing Appointment Functionlality




#	Step / Hook Details	Status	Duration
1	Given User enters into the User Login page	PASSED	5.808 s
2	<p>When User Clicks MyAppointment</p> <pre>org.openqa.selenium.TimeoutException: Expected condition failed: waiting for element to be clickable: Proxy element for: DefaultElementLocator 'By.xpath: //span[text()='My Appointments']' (tried for 20 second(s) with 500 milliseconds interval) at org.openqa.selenium.support.ui.WebDriverWait.timeoutException(WebDriverWait.java:84) at org.openqa.selenium.support.ui.FluentWait.until(FluentWait.java:230) at com.actions.LoginActions.clickmyAppointments(LoginActions.java:35) at com.stepdefinition.LoginStepDefinition.user_clicks_my_appointment(LoginStepDefinition.java:31) at ?.User Clicks MyAppointment(file:///C:/PathuFolder/Explions/smartHospital/src/test/resources/Features/Login.feature:8)</pre> <p>Caused by: org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"//span[text()='My Appointments']"} (Session info: chrome=114.0.5735.199) For documentation on this error, please visit: https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception Build info: version: '4.14.1', revision: '03f8ede370' System info: os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.8' Driver info: org.openqa. selenium.chrome.ChromeDriver Command: [eb00de6c5e1a658b5634691dac73c2f6, findElement {using=xpath, value=//span[text()='My Appointments']} Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 114.0.5735.199, chrome: {chromedriverVersion: 114.0.5735.90 (386bc09e8f4f..., userDataDir: C:\WINDOWS\SystemTemp\scope...}, goog:chromeOptions: {debuggerAddress: localhost:64245}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:64245/devtoo..., se:cdpVersion: 114.0.5735.199, setWindowRect: true, strictFileInteractivity: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, </p>	FAILED	30.654 s

#	Step / Hook Details	Status	Duration
	<pre>webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: eb00de6c5e1a658b5634691dac73c2f6 at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:200) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:175) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:602) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:165) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:359) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:353) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38) at jdk.proxy2/jdk.proxy2.\$Proxy36.isDisplayed(Unknown Source) at org.openqa.selenium.support.ui.ExpectedConditions.elementIfVisible(ExpectedConditions.java:304) at org.openqa.selenium.support.ui.ExpectedConditions\$10.apply(ExpectedConditions.java:290) at org.openqa.selenium.support.ui.ExpectedConditions\$10.apply(ExpectedConditions.java:287) at org.openqa.selenium.support.ui.ExpectedConditions\$23.apply(ExpectedConditions.java:656) at org.openqa.selenium.support.ui.ExpectedConditions\$23.apply(ExpectedConditions.java:652) at org.openqa.selenium.support.ui.FluentWait.until(FluentWait.java:205) at com.actions.LoginActions.clickmyAppointments(LoginActions.java:35) at com.stepdefinition.LoginStepDefinition.user_clicks_my_appointment(LoginStepDefinition.java:31) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.java:568) at io.cucumber.java.Invoker.dolInvoke(Invoker.java:66) at io.cucumber.java.Invoker.invoke(Invoker.java:24) at io.cucumber.java.AbstractGlueDefinition.invokeMethod(AbstractGlueDefinition.java:47) at io.cucumber.java.JavaStepDefinition.execute(JavaStepDefinition.java:29) at io.cucumber.core.runner.CoreStepDefinition.execute(CoreStepDefinition.java:66) at io.cucumber.core.runner.PickleStepDefinitionMatch.runStep(PickleStepDefinitionMatch.java:63) at io.cucumber.core.runner.ExecutionMode\$1.execute(ExecutionMode.java:10) at io.cucumber.core.runner.TestStep.executeStep(TestStep.java:84)</pre>		

#	Step / Hook Details	Status	Duration
	at io.cucumber.core.runner.TestStep.run(TestStep.java:56) at io.cucumber.core.runner.PickleStepTestStep.run(PickleStepTestStep.java:51) at io.cucumber.core.runner.TestCase.run(TestCase.java:84) at io.cucumber.core.runner.Runner.runPickle(Runner.java:75) at io.cucumber.testng.TestNGCucumberRunner.lambda\$runScenario\$1(TestNGCucumberRunner.java:132) at io.cucumber.core.runtime.CucumberExecutionContext.lambda\$runTestCase\$5(CucumberExecutionContext.java:137) at io.cucumber.core.runtime.RethrowingThrowableCollector.executeAndThrow(RethrowingThrowableCollector.java:23) at io.cucumber.core.runtime.CucumberExecutionContext.runTestCase(CucumberExecutionContext.java:137) at io.cucumber.testng.TestNGCucumberRunner.runScenario(TestNGCucumberRunner.java:129) at io.cucumber.testng.AbstractTestNGCucumberTests.runScenario(AbstractTestNGCucumberTests.java:35) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.java:568) at org.testng.internal.invokers.MethodInvocationHelper.invokeMethod(MethodInvocationHelper.java:139) at org.testng.internal.invokers.TestInvoker.invokeMethod(TestInvoker.java:664) at org.testng.internal.invokers.TestInvoker.invokeTestMethod(TestInvoker.java:227) at org.testng.internal.invokers.MethodRunner.runInSequence(MethodRunner.java:50) at org.testng.internal.invokers.TestInvoker\$MethodInvocationAgent.invoke(TestInvoker.java:957) at org.testng.internal.invokers.TestInvoker.invokeTestMethods(TestInvoker.java:200) at org.testng.internal.invokers.TestMethodWorker.invokeTestMethods(TestMethodWorker.java:148) at org.testng.internal.invokers.TestMethodWorker.run(TestMethodWorker.java:128) at java.base/java.util.ArrayList.forEach(ArrayList.java:1511) at org.testng.TestRunner.privateRun(TestRunner.java:848) at org.testng.TestRunner.run(TestRunner.java:621) at org.testng.SuiteRunner.runTest(SuiteRunner.java:443) at org.testng.SuiteRunner.runSequentially(SuiteRunner.java:437) at org.testng.SuiteRunner.privateRun(SuiteRunner.java:397) at org.testng.SuiteRunner.run(SuiteRunner.java:336) at org.testng.SuiteRunnerWorker.runSuite(SuiteRunnerWorker.java:52) at org.testng.SuiteRunnerWorker.run(SuiteRunnerWorker.java:95) at org.testng.TestNG.runSuitesSequentially(TestNG.java:1280) at org.testng.TestNG.runSuitesLocally(TestNG.java:1200) at org.testng.TestNG.runSuites(TestNG.java:1114) at org.testng.TestNG.run(TestNG.java:1082) at org.apache.maven.surefire.testng.TestNGExecutor.run(TestNGExecutor.java:155) at org.apache.maven.surefire.testng.TestNGDirectoryTestSuite.executeSingleClass(TestNGDirectoryTestSuite.java:102) at org.apache.maven.surefire.testng.TestNGDirectoryTestSuite.execute(TestNGDirectoryTestSuite.java:91) at org.apache.maven.surefire.testng.TestNGProvider.invoke(TestNGProvider.java:137) at org.apache.maven.surefire.booter.ForkedBooter.runSuitesInProcess(ForkedBooter.java:385) at org.apache.maven.surefire.booter.ForkedBooter.execute(ForkedBooter.java:162)		

#	Step / Hook Details	Status	Duration
	at org.apache.maven.surefire.booter.ForkedBooter.run(ForkedBooter.java:507) at org.apache.maven.surefire.booter.ForkedBooter.main(ForkedBooter.java:495) * Not displayable characters are replaced by '?'.		
3	And User Clicks AddAppointment	SKIPPED	0.000 s
4	Then User Enters All the details	SKIPPED	0.000 s
5	And User Click Save button	SKIPPED	0.000 s
6	Then User Search using Appointment number	SKIPPED	0.000 s
7	And User downloads Showing details as PDF	SKIPPED	0.000 s
	AFTER - com.stepdefinition.HookClass.tearDown(io.cucumber.java.Scenario) Testing Appointment Functionlaity 	PASSED	0.998 s


Testing Pharmacy Functionality



#	Step / Hook Details	Status	Duration
1	Given User enters into the User Login page	PASSED	5.661 s
2	When User Clicks Pharmacy org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"//a[@href='https://demo.smart-hospital.in/patient/dashboard/bill']"} (Session info: chrome=114.0.5735.199) For documentation on this error, please visit: https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception Build info: version: '4.14.1', revision: '03f8ede370' System info: os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.8' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [16060d2c3384f70973a92af8b341b088, findElement {using=xpath, value=/a[@href='https://demo.smart-hospital.in/patient/dashboard/bill']} Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 114.0.5735.199, chrome: {chromedriverVersion: 114.0.5735.90 (386bc09e8f4f..., userDatumDir: C:\WINDOWS\SystemTemp\scope...}, goog:chromeOptions: {debuggerAddress: localhost:64280}, networkConnectionEnabled: false,	FAILED	10.066 s

#	Step / Hook Details	Status	Duration
	<p>pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:64280/devtoo..., se:cdpVersion: 114.0.5735.199, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 16060d2c3384f70973a92af8b341b088</p> <pre> at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:200) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:175) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:602) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:165) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:359) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:353) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38) at jdk.proxy2/jdk.proxy2.\$Proxy36.click(Unknown Source) at com.actions.LoginActions.clickPharmacy(LoginActions.java:101) at com.stepdefinition.LoginStepDefinition.user_clicks_pharmacy(LoginStepDefinition.java:75) at ?.User Clicks Pharmacy(file:///C:/PathuFolder/Explions/smartHospital/src/test/resources/Features/Login.feature:17)</pre> <p>* Not displayable characters are replaced by '?'.</p>		
3	Then User will be redirected to the Pharmacy Page	SKIPPED	0.000 s
4	Then User checks Search functionality with Doctor name	SKIPPED	0.000 s
5	And User Downloads the details in ExcelFormat	SKIPPED	0.000 s
	AFTER - com.stepdefinition.HookClass.tearDown(io.cucumber.java.Scenario) Testing Pharmacy Functionality 	PASSED	0.796 s

Testing Calendar Functionality




#	Step / Hook Details	Status	Duration
1	Given User enters into the User Login page	PASSED	6.272 s
2	<p>When User Clicks Calendar button</p> <pre>org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"//a[@href='https://demo.smart-hospital.in/user/calendar/']"} (Session info: chrome=114.0.5735.199) For documentation on this error, please visit: https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element- exception Build info: version: '4.14.1', revision: '03f8ede370' System info: os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java. version: '17.0.8' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [386aaafd71d02696d9c7a5992e759b6f, findElement {using=xpath, value=/a[@href='https://demo.smart-hospital.in/user/calendar/']}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 114.0.5735.199, chrome: {chromedriverVersion: 114.0.5735.90 (386bc09e8f4f..., userDataDir: C:\WINDOWS\SystemTemp\scope...}, goog:chromeOptions: {debuggerAddress: localhost:64334}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:64334/devtoo..., se:cdpVersion: 114.0.5735.199, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 386aaafd71d02696d9c7a5992e759b6f at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:200) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:175) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:602) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:165) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:359) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:353) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68)</pre>	FAILED	10.046 s

#	Step / Hook Details	Status	Duration
	at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38) at jdk.proxy2/jdk.proxy2.\$Proxy36.click(Unknown Source) at com.actions.LoginActions.clickCalendar(LoginActions.java:171) at com.stepdefinition.LoginStepDefinition.user_clicks_calendar_button(LoginStepDefinition.java:138) at ?.User Clicks Calendar button(file:///C:/PathuFolder/Explions/smartHospital/src/test/resources/Features/Login.feature:24) * Not displayable characters are replaced by '?'. 3 Then User Should moved to another Page 4 And User should Click on ToDo button 5 Then User will be Shown up with Pop-Up Box and Should send values to be added 6 And User Clicks Save button 7 And User Should See the Todo added into Calendar AFTER - com.stepdefinition.HookClass.tearDown(io.cucumber.java.Scenario) Testing Calendar Functionality 		
3	Then User Should moved to another Page	SKIPPED	0.000 s
4	And User should Click on ToDo button	SKIPPED	0.000 s
5	Then User will be Shown up with Pop-Up Box and Should send values to be added	SKIPPED	0.000 s
6	And User Clicks Save button	SKIPPED	0.000 s
7	And User Should See the Todo added into Calendar	SKIPPED	0.000 s
	AFTER - com.stepdefinition.HookClass.tearDown(io.cucumber.java.Scenario) Testing Calendar Functionality 	PASSED	0.807 s

Checking the Outpatient Module




Missing the mandatory fields intentionally in new patient for OutPatient office



#	Step / Hook Details	Status	Duration
1	Given user enters into the Admin portal	PASSED	3.040 s
2	<p>Given user enters into OutPatient</p> <pre>org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"//span[text()=' OPD - Out Patient']"} (Session info: chrome=114.0.5735.199) For documentation on this error, please visit: https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception Build info: version: '4.14.1', revision: '03f8ede370' System info: os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.8' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [e0a3f4182847bea52de1890764be337a, findElement {using=xpath, value=/span[text()=' OPD - Out Patient']}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 114.0.5735.199, chrome: {chromedriverVersion: 114.0.5735.90 (386bc09e8f4f..., userDataDir: C:\WINDOWS\SystemTemp\scope...}, goog:chromeOptions: {debuggerAddress: localhost:64364}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:64364/devtoo..., se:cdpVersion: 114.0.5735.199, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: e0a3f4182847bea52de1890764be337a at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:200) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:175) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:602) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:165) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:359) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:353) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68)</pre>	FAILED	10.039 s

#	Step / Hook Details	Status	Duration
	at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38) at jdk.proxy2/jdk.proxy2.\$Proxy36.click(Unknown Source) at com.actions.OutPatientActions.userEntersOp(OutPatientActions.java:16) at com.stepdefinition.AdminLoginStepDefinition.user_enters_into_out_patient(AdminLoginStepDefinition.java:186) at ?.user enters into OutPatient(file:///C:/PathuFolder/Explions/smartHospital/src/test/resources/Features/Outpatient.feature:9) * Not displayable characters are replaced by '?'.		
3	When clicks the Add patient	SKIPPED	0.000 s
4	And clicks the new patient	SKIPPED	0.000 s
5	And enter some fields in OutPatient	SKIPPED	0.000 s
6	Then Assert the error in outpatient	SKIPPED	0.000 s
	AFTER - com.stepdefinition.HookClass.tearDown(io.cucumber.java.Scenario) Missing the mandatory fields intentionally in new patient for OutPatient office 	PASSED	0.475 s


checking the new patient at out patient



#	Step / Hook Details	Status	Duration
1	Given user enters into the Admin portal	PASSED	2.401 s
2	Given user enters into OutPatient org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"//span[text()=' OPD - Out Patient']"} (Session info: chrome=114.0.5735.199) For documentation on this error, please visit: https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception Build info: version: '4.14.1', revision: '03f8ede370' System info: os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.8' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [8ae805534f1c8577b1523e86a57c59b1, findElement {using=xpath, value=//span[text()=' OPD - Out Patient']} Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 114.0.5735.199, chrome: {chromedriverVersion: 114.0.5735.90	FAILED	10.050 s

#	Step / Hook Details	Status	Duration
	<pre>(386bc09e8f4f..., userDataDir: C:\WINDOWS\SystemTemp\scope...}, goog:chromeOptions: {debuggerAddress: localhost:64390}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:64390/devtoo..., se:cdpVersion: 114.0.5735.199, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 8ae805534f1c8577b1523e86a57c59b1 at jdk.internal.reflect.GeneratedConstructorAccessor43.newInstance(Unknown Source) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:200) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:175) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:602) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:165) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:359) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:353) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38) at jdk.proxy2/jdk.proxy2.\$Proxy36.click(Unknown Source) at com.actions.OutPatientActions.userEntersOp(OutPatientActions.java:16) at com.stepdefinition.AdminLoginStepDefinition.user_enters_into_out_patient(AdminLoginStepDefinition.java:186) at ?.user enters into OutPatient(file:///C:/PathuFolder/Explions/smartHospital/src/test/resources/Features/Outpatient.feature:17)</pre> <p>* Not displayable characters are replaced by '?'.</p>		
3	When clicks the Add patient	SKIPPED	0.000 s
4	And clicks the new patient	SKIPPED	0.000 s
5	And enter the Mandatory fields only in outPatient	SKIPPED	0.000 s
6	Then Assert the successfull message in OutPatient	SKIPPED	0.000 s
	AFTER - com.stepdefinition.HookClass.tearDown(io.cucumber.java.Scenario) checking the new patient at out patient 	PASSED	0.866 s


Checking the mandatory fields for the new patient details in outpatient



#	Step / Hook Details	Status	Duration
1	Given user enters into the Admin portal	PASSED	3.146 s
2	<p>Given user enters into OutPatient</p> <pre>org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"//span[text()=' OPD - Out Patient']"} (Session info: chrome=114.0.5735.199) For documentation on this error, please visit: https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception Build info: version: '4.14.1', revision: '03f8ede370' System info: os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.8' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [b6d6f61375a4fd684419c96a773c7104, findElement {using=xpath, value=/span[text()=' OPD - Out Patient']}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 114.0.5735.199, chrome: {chromedriverVersion: 114.0.5735.90 (386bc09e8f4f..., userDataDir: C:\WINDOWS\SystemTemp\scope...}, goog:chromeOptions: {debuggerAddress: localhost:64417}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:64417/devtoo..., se:cdpVersion: 114.0.5735.199, setWindowRect: true, strictFileInteractivity: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: b6d6f61375a4fd684419c96a773c7104 at jdk.internal.reflect.GeneratedConstructorAccessor43.newInstance(Unknown Source) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:200) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:175) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:602) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:165) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:359) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:353)</pre>	FAILED	10.046 s

#	Step / Hook Details	Status	Duration
	<pre>at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38) at jdk.proxy2/jdk.proxy2.\$Proxy36.click(Unknown Source) at com.actions.OutPatientActions.userEntersOp(OutPatientActions.java:16) at com.stepdefinition.AdminLoginStepDefinition.user_enters_into_out_patient(AdminLoginStepDefinition.java:186) at ?.user enters into OutPatient(file:///C:/PathuFolder/Explions/smartHospital/src/test/resources/Features/Outpatient.feature:26) * Not displayable characters are replaced by '?'.</pre>		
3	When clicks the Add patient	SKIPPED	0.000 s
4	And clicks the new patient	SKIPPED	0.000 s
5	And enter the Mandatory fields only in outPatient	SKIPPED	0.000 s
6	Then enters the other OPD details in outPatient	SKIPPED	0.000 s
7	And checks the name in Outpatient	SKIPPED	0.000 s
	<p>AFTER - com.stepdefinition.HookClass.tearDown(io.cucumber.java.Scenario)</p> <p>Checking the mandatory fields for the new patient details in outpatient</p> 	PASSED	0.698 s

Intentionally failing in OutPatient module




#	Step / Hook Details	Status	Duration
1	Given user enters into the Admin portal	PASSED	2.742 s
2	<p>Given user enters into OutPatient</p> <pre>org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"//span[text()=' OPD - Out Patient']"} (Session info: chrome=114.0.5735.199) For documentation on this error, please visit: https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception Build info: version: '4.14.1', revision: '03f8ede370' System info: os.name:</pre>	FAILED	10.054 s


#	Step / Hook Details	Status	Duration
	'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.8' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [6bd2cceaf1e296be5980096930454e8c, findElement {using=xpath, value=//span[text()=' OPD - Out Patient']} Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 114.0.5735.199, chrome: {chromedriverVersion: 114.0.5735.90 (386bc09e8f4f..., userDataDir: C:\WINDOWS\SystemTemp\scope...}, goog:chromeOptions: {debuggerAddress: localhost:64445}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:64445/devtoo..., se:cdpVersion: 114.0.5735.199, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 6bd2cceaf1e296be5980096930454e8c at jdk.internal.reflect.GeneratedConstructorAccessor43.newInstance(Unknown Source) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:200) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:175) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:602) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:165) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:359) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:353) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38) at jdk.proxy2/jdk.proxy2.\$Proxy36.click(Unknown Source) at com.actions.OutPatientActions.userEntersOp(OutPatientActions.java:16) at com.stepdefinition.AdminLoginStepDefinition.user_enters_into_out_patient(AdminLoginStepDefinition.java:186) at ?.user enters into OutPatient(file:///C:/PathuFolder/Explions/smartHospital/src/test/resources/Features/Outpatient.feature:36) * Not displayable characters are replaced by '?'.		
3	When clicks the Add patient	SKIPPED	0.000 s
4	And clicks the new patient	SKIPPED	0.000 s
5	And Missing Mandatory fields only in outPatient	SKIPPED	0.000 s
6	Then Assert the intentional error in OutPatient	SKIPPED	0.000 s
	AFTER - com.stepdefinition.HookClass.tearDown(io.cucumber.java.Scenario)	PASSED	0.719 s
	Intentionally failing in OutPatient module		

#	Step / Hook Details	Status	Duration
			

Checking the User Login feature




Searching the report and downloading the pdf



#	Step / Hook Details	Status	Duration
1	Given User enters into the User Login portal	PASSED	4.774 s
2	Given User clicks radiology org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"//a[@href='https://demo.smart-hospital.in/patient/dashboard/radioreport'][1]"} (Session info: chrome=114.0.5735.199) For documentation on this error, please visit: https://www.selenium.dev/documentation/webdriver/troubleshooting/ errors#no-such-element-exception Build info: version: '4.14.1', revision: '03f8ede370' System info: os.name: 'Windows 10', os.arch: 'amd64', os. version: '10.0', java.version: '17.0.8' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [7e7a705fa5dce886cb9aa126286460d2, findElement {using=xpath, value=(//a[@href='https://demo.smart-hospital.in/patient/dashboard/ radioreport'])[1]}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 114.0.5735.199, chrome: {chromedriverVersion: 114.0.5735.90 (386bc09e8f4f..., userUserDataDir: C:\WINDOWS\SystemTemp\scope...}, goog:chromeOptions: {debuggerAddress: localhost:64471}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:64471/devtoo..., se:cdpVersion: 114.0.5735.199, setWindowRect: true, strictFileInteractivity: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}}	FAILED	10.064 s

#	Step / Hook Details	Status	Duration
	<pre>pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 7e7a705fa5dce886cb9aa126286460d2 at jdk.internal.reflect.GeneratedConstructorAccessor43.newInstance(Unknown Source) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:200) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:175) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:602) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:165) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:359) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:353) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38) at jdk.proxy2/jdk.proxy2.\$Proxy36.click(Unknown Source) at com.actions.User2Actions.clickRadiology(User2Actions.java:30) at com.stepdefinition.User2StepDefinition.user_clicks_radiology(User2StepDefinition.java:38) at ?.User clicks radiology(file:///C:/PathuFolder/Explions/smartHospital/src/test/resources/Features/User2.feature:8) * Not displayable characters are replaced by '?'.</pre>		
3	When Search the bill number in search field	SKIPPED	0.000 s
4	Then Download the report in pdf format	SKIPPED	0.000 s
	<p>AFTER - com.stepdefinition.HookClass.tearDown(io.cucumber.java.Scenario)</p> <p>Searching the report and downloading the pdf</p> 	PASSED	0.788 s


Adding the payment details



#	Step / Hook Details	Status	Duration
1	Given User enters into the User Login portal	PASSED	6.145 s
2	<p>Given User clicks the ambulance</p> <pre>org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"//a[@href='https://demo.smart-hospital.in/patient/dashboard/ambulance'][1]"} (Session info: chrome=114.0.5735.199) For documentation on this error, please visit: https://www.selenium.dev/documentation/webdriver/troubleshooting/ errors/no-such-element-exception Build info: version: '4.14.1', revision: '03f8ede370' System info: os.name: 'Windows 10', os.arch: 'amd64', os. version: '10.0', java.version: '17.0.8' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [37efa01e37762ad651bb38fd2deadd7b, findElement {using=xpath, value=(//a[@href='https://demo.smart-hospital.in/patient/dashboard/ ambulance'])[1]}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 114.0.5735.199, chrome: {chromedriverVersion: 114.0.5735.90 (386bc09e8f4f..., userDataDir: C:\WINDOWS\SystemTemp\scope...}, goog:chromeOptions: {debuggerAddress: localhost:64499}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:64499/devtoo..., se:cdpVersion: 114.0.5735.199, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 37efa01e37762ad651bb38fd2deadd7b at jdk.internal.reflect.GeneratedConstructorAccessor43.newInstance(Unknown Source) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:200) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:175) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:602) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:165) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:359) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:353) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68)</pre>	FAILED	10.050 s

#	Step / Hook Details	Status	Duration
	<pre>at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38) at jdk.proxy2/jdk.proxy2.\$Proxy36.click(Unknown Source) at com.actions.User2Actions.clickAmbulance(User2Actions.java:42) at com.stepdefinition.User2StepDefinition.user_clicks_the_ambulance(User2StepDefinition.java:59) at ?.User clicks the ambulance(file:///C:/PathuFolder/Explions/smartHospital/src/test/resources/Features/User2.feature:14) * Not displayable characters are replaced by '?'.</pre>		
3	When Processing payment using card	SKIPPED	0.000 s
4	Then Checks the payment is successful	SKIPPED	0.000 s
	<p>AFTER - com.stepdefinition.HookClass.tearDown(io.cucumber.java.Scenario)</p> <p>Adding the payment details</p> 	PASSED	0.738 s


Sorting the component issue using component name



#	Step / Hook Details	Status	Duration
1	Given User enters into the User Login portal	PASSED	6.138 s
2	<p>Given User clicks the blood bank</p> <pre>org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"//a[@href='https://demo.smart-hospital.in/patient/dashboard/bloodbank']"} (Session info: chrome=114.0.5735.199) For documentation on this error, please visit: https://www.selenium.dev/documentation/webdriver/troubleshooting/ errors#no-such-element-exception Build info: version: '4.14.1', revision: '03f8ede370' System info: os.name: 'Windows 10', os.arch: 'amd64', os. version: '10.0', java.version: '17.0.8' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [c2ec55150cc3f83d9a6d8eeab732fdf, findElement {using=xpath, value=/a[@href='https://demo.smart-hospital.in/patient/dashboard/bloodbank']}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 114.0.5735.199, chrome: {chromedriverVersion: 114.0.5735.90 (386bc09e8f4..., userDataDir: C:\WINDOWS\SystemTemp\scope...}, goog:chromeOptions: {debuggerAddress: localhost:64530}, networkConnectionEnabled: false,</pre>	FAILED	10.033 s

#	Step / Hook Details	Status	Duration
	pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:64530/devtoo..., se:cdpVersion: 114.0.5735.199, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: c2ec55150cc3f83d9a6d8eeab732fdcf at jdk.internal.reflect.GeneratedConstructorAccessor43.newInstance(Unknown Source) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:200) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:175) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:602) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:165) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:359) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:353) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38) at jdk.proxy2/jdk.proxy2.\$Proxy36.click(Unknown Source) at com.actions.User2Actions.clickBloodBank(User2Actions.java:78) at com.stepdefinition.User2StepDefinition.user_clicks_the_blood_bank(User2StepDefinition.java:96) at ?.User clicks the blood bank(file:///C:/PathuFolder/Explions/smartHospital/src/test/resources/Features/User2.feature:20) * Not displayable characters are replaced by '?'.		
3	When Switches to component issue	SKIPPED	0.000 s
4	Then Search for component using search field	SKIPPED	0.000 s
	AFTER - com.stepdefinition.HookClass.tearDown(io.cucumber.java.Scenario) Sorting the component issue using component name 	PASSED	0.701 s

Sending chat to the staff member



#	Step / Hook Details	Status	Duration
1	Given User enters into the User Login portal	PASSED	5.373 s
2	<p>Given User clicks the whatsapp</p> <pre>org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"//a[@class='todoicon'][1]"} (Session info: chrome=114.0.5735.199) For documentation on this error, please visit: https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception Build info: version: '4.14.1', revision: '03f8ede370' System info: os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.8' Driver info: org.openqa.selenium. chrome.ChromeDriver Command: [964f5d79b8bd7bebc53ae180d14e7a31, findElement {using=xpath, value=(//a[@class='todoicon'][1])}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 114.0.5735.199, chrome: {chromedriverVersion: 114.0.5735.90 (386bc09e8f4f..., userDatumDir: C:\WINDOWS\SystemTemp\scope...}, goog:chromeOptions: {debuggerAddress: localhost:64559}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:64559/devtoo..., se:cdpVersion: 114.0.5735.199, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 964f5d79b8bd7bebc53ae180d14e7a31 at jdk.internal.reflect.GeneratedConstructorAccessor43.newInstance(Unknown Source) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:200) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:175) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:602) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:165) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:359) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:353) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38)</pre>	FAILED	10.034 s

#	Step / Hook Details	Status	Duration
	at jdk.proxy2/jdk.proxy2.\$Proxy36.click(Unknown Source) at com.actions.User2Actions.clickWhatsApp(User2Actions.java:90) at com.stepdefinition.User2StepDefinition.user_clicks_the_whatsapp(User2StepDefinition.java:116) at ?.User clicks the whatsapp(file:///C:/PathuFolder/Explions/smartHospital/src/test/resources/Features/User2.feature:26) * Not displayable characters are replaced by '?'.		
3	When Send message to the staff	SKIPPED	0.000 s
4	Then Check the message is delivered	SKIPPED	0.000 s
	AFTER - com.stepdefinition.HookClass.tearDown(io.cucumber.java.Scenario) Sending chat to the staff member 	PASSED	0.817 s