

Cucumber Report

19-Nov-2023, 9:18:04 pm

Start : Nov 19, 9:17:52.880 pm

End : Nov 19, 9:18:02.163 pm

Duration : 9.283 s

Features


Scenarios

Steps

PASSED - 0
FAILED - 1
SKIPPED - 0

PASSED - 0
FAILED - 5
SKIPPED - 0


PASSED - 0
FAILED - 0
SKIPPED - 40




Feature		Scenario				Step			
Name	Duration	T	P	F	S	T	P	F	S
<u>Login an account in orangehrm.com</u>	9.283 s	5	0	5	0	40	0	0	40

#	Feature Name	Scenario Name
1	<u>Login an account in orangehrm.com</u>	<u>Login with valid credentials</u>
2		<u>Login with invalid credentials</u>
3		<u>Adding new customer to project info</u>
4		<u>Adding new Organaization Structure</u>
5		<u>Editing the myinfo data</u>

TAG	Scenario				Feature			
Name	T	P	F	S	T	P	F	S
@ValidCredentials	1	0	1	0	1	0	1	0
@InvalidCredentials	1	0	1	0	1	0	1	0
@TimeField	1	0	1	0	1	0	1	0
@SelectingOrganization	1	0	1	0	1	0	1	0
@Accessingmyinfo	1	0	1	0	1	0	1	0





#	Feature Name	T	P	F	S	Duration
1	Login an account in orangehrm.com	5	0	5	0	9.283 s





#	Feature Name	Scenario Name	T	P	F	S	Duration
1	<u>Login an account in orangehrm.com</u>	<u>Login with valid credentials</u>	4	0	0	4	4.091 s
2		<u>Login with invalid credentials</u>	5	0	0	5	1.296 s
3		<u>Adding new customer to project info</u>	9	0	0	9	1.237 s
4		<u>Adding new Organaization Structure</u>	11	0	0	11	1.157 s
5		<u>Editing the myinfo data</u>	11	0	0	11	1.274 s

Login an account in orangehrm.com

FAILED	DURATION - 9.283 s	Scenarios Total - 5 Pass - 0 Fail - 5 Skip - 0		Steps Total - 40 Pass - 0 Fail - 0 Skip - 40	
/ 9:17:52.880 pm // 9:18:02.163 pm /					



Login with valid credentials

FAILED	DURATION - 4.091 s		Steps Total - 4 Pass - 0 Fail - 0 Skip - 4	
/ 9:17:52.886 pm // 9:17:56.977 pm /				
Login an account in orangehrm.com				
@ValidCredentials				

#	Step / Hook Details	Status	Duration
	BEFORE - com.stepdefinition.HookClass.setUp() org.openqa.selenium.SessionNotCreatedException: Could not start a new session. Response code 500. Message: session not created: Microsoft Edge failed to start: crashed. (session not created: DevToolsActivePort file doesn't exist) (The process started from msedge location C:\Program Files (x86)\Microsoft\Edge\Application\msedge.exe is no longer running, so msedge driver is assuming that msedge has crashed.) Host info: host: 'LAPTOP-2PTAM6EL', ip: '192.168.1.10' Build info: version: '4.14.1', revision: '03f8ede370' System info: os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '21.0.1' Driver info: org.openqa.selenium.edge.EdgeDriver Command: [null, newSession {capabilities=[Capabilities {browserName: MicrosoftEdge, ms:edgeOptions: {args: [], binary: C:\Program Files (x86)\Micr..., extensions: []}}]}] at org.openqa.selenium.remote.ProtocolHandshake.createSession(ProtocolHandshake.java:140) at org.openqa.selenium.remote.ProtocolHandshake.createSession(ProtocolHandshake.java:96) at org.openqa.selenium.remote.ProtocolHandshake.createSession(ProtocolHandshake.java:68) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:163) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:200) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:175) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:602) at org.openqa.selenium.remote.RemoteWebDriver.startSession(RemoteWebDriver.java:236) at org.openqa.selenium.remote.RemoteWebDriver.<init>(RemoteWebDriver.java:163) at org.openqa.selenium.chromium.ChromiumDriver.<init>(ChromiumDriver.java:108)	FAILED	4.010 s

#	Step / Hook Details	Status	Duration
	<pre> at org.openqa.selenium.edge.EdgeDriver.<init>(EdgeDriver.java:60) at org.openqa.selenium.edge.EdgeDriver.<init>(EdgeDriver.java:56) at org.openqa.selenium.edge.EdgeDriver.<init>(EdgeDriver.java:48) at org.openqa.selenium.edge.EdgeDriver.<init>(EdgeDriver.java:44) at com.utility.HelperClass.<init>(HelperClass.java:18) at com.utility.HelperClass.setUpDriver(HelperClass.java:37) at com.stepdefinition.HookClass.setUp(HookClass.java:15) </pre>		
1	Given User is on the orangehrm.com homepage	SKIPPED	0.003 s
2	When User enters the valid username and password	SKIPPED	0.002 s
3	And User clicks the login button	SKIPPED	0.001 s
4	Then User sees the login successful message	SKIPPED	0.002 s
	<pre> AFTER - com.stepdefinition.HookClass.tearDown(io.cucumber.java.Scenario) </pre> <pre> java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.TakesScreenshot.getScreenshotAs(org.openqa.selenium.OutputType)" because the return value of "com.utility.HelperClass.getDriver()" is null at com.stepdefinition.HookClass.tearDown(HookClass.java:21) </pre>	FAILED	0.010 s



Login with invalid credentials

FAILED	DURATION - 1.296 s		Steps Total - 5 Pass - 0 Fail - 0 Skip - 5	
/ 9:17:57.145 pm // 9:17:58.441 pm /				
Login an account in orangehrm.com				
@InvalidCredentials				

#	Step / Hook Details	Status	Duration
	<pre> BEFORE - com.stepdefinition.HookClass.setUp() </pre> <pre> org.openqa.selenium.SessionNotCreatedException: Could not start a new session. Response code 500. Message: session not created: Microsoft Edge failed to start: crashed. (session not created: DevToolsActivePort file doesn't exist) (The process started from msedge location C:\Program Files (x86)\Microsoft\Edge\Application\msedge.exe is no longer running, so msedge driver is assuming that msedge has crashed.) Host info: host: 'LAPTOP-2PTAM6EL', ip: '192.168.1.10' Build info: version: '4.14.1', revision: '03f8ede370' System info: os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '21.0.1' Driver info: org.openqa.selenium.edge.EdgeDriver Command: [null, newSession {capabilities=[Capabilities {browserName: MicrosoftEdge, ms:edgeOptions: {args: [], binary: C:\Program Files (x86)\Micr..., extensions: []}}]] at org.openqa.selenium.remote.ProtocolHandshake.createSession(ProtocolHandshake.java:140) at org.openqa.selenium.remote.ProtocolHandshake.createSession(ProtocolHandshake.java:96) </pre>	FAILED	1.267 s



#	Step / Hook Details	Status	Duration
	<pre> at org.openqa.selenium.remote.ProtocolHandshake.createSession(ProtocolHandshake.java:68) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:163) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:200) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:175) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:602) at org.openqa.selenium.remote.RemoteWebDriver.startSession(RemoteWebDriver.java:236) at org.openqa.selenium.remote.RemoteWebDriver.<init>(RemoteWebDriver.java:163) at org.openqa.selenium.chromium.ChromiumDriver.<init>(ChromiumDriver.java:108) at org.openqa.selenium.edge.EdgeDriver.<init>(EdgeDriver.java:60) at org.openqa.selenium.edge.EdgeDriver.<init>(EdgeDriver.java:56) at org.openqa.selenium.edge.EdgeDriver.<init>(EdgeDriver.java:48) at org.openqa.selenium.edge.EdgeDriver.<init>(EdgeDriver.java:44) at com.utility.HelperClass.<init>(HelperClass.java:18) at com.utility.HelperClass.setUpDriver(HelperClass.java:37) at com.stepdefinition.HookClass.setUp(HookClass.java:15) </pre>		
1	Given User is on the orangehrm.com homepage	SKIPPED	0.001 s
2	When User enters the invalid username "Admin1"	SKIPPED	0.001 s
3	And User enters the invalid password "admin1"	SKIPPED	0.001 s
4	And User clicks the login button	SKIPPED	0.000 s
5	Then Login is unsuccessful with error messages	SKIPPED	0.001 s
	AFTER - com.stepdefinition.HookClass.tearDown(io.cucumber.java.Scenario) <pre> java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.TakesScreenshot.getScreenshotAs(org.openqa.selenium.OutputType)" because the return value of "com.utility.HelperClass.getDriver()" is null at com.stepdefinition.HookClass.tearDown(HookClass.java:21) </pre>	FAILED	0.002 s

Adding new customer to project info

FAILED	DURATION - 1.237 s		<div>Steps</div> <div>Total - 9</div> <div>Pass - 0</div> <div>Fail - 0</div> <div>Skip - 9</div>	
/ 9:17:58.462 pm // 9:17:59.699 pm /				
Login an account in orangehrm.com				
@TimeField				

#	Step / Hook Details	Status	Duration
	<p>BEFORE - com.stepdefinition.HookClass.setUp()</p> <p>org.openqa.selenium.SessionNotCreatedException: Could not start a new session. Response code 500. Message: session not created: Microsoft Edge failed to start: crashed. (session not created: DevToolsActivePort file doesn't exist) (The process started from msedge location C:\Program Files (x86)\Microsoft\Edge\Application\msedge.exe is no longer running, so msedgedriver is assuming that msedge has crashed.) Host info: host: 'LAPTOP-2PTAM6EL', ip: '192.168.1.10' Build info: version: '4.14.1', revision: '03f8ede370' System info: os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '21.0.1' Driver info: org.openqa.selenium.edge.EdgeDriver Command: [null, newSession {capabilities=[Capabilities {browserName: MicrosoftEdge, ms:edgeOptions: {args: [], binary: C:\Program Files (x86)\Micr..., extensions: []}}]]</p> <p>at org.openqa.selenium.remote.ProtocolHandshake.createSession(ProtocolHandshake.java:140) at org.openqa.selenium.remote.ProtocolHandshake.createSession(ProtocolHandshake.java:96) at org.openqa.selenium.remote.ProtocolHandshake.createSession(ProtocolHandshake.java:68) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:163) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:200) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:175) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:602) at org.openqa.selenium.remote.RemoteWebDriver.startSession(RemoteWebDriver.java:236) at org.openqa.selenium.remote.RemoteWebDriver.<init>(RemoteWebDriver.java:163) at org.openqa.selenium.chromium.ChromiumDriver.<init>(ChromiumDriver.java:108) at org.openqa.selenium.edge.EdgeDriver.<init>(EdgeDriver.java:60) at org.openqa.selenium.edge.EdgeDriver.<init>(EdgeDriver.java:56) at org.openqa.selenium.edge.EdgeDriver.<init>(EdgeDriver.java:48) at org.openqa.selenium.edge.EdgeDriver.<init>(EdgeDriver.java:44) at com.utility.HelperClass.<init>(HelperClass.java:18) at com.utility.HelperClass.setUpDriver(HelperClass.java:37) at com.stepdefinition.HookClass.setUp(HookClass.java:15)</p>	FAILED	1.214 s
1	Given User is on the orangehrm.com homepage	SKIPPED	0.001 s
2	When User enters the valid username and password	SKIPPED	0.001 s
3	And User clicks the login button	SKIPPED	0.001 s
4	When user selects the time feature	SKIPPED	0.000 s
5	When user selects the projectinfo category	SKIPPED	0.001 s
6	When user selects the customer option	SKIPPED	0.001 s
7	When user clicks the add button	SKIPPED	0.001 s
8	When user adds the addcustomer name, description, and clicks the save button	SKIPPED	0.000 s
9	Then user sees the added customer details	SKIPPED	0.000 s
	<p>AFTER - com.stepdefinition.HookClass.tearDown(io.cucumber.java.Scenario)</p> <p>java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.TakesScreenshot.getScreenshotAs(org.openqa.selenium.OutputType)" because the return value of "com.utility.HelperClass.getDriver()" is null</p> <p>at com.stepdefinition.HookClass.tearDown(HookClass.java:21)</p>	FAILED	0.002 s



Adding new Organaization Structure

FAILED	DURATION - 1.157 s		Steps Total - 11 Pass - 0 Fail - 0 Skip - 11	
/ 9:17:59.716 pm // 9:18:00.873 pm /				
Login an account in orangehrm.com				
@SelectingOrganization				

#	Step / Hook Details	Status	Duration
	BEFORE - com.stepdefinition.HookClass.setUp() org.openqa.selenium.SessionNotCreatedException: Could not start a new session. Response code 500. Message: session not created: Microsoft Edge failed to start: crashed. (session not created: DevToolsActivePort file doesn't exist) (The process started from msedge location C:\Program Files (x86)\Microsoft\Edge\Application\msedge.exe is no longer running, so msedgedriver is assuming that msedge has crashed.) Host info: host: 'LAPTOP-2PTAM6EL', ip: '192.168.1.10' Build info: version: '4.14.1', revision: '03f8ede370' System info: os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '21.0.1' Driver info: org.openqa.selenium.edge.EdgeDriver Command: [null, newSession {capabilities=[Capabilities {browserName: MicrosoftEdge, ms:edgeOptions: {args: [], binary: C:\Program Files (x86)\Micr..., extensions: []}}]] at org.openqa.selenium.remote.ProtocolHandshake.createSession(ProtocolHandshake.java:140) at org.openqa.selenium.remote.ProtocolHandshake.createSession(ProtocolHandshake.java:96) at org.openqa.selenium.remote.ProtocolHandshake.createSession(ProtocolHandshake.java:68) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:163) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:200) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:175) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:602) at org.openqa.selenium.remote.RemoteWebDriver.startSession(RemoteWebDriver.java:236) at org.openqa.selenium.remote.RemoteWebDriver.<init>(RemoteWebDriver.java:163) at org.openqa.selenium.chromium.ChromiumDriver.<init>(ChromiumDriver.java:108) at org.openqa.selenium.edge.EdgeDriver.<init>(EdgeDriver.java:60) at org.openqa.selenium.edge.EdgeDriver.<init>(EdgeDriver.java:56) at org.openqa.selenium.edge.EdgeDriver.<init>(EdgeDriver.java:48) at org.openqa.selenium.edge.EdgeDriver.<init>(EdgeDriver.java:44) at com.utility.HelperClass.<init>(HelperClass.java:18) at com.utility.HelperClass.setUpDriver(HelperClass.java:37) at com.stepdefinition.HookClass.setUp(HookClass.java:15)	FAILED	1.136 s
1	Given User is on the orangehrm.com homepage	SKIPPED	0.000 s
2	When User enters the valid username and password	SKIPPED	0.000 s
3	And User clicks the login button	SKIPPED	0.001 s

#	Step / Hook Details	Status	Duration
4	And User clicks admin feature	SKIPPED	0.001 s
5	And user selects Organization category	SKIPPED	0.000 s
6	And User selects Structure in organaization category	SKIPPED	0.000 s
7	And User enables Edit function	SKIPPED	0.000 s
8	And User clicks Add button	SKIPPED	0.000 s
9	And User enters unit identification number,name,description	SKIPPED	0.000 s
10	And user clicks save	SKIPPED	0.000 s
11	Then User should be able to see structure added sucessfully	SKIPPED	0.000 s
	AFTER - com.stepdefinition.HookClass.tearDown(io.cucumber.java.Scenario)	FAILED	0.003 s
	java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.TakesScreenshot.getScreenshotAs(org.openqa.selenium.OutputType)" because the return value of "com.utility.HelperClass.getDriver()" is null at com.stepdefinition.HookClass.tearDown(HookClass.java:21)		

Editing the myinfo data

FAILED	DURATION - 1.274 s		<div>Steps</div> <div>Total - 11</div> <div>Pass - 0</div> <div>Fail - 0</div> <div>Skip - 11</div>	
/ 9:18:00.889 pm // 9:18:02.163 pm /				
Login an account in orangehrm.com				
@Accessingmyinfo				

#	Step / Hook Details	Status	Duration
	BEFORE - com.stepdefinition.HookClass.setUp()	FAILED	1.247 s
	org.openqa.selenium.SessionNotCreatedException: Could not start a new session. Response code 500. Message: session not created: Microsoft Edge failed to start: crashed. (session not created: DevToolsActivePort file doesn't exist) (The process started from msedge location C:\Program Files (x86)\Microsoft\Edge\Application\msedge.exe is no longer running, so msedgedriver is assuming that msedge has crashed.) Host info: host: 'LAPTOP-2PTAM6EL', ip: '192.168.1.10' Build info: version: '4.14.1', revision: '03f8ede370' System info: os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '21.0.1' Driver info: org.openqa.selenium.edge.EdgeDriver Command: [null, newSession {capabilities=[Capabilities {browserName: MicrosoftEdge, ms:edgeOptions: {args: [], binary: C:\Program Files (x86)\Micr..., extensions: []}}]}] at org.openqa.selenium.remote.ProtocolHandshake.createSession(ProtocolHandshake.java:140) at org.openqa.selenium.remote.ProtocolHandshake.createSession(ProtocolHandshake.java:96) at org.openqa.selenium.remote.ProtocolHandshake.createSession(ProtocolHandshake.java:68) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:163)		

#	Step / Hook Details	Status	Duration
	at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:200) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:175) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:602) at org.openqa.selenium.remote.RemoteWebDriver.startSession(RemoteWebDriver.java:236) at org.openqa.selenium.remote.RemoteWebDriver.<init>(RemoteWebDriver.java:163) at org.openqa.selenium.chromium.ChromiumDriver.<init>(ChromiumDriver.java:108) at org.openqa.selenium.edge.EdgeDriver.<init>(EdgeDriver.java:60) at org.openqa.selenium.edge.EdgeDriver.<init>(EdgeDriver.java:56) at org.openqa.selenium.edge.EdgeDriver.<init>(EdgeDriver.java:48) at org.openqa.selenium.edge.EdgeDriver.<init>(EdgeDriver.java:44) at com.utility.HelperClass.<init>(HelperClass.java:18) at com.utility.HelperClass.setUpDriver(HelperClass.java:37) at com.stepdefinition.HookClass.setUp(HookClass.java:15)		
1	Given User is on the orangehrm.com homepage	SKIPPED	0.000 s
2	When User enters the valid username and password	SKIPPED	0.001 s
3	And User clicks the login button	SKIPPED	0.000 s
4	And user clicks the Myinfo category	SKIPPED	0.001 s
5	And user enters the firstname, lastname, and nickname	SKIPPED	0.000 s
6	And user enters the employeeid, otherid, Driver's License Number, License Expiry Date, SSN Number, and SIN Number	SKIPPED	0.001 s
7	And user enters the select the value of Nationality, Marital Status, Date of Birth, and Gender	SKIPPED	0.001 s
8	And user clicks the save button	SKIPPED	0.001 s
9	And user selects the blood group	SKIPPED	0.001 s
10	And user clicks the bloodgroup save button	SKIPPED	0.001 s
11	Then user is able to see the edited details	SKIPPED	0.001 s
	AFTER - com.stepdefinition.HookClass.tearDown(io.cucumber.java.Scenario) java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.TakesScreenshot.getScreenshotAs(org.openqa.selenium.OutputType)" because the return value of "com.utility.HelperClass.getDriver()" is null at com.stepdefinition.HookClass.tearDown(HookClass.java:21)	FAILED	0.002 s