Cucumber Report

| Start : Nov 19, 2:08:52.987 pm	End : Nov 19, 2:09:59.829 pm	Duration : 1 m 6.842 s
Features	Scenarios	Steps
PASSED - 0 FAILED - 1 SKIPPED - 0	PASSED - 0 FAILED - 1 SKIPPED - 0	PASSED - 0 FAILED - 1 SKIPPED - 9

Feature		Scenario				Step			
Name	**Duration**	**T**	**P**	**F**	**S**	**T**	**P**	**F**	**S**
Login an account in orangehrm.com	*1 m 6.842 s*	*1*	*0*	*1*	*0*	*10*	*0*	*1*	*9*

#	Feature Name	Scenario Name
1	*Login an account in orangehrm.com*	*Adding Employee Status*

| TAG	Scenario				Feature			
Name	T	P	F	S	T	P	F	S
@AddingEmployeeStatus	1	0	1	0	1	0	1	0

#	Feature Name	T	P	F	S	Duration
1	Login an account in orangehrm.com	1	0	1	0	1 m 6.842 s

#	Feature Name	Scenario Name	T	P	F	S	Duration
1	Login an account in orangehrm.com	Adding Employee Status	10	0	1	9	1 m 6.834 s

Login an account in orangehrm.com

FAILED	DURATION - 1 m 6.842 s	Scenarios Total - 1 Pass - 0 Fail - 1 Skip - 0	1	Steps Total - 10 Pass - 0 Fail - 1 Skip - 9	10
	/ 2:08:52.987 pm // 2:09:59.829 pm /				

Adding Employee Status

FAILED	DURATION - 1 m 6.834 s		Steps Total - 10 Pass - 0 Fail - 1 Skip - 9	10
	/ 2:08:52.995 pm // 2:09:59.829 pm /			
	Login an account in orangehrm.com			
	@AddingEmployeeStatus			

#	Step / Hook Details	Status	Duration
1	Given User is on the orangehrm.com homepage	FAILED	1 m 0.242 s

	org.openqa.selenium.WebDriverException: disconnected: received Inspector.detached event (failed to check if window was closed: disconnected: Unable to receive message from renderer) (Session info: MicrosoftEdge=119.0.2151.72) Build info: version: '4.14.1', revision: '03f8ede370' System info: os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.8.1' Driver info: org.openqa.selenium.edge.EdgeDriver Command: [d10287d54e2e0bba9df398e881d0322d, get {url=https://opensource-demo.orangehrmlive.com/web/index.php/auth/login}] Capabilities {acceptInsecureCerts: false, browserName: msedge, browserVersion: 119.0.2151.72, fedcm:accounts: true, ms:edgeOptions: {debuggerAddress: localhost:62084}, msedge: {msedgedriverVersion: 119.0.2151.72 (e8225cce8e47..., userDataDir: C:\Users\91908\AppData\Loca...}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:62084/devtoo..., se:cdpVersion: 119.0.2151.72, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: d10287d54e2e0bba9df398e881d0322d
	   at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method)
	   at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77)
	   at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45)
	   at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499)
	   at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480)
	   at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200)
	   at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133)		

#	Step / Hook Details	Status	Duration
	at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:200) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:175) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:602) at org.openqa.selenium.remote.RemoteWebDriver.get(RemoteWebDriver.java:304) at com.stepdefinition.OrangeHRMStepDefinition.user_is_on_the_orangehrm_com_homepage(OrangeHRMStepDefinition.java:31) at ?.User is on the orangehrm.com homepage(file:///D:/selenium/Venture_pilot_project/src/test/resources/Features/orangeHRM.feature:4) * Not displayable characters are replaced by '?'.		
2	When User enters the valid username and password	SKIPPED	0.001 s
3	And User clicks the login button	SKIPPED	0.000 s
4	And User clicks admin feature	SKIPPED	0.000 s
5	When User selects Job	SKIPPED	0.000 s
6	When User selects Employee Status	SKIPPED	0.000 s
7	When User Clicks on Add button	SKIPPED	0.000 s
8	When User Enters the Employee Status	SKIPPED	0.001 s
9	When User Clicks on Save button	SKIPPED	0.000 s
10	Then User Recevices Successfully Saved message	SKIPPED	0.000 s
	AFTER - com.stepdefinition.HookClass.tearDown(io.cucumber.java.Scenario)	FAILED	0.051 s
	org.openqa.selenium.NoSuchWindowException: no such window: target window already closed from unknown error: web view not found (Session info: MicrosoftEdge=119.0.2151.72) Build info: version: '4.14.1', revision: '03f8ede370' System info: os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.8.1' Driver info: org.openqa.selenium.edge.EdgeDriver Command: [d10287d54e2e0bba9df398e881d0322d, screenshot {}] Capabilities {acceptInsecureCerts: false, browserName: msedge, browserVersion: 119.0.2151.72, fedcm:accounts: true, ms:edgeOptions: {debuggerAddress: localhost:62084}, msedge: {msedgedriverVersion: 119.0.2151.72 (e8225cce8e47..., userDataDir: C:\Users\91908\AppData\Loca...}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:62084/devtoo..., se:cdpVersion: 119.0.2151.72, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: d10287d54e2e0bba9df398e881d0322d at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:200)		

#	Step / Hook Details	Status	Duration
	at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:175) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:602) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:675) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:679) at org.openqa.selenium.remote.RemoteWebDriver.getScreenshotAs(RemoteWebDriver.java:325) at com.stepdefinition.HookClass.tearDown(HookClass.java:21)		