

Feature			Scer	nario			St	ер	
Name	Duration	T	P	F	S	T	P	F	S
Login an account in orangehrm.com	29.316 s	1	0	1	0	10	1	1	8

FAIL & SKIP SCENARIOS -- 3 --

#	Feature Name	Scenario Name
-	Login an account in orangehrm.com	Adding Employee Status


TAG	Scenario			Feature				
Name	T	P	F	S	T	P	F	S
@AddingEmployeeStatus	1	0	1	0	1	0	1	0

FEATURES SUMMARY -- 5 --



#	Feature Name	T	P	F	S	Duration	
1	Login an account in orangehrm.com	1	0	1	0	29.316 s	


SCENARIOS SUMMARY -- 6 --




#		Scenario Name	T	P	F	S	Duration
1	Login an account in orangehrm.com	Adding Employee Status	10	1	1	8	29.310 s

DETAILED SECTION -- 7 --

Login an account in orangehrm.com



Adding Employee Status



#	Step / Hook Details	Status	Duration
1	Given User is on the orangehrm.com homepage	PASSED	12.346 s
2	When User enters the valid username and password	FAILED	10.138 s
	org.openga.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath", "selector":"(//label[text()='Username']/following::input)[1]"} (Session info: MicrosoftEdge=119.0.2151.72) For documentation on this error, please visit: https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception Build info: version: '4.14.1', revision: '03f8ede370' System info: os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.8.1' Driver info: org.openga.selenium.edge.EdgeDriver Command: [828c2cd945e848542a43272d9a1d0a21, findElement {using=xpath, value=(//label[text()='Username']/following::input)[1]}] Capabilities {acceptInsecureCerts: false, browserName: msedge, browserVersion: 119.0.2151.72, fedcm:accounts: true, ms:edgeOptions: {debuggerAddress: localhost:61035}, msedge: {msedgedriverVersion: 119.0.2151.72 (e8225cce8e47, userDataDir: C:\Users\91908\AppData\Loca}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:61035/devtoo, se:cdpVersion: 119.0.2151.72, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 828c2cd945e848542a43272d9a1d0a21 at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480)		

#	Step / Hook Details	Status	Duration
	at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.Codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:200) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:175) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:602) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:165) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:359) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:359) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:353) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38) at jdk.proxy2/jdk.proxy2.\$Proxy21.sendKeys(Unknown Source) at com.actions.LoginActions.setEmail(LoginActions.java:40) at com.actions.LoginActions.setEmail(LoginActions.java:40) at com.stepdefinition.OrangeHRMStepDefinition.user_enters_the_valid_username_and_password(OrangeHRMStepDefinition.java:37) at ?.User enters the valid username and password(file:///D://selenium/Venture_pilot_project/src/test/resources/Features/orangeHRM. feature:51) * Not displayable characters are replaced by '?'.		
3	And User clicks the login button	SKIPPED	0.002 s
4	And User clicks admin feature	SKIPPED	0.000 s
5	When User selects Job	SKIPPED	0.001 s
6	When User selects Employee Status	SKIPPED	0.000 s
7	When User Clicks on Add button	SKIPPED	0.000 s
8	When User Enters the Employee Status	SKIPPED	0.001 s
9	When User Clicks on Save button	SKIPPED	0.000 s
10	Then User Recevices Successfully Saved message	SKIPPED	0.000 s
	AFTER - com.stepdefinition.HookClass.tearDown(io.cucumber.java.Scenario) Adding Employee Status	PASSED	0.222 s