Cucumber Report

19-Nov-2023, 7:45:09 pm

Start : Nov 19, 7:42:04.060 pm

End : Nov 19, 7:45:06.812 pm

Duration : 3 m 2.752 s

Features	Scenarios	Steps
PASSED - 0	PASSED - 3	PASSED - 29
FAILED - 1	FAILED - 2	FAILED - 2
SKIPPED - 0	SKIPPED - 0	SKIPPED - 9

1

5

40

Pass %

0 %

Pass %

60 %

Pass %

72 %

Feature		Scenario				Step			
Name	Duration	T	P	F	S	T	P	F	S
Login an account in orangehrm.com	*3 m 2.752 s*	5	3	2	0	40	29	2	9

#	Feature Name	Scenario Name
1	*Login an account in orangehrm.com*	*Adding new customer to project info*
2		*Editing the myinfo data*

TAG	Scenario				Feature			
Name	T	P	F	S	T	P	F	S
@ValidCredentials	1	1	0	0	1	0	1	0
@InvalidCredentials	1	1	0	0	1	0	1	0
@TimeField	1	0	1	0	1	0	1	0
@SelectingOrganization	1	1	0	0	1	0	1	0
@Accessingmyinfo	1	0	1	0	1	0	1	0

#	Feature Name	T	P	F	S	Duration
1	Login an account in orangehrm.com	5	3	2	0	3 m 2.752 s

| #	Feature Name	Scenario Name	T	P	F	S	Duration
1	Login an account in orangehrm.com	Login with valid credentials	4	4	0	0	34.407 s
2		Login with invalid credentials	5	5	0	0	16.344 s
3		Adding new customer to project info	9	8	1	0	34.186 s
4		Adding new Organaization Structure	11	11	0	0	37.623 s
5		Editing the myinfo data	11	1	1	9	1 m 0.100 s

Login an account in orangehrm.com

FAILED	DURATION - 3 m 2.752 s	Scenarios Total - 5 Pass - 3 Fail - 2 Skip - 0		Steps Total - 40 Pass - 29 Fail - 2 Skip - 9	
/ 7:42:04.060 pm // 7:45:06.812 pm /			5		40

Login with valid credentials

PASSED	DURATION - 34.407 s		Steps Total - 4 Pass - 4 Fail - 0 Skip - 0	
/ 7:42:04.075 pm // 7:42:38.482 pm /				4
Login an account in orangehrm.com				
@ValidCredentials				

#	Step / Hook Details	Status	Duration
1	Given User is on the orangehrm.com homepage	PASSED	18.358 s
2	When User enters the valid username and password	PASSED	1.616 s
3	And User clicks the login button	PASSED	2.097 s
4	Then User sees the login successful message	PASSED	0.781 s

Login with invalid credentials

PASSED	DURATION - 16.344 s		Steps Total - 5 Pass - 5 Fail - 0 Skip - 0	
/ 7:42:38.508 pm // 7:42:54.852 pm /				5
Login an account in orangehrm.com				
@InvalidCredentials				

#	Step / Hook Details	Status	Duration
1	Given User is on the orangehrm.com homepage	PASSED	7.082 s
2	When User enters the invalid username "Admin1"	PASSED	1.480 s
3	And User enters the invalid password "admin1"	PASSED	0.323 s
4	And User clicks the login button	PASSED	1.347 s
5	Then Login is unsuccessful with error messages	PASSED	0.522 s

Adding new customer to project info

FAILED	DURATION - 34.186 s
/ 7:42:54.869 pm // 7:43:29.055 pm /	
Login an account in orangehrm.com	
@TimeField	

Steps
Total - 9
Pass - 8
Fail - 1
Skip - 0

| #	Step / Hook Details	Status	Duration
1	Given User is on the orangehrm.com homepage	PASSED	8.222 s
2	When User enters the valid username and password	PASSED	1.833 s
3	And User clicks the login button	PASSED	0.230 s
4	When user selects the time feature	PASSED	3.884 s
5	When user selects the projectinfo category	PASSED	0.755 s
6	When user selects the customer option	PASSED	0.679 s
7	When user clicks the add button	PASSED	1.397 s
8	When user adds the addcustomer name, description, and clicks the save button	PASSED	0.975 s
9	Then user sees the added customer details	FAILED	10.114 s
	org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"//span[@class='oxd-text oxd-text--span oxd-input-field-error-message oxd-input-group__message']"} (Session info: MicrosoftEdge=119.0.2151.72) For documentation on this error, please visit: https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception Build info: version: '4.14.1', revision: '03f8ede370' System info: os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.8.1' Driver info: org.openqa.selenium.edge.EdgeDriver Command: [29e8b466c0000c2f0f7e44077ef97b0a, findElement {using=xpath, value=//span[@class='oxd-text oxd-text--span oxd-input-field-error-message oxd-input-group__message']}] Capabilities {acceptInsecureCerts: false, browserName: msedge, browserVersion: 119.0.2151.72, fedcm:accounts: true, ms:edgeOptions: {debuggerAddress: localhost:60080}, msedge: {msedgedriverVersion: 119.0.2151.72 (e8225cce8e47..., userDataDir: C:\Users\91908\AppData\Loca...}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:60080/devtoo..., se:cdpVersion: 119.0.2151.72, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0,		

#	Step / Hook Details	Status	Duration

	pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 29e8b466c0000c2f0f7e44077ef97b0a
	    at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method)
	    at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77)
	    at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45)
	    at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499)
	    at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480)
	    at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200)
	    at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133)
	    at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52)
	    at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191)
	    at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:200)
	    at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:175)
	    at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:602)
	    at org.openqa.selenium.remote.ElementLocation$ElementFinder$2.findElement(ElementLocation.java:165)
	    at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59)
	    at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:359)
	    at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:353)
	    at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68)
	    at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38)
	    at jdk.proxy2/jdk.proxy2.$Proxy23.getText(Unknown Source)
	    at com.actions.TimeActions.getverifyerror(TimeActions.java:43)
	    at com.stepdefinition.OrangeHRMStepDefinition.user_sees_the_added_customer_details(OrangeHRMStepDefinition.java:109)
	    at ?.user sees the added customer details(file:///D:/selenium/Venture_pilot_project/src/test/resources/Features/orangeHRM.feature:34)
	* Not displayable characters are replaced by '?'.		

	AFTER - com.stepdefinition.HookClass.tearDown(io.cucumber.java.Scenario) Adding new customer to project info 	PASSED	1.189 s

Adding new Organaization Structure

PASSED	DURATION - 37.623 s
/ 7:43:29.079 pm // 7:44:06.702 pm /	
Login an account in orangehrm.com	
@SelectingOrganization	

Steps
Total - 11
Pass - 11
Fail - 0
Skip - 0

#	Step / Hook Details	Status	Duration
1	Given User is on the orangehrm.com homepage	PASSED	22.460 s
2	When User enters the valid username and password	PASSED	1.599 s
3	And User clicks the login button	PASSED	1.629 s
4	And User clicks admin feature	PASSED	2.149 s
5	And user selects Organization category	PASSED	0.776 s
6	And User selects Structure in organaization category	PASSED	0.734 s
7	And User enables Edit function	PASSED	1.421 s
8	And User clicks Add button	PASSED	0.141 s
9	And User enters unit identification number,name,description	PASSED	0.505 s
10	And user clicks save	PASSED	0.113 s
11	Then User should be able to see structure added sucessfully	PASSED	0.001 s

Editing the myinfo data

FAILED	DURATION - 1 m 0.100 s
/ 7:44:06.712 pm // 7:45:06.812 pm /	
Login an account in orangehrm.com	
@Accessingmyinfo	

Steps
Total - 11
Pass - 1
Fail - 1
Skip - 9

#	Step / Hook Details	Status	Duration
1	Given User is on the orangehrm.com homepage	PASSED	41.985 s
2	When User enters the valid username and password	FAILED	10.040 s

#	Step / Hook Details	Status	Duration

	org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"(//label[text()='Username']/following::input)[1]"} (Session info: MicrosoftEdge=119.0.2151.72) For documentation on this error, please visit: https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception Build info: version: '4.14.1', revision: '03f8ede370' System info: os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.8.1' Driver info: org.openqa.selenium.edge.EdgeDriver Command: [6011bc44d173408e80cac6134a7f75f5, findElement {using=xpath, value=(//label[text()='Username']/following::input)[1]}] Capabilities {acceptInsecureCerts: false, browserName: msedge, browserVersion: 119.0.2151.72, fedcm:accounts: true, ms:edgeOptions: {debuggerAddress: localhost:60231}, msedge: {msedgedriverVersion: 119.0.2151.72 (e8225cce8e47..., userDataDir: C:\Users\91908\AppData\Loca...}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:60231/devtoo..., se:cdpVersion: 119.0.2151.72, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 6011bc44d173408e80cac6134a7f75f5
	  at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method)
	  at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77)
	  at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45)
	  at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499)
	  at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480)
	  at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200)
	  at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133)
	  at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52)
	  at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191)
	  at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:200)
	  at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:175)
	  at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:602)
	  at org.openqa.selenium.remote.ElementLocation$ElementFinder$2.findElement(ElementLocation.java:165)
	  at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59)
	  at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:359)
	  at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:353)
	  at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68)
	  at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38)
	  at jdk.proxy2/jdk.proxy2.$Proxy23.sendKeys(Unknown Source)
	  at com.actions.LoginActions.setEmail(LoginActions.java:15)
	  at com.actions.LoginActions.loginAccount(LoginActions.java:40)
	  at com.stepdefinition.OrangeHRMStepDefinition.user_enters_the_valid_username_and_password(OrangeHRMStepDefinition.java:39)
	  at ?.User enters the valid username and password(file:///D:/selenium/Venture_pilot_project/src/test/resources/Features/orangeHRM.feature:64)
	* Not displayable characters are replaced by '?'.		

3	And User clicks the login button	SKIPPED	0.002 s
4	And user clicks the Myinfo category	SKIPPED	0.000 s
5	And user enters the firstname, lastname, and nickname	SKIPPED	0.001 s
6	And user enters the employeeid, otherid, Driver's License Number, License Expiry Date, SSN Number, and SIN Number	SKIPPED	0.001 s

#	Step / Hook Details	Status	Duration
7	And user enters the select the value of Nationality, Marital Status, Date of Birth, and Gender	SKIPPED	0.001 s
8	And user clicks the save button	SKIPPED	0.001 s
9	And user selects the blood group	SKIPPED	0.000 s
10	And user clicks the bloodgroup save button	SKIPPED	0.000 s
11	Then user is able to see the edited details	SKIPPED	0.002 s
	AFTER - com.stepdefinition.HookClass.tearDown(io.cucumber.java.Scenario) Editing the myinfo data	PASSED	3.030 s