Duration: 1 m 4.861 s Start: Nov 19, 1:18:39.797 pm End: Nov 19, 1:19:44.658 pm Scenarios **Features** Steps PASSED - 0 PASSED - 0 PASSED - 0 SKIPPED - 0 SKIPPED - 0 SKIPPED - 3 40 50 60 40 50 60 40 50 60 30 Pass % 70 30 Pass % 70 30 Pass % 70 20 80 20 20 80 80 90 90 100

Feature		Scenario			Step				
Name	Duration	T	P	F	S	T	P	F	S
Login an account in orangehrm.com	1 m 4.861 s	1	0	1	0	4	0	1	3

FAIL & SKIP SCENARIOS -- 3 --

#	Feature Name	Scenario Name
1	Login an account in orangehrm.com	Login with valid credentials

TAG	Scenario				Feature				
Name	T	P	F	S	T	P	F	S	
@ValidCredentials	1	0	1	0	1	0	1	0	

FEATURES SUMMARY -- 5 --



#	Feature Name	T	P	F	S	Duration
1	Login an account in orangehrm.com	1	0	1	0	1 m 4.861 s

SCENARIOS SUMMARY

-- 6 --




#		Scenario Name	T	P	F	S	Duration
1	Login an account in orangehrm.com	Login with valid credentials	4	0	1	3	1 m 4.856 s

DETAILED SECTION -- 7 --

Login an account in orangehrm.com

Scenarios		Steps	
Total - 1		Total - 4	
Pass - 0	1	Pass - 0	Δ 📜
Fail - 1		Fail - 1	T //
Skip - 0		Skip - 3	
	Total - 1 Pass - 0 Fail - 1	Total - 1 Pass - 0 Fail - 1.	Total - 1 Pass - 0 Fail - 1. Total - 4 Pass - 0 Fail - 1.

Login with valid credentials



#	Step / Hook Details	Status	Duration
1	Given User is on the orangehrm.com homepage	FAILED	59.339 s
	org.openqa.selenium.WebDriverException: disconnected: received Inspector.detached event (failed to check if window was closed: disconnected: Unable to receive message from renderer) (Session info: MicrosoftEdge=119.0.2151.72) Build info: version: '4.14.1', revision: '03f8ede370' System info: os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.8.1' Driver info: org.openqa.selenium. edge.EdgeDriver Command: [76d5aa1f08ab5f2d433368717f2177c2, get {url=https://opensource-demo.orangehrmlive.com/web/index.php/auth/login}] Capabilities {acceptInsecureCerts: false, browserName: msedge, browserVersion: 119.0.2151.72, fedcm:accounts: true, ms:edgeOptions: {debuggerAddress: localhost:59488}, msedge: {msedgedriverVersion: 119.0.2151.72, fedcm:accounts: true, msedgeOptions: {debuggerAddress: localhost:59488}, msedge: {msedgedriverVersion: 119.0.2151.72, fedcm:accounts: true, msedgeOptions: {debuggerAddress: localhost:59488}, msedge: {msedgedriverVersion: 119.0.2151.72, fedcm:accounts: true, msedgeOptions: {debuggerAddress: localhost:59488}, msedge: {msedgedriverVersion: 119.0.2151.72, fedcm:accounts: true, msedge.DebuggerAddress: localhost:59488}, msedge: {msedgedriverVersion: 119.0.2151.72, fedcm:accounts: frue, msedge.DebuggerAddress: localhost:59488}, msedge: {msedgedriverVersion: 119.0.2151.72, fedcm:accounts: frue, msedge.DebuggerAddress: localhost:59488}, msedge: {msedgedriverVersion: 119.0.2151.72, fedcm:accounts: frue, msedge.DebuggerAddress: frue, msedge.PubggerAddress: frue, msedge: frue, psedgedriverVersion: 119.0.215		

#	Step / Hook Details	Status	Duration
	at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:200) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:175) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:602) at org.openqa.selenium.remote.RemoteWebDriver.get(RemoteWebDriver.java:304) at com.stepdefinition.OrangeHRMStepDefinition.user_is_on_the_orangehrm_com_homepage(OrangeHRMStepDefinition.java:28) at ?.User is on the orangehrm.com homepage(file:///D:/selenium/Venture_pilot_project/src/test/resources/Features/orangeHRM.feature:4) * Not displayable characters are replaced by '?'.		
2	When User enters the valid username and password	SKIPPED	0.001 s
3	And User clicks the login button	SKIPPED	0.000 s
4	Then User sees the login successful message	SKIPPED	0.000 s
	AFTER - com.stepdefinition.HookClass.tearDown(io.cucumber.java.Scenario)	FAILED	0.035 s
	org.openqa.selenium.NoSuchWindowException: no such window: target window already closed from unknown error: web view not found (Session info: MicrosoftEdge=119.0.2151.72) Build info: version: '41.4.1', revision: '03f8ede370' System info: os.name: 'Windows 10', os.arch: 'amd64', os.version: '110.0', java.version: '17.08.1' Driver info: org.openqa.selenium.edge.EdgeDriver Command: [76d5aa1f08ab5f2d433368717f217762, screenshot {}] Capabilities {acceptInsecureCerts: false, browserName: msedge, browserVersion: 119.0.2151.72, fedom:accounts: true, ms:edgeOptions: {debuggerAddress: localhost:59488}, msedge: {msedgediverVersion: 119.0.2151.72, legometadbir: C:Usersi91908lAppDataLl.oca}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), secdp: ws://localhost:59488/devtoo, secdpVersion: 119.0.2151.72, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 76d5aa1f08ab5f2d433368717f2177c2 at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(QuativeConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:490) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:33) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:175) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:175) at org.		