
Cucumber Report



Feature		Scenario				Step			
Name	Duration	T	P	F	S	T	P	F	S
Login to HRM Application	7.146 s	1	0	1	0	4	0	1	3


FAIL & SKIP SCENARIOS -- 3 --

#	Feature Name	Scenario Name
1	Login to HRM Application	Login with the valid credentials

FEATURES SUMMARY -- 4 -



#	Feature Name	T	P	F	S	Duration
1	Login to HRM Application	1	0	1	0	7.146 s




7	# Feature Name	Scenario Name	T	P	F	S	Duration
-	Login to HRM Application	Login with the valid credentials	4	0	1	3	7.139 s

DETAILED SECTION -- 6 --

Login to HRM Application

FAILED	DURATION - 7.146 s	Scenarios		Steps	
		Total - 1		Total - 4	
/ 2:54:30.485 pm //	2:54:37.631 pm /	Pass - 0	1	Pass - 0	4
		Fail - 1		Fail - 1	🖊 ' 🕖
		Skip - 0		Skip - 3	

Login with the valid credentials



#	Step / Hook Details	Status	Duration
1	Given User is on HRMLogin page	FAILED	0.048 s
	org.openqa.selenium.InvalidArgumentException: invalid argument (Session info: MicrosoftEdge=119.0.2151.44) Build info: version: '4.14.1', revision: '03f8ede370' System info: os.name: Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.8.1' Driver info: org.openqa. selenium.edge.EdgeDriver Command: [a3931ca5c60823ea17d5e675ebb14631, get {url=url}] Capabilities {acceptInsecureCerts: false, browserName: msedge, browserVersion: 119.0.2151.44, fedcm:accounts: true, ms:edgeOptions: {debuggerAddress: localhost:52691}, msedge: {msedgedriverVersion: 119.0.2151.44 (44557a29097a, userDataDir: C:\UsersIDMANOH~1\AppDatalL}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:52691/devtoo, se:cdpVersion: 119.0.2151.44, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: a3931ca5c60823ea17d5e675ebb14631 at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191)		

DETAILED SECTION -- 7 --

#	Step / Hook Details	Status	Duration
	at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:200) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:175) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:602) at org.openqa.selenium.remote.RemoteWebDriver.get(RemoteWebDriver.java:304) at extentreport_demo.HelperClass.openPage(HelperClass.java:25) at extentreport_demo.OrangeHRm.user_is_on_hrm_login_page(OrangeHRm.java:20) at ?.User is on HRMLogin page(file:///C:/Users/dmanoharan/selenium/cucumberOrangeHrm/src/test/resources/Feature/hrm.feature:6) * Not displayable characters are replaced by '?'.		
2	When User enters to username and password	SKIPPED	0.001 s
3	And User clicks to login button	SKIPPED	0.000 s
4	Then User should be able to login sucessfully and Home page opens verified	SKIPPED	0.000 s
	AFTER - extentreport_demo.HookClass.tearDown(io.cucumber.java.Scenario) Login with the valid credentials	PASSED	1.854 s