

School of Computer Science and Artificial Intelligence

Lab Assignment # 10.2


Program	: B. Tech (CSE)
Specialization	: -
Course Title	: AI Assisted Coding
Course Code	: 23CS002PC304
Semester	: II
Academic Session	: 2025-2026
Name of Student	: k . Deepak
Enrollment No.	: 2303A51T02
Batch No.	: 52
Date	: 10/02/26

Submission Starts here

Screenshots:

Task Description -1(Error Detection and Correction)

Code used:




```
def calculate_total(nums)
    sum = 0
    for n in nums
        sum += n
    return total

...
File "/tmp/ipython-input-1993060875.py", line 1
    def calculate_total(nums)
                           ^
SyntaxError: expected ':'
```

Prompt:

Correct the code and give brief explanations of the identified syntax and logic errors.

Output:



```
def calculate_total(nums):
    total_sum = 0
    for n in nums:
        total_sum += n
    return total_sum|
```

Explanation:

- 1) Missing colons: Python requires a colon : at the end of def (function definition) and for (loop definition) statements.
- 1) Variable shadowing: I renamed the sum variable to total_sum to avoid overwriting Python's built-in sum() function, which can lead to unexpected behavior.
- 1) Undefined variable: The function was trying to return total, but the variable was named sum (or total_sum after the fix). I've corrected it to return total_sum.

Task Description -2(Code Style Standardization)

Code Used:

```
▶ def findSum(a,b):return a+b
  print(findSum(5,10))
...
... 15
```

Prompt:

convert the code to follow standard style conventions.

Output:

```
▶ def find_sum(a, b):
    return a + b

  print(find_sum(5, 10))
...
... 15
```

Task Description -3(Code Clarity Improvement)

Code used:

```
▶ def f(x,y):
  return x-y*2
print(f(10,3))
...
File "/tmp/ipython-input-2982719317.py", line 2
    return x-y*2
^
IndentationError: expected an indented block after function definition on line 1
```

Prompt:

rewrite the code with meaningful function and variable names, proper indentation, and improved clarity.

Output:

```
▶ def calculate_value(first_number, second_number):
    """Calculates the first number minus two times the second number."""
    result = first_number - (second_number * 2)
    return result

# Example usage with meaningful variable names for the call
input_a = 10
input_b = 3
output = calculate_value(input_a, input_b)
print(output)
...
... 4
```

Task Description -4(Structural Refactoring)

Code used:

```
▶ print("Hello Ram")
  print("Hello Sita")
  print("Hello Ravi")

... Hello Ram
  Hello Sita
  Hello Ravi
```

Prompt:

make the code modular using reusable functions to eliminate repetition.

Output:

```
◆ Gemini

▶ def greet_person(name):
    print(f"Hello {name}")

greet_person("Ram")
greet_person("Sita")
greet_person("Ravi")

... Hello Ram
  Hello Sita
  Hello Ravi
```

Task Description -5(Efficiency Enhancement)

Code used:

```
▶ numbers = []
  for i in range(1, 500000):
    numbers.append(i * i)
  print(len(numbers))

... 499999
```

Prompt:

Optimize the code to achieve the same result with improved performance.

Output:

```
◆ Gemini

▶ numbers = [i * i for i in range(1, 500000)]
  print(len(numbers))

... 499999
```