Do Not Scale the Drawing

# COVER SHEET

| ECO No | Rev No | DESCRIPTION | Sign & Date |
|---|---|---|---|
| 500000003458 | 08 | MPCB set value has been changed for Blower Motor & 2A fuse has been added in PLC power section | JS/29.04.2023 |

| | | |
|---|---|---|
| ITEM/OBJECT | : | MOTOR CONTROL CENTRE |
| PANEL NAME | : | AVCONE 160KW S/D LUB WITH PLC OPTION |
| PROJECT REF. NO | : | - |
| DOCUMENT TITLE | : | GENERAL ARRANGEMENT,SCHEMATIC WIRING DIAGRAM & BILL OF MATERIAL |
| PANEL DESIGNED | : | PROPEL INDUSTRIES PVT LTD |

CONTROLLED COPY
20.05.2023

propel

PROPEL INDUSTRIES PVT LTD
COIMBATORE,INDIA

| Drawn by-Date | | | Checked by-Date | | | Approved by-Date | | |
|---|---|---|---|---|---|---|---|---|
| J S | | 29.04.2023 | D.J | | | C.S | | |

| TITLE: | DRG NO: | REV NO | SHEET NO |
|---|---|---|---|
| AVCONE 160KW S/D LUB WITH PLC OPTION | AVELCPSDL08WPLC | 08 | 1/17 |

THIS DOCUMENT IS PROPERTY OF PROPEL INDUSTRIES PVT LTD, ALL RIGHTS RESERVED.

Do Not Scale the Drawing

# INDEX SHEET

| ECO No | Rev No | DESCRIPTION | Sign & Date |
|---|---|---|---|
| 500000003458 | 08 | MPCB set value has been changed for Blower Motor & 2A fuse has been added in PLC power section | JS/29.04.2023 |

| S.NO | PAGE DESCRIPTION | SHEET NO. |
|---|---|---|
| 1 | COVER SHEET | 01 |
| 2 | INDEX SHEET | 02 |
| 3 | LEGENDS,ABBREVIATIONS & SYMBOLS | 03 |
| 4 | TECHNICAL DETAILS | 04 |
| 5 | GENERAL ARRANGEMENT DRAWING-EXTERNAL & INTERNAL VIEW | 05 |
| 6 | POWER WIRING DRAWING-1,2 | 06-07 |
| 7 | CONTROL WIRING DRAWING-1,2,3,4 | 08-11 |
| 8 | DIGITAL INPUT & OUTPUT | 12 |
| 9 | ANALOG INPUT | 13 |
| 10 | BILL OF MATERIAL-1 & 2 | 14-15 |
| 11 | TERMINAL DETAILS | 16 |
| 12 | BLOCK DIAGRAM & SENSOR PIN/WIRE COLOUR CODE DETAILS | 17 |

CONTROLLED COPY
20.05.2023

propel

PROPEL INDUSTRIES PVT LTD
COIMBATORE,INDIA

| Drawn by-Date | | | Checked by-Date | | | Approved by-Date | | |
|---|---|---|---|---|---|---|---|---|
| J S | | 29.04.2023 | D.J | | | C.S | | |

| TITLE: | DRG NO: | REV NO | SHEET NO |
|---|---|---|---|
| AVCONE 160KW S/D LUB WITH PLC OPTION | AVELCPSDL08WPLC | 08 | 2/17 |

THIS DOCUMENT IS PROPERTY OF PROPEL INDUSTRIES PVT LTD, ALL RIGHTS RESERVED.

Do Not Scale the Drawing

# LEGENDS,ABBREVATIONS & SYMBOLS



| ECO No | Rev No | DESCRIPTION | Sign & Date |
|---|---|---|---|
| 500000003458 | 08 | MPCB set value has been changed for Blower Motor & 2A fuse has been added in PLC power section | JS/29.04.2023 |

## LEGENDS & ABBREVATIONS

| | |
|---|---|
| 1SQ1 | MOULDED CASE CIRCUIT BREAKER |
| Q1-Q4 | MOTOR PROTECTION CIRCUIT BREAKER |
| K1-K8 | POWER CONTACTOR |
| 2Q1-2Q6 | MINIATURE CIRCUIT BREAKER |
| CT1-CT5 | CURRENT TRANSFORMER |
| CTS | CURRENT SENSOR |
| PB1-PB5 | PUSH BUTTON |
| IPB1,IPB2 | ILLUMINATED PUSH BUTTON |
| VAF | VAF METER |
| HM | HOUR METER |
| SM 501 MG 53BH | PHASE FAILURE & UV/OV RELAY |
| 1F1-1F8,2F1-2F4 | FUSE |
| R,Y,B,H1-H4 | INDICATION LAMP |
| TRA | CONTROL TRANFORMER |

| POWER SUPPLY | COLOUR | FERRULES |
|---|---|---|
| 230VAC CONTROL SUPPLY (PHASE) | RED(0.75SQMM) | 01-99 / 101-199 |
| 0VAC CONTROL SUPPLY (NEUTRAL) | BLACK(0.75SQMM) | 100,100A |
| +24VDC CONTROL SUPPLY | BLUE(0.75SQMM) | 201-299 |
| 0VDC CONTROL SUPPLY | WHITE(0.75SQMM) | 200,200A |
| POTENTIAL FREE CONTACTOR | ORANGE(0.75SQMM) | 401-499 |
| POWER WIRING CABLE | BLACK(AS REQ) | R,Y,B,U,V,W |

## SYMBOLS & ABBREVATIONS

| | | | |
|---|---|---|---|
|  | MOULDED CASE CIRCUIT BREAKER(3P) |  | INDICATION LAMP |
|  | VOLT,AMPS,FREQUENCY METER |  | HOUR METER |
|  | MINIATURE CIRCUIT BREAKER (2P) |  | TERMINAL BLOCK(MCC) |
|  | POWER CONTACTOR(3P) |  | EMERGENCY STOP PUSH BUTTON |
|  | MOTOR (3P) |  | NORMALLY OPEN CONTACT |
|  | OVERLOAD RELAY(OLR 3P) |  | NORMALLY CLOSE CONTACT |
|  | AUXILLARY CONTACT |  | CONTACTOR COIL |
|  | CONTROL TRANSFORMER(1PHASE) |  | COIL SUPPLY |
|  | START PUSH BUTTON |  | STOP PUSH BUTTON |
|  | TIMER |  | FUSE |

CONTROLLED COPY
20.05.2023

**PROPEL INDUSTRIES PVT LTD**
**COIMBATORE,INDIA**

| Drawn by-Date | | | Checked by-Date | | | Approved by-Date | | |
|---|---|---|---|---|---|---|---|---|
| J S | | 29.04.2023 | D.J | | | C.S | | |

| TITLE: | DRG NO: | REV NO | SHEET NO |
|---|---|---|---|
| AVCONE 160KW S/D LUB WITH PLC OPTION | AVELCPSDL08WPLC | 08 | 3/17 |

THIS DOCUMENT IS PROPERTY OF PROPEL INDUSTRIES PVT LTD, ALL RIGHTS RESERVED.

Do Not Scale the Drawing

## TECHNICAL DETAILS

| ECO No | Rev No | DESCRIPTION | Sign & Date |
|---|---|---|---|
| 500000003458 | 08 | MPCB set value has been changed for Blower Motor & 2A fuse has been added in PLC power section | JS/29.04.2023 |

### ENCLOSURE DETAILS

**MATERIAL**

| | | |
|---|---|---|
| ENCLOSURE | - | MILD STEEL SHEET |
| DOOR | - | MILD STEEL SHEET, ALL-ROUND FORMED |
| DOOR HINGES | - | METAL HINGES |
| DOOR LOCK | - | SQUARE TYPE LOCK WITH KEY |
| FASTENERS | - | SHALL BE ZINC COATED BLUE PASSIVATION |

**MATERIAL THICKNESS**

| | | |
|---|---|---|
| ENCLOSURE | - | 1.6mm |
| DOOR | - | 1.6mm |
| MOUNTING PLATE | - | 2mm |
| GLAND PLATE | - | 2mm |

**SURFACE FINISH**

| | | |
|---|---|---|
| ENCLOSURE & DOOR | - | RAL7035 (LIGHT GREY) POWDER - COATED |
| MOUNTING PLATE | - | RAL2011 (DEEP ORANGE) POWDER - COATED |




**CABLE ENTRY DETAILS**


| | | |
|---|---|---|
| INCOMING & OUTGOING | - | BOTTOM |
| TYPE OF MOUNTING | - | FLOOR MOUNTING |
| INSTALLATION | - | INDOOR |
| REAR DOORS | - | REMOVABLE DOORS |
| TYPE OF PANEL | - | NON-COMPARTMENT TYPE |
| BASE CHANNEL | - | 100 X 50 X 3mm CRCA SHEET (WITH BLACK PAINT |
| GLAND PLATE | - | REMOVABLE WITH KNOCKOUT PUNCH/ HOLES WITH CROMMET |

ENCLOSURE TO MEET IP54 STD

CONTROLLED COPY
20.05.2023

### LEGEND

| SNO | NAME PLATE DETAILS | DOOR LOCATION | COLOUR |
|---|---|---|---|
| 01 |   | ON, OFF, TRIP | BLACK BACKGROUND WITH WHITE LETTER |
| 02 |   | PANEL NAME PLATE | BLACK BACKGROUND WITH WHITE LETTER |
| 03 |   | EMG STOP | YELLOW BACKGROUND WITH BLACK LETTER |




FOUNDATION HOLES

**PROPEL INDUSTRIES PVT LTD**
COIMBATORE,INDIA

| Drawn by-Date | | | Checked by-Date | | | Approved by-Date | | |
|---|---|---|---|---|---|---|---|---|
| J S | | 29.04.2023 | D.J | | | C.S | | |


| TITLE: | DRG NO: | REV NO | SHEET NO |
|---|---|---|---|
| AVCONE 160KW S/D LUB WITH PLC OPTION | AVELCPSDL08WPLC | 08 | 4/17 |

THIS DOCUMENT IS PROPERTY OF PROPEL INDUSTRIES PVT LTD, ALL RIGHTS RESERVED.


Do Not Scale the Drawing

# GENERAL ARRANGEMENT DRAWING- EXTERNAL & INTERNAL VIEW


| ECO No | Rev No | DESCRIPTION | Sign & Date |
|---|---|---|---|
| 500000003458 | 08 | MPCB set value has been changed for Blower Motor & 2A fuse has been added in PLC power section | JS/29.04.2023 |





LEFT SIDE VIEW





FRONT VIEW





RIGHT SIDE VIEW




GLAND PLATE DETAILS
*DIA64 FOR M63 GLAND
*DIA51 FOR M50 GLAND
*DIA20 FOR M20 GLAND
*DIA26 FOR M25 GLAND




INTERNAL VIEW




COMPONENT LAYOUT OF FRONT DOOR

| TAG | COLOUR |
|---|---|
| R | INDICATION LAMP - RED |
| Y | INDICATION LAMP - YELLOW |
| B | INDICATION LAMP - BLUE |
| H1 | E-STOP TRIP LAMP - RED |
| H2 | POWER ON - GREEN |
| IPB1 | LUB ON - GREEN |
| PB1 | LUB OFF - RED |
| PB3 | MANTLE UP - YELLOW |
| PB4 | MANTLE DOWN - BLUE |
| H4 | LUB READY - GREEN |
| IPB2 | CONE ON - GREEN |
| PB2 | CONE OFF - RED |
| H3 | GENERAL TRIP - RED |
| PB5 | RESET - BLACK |

NOTE:
* LOTO - PAD LOCK,TAG,ON/OFF STICKER
** ACRYLIC SHEET (MIN.3mm THICKNESS) TO BE FIXED/MOUNTED BY FABRICATED SUPPORT CLAMPS (INSTEAD OF FULL THREADED RODS).
*** NEUTRAL BUSBAR WITH CONICAL SUPPORT ONLY(L TYPE INSULATOR NOT USED)

CONTROLLED COPY
20.05.2023

*ALL DIMENSIONS ARE IN MM UNLESS OTHERWISE STATED

propel

PROPEL INDUSTRIES PVT LTD
COIMBATORE,INDIA

| Drawn by-Date | | | Checked by-Date | | | Approved by-Date | | |
|---|---|---|---|---|---|---|---|---|
| J S | | 29.04.2023 | D.J | | | C.S | | |


| TITLE: | DRG NO: | REV NO | SHEET NO |
|---|---|---|---|
| AVCONE 160KW S/D LUB WITH PLC OPTION | AVELCPSDL08WPLC | 08 | 5/17 |

THIS DOCUMENT IS PROPERTY OF PROPEL INDUSTRIES PVT LTD, ALL RIGHTS RESERVED.

Do Not Scale the Drawing

# POWER WIRING DIAGRAM-1

| ECO No | Rev No | DESCRIPTION | Sign & Date |
|---|---|---|---|
| 500000003458 | 08 | MPCB set value has been changed for Blower Motor & 2A fuse has been added in PLC power section | JS/29.04.2023 |




NOTE:
*ACCORDING TO SITE CONDITION UNDER VOLTAGE-90% & OVER VOLTAGE-110% TO BE SET IN UV/OV RELAY.

NOTE:
X3 - 2.5 SQMM TERMINAL BLOCK

**CABLE COLOUR**

RD- RED
BK- BLACK
OR-ORANGE
BU-BLUE
WH-WHITE

CONTROLLED COPY
20.05.2023

**PROPEL INDUSTRIES PVT LTD**
COIMBATORE,INDIA

| Drawn by-Date | | | Checked by-Date | | | Approved by-Date | | |
|---|---|---|---|---|---|---|---|---|
| J S | | 29.04.2023 | D.J | | | C.S | | |


| TITLE: | DRG NO: | REV NO | SHEET NO |
|---|---|---|---|
| AVCONE 160KW S/D LUB WITH PLC OPTION | AVELCPSDL08WPLC | 08 | 6/17 |

THIS DOCUMENT IS PROPERTY OF PROPEL INDUSTRIES PVT LTD, ALL RIGHTS RESERVED.

Do Not Scale the Drawing

# POWER WIRING DIAGRAM-2

| ECO No | Rev No | DESCRIPTION | Sign & Date |
|---|---|---|---|
| 500000003458 | 08 | MPCB set value has been changed for Blower Motor & 2A fuse has been added in PLC power section | JS/29.04.2023 |




NOTE:
*ACCORDING TO SITE CONDITION CONTROL TRANSFORMER PRIMARY TAPPING TO BE CHANGED.

NOTE:
X2 - 2.5 SQMM TERMINAL BLOCK
X3 - 2.5 SQMM TERMINAL BLOCK
X4 - 2.5 SQMM TERMINAL BLOCK
1X1 - 2.5 SQMM TERMINAL BLOCK
1X1 - 4 SQMM TERMINAL BLOCK

**CABLE COLOUR**
RD- RED
BK- BLACK
OR-ORANGE
BU-BLUE
WH-WHITE

CONTROLLED COPY
20.05.2023

propel

# PROPEL INDUSTRIES PVT LTD
## COIMBATORE,INDIA

| Drawn by-Date | | | Checked by-Date | | | Approved by-Date | | |
|---|---|---|---|---|---|---|---|---|
| J S | | 29.04.2023 | D.J | | | C.S | | |


| TITLE: | DRG NO: | REV NO | SHEET NO |
|---|---|---|---|
| AVCONE 160KW S/D LUB WITH PLC OPTION | AVELCPSDL08WPLC | 08 | 7/17 |

THIS DOCUMENT IS PROPERTY OF PROPEL INDUSTRIES PVT LTD, ALL RIGHTS RESERVED.

Do Not Scale the Drawing

# CONTROL WIRING DIAGRAM-1

| ECO No | Rev No | DESCRIPTION | Sign & Date |
|---|---|---|---|
| 500000003458 | 08 | MPCB set value has been changed for Blower Motor & 2A fuse has been added in PLC power section | JS/29.04.2023 |




**CABLE COLOUR**

- RD- RED
- BK- BLACK
- OR-ORANGE
- BU-BLUE
- WH-WHITE

CONTROLLED COPY
20.05.2023

propel

## PROPEL INDUSTRIES PVT LTD
COIMBATORE,INDIA

| Drawn by-Date | | | Checked by-Date | | | Approved by-Date | | |
|---|---|---|---|---|---|---|---|---|
| J S | | 29.04.2023 | D.J | | | C.S | | |


| TITLE: | DRG NO: | REV NO | SHEET NO |
|---|---|---|---|
| AVCONE 160KW S/D LUB WITH PLC OPTION | AVELCPSDL08WPLC | 08 | 8/17 |

THIS DOCUMENT IS PROPERTY OF PROPEL INDUSTRIES PVT LTD, ALL RIGHTS RESERVED.

Do Not Scale the Drawing

# CONTROL WIRING DIAGRAM-2

| ECO No | Rev No | DESCRIPTION | Sign & Date |
|---|---|---|---|
| 500000003458 | 08 | MPCB set value has been changed for Blower Motor & 2A fuse has been added in PLC power section | JS/29.04.2023 |




NOTE:
X2 - 2.5 SQMM TERMINAL BLOCK
X3 - 2.5 SQMM TERMINAL BLOCK
X4 - 2.5 SQMM TERMINAL BLOCK
X5 - 2.5 SQMM TERMINAL BLOCK
R1-R8 - RLB1(230V)
R1-R8 - RLB2(230V)

**CABLE COLOUR**
RD- RED
BK- BLACK
OR-ORANGE
BU-BLUE
WH-WHITE

CONTROLLED COPY
20.05.2023

propel

# PROPEL INDUSTRIES PVT LTD
## COIMBATORE,INDIA

| Drawn by-Date | | | Checked by-Date | | | Approved by-Date | | |
|---|---|---|---|---|---|---|---|---|
| J S | | 29.04.2023 | D.J | | | C.S | | |


| TITLE: | DRG NO: | REV NO | SHEET NO |
|---|---|---|---|
| AVCONE 160KW S/D LUB WITH PLC OPTION | AVELCPSDL08WPLC | 08 | 9/17 |

THIS DOCUMENT IS PROPERTY OF PROPEL INDUSTRIES PVT LTD, ALL RIGHTS RESERVED.

Do Not Scale the Drawing

# CONTROL WIRING DIAGRAM-3

| ECO No | Rev No | DESCRIPTION | Sign & Date |
|---|---|---|---|
| 500000003458 | 08 | MPCB set value has been changed for Blower Motor & 2A fuse has been added in PLC power section | JS/29.04.2023 |




**CABLE COLOUR**

- RD- RED
- BK- BLACK
- OR-ORANGE
- BU-BLUE
- WH-WHITE

CONTROLLED COPY
20.05.2023

propel

## PROPEL INDUSTRIES PVT LTD
COIMBATORE,INDIA

| Drawn by-Date | | | Checked by-Date | | | Approved by-Date | | |
|---|---|---|---|---|---|---|---|---|
| J S | | 29.04.2023 | D.J | | | C.S | | |


| TITLE: | DRG NO: | REV NO | SHEET NO |
|---|---|---|---|
| AVCONE 160KW S/D LUB WITH PLC OPTION | AVELCPSDL08WPLC | 08 | 10/17 |

THIS DOCUMENT IS PROPERTY OF PROPEL INDUSTRIES PVT LTD, ALL RIGHTS RESERVED.


Do Not Scale the Drawing

# CONTROL WIRING DIAGRAM-4


| ECO No | Rev No | DESCRIPTION | Sign & Date |
|---|---|---|---|
| 500000003458 | 08 | MPCB set value has been changed for Blower Motor & 2A fuse has been added in PLC power section | JS/29.04.2023 |




160KW STAR/DELTA STARTER




NOTE:




NOTE:
X2 - 2.5 SQMM TERMINAL BLOCK
X3 - 2.5 SQMM TERMINAL BLOCK

**CABLE COLOUR**
RD- RED
BK- BLACK
OR-ORANGE
BU-BLUE
WH-WHITE

CONTROLLED COPY
20.05.2023

propel

PROPEL INDUSTRIES PVT LTD
COIMBATORE,INDIA

| Drawn by-Date | | | Checked by-Date | | | Approved by-Date | | |
|---|---|---|---|---|---|---|---|---|
| J S | | 29.04.2023 | D.J | | | C.S | | |


| TITLE: | DRG NO: | REV NO | SHEET NO |
|---|---|---|---|
| AVCONE 160KW S/D LUB WITH PLC OPTION | AVELCPSDL08WPLC | 08 | 11/17 |

THIS DOCUMENT IS PROPERTY OF PROPEL INDUSTRIES PVT LTD, ALL RIGHTS RESERVED.

Do Not Scale the Drawing

# DIGITAL INPUT & OUTPUT

| ECO No | Rev No | DESCRIPTION | Sign & Date |
|---|---|---|---|
| 500000003458 | 08 | MPCB set value has been changed for Blower Motor & 2A fuse has been added in PLC power section | JS/29.04.2023 |




**CABLE COLOUR**

RD- RED
BK- BLACK
OR-ORANGE
BU-BLUE
WH-WHITE

NOTE:
X6 - 2.5 SQMM TERMINAL BLOCK

CONTROLLED COPY
20.05.2023

PROPEL INDUSTRIES PVT LTD
COIMBATORE,INDIA

| Drawn by-Date | | | Checked by-Date | | | Approved by-Date | | |
|---|---|---|---|---|---|---|---|---|
| J S | | 29.04.2023 | D.J | | | C.S | | |


| TITLE: | DRG NO: | REV NO | SHEET NO |
|---|---|---|---|
| AVCONE 160KW S/D LUB WITH PLC OPTION | AVELCPSDL08WPLC | 08 | 12/17 |

THIS DOCUMENT IS PROPERTY OF PROPEL INDUSTRIES PVT LTD, ALL RIGHTS RESERVED.

Do Not Scale the Drawing

# ANALOG INPUT

| ECO No | Rev No | DESCRIPTION | Sign & Date |
|---|---|---|---|
| 500000003458 | 08 | MPCB set value has been changed for Blower Motor & 2A fuse has been added in PLC power section | JS/29.04.2023 |




**CABLE COLOUR**

RD- RED
BK- BLACK
OR-ORANGE
BU-BLUE
WH-WHITE

NOTE:
X1 - 16 PIN CONNECTOR

CONTROLLED COPY
20.05.2023

propel

# PROPEL INDUSTRIES PVT LTD
## COIMBATORE,INDIA

| Drawn by-Date | | | Checked by-Date | | | Approved by-Date | | |
|---|---|---|---|---|---|---|---|---|
| J S | | 29.04.2023 | D.J | | | C.S | | |

| TITLE: | DRG NO: | REV NO | SHEET NO |
|---|---|---|---|
| AVCONE 160KW S/D LUB WITH PLC OPTION | AVELCPSDL08WPLC | 08 | 13/17 |

THIS DOCUMENT IS PROPERTY OF PROPEL INDUSTRIES PVT LTD, ALL RIGHTS RESERVED.

Do Not Scale the Drawing

# BILL OF MATERIAL-1

| ECO No | Rev No | DESCRIPTION | Sign & Date |
|---|---|---|---|
| 500000003458 | 08 | MPCB set value has been changed for Blower Motor & 2A fuse has been added in PLC power section | JS/29.04.2023 |

| S.NO | DESCRIPTION | INDT MARK IN GA | TAG NAME | PART NO. | SAP PART CODE | MAKE | QTY | UOM |
|---|---|---|---|---|---|---|---|---|
| 1 | CONTROL PANEL ENCLOSURE | | | 1400W X 1600+(100)H X 400D | - | FABRICATION | 1 | NOS |
| 2 | 400A MCCB | 1 | 1SQ1 | LV540306 | AVELCAMCCB3614 | SCHNEIDER | 1 | NOS |
| 3 | Spreader Links 100/160/400A | | | 32492 | AVELCASP3P002 | SCHNEIDER | 1 | SET |
| 4 | Handle for 100/ 400A MCCB with fixing screw | | | LV432598 | AVELCAROHL004 | SCHNEIDER | 1 | NOS |
| 5 | Connecting Rod | | | - | - | SCHNEIDER | 1 | NOS |
| 6 | 3P CONTACTOR-12A | 2 | K5,K7 | LC1E1210M7 | AVELCAPCTR12A | SCHNEIDER | 2 | NOS |
| 7 | 3P CONTACTOR-12A | 3 | K4,K6 | LC1E1210M7 | AVELCAPCTR12A | SCHNEIDER | 2 | NOS |
| 8 | 3P CONTACTOR-25A | 4 | K8 | LC1E2510M7 | AVELCPC25ASCH | SCHNEIDER | 1 | NOS |
| 9 | 3P CONTACTOR-160A | 5 | K3 | LC1E160M5 | AVELCAPCTR160A | SCHNEIDER | 1 | NOS |
| 10 | 3P CONTACTOR-200A | 6 | K1,K2 | LC1E200M5 | AVELCAPCTR200A | SCHNEIDER | 2 | NOS |
| 11 | Add on Block-1NO+1NC | | | LAEN11 | AVELCAAOBNONC | SCHNEIDER | 3 | NOS |
| 12 | Add on Block-2NO+2NC | | | LAEN22 | AVELCAAOB2NO2NC | SCHNEIDER | 1 | NOS |
| 13 | GZ1E MOTOR CB THER/MAG 1.0-1.6A | 7 | Q2 | GZ1E06 | AVELCAMPCB1E06 | SCHNEIDER | 1 | NOS |
| 14 | GZ1E MOTOR CB THER/MAG 2.5-4A | 8 | Q4 | GZ1E08 | AVELCAMPCB1E08 | SCHNEIDER | 1 | NOS |
| 15 | GZ1E MOTOR CB THER/MAG 6-10A | 9 | Q1 | GZ1E14 | AVELCCMPCB1E14 | SCHNEIDER | 1 | NOS |
| 16 | GZ1E MOTOR CB THER/MAG 4-6.3A | 10 | Q3 | GZ1E10 | AVELCAMPCB1E10 | SCHNEIDER | 1 | NOS |
| 17 | Side Mounting Auxillary ACB 1NO+1NC | | | GZ1AN11 | AVELCMPCBAOB11 | SCHNEIDER | 4 | NOS |
| 18 | MCB 2P,10A | 11 | 2Q2,2Q4,2Q5 | A9KF71210BQ | AVELCCMCB7210 | SCHNEIDER | 3 | NOS |
| 19 | MCB 2P 6A | 12 | 2Q3,2Q6 | A9KF71206BQ | AVELCAMCB7206 | SCHNEIDER | 2 | NOS |
| 20 | MCB 3P 32A | 13 | 2Q1 | A9KF71332BQ | AVELCMCB003015 | SCHNEIDER | 1 | NOS |
| 21 | MPR D2 RELAY (1C/O) - 2/5 sec | 14 | MPR | MPR D2 | AVELCMPRD2 | MINILEC | 1 | NOS |
| 22 | UNDER VOLTAGE,OVER VOLTAGE RELAY | 15 | UV/OV | SM501 MG53 BH | AVELCAUVOVRLY01 | GIC | 1 | NOS |
| 23 | Star Delta Timer | 16 | T1 | 2ASDT0 | AVELCASDTIMER | GIC | 1 | NOS |
| 24 | 1 Phase, Control Transformer-1000VA | 17 | TR1 | TRANSFORMER 1000VA | AVELCT1KVA | PROCON/MS | 1 | NOS |
| 25 | CURRENT TRANSFORMER - 500/5A | 18 | CT1,CT2,CT3 | 500 / 5A | AVELCCTCOIL003 | ELMEX | 3 | NOS |
| 26 | CURRENT TRANSFORMER - 500/5A,class-0.5 | | CT4,CT5 | 400/5A | AVELCCTCOIL002 | ELMEX | 2 | NOS |
| 27 | Terminal Block - 2.5Sqmm/4Sqmm | 19 | X2,X3,X4,X5,X6 | KUT2.5/KUT 4 | AVELCATBTSPAP4 | ELMEX | 36 | NOS |
| 28 | Terminal Block - 4 Sqmm | | 1X1,9X1,9X2 | KUT 4 | AVELCATBTSPAP4 | ELMEX | 17 | NOS |
| 29 | EARTH TERMINAL BLOCK-4Sqmm | | | ET4 | AVELCATBTSPAE4 | ELMEX | 3 | NOS |
| 30 | TERMINAL BLOCK - 6SQMM | | 1X1 | KUT 6 | AVELCTERCTR007 | ELMEX | 4 | NOS |
| 31 | FUSE-0.5A | 20 | 2XF | GMA-200-R | AVELCAGLFUSE05 | BUSSMAN | 8 | NOS |
| 32 | FUSE-2A | | 1XF | GMA-2-R | AVELCAGLSFUSE2A | BUSSMAN | 10 | NOS |
| 33 | Fuse Terminal Block with-4Sqmm | | | KUDF4 | AVELCAFSTB0200 | ELMEX | 13 | NOS |
| 34 | TERMINAL BLOCK 4SQMM END PLATE | | | KPXN | AVELCATBEP0200 | ELMEX | 19 | NOS |
| 35 | End clamp-Suitable for 32mm&35mmRail | | | SCUN | AVELCATBCPA | ELMEX | 18 | NOS |
| 36 | 2C/O RELAY BOARD 230V | 21 | RLB1 & RLB2 | REPUTED | AVELCCRYBD2001 | OMRON/TRINITY/ELMEX | 2 | NOS |
| 37 | 1C/O 8CH RELAY BOARD 24V | 22 | IR1-IR8 | REPUTED | AVELCCRYBD1001 | OMRON/TRINITY/ELMEX | 1 | NOS |
| 38 | 1C/O 4CH RELAY BOARD 24V | 23 | IR9-IR12 | REPUTED | AVELCCRYBD1002 | OMRON/TRINITY/ELMEX | 1 | NOS |

CONTROLLED COPY
20.05.2023

NOTE:
* NO. OF FUSES 0.5A & 2A USED IN THE PANEL,REMAINING FROM BOM KEEP LOOSE ITEM(INSIDE THE PANEL).

propel

PROPEL INDUSTRIES PVT LTD
COIMBATORE,INDIA

| Drawn by-Date | | | Checked by-Date | | | Approved by-Date | | |
|---|---|---|---|---|---|---|---|---|
| J S | | 29.04.2023 | D.J | | | C.S | | |

| TITLE: | DRG NO: | REV NO | SHEET NO |
|---|---|---|---|
| AVCONE 160KW S/D LUB WITH PLC OPTION | AVELCPSDL08WPLC | 08 | 14/17 |

THIS DOCUMENT IS PROPERTY OF PROPEL INDUSTRIES PVT LTD, ALL RIGHTS RESERVED.

Do Not Scale the Drawing

# BILL OF MATERIAL-2

| ECO No | Rev No | DESCRIPTION | Sign & Date |
|---|---|---|---|
| 500000003458 | 08 | MPCB set value has been changed for Blower Motor & 2A fuse has been added in PLC power section | JS/29.04.2023 |

| S.NO | DESCRIPTION | INDT MARK IN GA | TAG NAME | PART NO. | SAP PART CODE | MAKE | QTY | UOM |
|---|---|---|---|---|---|---|---|---|
| 39 | SMPS 6.5A | 24 | SMPS | S8FS/REPUTED | AVELCCSMPS0003 | OMRON | 1 | NOS |
| 40 | INDICATION LAMP RED 230VAC,LED TYPE | 25 | R-PHASE,H1,H3 | XB7EV04MPN | AVELCPNLELI057 | SCHNEIDER | 3 | NOS |
| 41 | INDICATION LAMP YELLOW | 26 | Y-PHASE | XB7EV05MPN | AVELCPNLELI058 | SCHNEIDER | 1 | NOS |
| 42 | INDICATION LAMP BLUE | 27 | B-PHASE | XB7EV06MPN | AVELCPNLELI059 | SCHNEIDER | 1 | NOS |
| 43 | INDICATION LAMP GREEN | 28 | H2,H4 | XB7EV03MPN | AVELCAILGREEN | SCHNEIDER | 2 | NOS |
| 44 | Green Push button Illuminated | 29 | IPB1,IPB2 | XB5AW33M1N | AVELCILUGPBSCH02 | SCHNEIDER | 2 | NOS |
| 45 | Push Button - Red | 30 | PB1,PB2 | XB5AA42N | AVELCREDPBSCHWNO | SCHNEIDER | 2 | NOS |
| 46 | Emergency Stop Push Button - Mushroom | 31 | EPB | XB5AS542N | AVELCESTOPSCHWNC | SCHNEIDER | 1 | NOS |
| 47 | NO ELEMENT | | | ZBE 101N | AVELCPUBUELNO | SCHNEIDER | 1 | NOS |
| 48 | NC ELEMENT | | | ZBE 102N | AVELCPUBUELNC | SCHNEIDER | 1 | NOS |
| 49 | PUSH BUTTON-YELLOW WITH NO | 32 | PB3 | XB5AA51N | AVELCAPBYWNO | SCHNEIDER | 1 | NOS |
| 50 | PUSH BUTTON - BLUE WITH NO | 33 | PB4 | XB5AA61N | AVELCABPBNOE | SCHNEIDER | 1 | NOS |
| 51 | PUSH BUTTON - BLACK WITH NO | 34 | PB5 | XB5AA21N | AVELCBLKPSHBUT | SCHNEIDER | 1 | NOS |
| 52 | Hour Meter 230V AC | 35 | HM | H57 | AVELCHM230VAC | KUBLER | 1 | NOS |
| 53 | VAF Meter - ELMEASURE WITH RS 485 | 36 | VAF | OM1300 | AVELCVAFMET230V | ELMEASURE | 1 | NOS |
| 54 | 16 PIN CONNECTOR | | | - | AVELC16PMFCON | JIGO/INDO | 1 | NOS |
| 55 | LOTO PAD LOCK(TAG,PAD LOCK,STICKER) | 37 | | - | AVELCLOTOPADLOCK | REPUTED | 1 | NOS |
| 56 | CONTROL CABLE | | | 2.5SQMM RED,BLACK | - | LAPP/RR/POLYCAB | AS REQ. | M |
| 57 | CONTROL CABLE | | | 0.75SQMM RED,BLACK | - | LAPP/RR/POLYCAB | AS REQ. | M |
| 58 | CONTROL CABLE | | | 0.75SQMM OR,BU,WH | - | LAPP/RR/POLYCAB | AS REQ. | M |
| 59 | CONTROL CABLE | | | 1.5SQMM RED,BLACK | - | LAPP/RR/POLYCAB | AS REQ. | M |
| 60 | ALUMINIUM BUSBAR-MCCB I/C & O/G | 38 | | 50X10 | AVELCALBB5010 | REPUTED | AS REQ. | MM |
| 60 | ALUMINIUM BUSBAR-NEUTRAL | 38 | | 25X12 | AVELCALBB2512 | REPUTED | AS REQ. | MM |
| 61 | ALUMINIUM EARTH BUSBAR | 39 | | 25X6 | AVELCALBB2506 | REPUTED | AS REQ. | MM |
| 62 | ALUMINIUM BUSBAR-M/D I/C & O/G | 40 | | 25X12 | AVELCALBB2512 | REPUTED | AS REQ. | MM |
| 63 | CU. FLEXIBLE CABLE | 41 | | 70SQMM | - | LAPP/RR/POLYCAB | AS REQ. | M |
| 64 | LIFTING HOOKS | 42 | | - | - | REPUTED | 4 | NOS |
| 65 | PANEL LOCK | 43 | | - | AVELCPDRLK70523 | REPUTED | 3 | NOS |
| 66 | SIMATIC S7-200 SMART,CPU ST40 | 44 | | 6ES7288-1ST40-0AA0 | AVELCPLCSI1ST40 | SIEMENS | 1 | NOS |
| 67 | PLC ANALOG MODULE-EM AE04 | 45 | | 6ES7288-3AE04-0AA0 | AVELCPLCSI3AE04 | SIEMENS | 1 | NOS |
| 68 | HMI,KTP700 BASIC,2ND GEN. | 46 | | 6AV2123-2GB03-0AX0 | AVELCHMIU7INC | SIEMENS | 1 | NOS |
| 69 | RS 485 COMMUNICATION MODULE(OPTIONAL FOR SCADA) | | | 6ES7288-5CM01-0AA0 | AVELCCMSI5CM01 | SIEMENS | 1 | NOS |
| 70 | 4"FAN | 47 | | - | AVELCRITCOFAN4IN | REPUTED | 1 | NOS |
| 71 | LOUVER 4" | 48 | | - | AVELCRITLOU4IN | REPUTED | 1 | NOS |
| 72 | DISTRIBUTION TB-80A(R,Y,B) | 49 | | DBK-1X4 / REPUTED | AVELCDBL308010 | ELMEX/REPUTED | 3 | NOS |
| 73 | NEUTRAL LINK | | | - | - | REPUTED | 1 | NOS |
| 74 | CURRENT SENSOR CTS | 50 | CTS | S2 CTS 1/5 | AVELCACTSR001 | MINILEC | 1 | NOS |

CONTROLLED COPY
20.05.2023

propel

PROPEL INDUSTRIES PVT LTD
COIMBATORE,INDIA

| Drawn by-Date | | | Checked by-Date | | | Approved by-Date | | |
|---|---|---|---|---|---|---|---|---|
| J S | | 29.04.2023 | D.J | | | C.S | | |

| TITLE: | DRG NO: | REV NO | SHEET NO |
|---|---|---|---|
| AVCONE 160KW S/D LUB WITH PLC OPTION | AVELCPSDL08WPLC | 08 | 15/17 |


THIS DOCUMENT IS PROPERTY OF PROPEL INDUSTRIES PVT LTD, ALL RIGHTS RESERVED.

Do Not Scale the Drawing


TERMINAL DETAILS

| ECO No | Rev No | DESCRIPTION | Sign & Date |
|---|---|---|---|
| 500000003458 | 08 | MPCB set value has been changed for Blower Motor & 2A fuse has been added in PLC power section | JS/29.04.2023 |


## FUSE TERMINAL





## POWER TERMINAL





## POWER PACK JUNCTION BOX CONTROL




## CONTROL TERMINAL




## PHASE & NEUTRAL TERMINAL




CONTROLLED COPY

20.05.2023

# PROPEL INDUSTRIES PVT LTD
## COIMBATORE,INDIA

| Drawn by-Date | | | Checked by-Date | | | Approved by-Date | | |
|---|---|---|---|---|---|---|---|---|
| J S | | 29.04.2023 | D.J | | | C.S | | |


| TITLE: | DRG NO: | REV NO | SHEET NO |
|---|---|---|---|
| AVCONE 160KW S/D LUB WITH PLC OPTION | AVELCPSDL08WPLC | 08 | 16/17 |

THIS DOCUMENT IS PROPERTY OF PROPEL INDUSTRIES PVT LTD, ALL RIGHTS RESERVED.


Do Not Scale the Drawing

# BLOCK DIAGRAM & SENSOR PIN/WIRE COLOUR CODE DETAILS

| ECO No | Rev No | DESCRIPTION | Sign & Date |
|---|---|---|---|
| 500000003458 | 08 | MPCB set value has been changed for Blower Motor & 2A fuse has been added in PLC power section | JS/29.04.2023 |




## SENSOR PIN & WIRE COLOUR CODE DETAILS



PIN 1 –(201) + COMMON . COLOR BROWN
PIN 2 –(AI0+/AI1+) + OUT PUT , COLOR BLUE

Temperature sensor (1 & 2) – MBT 3560 Plug, EN 175301–803, Pg 9



PIN 1 –(201) + COMMON , COLOR BROWN
PIN 4 –(AI2+) + OUTPUT , COLOR BLUE

OEM PRESSURE TRANSMITTER (LUBRICATION PRESSURE) – MBS 3050
EN 60947–5–2, M12X1: 4:PIN



PIN 1 –(201) + COMMON . COLOR BROWN
PIN 2 –(AI3+) + OUT PUT , COLOR BLUE

OEM PRESSURE TRANSMITTER (HYDRAULIC PRESSURE) – MBS 3250
EN175301–803–A Pg 9

CONTROLLED COPY
20.05.2023

propel

PROPEL INDUSTRIES PVT LTD
COIMBATORE,INDIA

| Drawn by-Date | | | Checked by-Date | | | Approved by-Date | | |
|---|---|---|---|---|---|---|---|---|
| J S | | 29.04.2023 | D.J | | | C.S | | |

| TITLE: | DRG NO: | REV NO | SHEET NO |
|---|---|---|---|
| AVCONE 160KW S/D LUB WITH PLC OPTION | AVELCPSDL08WPLC | 08 | 17/17 |

THIS DOCUMENT IS PROPERTY OF PROPEL INDUSTRIES PVT LTD, ALL RIGHTS RESERVED.