

UCX Group — Website Image Specification Sheet

File path, current resolution and target resolution for every image slot on the site — paste a new image at the listed path to replace it.

Current → Target — pixel size now, then the recommended size (images crop-to-fill, so ratio matters more than exact pixels) ● in place, correct ratio ● in place, wrong ratio / low-res ● not uploaded — placeholder showing

GLOBAL / SITE-WIDE

SLOT	FILE PATH	RATIO	CURRENT → TARGET	STATUS
Header logo	/brand/logo.png	~2.2:1	291×134 → 640×280	In place
Favicon	/icons/icon-192.png /icons/icon-512.png	1:1	192×192, 512×512 → same	In place, correct
Social share image	/social.png (create – referenced but missing)	1.91:1	— → 1200×630	Broken path — auto OG image covers it for n

HOMEPAGE — "ONE CONNECTED DELIVERY ECOSYSTEM"

SLOT	FILE PATH	RATIO	CURRENT → TARGET	STATUS
Pillar 01 — Design Intelligence	/brand/ecosystem/design-intelligence.png	~4:3	3840×2160 (16:9) → 1600×1200	Wrong ratio
Pillar 02 — Digital Intelligence	/brand/ecosystem/digital-intelligence.png	~4:3	3840×2160 (16:9) → 1600×1200	Wrong ratio
Pillar 03 — Delivery Intelligence	/brand/ecosystem/delivery-intelligence.png	~4:3	3840×2160 (16:9) → 1600×1200	Wrong ratio
Pillar 04 — Asset Intelligence	/brand/ecosystem/asset-intelligence.png	~4:3	3840×2160 (16:9) → 1600×1200	Wrong ratio

HOMEPAGE — "OUR SERVICES" & SPECIALIST TEASERS

SLOT	FILE PATH	RATIO	CURRENT → TARGET	STATUS
Our Services — BIM & Digital Delivery	/brand/services/bim-digital-delivery.png	4:3	3840×2160 (16:9) → 1600×1200	Wrong ratio
Our Services — Design & Interiors	/brand/services/design-interiors.png	4:3	1920×1080 (16:9) → 1600×1200	Wrong ratio
Our Services — Project & Construction Support	/brand/services/project-construction-support.png	4:3	3840×2160 (16:9) → 1600×1200	Wrong ratio
Our Services — Asset & Digital Information	/brand/services/asset-digital-information.png	4:3	3840×2160 (16:9) → 1600×1200	Wrong ratio
Specialist teaser — Scan-to-BIM	/brand/specialist/scan-to-bim.png	4:5	1024×1536 → 960×1200	In place
Specialist teaser — Prefabrication	/brand/specialist/prefabrication.png	4:5	1024×1536 → 960×1200	In place
Specialist teaser — Heritage & Restoration	/brand/specialist/heritage.png	4:5	1024×1536 → 960×1200	In place
Specialist teaser — BIM Automation & AI	/brand/specialist/automation-ai.png	4:5	1024×1536 → 960×1200	In place
Specialist teaser — Parametric Systems	/brand/specialist/parametric-systems.png	4:5	1024×1536 → 960×1200	In place

ABOUT US

SLOT	FILE PATH	RATIO	CURRENT → TARGET	STATUS
Studio Interlude banner	/brand/about/interlude.jpg (create)	21:9	— → 2400×1029	Not uploaded

EXPERIENCE (/EXPERIENCE)

SLOT	FILE PATH	RATIO	CURRENT → TARGET	STATUS
Area card — Built Environment	/brand/experience/built-environment.jpg (create)	flexible	— → 1400×1000	Not uploaded
Area card — Interiors	/brand/experience/interiors.jpg (create)	flexible	— → 1400×1000	Not uploaded
Area card — Digital Project Experience	/brand/experience/digital-project-experience.jpg (create)	flexible	— → 1400×1000	Not uploaded

CAPABILITIES HUB (/CAPABILITIES)

SLOT	FILE PATH	RATIO	CURRENT → TARGET	STATUS
Module cards ×4	same 4 files as "Our Services" above	flexible	— → 1600×1200	In place

CAPABILITY PAGES — HERO IMAGES

SLOT	FILE PATH	RATIO	CURRENT → TARGET	STATUS
BIM & Digital Delivery	/brand/capabilities/bim-digital-delivery.jpg	1:1	1200×800 (3:2) → 1600×1600	Wrong ratio
Project & Construction Support	/brand/capabilities/project-construction-support.jpg	1:1	736×736 → 1600×1600	Low-res
Asset & Digital Information	/brand/capabilities/asset-digital-information.jpg	1:1	1024×1024 → 1600×1600	In place
Specialist Solutions	/brand/specialist/parametric-systems.png	1:1	1024×1536 (2:3) → 1600×1600	Wrong ratio

CAPABILITY PAGES — TAB THUMBNAILS (NONE UPLOADED YET — SUGGESTED NEW FILE NAMES BELOW)

SLOT	FILE PATH (CREATE)	RATIO	CURRENT → TARGET	STATUS
BIM & VDC	/brand/capabilities/bim-vdc.jpg	flexible	— → 1200×1400	Not uploaded
Digital Engineering	/brand/capabilities/digital-engineering.jpg	flexible	— → 1200×1400	Not uploaded
BIM Coordination	/brand/capabilities/bim-coordination.jpg	flexible	— → 1200×1400	Not uploaded
Digital Construction	/brand/capabilities/digital-construction.jpg	flexible	— → 1200×1400	Not uploaded
Automation & 4D/5D	/brand/capabilities/automation-4d-5d.jpg	flexible	— → 1200×1400	Not uploaded
Project Documentation	/brand/capabilities/project-documentation.jpg	flexible	— → 1200×1400	Not uploaded
Project Controls	/brand/capabilities/project-controls.jpg	flexible	— → 1200×1400	Not uploaded
Quantity & Data Extraction	/brand/capabilities/quantity-data-extraction.jpg	flexible	— → 1200×1400	Not uploaded
QA/QC	/brand/capabilities/qa-qc.jpg	flexible	— → 1200×1400	Not uploaded
Execution & Coordination Support	/brand/capabilities/execution-coordination-support.jpg	flexible	— → 1200×1400	Not uploaded
As-Built BIM	/brand/capabilities/as-built-bim.jpg	flexible	— → 1200×1400	Not uploaded
Asset Information	/brand/capabilities/asset-information.jpg	flexible	— → 1200×1400	Not uploaded
COBie & Data	/brand/capabilities/cobie-data.jpg	flexible	— → 1200×1400	Not uploaded
FM Models	/brand/capabilities/fm-models.jpg	flexible	— → 1200×1400	Not uploaded
Digital Handover & Digital Twin	/brand/capabilities/digital-handover-digital-twin.jpg	flexible	— → 1200×1400	Not uploaded
Scan-to-BIM (tab)	/brand/capabilities/scan-to-bim.jpg	flexible	— → 1200×1400	Not uploaded
Prefabrication (tab)	/brand/capabilities/prefabrication.jpg	flexible	— → 1200×1400	Not uploaded
Heritage & Restoration (tab)	/brand/capabilities/heritage-restoration.jpg	flexible	— → 1200×1400	Not uploaded
BIM Automation & AI (tab)	/brand/capabilities/bim-automation-ai.jpg	flexible	— → 1200×1400	Not uploaded

Parametric Systems (tab)	/brand/capabilities/parametric-systems-tab.jpg	flexible	— → 1200×1400	Not uploaded
--------------------------	--	----------	---------------	--------------

These 20 file names are suggestions — they don't exist yet, and each page's code also needs an `image: "/brand/capabilities/..."` line added so it actually picks up the file. Flag which ones you want wired up and it can be done in one pass.

DESIGN & INTERIORS (/DESIGN-INTERIORS)				
SLOT	FILE PATH	RATIO	CURRENT → TARGET	STATUS
Hero video	/brand/interiors/hero-expand.mp4	16:9	not checked → 1920×1080	In place
Hero video poster frame	/brand/interiors/hero.png	16:9	1774×887 (~2:1) → 1920×1080	Close, not exact
Service tile — Architecture & Planning	/brand/interiors/svc-architecture-planning-a.jpg	flexible	1200×740 → 1200×800	In place
Service tile — Interior Solutions	/brand/interiors/svc-interior-solutions-a.jpg	flexible	1199×834 → 1200×800	In place
Service tile — Design Development	/brand/interiors/svc-design-development-a.jpg	flexible	736×981 (portrait) → 1200×800	In place
Service tile — Construction Documentation	/brand/interiors/svc-construction-documentation-a.jpg	flexible	1200×800 → 1200×800	In place
Service tile — BIM-Integrated Interiors	/brand/interiors/svc-bim-integrated-interiors-a.jpg	flexible	1024×821 → 1200×800	In place
Material — Timber Veneer	/brand/interiors/material-timber.jpg	1:1	941×1672 (portrait) → 800×800	Wrong ratio
Material — Natural Stone	/brand/interiors/material-stone.jpg	1:1	736×1104 (portrait) → 800×800	Wrong ratio
Material — Brushed Metal	/brand/interiors/material-metal.jpg	1:1	1024×1024 → 800×800	In place
Material — Textured Fabric	/brand/interiors/material-fabric.jpg	1:1	1000×1334 (portrait) → 800×800	Wrong ratio
Material — Matte Laminate	/brand/interiors/material-laminate.jpg	1:1	1080×1350 (portrait) → 800×800	Wrong ratio
Material — Glass & Glazing	/brand/interiors/material-glass.jpg	1:1	1125×1406 (portrait) → 800×800	Wrong ratio
Featured project — "before" photo	/brand/interiors/featured-before.jpg (create)	4:3	— → 1600×1200	Not uploaded
Featured project — "after" photo	/brand/interiors/featured-after.jpg (create)	4:3	— → 1600×1200	Not uploaded

PROJECTS, FEATURED PROJECTS & DIGITAL PROJECT EXPERIENCE

SLOT	FILE PATH	RATIO	CURRENT → TARGET	STATUS
BIM Coordination — Cultural Campus	/brand/projects/cultural-campus.jpg (create)	2:1	— → 1600×800	Not uploaded
Interior Design — Hospitality Development	/brand/projects/hospitality-interiors.jpg (create)	2:1	— → 1600×800	Not uploaded
Construction Support — Medical Campus	/brand/projects/medical-campus.jpg (create)	2:1	— → 1600×800	Not uploaded
Asset Info — Infrastructure Corridor	/brand/projects/infrastructure-corridor.jpg (create)	2:1	— → 1600×800	Not uploaded
Scan-to-BIM — Urban Development	/brand/projects/urban-development.jpg (create)	2:1	— → 1600×800	Not uploaded
Workplace Interiors — Corporate HQ	/brand/projects/corporate-workplace.jpg (create)	2:1	— → 1600×800	Not uploaded

Same 6 images also feed the project detail page hero (16:9, 1920×1080) — one upload per project covers both.

CASE STUDIES & RESOURCES

SLOT	FILE PATH	RATIO	CURRENT → TARGET	STATUS
Case study thumbnails ×6	Dashboard → Case Studies → Cover Image (upload button, no fixed path)	flexible	— → 1200×800	Not uploaded
Resource thumbnails ×9	Dashboard → Resources → Cover Image (upload button, no fixed path)	flexible	— → 1200×800	Not uploaded

TEAM & FOUNDERS

SLOT	FILE PATH	RATIO	CURRENT → TARGET	STATUS
Shangeeth Raju — headshot	/brand/founders/shangeeth-raju.png	4:5	2160×2700 → 1600×2000	In place
Bhuvaneshwari — headshot	/brand/founders/bhuvaneshwari.png	4:5	2160×2700 → 1600×2000	In place
Founders promo banner	not wired up yet	3:1	— → 1800×600	Not uploaded

INSIGHTS / BLOG

SLOT	FILE PATH	RATIO	CURRENT → TARGET	STATUS
Keeping Construction Documentation Aligned...	/uploads/blog/1787560279914-78362e53.jpg	16:9	750×500 (3:2) → 1600×900	Close, not exact — already uploaded via dash
Why BIM Coordination Still Fails...	/brand/insights/bim-coordination.jpg (create)	16:9	— → 1600×900	Not uploaded
What Makes a Digital Twin Useful...	/brand/insights/digital-twin-after-handover.jpg (create)	16:9	— → 1600×900	Not uploaded
Designing Interiors That Survive...	/brand/insights/interiors-documentation.jpg (create)	16:9	— → 1600×900	Not uploaded
Scan-to-BIM: Turning As-Built Conditions...	/brand/insights/scan-to-bim.jpg (create)	16:9	— → 1600×900	Not uploaded

Article-page hero uses the same file at a larger display size (16:9, 1920×1080 recommended) — no separate upload needed. All paths are relative to public/ in the project folder — e.g. /brand/logo.png means public/brand/logo.png.