## 1

## EE23BTECH11047 - Deepakreddy P

17 If a, b, c, d are in G.P, prove that  $(a^n + b^n)$ ,  $(b^n + c^n)$ ,  $(c^n + d^n)$  are in G.P and find the Z transform of General term of G.P.

## **Solution:**

TABLE I Input Parameters

Symbol	Input value
x(0)	$x(0)r^{0}$
x(1)	$x(0)r^{1}$
x(2)	$x(0)r^2$
x(3)	$x(0)r^3$




Fig. 1. Plot of x(n) vs n

$$=\frac{x(1)^n + x(2)^n}{x(0)^n + x(1)^n}$$
(1)

$$= \frac{\left(x(0) r^{1}\right)^{n} + \left(x(0) r^{2}\right)^{n}}{\left(x(0) r^{0}\right)^{n} + \left(x(0) r^{1}\right)^{n}} \quad (2)$$

$$=\frac{x(0)^n r^n (1+r^n)}{x(0)^n (1+r^n)}$$
(3)

$$= \frac{x(0)^n r^{2n} (1+r^n)}{x(0)^n r^n (1+r^n)}$$
(4)

$$= \frac{\left(x(0) r^2\right)^n + \left(x(0) r^3\right)^n}{\left(x(0) r^1\right)^n + \left(x(0) r^2\right)^n}$$
 (5)

$$\implies \frac{x(1)^n + x(2)^n}{x(0)^n + x(1)^n} = \frac{x(2)^n + x(3)^n}{x(1)^n + x(2)^n} \tag{6}$$

Hence proved they are in in G.P

$$x(n) = x(0) r^n u(n) \tag{7}$$

$$X(z) = \frac{x(0)}{1 - rz^{-1}}, \quad |z| > |r| \tag{8}$$