

# DATA DICTIONARY

## Section 1 – Data Dictionary Governance Framework

### 1.1 Purpose

Establish the enterprise governance framework governing data definitions, metadata management, ownership assignment, classification standards, lifecycle controls, and information consistency across TODP.

### 1.2 Objectives

- Standardize enterprise terminology.
- Improve data consistency.
- Enable governance oversight.
- Support auditability.
- Maintain traceability across platform workflows.

### 1.3 Scope

Applies to:

- Business data
- Operational data
- Governance data
- Audit data
- Security data
- Analytics data

## 1.4 TODP Data Flow

Opportunity

→ Authority

→ Evidence

→ Retrieval

→ Ranking

→ Recommendation

→ Governance

→ Audit

→ Replay

## 1.5 Governance Principles

- Single Source of Definition
- Data Ownership
- Data Integrity
- Controlled Change
- Traceability

## 1.6 Data Classification Levels

Public

Internal

Confidential

Restricted

## 1.7 Metadata Standards

Every data element shall maintain:

- Data Name
- Business Definition
- Data Type
- Owner
- Classification
- Source System
- Retention Rule

## 1.8 Governance Requirements

Changes to dictionary definitions require:

- Impact assessment
- Data owner approval
- Governance review
- Version control

## 1.9 Ownership

Primary Owner:

Head of Data Governance

Review Authority:

Data Governance Committee

Approval Authority:

Product Governance Board

### 1.10 Traceability

RTM References:

- DD-001
- DG-001
- DATA-001

### 1.11 Section Summary

This section establishes governance standards, metadata requirements, ownership controls, and oversight mechanisms governing the TODP Data Dictionary.

-----

DATA DICTIONARY

Section 2 – Core Entity: Opportunity

## 2.1 Purpose

Define the master data structure governing opportunities evaluated within TODP.

## 2.2 Entity Name

Opportunity

## 2.3 Description

Represents a business, operational, strategic, or decision context requiring evaluation.

## 2.4 Data Owner

Product Management

## 2.5 Classification

Confidential

## 2.6 Primary Attributes

Opportunity\_ID

Definition:

Unique identifier for an opportunity.

Type:

UUID

Required:

Yes

-----

Opportunity\_Title

Definition:

Human-readable opportunity name.

Type:

String

Required:

Yes

-----

Opportunity\_Description

Definition:

Detailed description of the opportunity.

Type:

Text

Required:

Yes

---

Opportunity\_Category

Definition:

Classification of opportunity type.

Type:

Enum

Values:

- Strategic
- Operational
- Financial
- Governance
- Compliance

Required:

Yes

---

Opportunity\_Status

Definition:

Current lifecycle state.

Type:

Enum

Values:

- Draft
- Under Review
- Approved
- Rejected
- Archived

Required:

Yes

-----

Created\_Timestamp

Definition:

Opportunity creation date and time.



Type:

Timestamp

Required:

Yes

-----

Updated\_Timestamp

Definition:

Last update timestamp.

Type:

Timestamp

Required:

Yes

2.7 Source System

TODP Application Platform

2.8 Retention

7 Years Minimum

## 2.9 Traceability

RTM References:

- OPP-001
- OPP-002

## 2.10 Section Summary

This section defines the Opportunity entity and its core attributes supporting TODP decision workflows.

-----

## DATA DICTIONARY

### Section 3 – Core Entity: Authority

#### 3.1 Purpose

Define the master data structure governing authority validation and source legitimacy management.

#### 3.2 Entity Name

Authority

#### 3.3 Description

Represents a validated authority source used to support evidence credibility.

### 3.4 Data Owner

Governance Team

### 3.5 Classification

Confidential

### 3.6 Primary Attributes

Authority\_ID

Definition:

Unique authority identifier.

Type:

UUID

Required:

Yes

-----

Authority\_Name

Definition:

Name of authority source.

Type:

String

Required:

Yes

-----

Authority\_Type

Definition:

Authority classification.

Type:

Enum

Values:

- Regulatory
- Internal Policy
- Industry Standard
- Legal Source
- Executive Approval

Required:

Yes

---

Authority\_Status

Definition:

Current authority validation status.

Type:

Enum

Values:

- Active
- Expired
- Pending Review
- Revoked

Required:

Yes

---

Authority\_Confidence\_Score

Definition:

Governance confidence rating.

Type:

Decimal

Required:

Yes

-----

Validation\_Timestamp

Definition:

Date of authority validation.

Type:

Timestamp

Required:

Yes

### 3.7 Source System

Governance Repository

### 3.8 Retention

7 Years Minimum

### 3.9 Traceability

RTM References:

- AUTH-001
- AUTH-002

### 3.10 Section Summary

This section defines the Authority entity and metadata supporting evidence legitimacy verification.

-----

## DATA DICTIONARY

### Section 4 – Core Entity: Evidence

#### 4.1 Purpose

Define the master data structure governing evidence collection, validation, and utilization within TODP.

#### 4.2 Entity Name

Evidence

#### 4.3 Description

Represents information supporting recommendation and governance activities.

#### 4.4 Data Owner

Governance Team

#### 4.5 Classification

Confidential

#### 4.6 Primary Attributes

Evidence\_ID

Definition:

Unique evidence identifier.

Type:

UUID

Required:

Yes

---



Evidence\_Title

Definition:

Evidence name.

Type:

String

Required:

Yes

-----

Evidence\_Type

Definition:

Evidence category.

Type:

Enum

Values:

- Document
- Record
- Policy

- Assessment
- Audit Artifact

Required:

Yes

---

Evidence\_Source

Definition:

Origin of evidence.

Type:

String

Required:

Yes

---

Evidence\_Status

Definition:

Current evidence status.

Type:

Enum

Values:

- Draft
- Verified
- Archived
- Expired

Required:

Yes

-----

Evidence\_Integrity\_Hash

Definition:

Integrity validation reference.

Type:

String

Required:

No

4.7 Source System

## Evidence Repository

### 4.8 Retention

7 Years Minimum

### 4.9 Traceability

RTM References:

- EVID-001
- EVID-002

### 4.10 Section Summary

This section defines the Evidence entity and metadata supporting TODP recommendation transparency and governance validation.

-----

## DATA DICTIONARY

### Section 5 – Core Entity: Retrieval

#### 5.1 Purpose

Define the master data structure governing retrieval execution, retrieval transparency, and retrieval traceability.

## 5.2 Entity Name

Retrieval

## 5.3 Description

Represents evidence retrieval activities executed during recommendation generation.

## 5.4 Data Owner

AI Governance Team

## 5.5 Classification

Confidential

## 5.6 Primary Attributes

Retrieval\_ID

Definition:

Unique retrieval identifier.

Type:

UUID

Required:

Yes

---

Opportunity\_ID

Definition:

Associated opportunity reference.

Type:

UUID

Required:

Yes

---

Evidence\_ID

Definition:

Retrieved evidence reference.

Type:

UUID

Required:

Yes

---

Retrieval\_Timestamp

Definition:

Retrieval execution timestamp.

Type:

Timestamp

Required:

Yes

---

Retrieval\_Status

Definition:

Execution outcome.

Type:

Enum

Values:

- Success
- Partial
- Failed

Required:

Yes

-----

Retrieval\_Source\_Count

Definition:

Number of evidence sources retrieved.

Type:

Integer

Required:

Yes

5.7 Source System

Retrieval Service

5.8 Retention

7 Years Minimum



## 5.9 Traceability

RTM References:

- RETR-001
- RETR-002

## 5.10 Section Summary

This section defines the Retrieval entity and metadata supporting retrieval governance, auditability, and recommendation traceability.

### DATA DICTIONARY

## Section 6 – Core Entity: Ranking

### 6.1 Purpose

Define the master data structure governing ranking execution, ranking transparency, ranking evaluation, and ranking traceability.

### 6.2 Entity Name

Ranking

### 6.3 Description

Represents the prioritization and ordering of retrieved evidence used during recommendation generation.

## 6.4 Data Owner

AI Governance Team

## 6.5 Classification

Confidential

## 6.6 Primary Attributes

Ranking\_ID

Definition:

Unique ranking identifier.

Type:

UUID

Required:

Yes

-----

Retrieval\_ID

Definition:

Associated retrieval reference.

Type:

UUID

Required:

Yes

---

Ranking\_Score

Definition:

Calculated ranking score.

Type:

Decimal

Required:

Yes

---

Ranking\_Position

Definition:

Position within ranking order.

Type:

Integer

Required:

Yes

---

Ranking\_Method

Definition:

Method used to calculate ranking.

Type:

String

Required:

Yes

---

Ranking\_Timestamp

Definition:

Ranking execution timestamp.

Type:

Timestamp

Required:

Yes

## 6.7 Source System

Ranking Service

## 6.8 Retention

7 Years Minimum

## 6.9 Traceability

RTM References:

- RANK-001
- RANK-002

## 6.10 Section Summary

This section defines the Ranking entity and metadata supporting recommendation prioritization, transparency, and governance review.

---

## DATA DICTIONARY

### Section 7 – Core Entity: Recommendation

#### 7.1 Purpose

Define the master data structure governing recommendation generation, recommendation transparency, and recommendation lifecycle management.

#### 7.2 Entity Name

Recommendation

#### 7.3 Description

Represents the final recommendation generated by the TODP decision workflow.

#### 7.4 Data Owner

AI Governance Team

#### 7.5 Classification

Confidential

#### 7.6 Primary Attributes

Recommendation\_ID

Definition:

Unique recommendation identifier.

Type:

UUID

Required:

Yes

---

Opportunity\_ID

Definition:

Associated opportunity reference.

Type:

UUID

Required:

Yes

---

Recommendation\_Text

Definition:

Human-readable recommendation.

Type:

Text

Required:

Yes

-----

Recommendation\_Type

Definition:

Recommendation classification.

Type:

Enum

Values:

- Approve
- Reject
- Escalate
- Review Required

Required:



Yes

-----

Recommendation\_Confidence

Definition:

Recommendation confidence score.

Type:

Decimal

Required:

Yes

-----

Recommendation\_Timestamp

Definition:

Recommendation generation timestamp.

Type:

Timestamp

Required:

Yes

## 7.7 Source System

Recommendation Service

## 7.8 Retention

7 Years Minimum

## 7.9 Traceability

RTM References:

- REC-001
- REC-002

## 7.10 Section Summary

This section defines the Recommendation entity and metadata supporting recommendation governance, transparency, and auditability.

-----

## DATA DICTIONARY

## Section 8 – Core Entity: Governance Review

### 8.1 Purpose

Define the master data structure governing governance review activities, approvals, escalations, and oversight actions.

## 8.2 Entity Name

Governance\_Review

## 8.3 Description

Represents governance assessments performed against recommendations and decision workflows.

## 8.4 Data Owner

Governance Team

## 8.5 Classification

Restricted

## 8.6 Primary Attributes

Governance\_Review\_ID

Definition:

Unique governance review identifier.

Type:

UUID

Required:

Yes

---

Recommendation\_ID

Definition:

Associated recommendation reference.

Type:

UUID

Required:

Yes

---

Review\_Status

Definition:

Current governance review outcome.

Type:

Enum

Values:

- Approved
- Rejected
- Escalated
- Pending Review

Required:

Yes

---

Reviewer\_ID

Definition:

Assigned reviewer identifier.

Type:

UUID

Required:

Yes

---

Review\_Comments

Definition:

Governance review notes.

Type:

Text

Required:

No

-----

Review\_Timestamp

Definition:

Governance review completion timestamp.

Type:

Timestamp

Required:

Yes

8.7 Source System

Governance Service

## 8.8 Retention

7 Years Minimum

## 8.9 Traceability

RTM References:

- GOV-001
- GOV-002

## 8.10 Section Summary

This section defines the Governance Review entity and metadata supporting oversight, accountability, and governance validation.

-----

## DATA DICTIONARY

### Section 9 – Core Entity: Audit Record

#### 9.1 Purpose

Define the master data structure governing audit activities, audit evidence management, and audit trail preservation.

#### 9.2 Entity Name

Audit\_Record

### 9.3 Description

Represents auditable events generated throughout TODP operations.

### 9.4 Data Owner

Audit Team

### 9.5 Classification

Restricted

### 9.6 Primary Attributes

Audit\_Record\_ID

Definition:

Unique audit record identifier.

Type:

UUID

Required:

Yes



---

Audit\_Event\_Type

Definition:

Type of auditable activity.

Type:

Enum

Values:

- Create
- Update
- Delete
- Approve
- Reject
- Escalate
- Replay

Required:

Yes

---

Entity\_Reference\_ID

Definition:

Associated entity identifier.

Type:

UUID

Required:

Yes

---

Performed\_By

Definition:

Actor performing the action.

Type:

String

Required:

Yes

---

Audit\_Timestamp

Definition:

Event occurrence timestamp.

Type:

Timestamp

Required:

Yes

-----

Audit\_Outcome

Definition:

Recorded event outcome.

Type:

String

Required:

Yes

9.7 Source System

Audit Service

9.8 Retention

Minimum 7 Years

## 9.9 Traceability

RTM References:

- AUD-001
- AUD-002

## 9.10 Section Summary

This section defines the Audit Record entity and metadata supporting compliance, traceability, and audit investigations.

-----

## DATA DICTIONARY

### Section 10 – Core Entity: Replay Session

#### 10.1 Purpose

Define the master data structure governing replay operations, recommendation reconstruction, and historical decision validation.

#### 10.2 Entity Name

Replay\_Session

### 10.3 Description

Represents a replay activity used to reconstruct historical recommendations and governance decisions.

### 10.4 Data Owner

Audit Governance Team

### 10.5 Classification

Restricted

### 10.6 Primary Attributes

Replay\_Session\_ID

Definition:

Unique replay session identifier.

Type:

UUID

Required:

Yes

---

Recommendation\_ID

Definition:

Associated recommendation reference.

Type:

UUID

Required:

Yes

---

Replay\_Requestor

Definition:

User initiating replay activity.

Type:

String

Required:

Yes

---

## Replay\_Status

Definition:

Current replay outcome.

Type:

Enum

Values:

- Successful
- Failed
- Partial
- In Progress

Required:

Yes

---

## Replay\_Timestamp

Definition:

Replay execution timestamp.

Type:

Timestamp

Required:

Yes

-----

Replay\_Result\_Reference

Definition:

Reference to replay output.

Type:

String

Required:

No

10.7 Source System

Replay Service

10.8 Retention

Minimum 7 Years

10.9 Traceability



## RTM References:

- REPLAY-001
- REPLAY-002

## 10.10 Section Summary

This section defines the Replay Session entity and metadata supporting replayability, decision reconstruction, and governance assurance.

## DATA DICTIONARY

## Section 11 – Core Entity: User

### 11.1 Purpose

Define the master data structure governing platform users, identities, access ownership, and accountability assignments.

### 11.2 Entity Name

User

### 11.3 Description

Represents an authenticated individual interacting with TODP.

### 11.4 Data Owner

Identity & Access Management Team

## 11.5 Classification

Restricted

## 11.6 Primary Attributes

User\_ID

Definition:

Unique user identifier.

Type:

UUID

Required:

Yes

-----

User\_Name

Definition:

Display name of user.

Type:

String

Required:

Yes

---

User\_Email

Definition:

Corporate email address.

Type:

String

Required:

Yes

---

User\_Status

Definition:

Current account status.

Type:

Enum

Values:

- Active
- Disabled
- Suspended
- Pending Activation

Required:

Yes

---

Role\_ID

Definition:

Assigned role reference.

Type:

UUID

Required:

Yes

---

Last\_Login\_Timestamp

Definition:

Most recent login timestamp.

Type:

Timestamp

Required:

No

## 11.7 Source System

Identity Management Service

## 11.8 Retention

Employment Duration + 7 Years

## 11.9 Traceability

RTM References:

- IAM-001
- IAM-002

## 11.10 Section Summary

This section defines the User entity and metadata supporting identity governance, accountability, and access control.

-----

## DATA DICTIONARY

### Section 12 – Core Entity: Role

#### 12.1 Purpose

Define the master data structure governing role-based access control and authorization management.

#### 12.2 Entity Name

Role

#### 12.3 Description

Represents a collection of permissions assigned to platform users.

#### 12.4 Data Owner

Identity & Access Management Team

#### 12.5 Classification

Internal

## 12.6 Primary Attributes

Role\_ID

Definition:

Unique role identifier.

Type:

UUID

Required:

Yes

-----

Role\_Name

Definition:

Role title.

Type:

String

Required:

Yes

-----

## Role\_Description

Definition:

Business description of role.

Type:

Text

Required:

Yes

-----

## Role\_Category

Definition:

Role classification.

Type:

Enum

Values:



- Administrator
- Governance
- Auditor
- Operations
- Product
- Executive

Required:

Yes

-----

Role\_Status

Definition:

Role lifecycle status.

Type:

Enum

Values:

- Active
- Retired
- Draft

Required:

Yes

-----

Created\_Timestamp

Definition:

Role creation timestamp.

Type:

Timestamp

Required:

Yes

12.7 Source System

Identity Management Service

12.8 Retention

Permanent Governance Record

12.9 Traceability

RTM References:

- RBAC-001
- IAM-003

## 12.10 Section Summary

This section defines the Role entity and metadata supporting authorization governance and access management.

-----

## DATA DICTIONARY

### Section 13 – Core Entity: Permission

#### 13.1 Purpose

Define the master data structure governing system permissions and authorization controls.

#### 13.2 Entity Name

Permission

#### 13.3 Description

Represents an individual authorization capability assignable to users or roles.

#### 13.4 Data Owner

Identity & Access Management Team

### 13.5 Classification

Internal

### 13.6 Primary Attributes

Permission\_ID

Definition:

Unique permission identifier.

Type:

UUID

Required:

Yes

-----

Permission\_Name

Definition:

Permission name.

Type:

String

Required:

Yes

---

Permission\_Description

Definition:

Description of authorization capability.

Type:

Text

Required:

Yes

---

Resource\_Name

Definition:

Protected resource name.

Type:

String

Required:

Yes

---

Permission\_Type

Definition:

Authorization action type.

Type:

Enum

Values:

- Create
- Read
- Update
- Delete
- Execute
- Approve

Required:

Yes

---

Permission\_Status

Definition:

Current permission status.

Type:

Enum

Values:

- Active
- Retired

Required:

Yes

13.7 Source System

Identity Management Service

13.8 Retention

Permanent Governance Record

13.9 Traceability

## RTM References:

- RBAC-002
- IAM-004

### 13.10 Section Summary

This section defines the Permission entity and metadata supporting authorization governance and security controls.

-----

## DATA DICTIONARY

### Section 14 – Core Entity: Access Review

#### 14.1 Purpose

Define the master data structure governing periodic access reviews and authorization validation activities.

#### 14.2 Entity Name

Access\_Review

#### 14.3 Description

Represents a formal review of user access privileges and authorization assignments.



#### 14.4 Data Owner

Identity Governance Team

#### 14.5 Classification

Restricted

#### 14.6 Primary Attributes

Access\_Review\_ID

Definition:

Unique access review identifier.

Type:

UUID

Required:

Yes

-----

User\_ID

Definition:

Associated user reference.

Type:

UUID

Required:

Yes

---

Reviewer\_ID

Definition:

Assigned reviewer identifier.

Type:

UUID

Required:

Yes

---

Review\_Status

Definition:

Review outcome.

Type:

Enum

Values:

- Approved
- Modified
- Revoked
- Pending

Required:

Yes

-----

Review\_Timestamp

Definition:

Review completion timestamp.

Type:

Timestamp

Required:

Yes

---

Review\_Comments

Definition:

Reviewer notes.

Type:

Text

Required:

No

14.7 Source System

Identity Governance Service

14.8 Retention

7 Years Minimum

14.9 Traceability

RTM References:

- IAM-005
- IAM-006

#### 14.10 Section Summary

This section defines the Access Review entity and metadata supporting access governance and compliance validation.

-----

#### DATA DICTIONARY

### Section 15 – Core Entity: Policy

#### 15.1 Purpose

Define the master data structure governing enterprise policies, governance directives, and compliance controls.

#### 15.2 Entity Name

Policy

#### 15.3 Description

Represents a formally approved governance, security, operational, or compliance policy.

#### 15.4 Data Owner

Compliance & Governance Team

## 15.5 Classification

Internal

## 15.6 Primary Attributes

Policy\_ID

Definition:

Unique policy identifier.

Type:

UUID

Required:

Yes

-----

Policy\_Name

Definition:

Official policy title.

Type:

String

Required:

Yes

---

Policy\_Category

Definition:

Policy classification.

Type:

Enum

Values:

- Security
- Governance
- Compliance
- Operations
- Product
- Data Governance

Required:

Yes

---

Policy\_Version

Definition:

Current approved version.

Type:

String

Required:

Yes

-----

Policy\_Status

Definition:

Policy lifecycle state.

Type:

Enum

Values:

- Draft
- Approved
- Retired



- Under Review

Required:

Yes

-----

Approval\_Timestamp

Definition:

Date policy was approved.

Type:

Timestamp

Required:

No

15.7 Source System

Governance Repository

15.8 Retention

Permanent Governance Record

15.9 Traceability

## RTM References:

- POL-001
- POL-002

## 15.10 Section Summary

This section defines the Policy entity and metadata supporting enterprise governance, compliance management, and control oversight.

## DATA DICTIONARY

## Section 16 – Core Entity: Control

### 16.1 Purpose

Define the master data structure governing compliance controls, governance controls, security controls, and operational control management.

### 16.2 Entity Name

Control

### 16.3 Description

Represents a documented control designed to mitigate identified risks and support compliance obligations.

### 16.4 Data Owner

Compliance & Governance Team

## 16.5 Classification

Internal

## 16.6 Primary Attributes

Control\_ID

Definition:

Unique control identifier.

Type:

UUID

Required:

Yes

-----

Control\_Name

Definition:

Official control name.

Type:

String

Required:

Yes

---

Control\_Category

Definition:

Control classification.

Type:

Enum

Values:

- Preventive
- Detective
- Corrective
- Compensating

Required:

Yes

---

Control\_Owner

Definition:

Assigned control owner.

Type:

String

Required:

Yes

-----

Control\_Status

Definition:

Current control state.

Type:

Enum

Values:

- Active
- In Review
- Retired

- Planned

Required:

Yes

---

Control\_Frequency

Definition:

Control execution frequency.

Type:

Enum

Values:

- Daily
- Weekly
- Monthly
- Quarterly
- Annual

Required:

Yes

16.7 Source System

## Governance Control Repository

### 16.8 Retention

#### Permanent Governance Record

### 16.9 Traceability

#### RTM References:

- CTRL-001
- CTRL-002

### 16.10 Section Summary

This section defines the Control entity and metadata supporting governance, compliance, and risk management activities.

-----

## DATA DICTIONARY

### Section 17 – Core Entity: Risk

#### 17.1 Purpose

Define the master data structure governing enterprise risk identification, assessment, treatment, and monitoring.

## 17.2 Entity Name

Risk

## 17.3 Description

Represents a documented enterprise risk impacting business objectives, operations, technology, compliance, or governance.

## 17.4 Data Owner

Enterprise Risk Management Team

## 17.5 Classification

Restricted

## 17.6 Primary Attributes

Risk\_ID

Definition:

Unique risk identifier.

Type:



String

Required:

Yes

---

Risk\_Name

Definition:

Risk title.

Type:

String

Required:

Yes

---

Risk\_Category

Definition:

Risk classification.

Type:

Enum

Values:

- Strategic
- Operational
- Technology
- Security
- Compliance
- Financial
- AI Governance

Required:

Yes

-----

Risk\_Rating

Definition:

Overall risk severity.

Type:

Enum

Values:

- Critical

- High
- Medium
- Low

Required:

Yes

---

Risk\_Owner

Definition:

Assigned risk owner.

Type:

String

Required:

Yes

---

Risk\_Status

Definition:

Current lifecycle state.

Type:

Enum

Values:

- Open
- Monitoring
- Mitigated
- Closed

Required:

Yes

17.7 Source System

Enterprise Risk Register

17.8 Retention

Minimum 7 Years

17.9 Traceability

RTM References:

- RISK-001
- RISK-002

## 17.10 Section Summary

This section defines the Risk entity and metadata supporting enterprise risk governance and oversight.

---

## DATA DICTIONARY

### Section 18 – Core Entity: Incident

#### 18.1 Purpose

Define the master data structure governing incident management, investigation activities, escalation workflows, and resolution tracking.

#### 18.2 Entity Name

Incident

#### 18.3 Description

Represents an operational, security, governance, or compliance event requiring investigation and resolution.

#### 18.4 Data Owner

Operations Team

## 18.5 Classification

Restricted

## 18.6 Primary Attributes

Incident\_ID

Definition:

Unique incident identifier.

Type:

UUID

Required:

Yes

-----

Incident\_Title

Definition:

Incident summary title.

Type:

String

Required:

Yes

---

Incident\_Category

Definition:

Incident classification.

Type:

Enum

Values:

- Security
- Operational
- Compliance
- Governance
- AI Governance

Required:

Yes

---

Severity\_Level

Definition:

Incident severity.

Type:

Enum

Values:

- Severity 1
- Severity 2
- Severity 3
- Severity 4

Required:

Yes

-----

Incident\_Status

Definition:

Current incident state.

Type:

Enum



Values:

- Open
- Investigating
- Resolved
- Closed

Required:

Yes

---

Resolution\_Timestamp

Definition:

Incident resolution timestamp.

Type:

Timestamp

Required:

No

18.7 Source System

Incident Management Platform

## 18.8 Retention

Minimum 7 Years

## 18.9 Traceability

RTM References:

- IR-001
- IR-002

## 18.10 Section Summary

This section defines the Incident entity and metadata supporting operational resilience, governance oversight, and audit investigations.

-----

## DATA DICTIONARY

### Section 19 – Core Entity: Change Request

#### 19.1 Purpose

Define the master data structure governing product, operational, governance, and infrastructure change management activities.

## 19.2 Entity Name

Change\_Request

## 19.3 Description

Represents a formally submitted request to modify systems, processes, controls, or platform capabilities.

## 19.4 Data Owner

Change Management Team

## 19.5 Classification

Internal

## 19.6 Primary Attributes

Change\_Request\_ID

Definition:

Unique change request identifier.

Type:

UUID

Required:

Yes

-----

Change\_Title

Definition:

Change request title.

Type:

String

Required:

Yes

-----

Change\_Category

Definition:

Type of requested change.

Type:

Enum

Values:

- Product
- Infrastructure
- Security
- Governance
- Compliance

Required:

Yes

-----

Change\_Priority

Definition:

Business priority.

Type:

Enum

Values:

- Critical
- High
- Medium
- Low

Required:

Yes

---

Change\_Status

Definition:

Current workflow status.

Type:

Enum

Values:

- Submitted
- Approved
- Rejected
- Implemented
- Closed

Required:

Yes

---

Requested\_By

Definition:

Originating requestor.

Type:

String

Required:

Yes

## 19.7 Source System

Change Management System

## 19.8 Retention

Minimum 7 Years

## 19.9 Traceability

RTM References:

- CHG-001
- CHG-002

## 19.10 Section Summary

This section defines the Change Request entity and metadata supporting controlled platform evolution and governance oversight.

---

## DATA DICTIONARY

### Section 20 – Core Entity: Release

#### 20.1 Purpose

Define the master data structure governing release planning, release approvals, deployment activities, and production release governance.

#### 20.2 Entity Name

Release

#### 20.3 Description

Represents a planned deployment of product, platform, governance, or security changes into production.

#### 20.4 Data Owner

Product Delivery Team

#### 20.5 Classification

Internal



## 20.6 Primary Attributes

Release\_ID

Definition:

Unique release identifier.

Type:

UUID

Required:

Yes

-----

Release\_Name

Definition:

Release title.

Type:

String

Required:

Yes

---

Release\_Version

Definition:

Version identifier.

Type:

String

Required:

Yes

---

Release\_Type

Definition:

Release classification.

Type:

Enum

Values:

- Major
- Minor

- Patch
- Emergency

Required:

Yes

-----

Release\_Status

Definition:

Current release lifecycle state.

Type:

Enum

Values:

- Planned
- Approved
- Deployed
- Rolled Back
- Closed

Required:

Yes

---

Release\_Date

Definition:

Production deployment date.

Type:

Timestamp

Required:

No

20.7 Source System

Release Management Platform

20.8 Retention

Minimum 7 Years

20.9 Traceability

RTM References:

- REL-001
- REL-002

## 20.10 Section Summary

This section defines the Release entity and metadata supporting deployment governance, release management, and operational accountability.

### DATA DICTIONARY

## Section 21 – Core Entity: Product Capability

### 21.1 Purpose

Define the master data structure governing product capabilities, feature ownership, lifecycle management, and strategic alignment.

### 21.2 Entity Name

Product\_Capability

### 21.3 Description

Represents a business capability delivered by TODP supporting enterprise users and governance workflows.

### 21.4 Data Owner

Product Management

### 21.5 Classification

Internal

## 21.6 Primary Attributes

Capability\_ID

Definition:

Unique capability identifier.

Type:

UUID

Required:

Yes

-----

Capability\_Name

Definition:

Official capability name.

Type:

String

Required:

Yes

---

## Capability\_Description

### Definition:

Business description of capability.

### Type:

Text

### Required:

Yes

---

## Capability\_Module

### Definition:

Associated TODP module.

### Type:

Enum

### Values:

- Opportunity

- Authority
- Evidence
- Retrieval
- Ranking
- Recommendation
- Governance
- Audit
- Replay

Required:

Yes

-----

Capability\_Status

Definition:

Current lifecycle state.

Type:

Enum

Values:

- Planned
- Active
- Deprecated



- Retired

Required:

Yes

-----

Capability\_Owner

Definition:

Assigned business owner.

Type:

String

Required:

Yes

21.7 Source System

Product Portfolio Repository

21.8 Retention

Permanent Product Record

21.9 Traceability

## RTM References:

- CAP-001
- CAP-002

## 21.10 Section Summary

This section defines the Product Capability entity and metadata supporting product governance, lifecycle management, and strategic planning.

-----

## DATA DICTIONARY

### Section 22 – Core Entity: KPI

#### 22.1 Purpose

Define the master data structure governing key performance indicators, business measurements, and governance performance tracking.

#### 22.2 Entity Name

KPI

#### 22.3 Description

Represents a measurable indicator used to evaluate performance, effectiveness, and outcome achievement.

#### 22.4 Data Owner

Business Operations Team

#### 22.5 Classification

Internal

#### 22.6 Primary Attributes

KPI\_ID

Definition:

Unique KPI identifier.

Type:

UUID

Required:

Yes

-----

KPI\_Name

Definition:

Official KPI title.

Type:

String

Required:

Yes

-----

KPI\_Category

Definition:

Performance domain.

Type:

Enum

Values:

- Product
- Operations
- Governance
- Compliance
- Security
- Financial

- Customer

Required:

Yes

---

KPI\_Target

Definition:

Expected performance target.

Type:

Decimal

Required:

Yes

---

KPI\_Actual\_Value

Definition:

Measured performance value.

Type:

Decimal

Required:

No

-----

Measurement\_Period

Definition:

Reporting period.

Type:

String

Required:

Yes

22.7 Source System

Business Analytics Platform

22.8 Retention

7 Years Minimum

22.9 Traceability

## RTM References:

- KPI-001
- KPI-002

### 22.10 Section Summary

This section defines the KPI entity and metadata supporting performance management and governance reporting.

-----

## DATA DICTIONARY

### Section 23 – Core Entity: Vendor

#### 23.1 Purpose

Define the master data structure governing third-party vendors, service providers, technology partners, and dependency management.

#### 23.2 Entity Name

Vendor

#### 23.3 Description

Represents an external organization providing products, services, infrastructure, or operational support.

## 23.4 Data Owner

Vendor Governance Team

## 23.5 Classification

Confidential

## 23.6 Primary Attributes

Vendor\_ID

Definition:

Unique vendor identifier.

Type:

UUID

Required:

Yes

-----

Vendor\_Name

Definition:



Legal vendor name.

Type:

String

Required:

Yes

-----

Vendor\_Category

Definition:

Vendor classification.

Type:

Enum

Values:

- Cloud Provider
- Software Vendor
- Security Vendor
- Service Provider
- Consulting Partner

Required:

Yes

-----

Vendor\_Risk\_Rating

Definition:

Current assessed risk level.

Type:

Enum

Values:

- Critical
- High
- Medium
- Low

Required:

Yes

-----

Vendor\_Status

Definition:

Current relationship status.

Type:

Enum

Values:

- Active
- Suspended
- Under Review
- Terminated

Required:

Yes

-----

Contract\_Expiration\_Date

Definition:

Current contract end date.

Type:

Date

Required:

No

## 23.7 Source System

Vendor Governance Repository

## 23.8 Retention

Contract Duration + 7 Years

## 23.9 Traceability

RTM References:

- VND-001
- VND-002

## 23.10 Section Summary

This section defines the Vendor entity and metadata supporting third-party governance, risk management, and operational resilience.

-----

## DATA DICTIONARY

## Section 24 – Core Entity: Customer

### 24.1 Purpose

Define the master data structure governing enterprise customers, customer lifecycle management, adoption tracking, and relationship governance.

## 24.2 Entity Name

Customer

## 24.3 Description

Represents an organization using TODP services.

## 24.4 Data Owner

Customer Success Team

## 24.5 Classification

Confidential

## 24.6 Primary Attributes

Customer\_ID

Definition:

Unique customer identifier.

Type:

UUID

Required:

Yes

---

Customer\_Name

Definition:

Official customer name.

Type:

String

Required:

Yes

---

Customer\_Tier

Definition:

Commercial customer classification.

Type:

Enum

Values:

- Enterprise
- Business
- Pilot
- Internal

Required:

Yes

-----

Customer\_Status

Definition:

Current lifecycle state.

Type:

Enum

Values:

- Prospect
- Active
- Suspended
- Churned

Required:

Yes

---

Contract\_Start\_Date

Definition:

Customer contract commencement date.

Type:

Date

Required:

No

---

Contract\_End\_Date

Definition:

Customer contract expiration date.

Type:

Date



Required:

No

## 24.7 Source System

Customer Relationship Management Platform

## 24.8 Retention

Contract Duration + 7 Years

## 24.9 Traceability

RTM References:

- CUST-001
- CUST-002

## 24.10 Section Summary

This section defines the Customer entity and metadata supporting customer governance, adoption measurement, and commercial operations.

-----

## DATA DICTIONARY

## Section 25 – Core Entity: Customer Feedback

## 25.1 Purpose

Define the master data structure governing customer feedback collection, analysis, prioritization, and improvement planning.

## 25.2 Entity Name

Customer\_Feedback

## 25.3 Description

Represents structured customer observations, requests, concerns, recommendations, and satisfaction inputs.

## 25.4 Data Owner

Customer Success Team

## 25.5 Classification

Confidential

## 25.6 Primary Attributes

Feedback\_ID

Definition:

Unique feedback identifier.

Type:

UUID

Required:

Yes

---

Customer\_ID

Definition:

Associated customer reference.

Type:

UUID

Required:

Yes

---

Feedback\_Category

Definition:

Feedback classification.

Type:

Enum

Values:

- Product Request
- Defect
- Improvement Suggestion
- Support Experience
- Governance Concern

Required:

Yes

-----

Feedback\_Priority

Definition:

Business importance rating.

Type:

Enum

Values:

- Critical
- High
- Medium
- Low

Required:

Yes

-----

Feedback\_Status

Definition:

Current processing status.

Type:

Enum

Values:

- Submitted
- Under Review
- Accepted
- Rejected
- Closed

Required:

Yes

-----

Feedback\_Submission\_Date

Definition:

Date feedback was received.

Type:

Date

Required:

Yes

25.7 Source System

Customer Feedback Platform

25.8 Retention

Minimum 7 Years

25.9 Traceability

RTM References:

- FEED-001
- FEED-002

## 25.10 Section Summary

This section defines the Customer Feedback entity and metadata supporting customer-centric governance, prioritization, and continuous improvement.

## DATA DICTIONARY

### Section 26 – Core Entity: Governance Decision

#### 26.1 Purpose

Define the master data structure governing formal governance decisions, approvals, escalations, and oversight outcomes.

#### 26.2 Entity Name

Governance\_Decision

#### 26.3 Description

Represents a formally documented governance outcome affecting product, operational, compliance, risk, or AI governance activities.

#### 26.4 Data Owner

Governance Team

## 26.5 Classification

Restricted

## 26.6 Primary Attributes

Decision\_ID

Definition:

Unique governance decision identifier.

Type:

UUID

Required:

Yes

-----

Decision\_Title

Definition:

Governance decision title.

Type:

String



Required:

Yes

---

Decision\_Category

Definition:

Decision classification.

Type:

Enum

Values:

- Product Governance
- Risk Governance
- Compliance Governance
- AI Governance
- Operational Governance

Required:

Yes

---

Decision\_Status

Definition:

Decision outcome.

Type:

Enum

Values:

- Approved
- Rejected
- Escalated
- Deferred

Required:

Yes

-----

Decision\_Owner

Definition:

Accountable decision owner.

Type:

String

Required:

Yes

-----

Decision\_Timestamp

Definition:

Decision approval timestamp.

Type:

Timestamp

Required:

Yes

26.7 Source System

Governance Management Platform

26.8 Retention

Permanent Governance Record

26.9 Traceability

## RTM References:

- GOVDEC-001
- GOVDEC-002

## 26.10 Section Summary

This section defines the Governance Decision entity and metadata supporting oversight, accountability, and governance traceability.

-----

## DATA DICTIONARY

### Section 27 – Core Entity: Compliance Assessment

#### 27.1 Purpose

Define the master data structure governing compliance evaluations, control assessments, audit readiness reviews, and regulatory validation activities.

#### 27.2 Entity Name

Compliance\_Assessment

#### 27.3 Description

Represents a formal assessment evaluating compliance against policies, controls, standards, or contractual obligations.

## 27.4 Data Owner

Compliance Team

## 27.5 Classification

Restricted

## 27.6 Primary Attributes

Assessment\_ID

Definition:

Unique assessment identifier.

Type:

UUID

Required:

Yes

-----

Assessment\_Name

Definition:

Assessment title.

Type:

String

Required:

Yes

-----

Assessment\_Type

Definition:

Assessment classification.

Type:

Enum

Values:

- Internal Audit
- Compliance Review
- Control Assessment
- Regulatory Review
- Customer Assurance Review

Required:

Yes

---

Assessment\_Result

Definition:

Assessment outcome.

Type:

Enum

Values:

- Compliant
- Partially Compliant
- Non-Compliant
- Observation Only

Required:

Yes

---

Assessment\_Owner

Definition:

Responsible assessment owner.

Type:

String

Required:

Yes

-----

Assessment\_Date

Definition:

Assessment completion date.

Type:

Date

Required:

Yes

27.7 Source System

Compliance Management Platform

27.8 Retention



Minimum 7 Years

## 27.9 Traceability

RTM References:

- COMP-001
- COMP-002

## 27.10 Section Summary

This section defines the Compliance Assessment entity and metadata supporting audit readiness, regulatory assurance, and governance oversight.

-----

## DATA DICTIONARY

### Section 28 – Core Entity: Governance Exception

#### 28.1 Purpose

Define the master data structure governing governance exceptions, policy deviations, risk acceptances, and control override activities.

#### 28.2 Entity Name

Governance\_Exception

### 28.3 Description

Represents an approved deviation from standard governance requirements requiring oversight and tracking.

### 28.4 Data Owner

Governance Team

### 28.5 Classification

Restricted

### 28.6 Primary Attributes

Exception\_ID

Definition:

Unique exception identifier.

Type:

UUID

Required:

Yes

-----

Exception\_Title

Definition:

Exception title.

Type:

String

Required:

Yes

-----

Exception\_Category

Definition:

Exception classification.

Type:

Enum

Values:

- Security
- Compliance
- Product

- Operations
- AI Governance

Required:

Yes

-----

Exception\_Risk\_Level

Definition:

Associated risk severity.

Type:

Enum

Values:

- Critical
- High
- Medium
- Low

Required:

Yes

-----

Exception\_Status

Definition:

Current lifecycle state.

Type:

Enum

Values:

- Proposed
- Approved
- Expired
- Revoked
- Closed

Required:

Yes

-----

Exception\_Expiration\_Date

Definition:

Approved expiration date.

Type:

Date

Required:

No

## 28.7 Source System

Governance Exception Repository

## 28.8 Retention

Minimum 7 Years

## 28.9 Traceability

RTM References:

- GOVEX-001
- GOVEX-002

## 28.10 Section Summary

This section defines the Governance Exception entity and metadata supporting risk acceptance governance, oversight activities, and compliance management.

-----

## DATA DICTIONARY

### Section 29 – Core Entity: System Event

#### 29.1 Purpose

Define the master data structure governing platform-generated events, monitoring activities, observability records, and operational telemetry.

#### 29.2 Entity Name

System\_Event

#### 29.3 Description

Represents a machine-generated operational, governance, security, or audit event captured by TODP.

#### 29.4 Data Owner

Platform Operations Team

#### 29.5 Classification

Internal

#### 29.6 Primary Attributes

Event\_ID

Definition:

Unique event identifier.

Type:

UUID

Required:

Yes

-----

Event\_Type

Definition:

Operational event classification.

Type:

Enum

Values:

- Application Event
- Security Event
- Governance Event
- Audit Event



- Infrastructure Event

Required:

Yes

---

Event\_Source

Definition:

Originating system component.

Type:

String

Required:

Yes

---

Event\_Severity

Definition:

Event importance level.

Type:

Enum

Values:

- Critical
- High
- Medium
- Low
- Informational

Required:

Yes

---

Event\_Timestamp

Definition:

Event occurrence timestamp.

Type:

Timestamp

Required:

Yes

---

Correlation\_ID

Definition:

Cross-system tracing identifier.

Type:

UUID

Required:

No

29.7 Source System

Observability Platform

29.8 Retention

Minimum 1 Year Online

Minimum 7 Years Archived

29.9 Traceability

RTM References:

- MON-001
- OBS-001

## 29.10 Section Summary

This section defines the System Event entity and metadata supporting monitoring, observability, operational analytics, and governance visibility.

---

## DATA DICTIONARY

### Section 30 – Enterprise Metadata & Reference Standards

#### 30.1 Purpose

Define common metadata standards, enterprise reference attributes, naming conventions, and cross-domain data governance requirements used throughout TODP.

#### 30.2 Scope

Applies to:

- All entities
- All modules
- All governance repositories
- All operational repositories
- All audit repositories

#### 30.3 Standard Metadata Attributes

Entity\_ID

Definition:

Globally unique identifier.

Type:

UUID

Required:

Yes

---

Created\_By

Definition:

Creator identifier.

Type:

String

Required:

Yes

---

Created\_Timestamp

Definition:

Creation timestamp.

Type:

Timestamp

Required:

Yes

---

Updated\_By

Definition:

Last modifying actor.

Type:

String

Required:

No

---

Updated\_Timestamp

Definition:

Most recent modification timestamp.

Type:

Timestamp

Required:

No

-----

Record\_Status

Definition:

Lifecycle state.

Type:

Enum

Values:

- Draft
- Active
- Archived
- Retired

Required:

Yes

### 30.4 Naming Standards

Requirements:

- Singular entity names
- PascalCase for logical entities
- Snake\_Case for physical attributes
- UUID-based identifiers
- Consistent domain terminology

### 30.5 Data Quality Standards

All entities shall support:

- Completeness validation
- Accuracy validation
- Consistency validation
- Traceability validation
- Integrity validation

### 30.6 Ownership Standards

Every entity shall maintain:

- Data Owner



- Business Owner
- Steward Assignment
- Governance Classification

### 30.7 Retention Standards

Minimum retention requirements:

Operational Records:

7 Years

Governance Records:

Permanent

Audit Records:

7 Years Minimum

Security Records:

7 Years Minimum

### 30.8 Classification Standards

Public

Internal

Confidential

Restricted

### 30.9 Traceability Standards

All entities shall support linkage to:

- RTM V1
- Product Governance Model
- AI Governance Framework
- Enterprise Risk Register
- System of Record Specification

### 30.10 Governance Requirements

Changes require:

- Impact assessment
- Data owner approval
- Governance review
- Version control update

### 30.11 Metrics

- Metadata Completeness Rate
- Data Quality Score
- Classification Compliance Rate

- Traceability Coverage Rate

### 30.12 Audit Requirements

Maintain:

- Metadata Catalog
- Classification Reviews
- Quality Reports
- Governance Assessments

### 30.13 Ownership

Primary Owner:

Head of Data Governance

Review Authority:

Data Governance Committee

Approval Authority:

Product Governance Board

### 30.14 Traceability

RTM References:

- META-001

- META-002
- DG-001
- RTM-001

### 30.15 Section Summary

This section establishes enterprise metadata standards, naming conventions, governance requirements, ownership controls, quality standards, retention requirements, and traceability obligations governing all TODP information assets.

END OF DATA DICTIONARY