## Vidyavardhini's College of Engineering & Technology Department of Computer Engineering

•	3 T	_
Lynovimont	$\mathbf{N}$	•
Experiment	17()	•
Lipoini	110.	$\sim$

Exploring Files and directories: Python program to append data to existing file and then display the entire file

Date of Performance:

Date of Submission:



### Vidyavardhini's College of Engineering & Technology Department of Computer Engineering

### **Experiment No. 5**

**Title:** Exploring Files and directories: Python program to append data to existing file and then display the entire file

**Aim:** To Exploring Files and directories: Python program to append data to existing file and then display the entire file

**Objective:** To Exploring Files and directories

### Theory:

Directory also sometimes known as a folder are unit organizational structure in computer's file system for storing and locating files or more folders. Python now supports a number of APIs to list the directory contents. For instance, we can use the Path.iterdir, os.scandir, os.walk, Path.rglob, or os.listdir functions.

Python too supports file handling and allows users to handle files i.e., to read and write files, along with many other file handling options, to operate on files. The concept of file handling has stretched over various other languages, but the implementation is either complicated or lengthy, but alike other concepts of Python, this concept here is also easy and short. Python treats file differently as text or binary and this is important. Each line of code includes a sequence of characters and they form text file. Each line of a file is terminated with a special character, called the EOL or End of Line characters like comma {,} or newline character. It ends the current line and tells the interpreter a new one has begun. Let's start with Reading and Writing files.

### Working of open() function

We use open () function in Python to open a file in read or write mode. As explained above, open () will return a file object. To return a file object we use open() function along with two arguments, that accepts file name and the mode, whether to read or write. So, the syntax being: open(filename, mode). There are three kinds of mode, that Python provides and how files can be opened:

" r ", for reading.

"w", for writing.



# Vidyavardhini's College of Engineering & Technology Department of Computer Engineering

"a", for appending.

"r+", for both reading and writing

### Code:

file = open('Deepak.txt','w')
str = input('Enter text:')
file.write(str)
file = open('Deepak.txt','a')
str0 = input("Enter text to append: ")
file.write("\n"+str0)
file = open('Deepak.txt','r')
str1 = file.read()
print(str1)
file.close()


### **Output:**

```
C:\Users\admin\PycharmProjects\Python_Exp\.venv\Scripts\python.exe C:\Users\admin\PycharmProjects\Python_Exp\Exp.5.a.py
Enter text:Hello
Enter text to append: World
Hello
World
```

### Code:

import os os.mkdir('C:/Users/admin/Desktop/Deepak') os.mkdir('C:/Users/admin/Desktop/Deepak/Sub\_Deepak') print('Folder Created successfully')

### **Output:**



**Conclusion:** We have successfully created and explored Directories and files.