


What is CSS ?

CSS is the language we use to style a Web page.

What is CSS?

- CSS stands for Cascading Style Sheets
- CSS describes how HTML elements are to be displayed on screen, paper, or in other media
- CSS saves a lot of work. It can control the layout of multiple web pages all at once
- External stylesheets are stored in CSS files

CSS Syntax



The selector points to the HTML element you want to style.

The declaration block contains one or more declarations separated by semicolons.

Each declaration includes a CSS property name and a value, separated by a colon.

Multiple CSS declarations are separated with semicolons, and declaration blocks are surrounded by curly braces.

For Example:

```
p {  
  color: red;  
  text-align: center;  
}
```

- `p` is a selector in CSS (it points to the HTML element you want to style: `<p>`).
 - `color` is a property, and `red` is the property value
 - `text-align` is a property, and `center` is the property value
-

Types of CSS

There are three types of CSS:

1. Inline CSS

Inline CSS is used to style the elements of HTML documents.

It is used in HTML to style the attributes without using the selectors.

It is challenging to manage the inline function in websites compared to other types. It is very helpful in HTML in some situations.

For example:

```
<h1 style="color: red">We are learning CSS</h1>
```

2. Internal CSS

Internal CSS is used to design the style single page effectively.

It is more time-consuming because we can only work on one page or we need to style each web page.

In internal CSS, we style a single webpage uniquely.

For Example:

```
<!DOCTYPE html>

<html lang="en">

  <head>

    <meta charset="UTF-8" />

    <meta name="viewport" content="width=device-width, initial-scale=1.0"
/>

    <title>Document</title>

    <style>

      h1 {

        color: red;

        background-color: blue;

        text-align: center;

      }

    </style>

  </head>

  <body>

    <h1>We are learning CSS</h1>

  </body>

</html>
```

3. External CSS

External CSS is used to link all webpage with an external file.

CSS, which can be created in a text file.

It is more efficient for styling an extensive webpage

It also increases the readability of the CSS files.

For Example:

=====

index.html

=====

```
<!DOCTYPE html>
```

```
<html lang="en">
```

```
  <head>
```

```
    <meta charset="UTF-8" />
```

```
    <meta name="viewport" content="width=device-width, initial-scale=1.0" />
```

```
    <title>Document</title>
```

```
    <link rel="stylesheet" href="style.css" />
```

```
  </head>
```

```
  <body>
```

```
    <h1>We are learning CSS</h1>
```

```
  </body>
```

```
</html>
```

=====

style.css file

```
h1 {
```

```
  color: red;
```

```
background-color: blue;
text-align: center;
}
```

How to Comment in Css?

```
/* h1 {
    color: red;
    background-color: blue;
    text-align: center;
} */
```

=====