Skip to main content

CS23336/GE23231/GE23233-IPP/PUP/PSPP

Status	Finished
Started	Sunday, 18 October 2026, 7:18 PM
Completed	Sunday, 18 October 2026, 7:26 PM
Duration	8 mins 32 secs
Grade	**10.00** out of 10.00 (**100**%)

Question 1

Correct
Mark 1.00 out of 1.00
Flag question

Question text

Create a Python program to delete a specific line from a text file based on a given line number.

Description:

1. **Input:**
   - A text file with multiple lines.
   - A line number to delete.
2. **Output:**
   - The updated file with the specified line removed in file "output.txt".

Example:

- **Input File Content:**

  "Line one.
  Line two.
  Line three.
  Line four."
  2

  Updated line two.

Output:

Line one.
Line three.
Line four.

For example:

Test	Input	Result

`with open('output.txt', 'r') as file:`
`  text = file.read()`
`  print(text)`
	input1.txt
	2
		Line one.
		Line three.
		Line four.

Answer:(penalty regime: 0 %)

```
filename = input()
line_num = int(input())

with open(filename, "r") as file:
    lines = file.readlines()

del lines[line_num - 1]

with open("output.txt", "w") as file:
    file.writelines(lines)
```

Explore our developer-friendly HTML to PDF API Printed using PDFCrowd HTML to PDF

Feedback

Test	Input	Expected	Got

`with open('output.txt', 'r') as file:`
`  text = file.read()`
`  print(text)`
	input1.txt
	2
		Line one.
		Line three.
		Line four.
			Line one.
			Line three.
			Line four.

`with open('output.txt', 'r') as file:`
`  text = file.read()`
`  print(text)`
	input2.txt
	3
		Line A.
		Line B.
			Line A.
			Line B.

Passed all tests!

Correct
Marks for this submission: 1.00/1.00.

Question 2

Correct
Mark 1.00 out of 1.00
Flag question

Question text

Write a Python program to count the frequency of each word in a given text file.

Description:

1. **Input:**
   - String as input.
2. **Output:**
   - A list of words with their corresponding frequency count to be write in a file "output.txt"

Example:

- **Input File Content:**

  apple orange apple banana apple orange

Output:

apple: 3
orange: 2
banana: 1

For example:

Test	Input	Result

`with open('output.txt', 'r') as file:`
`  text = file.read()`
`  print(text)`
	apple orange apple banana apple orange	apple: 3
		banana: 1
		orange: 2

Answer:(penalty regime: 0 %)

```
import string

text = input().lower()
text = text.translate(str.maketrans("", "", string.punctuation))

words = text.split()
freq = {}

for word in words:
    freq[word] = freq.get(word, 0) + 1

with open("output.txt", "w") as file:
    for word in sorted(freq):
        file.write(word + ": " + str(freq[word]) + "\n")
```

Explore our developer-friendly HTML to PDF API Printed using PDFCrowd HTML to PDF

Feedback

Test	Input	Expected	Got

`with open('output.txt', 'r') as file:`
`  text = file.read()`
`  print(text)`
	`apple orange apple banana apple orange`	`apple: 3`
		`banana: 1`
		`orange: 2`
			`apple: 3`
			`banana: 1`
			`orange: 2`

`with open('output.txt', 'r') as file:`
`  text = file.read()`
`  print(text)`
	`Hello world! Hello everyone. Welcome to the world of programming.`	`everyone: 1`
		`hello: 2`
		`of: 1`
		`programming: 1`
		`the: 1`
		`to: 1`
		`welcome: 1`
		`world: 2`
			`everyone: 1`
			`hello: 2`
			`of: 1`
			`programming: 1`
			`the: 1`
			`to: 1`
			`welcome: 1`
			`world: 2`

`with open('output.txt', 'r') as file:`
`  text = file.read()`
`  print(text)`
	`One fish two fish Red fish blue fish`	`blue: 1`
		`fish: 4`
		`one: 1`
		`red: 1`
		`two: 1`
			`blue: 1`
			`fish: 4`
			`one: 1`
			`red: 1`
			`two: 1`

Passed all tests!

Correct
Marks for this submission: 1.00/1.00.

Question 3

Correct
Mark 1.00 out of 1.00
Flag question

Question text

Develop a Python program to copy the contents of one file to another file.

Description:

1. **Input:**
   - Source file and destination file names.
2. **Output:**
   - The content of the source file copied to the destination file.

For example:

Test	Input	Result

`with open('output1.txt', 'r') as file:`
`  text = file.read()`
`  print(text)`
	`input1.txt`
	`output1.txt`
		`This is the source file.`
		`It contains multiple lines of text.`
		`Here is another line.`

Answer:(penalty regime: 0 %)

```
source = input()
destination = input()

with open(source, "r") as file:
    content = file.read()

with open(destination, "w") as file:
    file.write(content)
```

Explore our developer-friendly HTML to PDF API Printed using PDFCrowd HTML to PDF

Feedback

Test	Input	Expected	Got

`with open('output1.txt', 'r') as file:`
`  text = file.read()`
`  print(text)`
	`input1.txt`
	`output1.txt`
		`This is the source file.`
		`It contains multiple lines of text.`
		`Here is another line.`
			`This is the source file.`
			`It contains multiple lines of text.`
			`Here is another line.`

`with open('output2.txt', 'r') as file:`
`  text = file.read()`
`  print(text)`
	`input2.txt`
	`output2.txt`
		`Hello, world!`
		`Python programming is amazing.`
		`Let's copy this text to another file.`
			`Hello, world!`
			`Python programming is amazing.`
			`Let's copy this text to another file.`

`with open('output3.txt', 'r') as file:`
`  text = file.read()`
`  print(text)`
	`input3.txt`
	`output3.txt`
		`Single line.`	`Single line.`

Passed all tests!

Correct
Marks for this submission: 1.00/1.00.

Question 4

Correct
Mark 1.00 out of 1.00
Flag question

Question text

Write a Python program to reverse the contents of a specific line in a text file based on a given line number.

Description:

1. **Input:**
   - A text file with multiple lines.
   - A line number to reverse.
2. **Output:**
   - The updated file with the specified line's contents reversed in file "output.txt".

Example:

- **Input File Content:**

  "Line one.
  Line two.
  Line three.
  Line four."
  3

Output:

Line one.
Line two.
eerht eniL.
Line four.

For example:

Test	Input	Result

`with open('output.txt', 'r') as file:`
`  text = file.read()`
`  print(text)`
	`input1.txt`
	`3`
		`Line one.`
		`Line two.`
		`eerht eniL.`
		`Line four.`

Answer:(penalty regime: 0 %)

```
filename = input()
line_num = int(input())

with open(filename, "r") as file:
    lines = file.readlines()

line = lines[line_num - 1].rstrip("\n")

if line.endswith("."):
    lines[line_num - 1] = line[:-1][::-1] + ".\n"
else:
    lines[line_num - 1] = line[::-1] + "\n"

with open("output.txt", "w") as file:
```

Explore our developer-friendly HTML to PDF API Printed using PDFCrowd HTML to PDF

```
with open('output.txt', 'w') as file:
    file.writelines(lines)
```

Feedback

Test	Input	Expected	Got

`with open('output.txt', 'r') as file:`
`  text = file.read()`
`  print(text)`
	input1.txt
	3
		Line one.
		Line two.
		eerht eniL.
		Line four.
			Line one.
			Line two.
			eerht eniL.
			Line four.

`with open('output.txt', 'r') as file:`
`  text = file.read()`
`  print(text)`
	input2.txt
	2
		Line A.
		B eniL.
		Line C.
			Line A.
			B eniL.
			Line C.

Passed all tests!

Correct
Marks for this submission: 1.00/1.00.

Question 5

Correct
Mark 1.00 out of 1.00
Flag question

Question text

Develop a Python program to read a specific line from a text file based on a given line number.

Description:

1. **Input:**
   - A text file with multiple lines.
   - A line number to read.
2. **Output:**
   - The content of the specified line.

input1.txt:

Line one.
Line two.
Line three.
Line four.

For example:

Input	Result
input1.txt 3	Line three.

Answer:(penalty regime: 0 %)

```
filename = input()
line_num = int(input())

with open(filename, "r") as file:
    lines = file.readlines()

print(lines[line_num - 1].strip())
```

Explore our developer-friendly HTML to PDF API Printed using PDFCrowd HTML to PDF

Feedback

Input	Expected	Got
input1.txt 3	Line three.	Line three.
input2.txt 3	Line C.	Line C.

Passed all tests!

Correct
Marks for this submission: 1.00/1.00.

Question 6

Correct
Mark 1.00 out of 1.00
Flag question

Question text

Create a Python program to find the longest word in a text file.

- **Input:**
  - A text file containing multiple lines of text.
- **Output:**
  - The longest word in the file.

For example:

Input	Result
input1.txt	Longest word: containing

Answer:(penalty regime: 0 %)

```
filename = input()

with open(filename, "r") as file:
    text = file.read()

words = text.split()
longest = max(words, key=len)

print("Longest word:", longest)
```

Feedback

Input	Expected	Got
input1.txt	Longest word: containing	Longest word: containing
input2.txt	Longest word: thousand	Longest word: thousand
input3.txt	Longest word: supercalifragilisticexpialidocious	Longest word: supercalifragilisticexpialidocious

Explore our developer-friendly HTML to PDF API Printed using PDFCrowd HTML to PDF

Passed all tests!
Correct
Marks for this submission: 1.00/1.00.

Question 7

Correct
Mark 1.00 out of 1.00
Flag question

Question text

Write a Python program to append a new line at a specific position in a text file, shifting existing lines down.

Description:

1. **Input:**
   - A text file with multiple lines.
   - A line number to insert the new line at.
   - New content for the new line.
2. **Output:**
   - The updated file with the new line inserted at the specified position, shifting the existing lines down in file "output.txt".

Example:

- **Input File Content:**

  "Line one.
  Line two.
  Line three.
  Line four."
  3

  Inserted line..

Output:

Line one.
Line two.
Inserted line.
Line three.
Line four.

For example:

Test	Input	Result

`with open('output.txt', 'r') as file:`
`  text = file.read()`
`  print(text)`
	input1.txt
	3
	Inserted line.
		Line one.
		Line two.
		Inserted line.
		Line three.
		Line four.

Answer:(penalty regime: 0 %)

```
filename = input()
line_num = int(input())
new_line = input()

with open(filename, "r") as file:
    lines = file.readlines()

if lines and not lines[-1].endswith("\n"):
    lines[-1] += "\n"

lines.insert(line_num - 1, new_line + "\n")

with open("output.txt", "w") as file:
    file.writelines(lines)
```

Feedback

Explore our developer-friendly HTML to PDF API Printed using PDFCrowd HTML to PDF

Test	Input	Expected	Got

`with open('output.txt', 'r') as file:`
`  text = file.read()`
`  print(text)`
	input1.txt
	3
	Inserted line.
		Line one.
		Line two.
		Inserted line.
		Line three.
		Line four.
			Line one.
			Line two.
			Inserted line.
			Line three.
			Line four.

`with open('output.txt', 'r') as file:`
`  text = file.read()`
`  print(text)`
	input2.txt
	4
	Inserted line D.
		Line A.
		Line B.
		Line C.
		Inserted line D.
			Line A.
			Line B.
			Line C.
			Inserted line D.

Passed all tests!

Correct
Marks for this submission: 1.00/1.00.

Question 8

Correct
Mark 1.00 out of 1.00
Flag question

Question text

Develop a Python program to identify and print all palindrome words from a given text file.

Description:

1. **Input:**
   - A text file containing multiple words.
2. **Output:**
   - A list of palindrome words found in the file name as 'output.txt'.

For example:

Test	Input	Result

`with open('output.txt', 'r') as file:`
`  text = file.read()`
`  print(text)`
	input1.txt	madam
		arora
		malayalam

Answer:(penalty regime: 0 %)

```
filename = input()

with open(filename, "r") as file:
    words = file.read().split()

with open("output.txt", "w") as file:
    for word in words:
        if word.lower() == word.lower()[::-1]:
            file.write(word + "\n")
```

Feedback

Test	Input	Expected	Got

`with open('output.txt', 'r') as file:`
`  text = file.read()`
`  print(text)`
	input1.txt	madam
		arora
		malayalam
			madam
			arora
			malayalam

Passed all tests!

Correct

Explore our developer-friendly HTML to PDF API Printed using PDFCrowd HTML to PDF

Marks for this submission: 1.00/1.00.

Question 9

Correct
Mark 1.00 out of 1.00
Flag question

Question text

Create a Python program to write to a specific line in a text file, replacing the existing content of that line.

Description:

1. **Input:**
   - A text file with multiple lines.
   - A line number to write to.
   - New content for the specified line.
2. **Output:**
   - The updated file with the specified line replaced by the new content in file "output.txt".

Example:

- **Input File Content:**

  "Line one.
  Line two.
  Line three.
  Line four."
  2

  Updated line two.

Output:

Line one.
Updated line two.
Line three.
Line four.

For example:

Test	Input	Result

`with open('output.txt', 'r') as file:`
`  text = file.read()`
`  print(text)`
	input1.txt
	2
	Updated line two.
		Line one.
		Updated line two.
		Line three.
		Line four.

Answer:(penalty regime: 0 %)

```
filename = input()
line_num = int(input())
new_line = input()

with open(filename, "r") as file:
    lines = file.readlines()

lines[line_num - 1] = new_line + "\n"

with open("output.txt", "w") as file:
    file.writelines(lines)
```

Feedback

Test	Input	Expected	Got
`with open('output.txt', 'r') as file:` `  text = file.read()`	input1.txt 2	Line one. Updated line two.	Line one. Updated line two.

Explore our developer-friendly HTML to PDF API Printed using PDFCrowd HTML to PDF

Test	Input	Expected	Got
`print(text)`	`Updated line two.`	`Line three.` `Line four.`	`Line three.` `Line four.`

`with open('output.txt', 'r') as file:`
`  text = file.read()`
`  print(text)`
	`input2.txt`
	`2`
	`Line B Updated.`
		`Line A.`
		`Line B Updated.`
		`Line C.`
			`Line A.`
			`Line B Updated.`
			`Line C.`

Passed all tests!
Correct
Marks for this submission: 1.00/1.00.

Question 10

Correct
Mark 1.00 out of 1.00
Flag question

Question text

Develop a Python program to read a text file and count the total number of words in the file.

Description:

1. **Input:**
   - A text file containing several lines of text.
   - File name you should get as input.
2. **Output:**
   - The total number of words in the file.

For example:

Input	Result
`input2.txt`	`Total words: 14`
`input3.txt`	`Total words: 15`

Answer:(penalty regime: 0 %)

```
filename = input()

with open(filename, "r") as file:
    text = file.read()

words = text.split()
print("Total words:", len(words))
```

Feedback

Input	Expected	Got
`input1.txt`	`Total words: 6`	`Total words: 6`
`input2.txt`	`Total words: 14`	`Total words: 14`
`input3.txt`	`Total words: 15`	`Total words: 15`

Passed all tests!

Correct

Explore our developer-friendly HTML to PDF API Printed using PDFCrowd HTML to PDF

Marks for this submission: 1.00/1.00.
Finish review

Explore our developer-friendly HTML to PDF API Printed using PDFCrowd HTML to PDF