

ROADMAP: Renaming & Aligning "KnowledgeSlot" to "CommonContext"

This roadmap details the systematic transition from **KnowledgeSlot** (passive/offline curation tool concept) to **CommonContext** (active, multi-vertical transactional domain grounding framework) across all DeeperPoint codebases, configuration files, and website pages.

Executive Summary

The DeeperPoint platform has evolved. What was originally conceived as the **KnowledgeSlot** — a passive, sponsor-curated reference library — has matured into the **CommonContext** framework. This framework acts as a dynamic domain-grounding engine that resolves information asymmetries, captures real-time "pull signals" (gaps) from live transactions, and populates vertical-specific ontologies.

To ensure consistency in documentation, codebase integration, client-facing demonstrations, and content taxonomy, we are systematically renaming and purging all legacy references to **knowledgeslot** (and its variants) and replacing them with **CommonContext**.

The Core Challenge

We have performed a comprehensive workspace scan across the 12 active workspaces. The legacy terms appear in five primary contexts:

- CommonContext (formerly KnowledgeSlot)**: The renamed repository itself contains deep structural references, prompt files, and design decision records (**docs/DECISION-***).
- ClientSynth**: Hardcoded integration strings mapping schema imports back to the curation tool.
- marketforge_digital_twin**: The interactive visual mockup application has hardcoded component states, toggle switches (**KnowledgeSlot default**), logging primitives, and data matrices.
- DeeperPointBlogging**: Staged draft and published blog articles (such as *The Broken Skidder* and *Irish Trad Thin Market*) and LinkedIn teasers that conceptualize the "Knowledge Slot."
- DeeperpointBusiness**: High-level business blueprints, syllabi, and codebase reviews.

Phased Action Plan

```
graph TD
    P1[Phase 1: CommonContext Repo Refactoring] --> P2[Phase 2: ClientSynth Integration Update]
    P2 --> P3[Phase 3: Digital Twin UI Alignment]
    P3 --> P4[Phase 4: Business Strategy Docs Update]
    P4 --> P5[Phase 5: Content Taxonomy & Blog Sync]
    P5 --> V1[Phase 6: Workspace-Wide Verification]
```

Phase 1: CommonContext (Curation Repo) Refactoring

Objective: Clean up all legacy self-references inside the newly renamed repository.

1. Documentation & General Files

Update references in the following primary files:

- **[FEATURES.md]**
(file:///Users/mustafauzumeri/Documents/GitHub/CommonContext/FEATURES.md) (Lines 3, 135)
 - Change `# KnowledgeSlot – Product Feature Sheet` to `# CommonContext – Product Feature Sheet`.
 - Update descriptions of curation tooling from `KnowledgeSlot` to `CommonContext`.
- **[README.md]**
(file:///Users/mustafauzumeri/Documents/GitHub/CommonContext/README.md) (Line 19)
 - Change directory stub `AIKnowledgeSlotCuration/` to `CommonContext/`.
- **[ROADMAP.md]**
(file:///Users/mustafauzumeri/Documents/GitHub/CommonContext/ROADMAP.md) (Lines 3, 38, 101)
 - Change `# AIKnowledgeSlotCuration Roadmap` to `# CommonContext Roadmap`.
 - Update the descriptive table entries.

2. Code Files & Prompts

- **[chunk_and_embed.py]**
(file:///Users/mustafauzumeri/Documents/GitHub/CommonContext/chunk_and_embed.py) (Line 6)
 - Update the file header and docstring: `Processes CommonContext Markdown...`
- **[prompts/alternative_compliance_extraction.md]**
(file:///Users/mustafauzumeri/Documents/GitHub/CommonContext/prompts/alternative_compliance_extraction.md) (Line 5)
 - Update `KnowledgeSlot automated discovery pipeline` to `CommonContext automated discovery pipeline`.

3. Architecture & Design Decision Records (**docs/**)

We must systematically rewrite the headers and references inside the architecture documents to maintain alignment with the new naming scheme:

- **[docs/DECISION-000-architecture-and-integration.md]**
(file:///Users/mustafauzumeri/Documents/GitHub/CommonContext/docs/DECISION-000-architecture-and-integration.md)
 - Rename the file/header: `DECISION-000: Architecture and Integration (CommonContext ↔ Cosolvent)`
 - Update all tables mapping `B1 – Knowledge Slot` to `B1 – CommonContext`.
- **[docs/DECISION-001-pull-signal-transport.md]**
(file:///Users/mustafauzumeri/Documents/GitHub/CommonContext/docs/DECISION-001-pull-

signal-transport.md)

- Rename header: **Design Decision: Pull Signal Transport Between Cosolvent and CommonContext**
- Update data-flow diagrams: **Cosolvent —POST /api/gap-signal—> CommonContext API**
- **[docs/DECISION-002-staleness-detection.md]**
(file:///Users/mustafauzumeri/Documents/GitHub/CommonContext/docs/DECISION-002-staleness-detection.md)
 - Update references to periodic scanning of the **CommonContext** library.
- **[docs/DECISION-003-facilitator-subtypes.md]**
(file:///Users/mustafauzumeri/Documents/GitHub/CommonContext/docs/DECISION-003-facilitator-subtypes.md)
- **[docs/DECISION-004-reference-table-design.md]**
(file:///Users/mustafauzumeri/Documents/GitHub/CommonContext/docs/DECISION-004-reference-table-design.md)
 - Update standard tables. E.g., **knowledge_gap_signals** → **common_context_gap_signals** (or **gap_signals**).
- **[docs/DECISION-005-chunking-and-tagging-pipeline.md]**
(file:///Users/mustafauzumeri/Documents/GitHub/CommonContext/docs/DECISION-005-chunking-and-tagging-pipeline.md)
- **[docs/ANALYSIS-006-alternative-channel-discovery.md]**
(file:///Users/mustafauzumeri/Documents/GitHub/CommonContext/docs/ANALYSIS-006-alternative-channel-discovery.md)

Phase 2: ClientSynth Integration Sync

Objective: Update ClientSynth's importing routes that target the legacy repository.

In the **ClientSynth** repository, there is an explicit, hardcoded API route that labels the schema's import source as **AIKnowledgeSlotCuration**. This must be updated to ensure schema provenance is tracked under the correct project name:

- **[app/api/v1/schemas/import/route.ts]**
(file:///Users/mustafauzumeri/Documents/GitHub/ClientSynth/app/api/v1/schemas/import/route.ts) (Line 73)

```

- source: "AIKnowledgeSlotCuration"
+ source: "CommonContext"

```

Phase 3: Digital Twin & Interactive Demos

Objective: Rebrand the visual twin UI to ensure client presentations show "CommonContext."

The **marketforge_digital_twin** repository contains extensive UI strings and state properties that reference **KnowledgeSlot**. This is a high-priority front-end refactoring task because these strings are

displayed in interactive client mockups.

1. React Components & Mock Interfaces

- **[app.jsx]**(file:///Users/mustafauzumeri/Documents/GitHub/Marketforge_digital_twin/app.jsx)
 - Line 72: Change `<span>KnowledgeSlot default</span>` to `<span>CommonContext default</span>`.
 - Line 98: Change `{ key: 'knowledge', label: 'KNOWLEDGESLOT', count: 2 }` to `{ key: 'knowledge', label: 'COMMONCONTEXT', count: 2 }`.
 - Line 220: Change `{ title: 'KnowledgeSlot editor' }` to `{ title: 'CommonContext editor' }`.
- **[primitives.jsx]**
(file:///Users/mustafauzumeri/Documents/GitHub/Marketforge_digital_twin/primitives.jsx)
 - Line 162: Update `KnowledgeSlot · {item.field}` to `CommonContext · {item.field}`.
- **[pre-app.jsx]**(file:///Users/mustafauzumeri/Documents/GitHub/Marketforge_digital_twin/pre-app.jsx)
 - Line 167: Change `['KnowledgeSlot', 'v2.1', 'Grounds domain ontology; closes data gaps and lifts match confidence.']}` to `['CommonContext', 'v3.0', 'Grounds domain ontology; closes data gaps and lifts match confidence.']}`.
- **[shell.jsx]**
(file:///Users/mustafauzumeri/Documents/GitHub/Marketforge_digital_twin/shell.jsx)
 - Line 25: Change `label: 'KnowledgeSlot'` to `label: 'CommonContext'`.
 - Line 220: Change `title: 'KnowledgeSlot applied'` to `title: 'CommonContext applied'`.
- **[screens-1-2.jsx]**
(file:///Users/mustafauzumeri/Documents/GitHub/Marketforge_digital_twin/screens-1-2.jsx)
(Line 133) and **[screens-3-4.jsx]**
(file:///Users/mustafauzumeri/Documents/GitHub/Marketforge_digital_twin/screens-3-4.jsx)
(Line 110)
 - Change text/badges from `KnowledgeSlot` to `CommonContext`.
- **[screens-5.jsx]**
(file:///Users/mustafauzumeri/Documents/GitHub/Marketforge_digital_twin/screens-5.jsx)
 - Line 113: Update warning: `◆ CommonContext is holding this signal open...`
 - Line 117: Update table rows: `◆ CommonContext enhanced signal · contributes to confidence.`
 - Line 198: Update footer status panel label to `CommonContext`.

2. Mock Databases & Log Feeds

- **[screen-addons.jsx]**
(file:///Users/mustafauzumeri/Documents/GitHub/Marketforge_digital_twin/screen-addons.jsx)
 - Line 22: Update audit log string: `'Applied CommonContext to "Surface finish" (high impact)'`.
 - Line 146: Change key `'knowledgeslot'` to `'commoncontext'`.

- Line 230: Change step label to 'CommonContext'.
 - **[data.jsx](file:///Users/mustafauzumeri/Documents/GitHub/Marketforge_digital_twin/data.jsx)**
 - Lines 96, 106, 116: Change `note: 'KnowledgeSlot prompt active'` to `note: 'CommonContext prompt active'`.
 - Change `ksNote` entries to explain that `CommonContext` (not `KnowledgeSlot`) revealed the capabilities.
 - Lines 128, 129, 137, 145: Update the score categories comments to read `// CommonContext` instead of `// KnowledgeSlot`.
-

Phase 4: Business Strategy & Analysis Documents

Objective: Maintain conceptual alignment in historical review documents.

In the `DeeperpointBusiness` repository, update the comprehensive reviews and learning roadmaps:

- **[Analysis/2026-05-21-codebase-relationship-review.md]**
(file:///Users/mustafauzumeri/Documents/GitHub/DeeperpointBusiness/Analysis/2026-05-21-codebase-relationship-review.md)
 - Update title to: `Codebase Relationship Review: Cosolvent, CommonContext, and MarketForge Digital Twin`
 - Update sections B and comparative tables mapping the responsibilities of `CommonContext` vs. `Cosolvent`.
 - **[Analysis/2026-05-21-agentic-ai-learning-plan.md]**
(file:///Users/mustafauzumeri/Documents/GitHub/DeeperpointBusiness/Analysis/2026-05-21-agentic-ai-learning-plan.md) (Lines 9, 47, 147)
 - Change syllabus description mapping `KnowledgeSlot` to `CommonContext`.
 - Update the file link to point to `[CommonContext/seed_reference_library.py]`
(file:///Users/mustafauzumeri/Documents/GitHub/CommonContext/seed_reference_library.py).
-

Phase 5: Content Taxonomy & Blog Sync (DeeperPointBlogging)

Objective: Bring the marketing and newsletter channels in line with the new taxonomy rules.

The blog post tagging rules (`DeeperPointBlogging/GEMINI.md`) have already adopted `commoncontext` as a core topic tag. However, numerous drafts and published articles use the term "Knowledge Slot" conceptually.

1. Terminology Policy

Going forward, the following terminology rules should apply:

- **YAML Taxonomy Tag:** Use `commoncontext` in the `tags: [...]` list (already added in the Blogging brief).
- **Drafts and Future Articles:** Avoid "Knowledge Slot" or "KnowledgeSlot" in new drafts. Refer to the domain-grounding library as the **CommonContext layer** or **CommonContext**.
- **Historical/Published Articles:** Retroactively renaming published files is not recommended, as it can break external links (e.g. `irish-trad-thin-market.html`). However, internal text references to

the platform feature should be updated to **CommonContext** (formerly referred to as the **Knowledge Slot**) or **CommonContext** where possible, or kept as a conceptual synonym.

2. Blogging Plan Refactoring

- [ShadowCapacity-18-Post-Plan.md]
(file:///Users/mustafauzumeri/Documents/GitHub/DeeperPointBlogging/ShadowCapacity-18-Post-Plan.md) (Line 69)
 - Align the description of post 15 to reference "CommonContext" as primary, keeping the parenthetical "Knowledge Slot" as a historical transition.

Terminology Guidelines

To prevent future nomenclature drift, use this vocabulary mapping:

Old / Legacy Term	New / Target Term	Context	Example
KnowledgeSlot / knowledgeslot	CommonContext / commoncontext	Repository, variable, config key	import { CommonContext } from '...'
AIKnowledgeSlotCuration	CommonContext	Curation repository mapping	source: "CommonContext"
Knowledge Slot (space)	CommonContext or CommonContext layer	Blog posts, conceptual descriptions	"The platform's CommonContext layer..."
knowledge_gap_signals	common_context_gap_signals / gap_signals	Database table names	SELECT * FROM gap_signals

Validation & Verification Plan

After executing the edits outlined above, the following steps must be completed to ensure validation:

1. Workspace-Wide Search

Run a global search command to ensure no lingering **knowledgeslot** references remain in active code paths:

```
# From GitHub workspace root
rg -i "knowledgeslot"
```

(Expected output: Only historical, explicitly excluded markdown blog posts or git-history objects should return results.)

2. Frontend Twin Verification

In the `marketforge_digital_twin` repository, spin up the local development instance to verify that the UI components render the "CommonContext" labels properly and the state toggles function correctly:

```
cd Marketforge_digital_twin
npm run dev
```

- Navigate to the evaluation dashboards.
- Verify the toggle label reads "**CommonContext default**".
- Check that the mock event logger shows '`Applied CommonContext to "Surface finish"`'.

3. API Import Testing

Verify that `ClientSynth` can still pull schemas by launching its development server and performing a mock schema synchronization:

```
cd ClientSynth
npm run dev
```

- Trigger a mock schema import and verify the payload contains the source '`CommonContext`'.
-