	Logo	,
-8223C5C	STUDENT REPORT STUDENT REPORT SETAILS Name B DEEPIKA	50
· 5	STUDENT REPORT SETAILS Name 1 38 25 501 38 22 501 22 501 22 501 22 501 22 501 22 501 22 501 22 501 22 501 22 501 2	3823
ე ე	SOLETAIRS OF THE STATE OF THE S	,
13050	Name of the second seco	50223
2012 380	38R23CS022 SOPERIMENT SOLD SOLD SOLD SOLD SOLD SOLD SOLD SOLD	
	3BR23CS022	30,38
a£4	SOLDIMENTO SOLDING SOL	250
ຸ ວ ^{ຽວ Tr} i	SPECIMENTS OF THE SECOND SERVICES OF THE SECOND SECOND SERVICES OF THE SECOND SECON	مهرو
	elections	22 38 Pr
602	n's contraction of the contracti	ν
122501	SPRIMENTS OF THE SECOND	27305027
	Tou are the head of the election committee in your strings. Each to incompany to associate with a unique hamber and the votes are	500
305027 39	represented as an integer array A. where each element contains the party number voted for by the villagers. For a party to win, they must have a majority of votes. our task is to find and return an integer value denoting the winning party's number. Return -1 if there	200
300	is no party with a majority.	35072 386
N		
222 38R22	input: An integer value representing the number the number of voters	12 38R236
	innut? On integer course A representing the victor of the victors	12 30
Sold Sold Sold Sold Sold Sold Sold Sold		- (
BRY	Return an integer value denoting the winning party's number.Return -1 there is no party with a majority	8823C50
		50
2305022	Input:	ر م
Ü,	6	3502
C. C. C.	112223	,
2027 388	Output:	280
	2	Self By
382730	Explanation:	CO.
°S [™]		Style
	Example 2:	B.B.
	Input:	an ³
	121122	BE CONT
	Output:	ř
	-1	Dagge
	Evolunation	Sept.

Explanation:

Source Code:

n=int(input()) arr=list(map(int,input().split())) d={ } if n==1: print(arr[0]) else: for i in arr: if i not in d: d[i]=1 else: d[i] += 1x=sorted(d.items(),key=lambda x:x[1], reverse =True) if x[0][1]==x[1][1]: print(-1) else: print(x[0][0])

RESULT

,,,

3050L

3827303

01,388

305011

28273C3

6 / 6 Test Cases Passed | 100 %

an asc

2802

J 350

csor

2230

BRY

1022

Sc201