THE TESTING ACADEMY
Quality Assurance · Test Plan

DRAFT FOR HUMAN REVIEW

VWO-49: Add Passkey and SSO Login Options

Test plan for authentication options on the VWO login page

Issue VWO-49	**Project** VWO Project
Epic Authentication Enhancements	**Prepared** 28 October 2026
Issue status To Do (ticket export)	**Plan status** Draft — pending human review

Review status: This is a proposed test plan, not an approved or final artifact. Ticket content and historical comments are taken from the supplied VWO-49 export. Questions and unconfirmed details are kept open rather than assumed.

1. Objective and Company Context

Verify that users can start and complete VWO login using the newly presented Single Sign-On (SSO) and passkey options, receive safe and understandable failure guidance, and use the options on supported configurations without exposing sensitive authentication data.

Supplied organization context

The company notes describe VWO as a Bingify product at vwo.com, focused on A/B testing for websites, with approximately 5,000 employees. This context is supplied in the skill materials; it is not independently verified.

Test objective

Assess the new login entry points and the SSO/WebAuthn authentication journeys in scope, plus security, compatibility, accessibility, and responsive behavior directly related to these options.

2. Ticket Summary and Scope

User story: As a user, log in using either Passkey or SSO to access an account more securely and conveniently without relying solely on email/password authentication.

Ticket metadata: Story; VWO Project; status To Do; priority appears as Medium in the issue header and High in the description; no components, fix version, sprint, or assignee are supplied. Epic link is Authentication Enhancements.

In scope

- Visibility and placement of “Sign in using SSO” and “Sign in with Passkey” beneath “Sign in with Google”.
- Configured SSO success, failure, user feedback, and dashboard redirect.
- Registered passkey success, failure, no-passkey fallback/guidance, and unsupported browser/device handling.
- Supported browser/device and configured identity-provider compatibility; secure OAuth/SAML/WebAuthn behavior.
- Responsive and accessible presentation; sensitive-data exposure checks in UI and network logs.

Out of scope / conditional

- Passkey registration, explicitly covered by another story.
- SSO provider configuration, explicitly out of scope. Use only configured providers and test-environment setup.
- Testing provider administration or the broader VWO product beyond login and dashboard handoff.

Existing email/password and Google login are included only as regression checks where they share the login page or could be affected by placement.

Acceptance criteria reference

Ref	Ticket requirement
AC-1	Both named buttons are visible on login, below “Sign in with Google”.
AC-2	Valid SSO credentials authenticate the user and redirect to the dashboard; invalid credentials produce an appropriate error.
AC-3	A verified registered passkey logs the user in and redirects to the dashboard; no passkey produces fallback or guidance.
AC-4	Appropriate errors are displayed for failed SSO, failed passkey authentication, and unsupported browser/device for passkeys.
AC-5	Passkey works on supported browsers/devices; SSO works across all configured identity providers.
AC-6	Authentication follows secure OAuth/SAML/WebAuthn protocols; sensitive data is not exposed in UI or network logs.

3. Requirement Gap Analysis — Gaps & Questions for the Author

Status key: Present = explicitly stated; Ambiguous = partly stated or lacking a measurable definition; Missing = not specified in the ticket. Resolve or record owner-approved answers before test-case sign-off.

Ref	Area	Status	Finding / question for author
—	User goal and core flow	Present	Story and SSO/passkey success goals are supplied.
—	Acceptance criteria	Present	Six high-level criteria are present; detailed pass/fail behavior is not complete.
Q-1	Button order and exact layout	Ambiguous	Are SSO and Passkey order, spacing, labels, and visual design prescribed beyond appearing below Google? Which approved design is authoritative?
Q-2	SSO identity and success conditions	Ambiguous	Which configured IdPs, protocols, tenant/account types, and valid test accounts are in scope? What exact URL/state constitutes dashboard redirect?
Q-3	SSO failure states	Ambiguous	Define expected behavior for invalid credentials, unknown tenant, IdP outage/timeout, user cancellation, and denied consent. Should failures remain on login?
Q-4	Passkey platform support	Ambiguous	Provide supported browser, OS, device, authenticator, and platform versions. Define expected fallback for unsupported configurations.
Q-5	Passkey state/error behavior	Ambiguous	Clarify expected response for no credential, user cancellation, failed verification, authenticator unavailable, timeout, and retry.
Q-6	Test data and setup	Missing	Provide approved non-production accounts for SSO success/failure, configured IdP tenants, and account with/without an already-registered passkey. Registration itself remains out of scope.
Q-7	Environment/build	Missing	Provide QA/staging URL, build, access, feature-flag state, and environment-specific provider details. Ticket comments mention app.vwo.com and app.wingify.com/#/login; which is the approved target?
Q-8	Security details	Ambiguous	Confirm required protocol/profile, expected log redaction, applicable security test depth, and any approved audit standard. No credential or token values should be captured as evidence.
Q-9	Accessibility and responsive criteria	Missing	Specify accessibility standard/level, assistive-technology matrix, supported viewport sizes, and expected keyboard/focus behavior.
Q-10	Performance, availability, localization	Missing	Are there response-time/load targets, availability criteria, languages, or locale-specific requirements for these authentication options?
Q-11	Regression, rollback, flags	Missing	Which existing login methods and supported release paths must be regression-tested? Is a feature flag or rollback behavior applicable?
Q-12	Priority / ownership / release gates	Ambiguous	Ticket header says Medium while description says High. Confirm priority, QA/product approver, sprint/date, and exit thresholds; none are supplied.
E-1	Historical execution evidence	Present	Ticket comments from 10–20 Oct 2026 repeatedly report 0 passed, 0 failed, 4 blocked for four automated checks. Confirm current build/environment access and whether these results still apply before retesting.

4. Risk-Prioritized Test Scenarios

Priorities are proposed relative risk, not the ticket's priority field. P0 covers core access and security failures; P1 covers important compatibility/error paths; P2 covers supplementary usability and regression coverage. Scenarios are not executed test cases.

ID	Priority	Type	Scenario / expected observation	Trace
TS-01	P0	Positive / UI	Open login in the approved environment; verify both exact-label options are visible below Google. Record order/layout without assuming unspecified order.	AC-1; Q-1
TS-02	P0	Positive / SSO	Start SSO with an approved valid account through each configured IdP; verify successful authentication and dashboard redirect.	AC-2, AC-5; Q-2, Q-6
TS-03	P1	Negative / SSO	Submit an approved invalid SSO account/credential; verify safe, actionable error behavior and no authenticated dashboard access.	AC-2, AC-4; Q-3, Q-6
TS-04	P1	Negative / SSO	Exercise agreed IdP timeout/unavailable, user cancellation, and denied-consent cases; verify defined recovery, no partial session, and no sensitive detail disclosure.	AC-4, AC-6; Q-3, Q-8
TS-05	P0	Positive / Passkey	Use a test account with an already-registered supported passkey and verify user verification, successful login, and dashboard redirect.	AC-3, AC-5; Q-4, Q-6
TS-06	P1	Negative / Passkey	Use an account with no registered passkey; verify the approved fallback/guidance and that no login session is created.	AC-3; Q-5, Q-6
TS-07	P1	Negative / Passkey	Cancel or fail authenticator verification and exercise timeout/retry where defined; verify correct error/recovery without a partial session.	AC-4; Q-5

ID	Priority	Type	Scenario / expected observation	Trace
TS-08	P1	Boundary / compatibility	Open the passkey option on an unsupported browser/device; verify the required unsupported message/fallback and continued access to other login options.	AC-4, AC-5; Q-4
TS-09	P1	Compatibility	Run supported passkey browser/OS/authenticator combinations and all configured IdPs; record each combination and result.	AC-5; Q-2, Q-4
TS-10	P0	Security	Inspect approved UI/network evidence for exposed credentials, assertions, access tokens, passkey challenge/response secrets, or sensitive account data; verify secure protocols and transport as specified.	AC-6; Q-8
TS-11	P1	Session / security	For failed, cancelled, and repeated attempts, verify no unintended authenticated session or cross-account access. Do not conduct unapproved brute-force or destructive tests.	AC-2–AC-4, AC-6; Q-3, Q-5, Q-8
TS-12	P1	Accessibility	Navigate to and activate both controls using keyboard only; check focus order/visibility, accessible names, and announcement of errors/guidance against the agreed standard.	AC-1, AC-4; Q-9
TS-13	P2	Responsive / usability	Check both options and messages at agreed viewport sizes, zoom levels, and touch layouts; verify controls remain visible, operable, and non-overlapping.	AC-1, AC-4; Q-9
TS-14	P1	Regression	Verify existing Google and email/password entry points remain available and operable; ensure new options do not obscure, misroute, or break them.	AC-1; Q-11
TS-15	P1	Failure / resilience	Repeat each failure path after recovery/retry; verify the user can safely return to login and initiate another available sign-in method.	AC-2–AC-4; Q-3, Q-5

5. Test Data and Environment

- **Environment:** Approved non-production QA/staging environment and build are TBD. The ticket mentions app.vwo.com and app.wingify.com/#/login in historical reports; do not test production unless explicitly authorized.
- **SSO data:** Approved test identities for successful and failed authentication, each configured IdP/tenant, and any needed account state. Provider configuration is out of scope; environment setup is a prerequisite.
- **Passkey data:** One approved test account with an already-registered passkey and one without. Provisioning/registration is outside this story and must be prepared separately.
- **Compatibility matrix:** Supported browser, operating system, device, authenticator, and version list is TBD. Include at least one explicitly unsupported configuration once the product team identifies it.
- **Roles/permissions:** The ticket does not define roles. Confirm account entitlement and expected dashboard access for each test identity before execution.
- **Evidence:** Record environment/build, sanitized screenshots, test identity alias, browser/device, timestamps, and result. Never store passwords, tokens, assertions, passkey material, or other secrets in logs/evidence.

6. Strategy, Entry/Exit Criteria, and Deliverables

Approach

- Review this draft with product, QA, engineering, and identity-provider owners; resolve blocking questions and approve scenario priorities.
- Confirm environment, build, access, feature state, test identities, configured providers, and supported-device matrix; run smoke checks.
- Exercise the UI and core success paths first, followed by failures, security/privacy checks, compatibility, accessibility, responsive behavior, and regression.
- Record results and defects in the project’s approved tracker; retest fixes and run focused regression. Report blocked tests with a named dependency, not as pass/fail.

Entry criteria

- Plan/scenarios reviewed; critical ambiguities resolved or explicitly accepted by the owner.
- Approved non-production build and environment reachable; identity-provider test setup and test accounts ready.
- Supported platform matrix, access, and execution evidence process agreed.

Exit criteria (proposed)

- All approved P0 scenarios executed; other planned coverage completed or blockers documented and accepted.
- No open critical/high defects for agreed scope, unless a named stakeholder accepts documented risk.
- Security, compatibility, accessibility, defect, and test-result summaries shared; release/sign-off decision recorded by owner.

Numerical pass-rate and defect thresholds are not stated in the ticket and require owner approval.

Deliverables and defect handling

- Approved plan and resolved requirement questions; prioritized scenario/test-case traceability to AC-1–AC-6.
- Execution results with environment/build, test matrix, evidence references, defects, retests, blockers, and residual risks.
- Report reproducible defects in JIRA (or the approved project tracker) with sanitized reproduction details, expected/actual behavior, environment, severity, and priority. Do not include authentication secrets.

7. Schedule, Roles, and Risks

Work item	Timing / owner	Dependency / output
Requirement review and plan sign-off	Dates and approver TBD	Author answers; approved scope and exit criteria.
Environment, provider, and data readiness	Schedule/owners TBD	Non-production build, configured IdPs, test accounts, supported matrix.
Scenario execution and defect triage	Schedule/capacity TBD	Entry criteria met; P0/P1/P2 execution evidence and defect records.
Retest, regression, and closure report	Schedule/approver TBD	Fixes available; agreed exit thresholds and residual risk decision.

Roles: QA owner, product/requirement author, authentication engineering, configured IdP administrator, and release approver are not named in the ticket. Assignees are unassigned.

Risk	Response / dependency
Repeated historical automation runs were inconclusive: four checks blocked, 0 passed/0 failed (comments dated 10–20 Oct 2026).	Confirm current environment and access first; capture actual observations and distinguish environment blockers from product defects.
Wrong or inconsistent target URL could result in an invalid or unauthorized test.	Get a single approved non-production URL/build. Do not assume the reported production URLs are approved targets.
Provider/test-account or device setup unavailable.	Assign setup owner and readiness date; block dependent scenarios explicitly until provisioned.
Unclear failure behavior or sensitive-data handling may hide security/usability defects.	Resolve open questions and review defined messages/logging expectations before sign-off.

HUMAN REVIEW GATE — Required Before Approval

- **Assumptions made:** Only the written VWO-49 scope is planned; test environments are non-production unless explicitly approved; P0/P1/P2 labels are proposed risk prioritization; the supplied company context/logo are included as provided.
- **Could not confirm:** Approved environment/build, SSO providers and protocols, supported passkey matrix, identities/test data, exact error messages and redirect, UI order/design, accessibility/performance requirements, owner/approver, sprint dates, and release thresholds.
- **Open questions blocking sign-off:** Resolve the ambiguities in Section 3, especially the target environment, supported configurations, provider/test-account readiness, required failure behavior, and priority mismatch.
- **Approval:** QA/product owner to approve or edit this plan before test cases or automation are treated as approved. No execution result is inferred by this document.

Plan approval: Approver: _____ Date: _____ Decision: Pending